YEARBOOK

OF THE

UNITED STATES DEPARTMENT OF AGRICULTURE

1916



WASHINGTON GOVERNMENT PRINTING OFFICE 1917 [Chapter 23, Stat. L., 1895.]

[AN ACT Providing for the public printing and binding and the distribution of public documents.]

Section 73, paragraph 2:

The Annual Report of the Secretary of Agriculture shall beceafter be submitted and printed in two parts, as follows; Part One, which shall contain purely business and executive matter which it is necessary for the Secretary to submit to the President and Congress; Part Two, which shall contain such reports

from the different Bureaus and Divisions, and such papers prepared by their special agents, accompanied by suitable illustrations, as shall, in the opinion of the Secretary, be specially suited to interest and instruct the farmers of the country, and to include a general report of the operations of the Department for their information. There shall be printed of Part Que, one thousand copies for the Senate, two thousand copies for the House, and three thousand copies for the Department of Agriculture; and of Part Two, one hundred and ten thousand copies for the use of

the Senate, three hundred and sixty thousand copies for the use of the House of Representatives, and thirty thousand copies for the use of the Department of Agriculture, the illustrations for the same to be executed under the supervision of the Public Printer, in accordance with directions of the Joint Committee on Printing, said illustrations to be subject to the approval of the Secretary of Agriculture; and the title of each of the said parts shall be such as to show that such part is complete in itself.

ORGANIZATION OF U.S. DEPARTMENT OF AGRICULTURE.

Secretary of Agriculture, David Franklin Houston.

Assistant Secretary of Agriculture, Carl Vrooman.

Solicitor, Francis G. Caffey.

Attorney in Charge of Forest Appeals, Thomas G. Shearman.

Chief Clerk, R. M. Resse.

Appointment Clerk, R. W. Roberts.

Expert on Exhibits, F. Lamson-Scribner.

Office of Information, G. W. Wharton, Chief.

Weather Bureau, Charles F. Marvin, Chief.

Bureau of Animal Industry, Alonzo D. Melvin, Chief.

Bureau of Plant Industry, Wm. A. Taylor, Plant Physiologist and Pathologist and Chief.

Forest Service, Henry S. Graves, Forester and Chief.

Bureau of Entomology, L. O. Howard, Entomologist and Chief.

Bureau of Chemistry, Carl L. Alsberg, Chemist and Chief.

Bureau of Soils, Milton Whitney, Soil Physicist and Chief.

Bureau of Biological Survey, Edward W. Nelson, Biologist and Chief.

Division of Accounts, A. ZAPPONE, Chief and Disbursing Clerk.

Division of Publications, Jos. A. Arnold, Editor and Chief.

Bureau of Crop Estimates, Leon M. Estabrook, Chief.

States Relations Service, A. C. True, Director.

Office of Public Roads and Rural Engineering, Logan Waller Page, Director.

Office of Markets and Rural Organization, Charles J. Brand, Chief. Librarian, Claribel R. Barnett.

Insecticide and Fungicide Board, J. K. Haywoon, Chairman.

Federal Horticultural Board, C. L. MARLATT, Chairman.

CONTENTS.

Report of the Secretary
Meeting the Farmer Halfway. By Carl Vrooman
The Meat-Inspection Service of the United States Department of
Agriculture. By George Ditewig
Color as an Indication of the Picking Maturity of Fruits and Vege-
tables. By L. C. Corbett
Farms, Forests, and Erosion. By Samuel T Dana
The Plant-introduction Gardens of the Department of Agriculture. By P. II. Dorsett
A Federated Cooperative Cheese Manufacturing and Marketing Association. By Hector Macpherson and W. H. Kerr
Some American Vegetable Food Oils, Their Sources and Methods of
Production. By H. S. Bailey.
Agriculture on Government Reclamation Projects. By C. S. Scofield and F. D. Farrell
The Dasheen: Its Uses and Culture. By Robert A. Young
An Experiment in Community Dairying. By R. R. Welch
Suppression of the Gipsy and Brown-tail Moths and Its Value to
States Not Infested. By A. F. Burgess
Progress in Handling the Wool Clip: Development in the West. By
F. R. Marshall
Business Essentials for Cooperative Fruit and Vegetable Canneries. By W. H. Kerr
The Effect of Home Demonstration Work on the Community and the
County in the South. By Bradford Knapp and Mary E. Creswell.
Cooperative Work for Eradicating Citrus Canker. By Karl F. Keller-
man
The Practical Use of the Insect Enemies of Injurious Insects. By
L. O. Howard
Stallion Legislation and the Horse-breeding Industry. By Charles
C. Glenn
Importance of Developing Our Natural Resources of Potash. By
Frederick W. Brown
Cooperative Bull Associations. By Joel G. Winkjer
Farm Tenantry in the United States. By W. J. Spillman and E.
A. Goldenweiser.
Sewage Disposal on the Farm. By George M. Warren
The Stable-manure Business of Big Cities. By C. C. Fletcher
Destroying Rodent Pests on the Farm. By David E. Lantz
The Present Status of the Sugar-beet Industry in the United States.
By C. O. Townsend.
The Thanksgiving Turkey. By Andrew S. Weiant
Farmers' Mutual Fire Insurance. By V. N. Valgren
Development and Localization of Truck Crops in the United States.
By Fred I Blair

6 Contenis.

The Function of Live Stock in Agriculture By George M. Rommel.	Page 46
Possibilities of a Market-train Service By G. C. White and T. F.	4 100
Powell	47
Fur Farming as a Side Line. By Ned Dearborn.	.18
Pumping for frigation on the Farm. By P. E. Fuller	50
Opening Up the National Forests by Road Building By O C. Mer-	
rill	52
A Graphic Summary of World Agriculture. By V. C. Finch, O. E.	
A Grapme Summary of World Agriculture. By V. C. I men, V. II.	53
Baker and R G Hainsworth	90.
Appendix:	
Agricultural Colleges in the United States	55
Agricultural Experiment Stations in the United States Their	
Locations and Directors	35
State Officials in Charge of Agriculture	558
State Officers in Charge of Cooperative Agricultural Extension	
	55
Work	5G1
Statistics of Grain Crops, 1916.	-
Statistics of Crops Other than Grain Crops, 1916	613
Live Stock, 1916, and Miscellaneous Data	(55)
Imports and Exports of Agricultural Products	707
Index	740
ILLUSTRATIONS.	
ILLUSTRATIONS.	
ILLUSTRATIONS.	
COLORED PLATES.	Page.
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity.	Page.
COLORED PLATES.	Page.
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube	Page. 100
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity.	Page. 100
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES.	Page. 100 141
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube	Page. 100 141
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES.	Page. 100 141
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep. II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room.	Page. 100 141 80 80
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars.	Page. 1000 14: 80 80 80
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection.	Page. 1000 14: 80 80 80 80 80 80 80
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep. II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. X. Products inspection.	Page. 1000144
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. X. Products inspection. Scaled rendering tank.	Page. 100 14:1 80 80 80 80 80 88 88 88 88
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. XI. Products inspection. Scaled rendering tank. XII. Results of clear cutting and fires.	Page. 1001 14: 80 80 80 88 88 88 88 88 88 81
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. X. Products inspection. XI. Products inspection. Sealed rendering tank. XII. Results of clear cutting and fires. XIII. How farm land and roads are destroyed.	Page. 100 14:1 14:1 10:1 10:1 10:1 10:1 10:1
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. X. Products inspection. XI. Products inspection. Scaled rendering tank. XII. Results of clear cutting and fires. XIII. How farm land and roads are destroyed. XIV. Farming no longer possible. A result of careless farming.	Page. 100 14: 80 80 80 80 88 88 88 88 88 112 112
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. XI. Products inspection. XI. Products inspection. Scaled rendering tank. XII. Results of clear cutting and fires. XIII. How farm land and roads are destroyed. XIV. Farming no longer possible. A result of careless farming. XV. Land ruined by erosion. Erosion gaining headway XVI. A reservoir endangered. Overgrazing a cause of soil washing.	Page. 1001 14: 80 80 80 80 88 88 88 112 112 112
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep. II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. X. Products inspection. XI. Products inspection. Scaled rendering tank. XII. Results of clear cutting and fires. XIII. How farm land and roads are destroyed. XIV. Farming no longer possible. A result of careless farming. XV. Land ruined by crosion. Erosion gaining headway. XVI. A reservoir endangered. Overgrazing a cause of soil washing. XVII. Kind of land for a woodlot. Protected river bank.	Page. 100 14: 80 80 80 80 88 88 88 88 88 112 112
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. XI. Products inspection. XI. Products inspection. Sealed rendering tank. XII. Results of clear cutting and fires. XIII. How farm land and roads are destroyed. XIV. Farming no longer possible. A result of careless farming. XV. Land ruined by erosion. Erosion gaining headway. XVI. A reservoir endangered. Overgrazing a cause of soil washing. XVIII. Kind of land for a woodlot. Protected river bank. XVIII. Unprotected river bank. Farm land suffers.	Page. 100 14:1 80 80 80 80 80 80 88 88 88 112 112 112 112
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity. G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. X. Products inspection. XI. Products inspection. SAI. Products inspection. Sealed rendering tank. XII. How farm land and roads are destroyed. XIV. Farming no longer possible. A result of careless farming. XV. Land ruined by erosion. Erosion gaining headway. XVI. A reservoir endangered. Overgrazing a cause of soil washing. XVII. Kind of land for a woodlot. Protected river bank. XVIII. Unprotected river bank. Farm land suffers. XIV. Soil gone. Bottom land buried under sand.	Page. 100 14: 14: 100
COLORED PLATES. PLATES A TO F. Rome Beauty apples, showing relation of color to picking maturity G. Fruiting branch of Chinese jujube. HALFTONE PLATES. PLATE I. Ante-mortem inspection of cattle and sheep II. Cattle-slaughter room. Post-mortem inspection of swine. III-VI. Post-mortem inspection of cattle, sheep, and swine. VII. Branding carcasses. Sheep chill room. VIII. Meat-curing cellars. IX. Manufacture of sausage. Products inspection. XI. Products inspection. XI. Products inspection. Sealed rendering tank. XII. Results of clear cutting and fires. XIII. How farm land and roads are destroyed. XIV. Farming no longer possible. A result of careless farming. XV. Land ruined by erosion. Erosion gaining headway. XVI. A reservoir endangered. Overgrazing a cause of soil washing. XVIII. Kind of land for a woodlot. Protected river bank. XVIII. Unprotected river bank. Farm land suffers.	Page. 100 14:1 14:1 80:1 80:1 80:1 80:1 80:1 80:1 80:1 80

	Page.
PLATE XXII. Propagating houseat Yarrow Field Station. Lath house at Miami Fie	ld
Station	144
XXIII. Nursery plantings and test orchard	144
XXIV. Jujube and young tung-oil trees.	144
XXV. Pistache tree and udo plants.	. 144
XXVI. Young hybrid chestuut trees. Davidiana peach seedlings	114
XXVII. Views in plant introduction station, Brooksville, Fla	
XXVIII. Japanese (imber bamboo in California	
XXIX. Budded avocado and mango trees.	
XXX, Narcassus planis, Approach to Mami Field Station	
XXXII. Old olive mill and press. Grinding olives.	
XXXIII. Pressing olives and stripping cake—Delinter for cleaning cotton seed.	
XXXIV. Press room. Oil-expeller, neanut-oil mill.	168
XXXV. Successful irrigation development	184
XXXVI. Irrigating sugar beets. Fruit farming under to igation	184
XXXVII Excess production of aliable hay. Small flock of sheep on an irrigate	
laum. Feeding steers	
XXXVIII, Yaro nelds near Honolulu. Dasheen plants at Brooksville, Fla.	
held of Tunidad dasheen.	
XXXIX. Typical corm of Trandad dasheen. Twenty-three pounds of dasheen	15
hom a single hili.	
XL Pounding poi. Forced and blanched dasheen shoots	
XLI Sliced dasheen ready for scalloping. Stuffed dasheen	
XUII. Dasheen crisps Rolls made from flour and boiled dasheen	
XLIII. Specimens of dasheen corms and tubers.	
XLAV. Oldend new creameries at Algona, Iowa.	212
XLV. The gaps, moth	
XLVI. The brown-fail moth	224
XLVII. Woodland and apple orchard completely defoliated	224
XLVIII. Brown-tail moths on electric are-light poles	
XLIX. Woodland before and after removal of food plants	224
I., Capsy-moth caterpillars on tree trunk.	
L1. Motor-truck sprayer in operation. Gipsy-moth egg clusters on pavis	ıg
blocks	
LII. Shelter for shearing sheep. "Pioneer" Australian style shearing shee	
LIII. Streep entering sweating shed. Loading baled wool	
LIV. Inspecting wool clip. Baled wool ready for loading on cars	
LV. Interior views of educational wool car	
LVI. Canning club day at University of Chattanooga	
LVII. Cannas and other plants used to beautify ansightly fence	
LVIII. Ruth's home before and after improvement	
LIX-LXII. Citrus-canker infections.	
LXIII. Unsound mongrel stallion. Stallion unfit for breeding purposes	
LXIV. Unsound grade stallion. Grade Percheron stallion.	
LXV. (lood types of stallions.	
LXVI. Breed mares to pure-pred stallions of the same breed	
LXVII. Harvesting kelp LXVIII. Types of scrub bulls.	
LXVIX. Common cattle. An association bill.	
LXX. A well-bred bull, his dam, and his daughter.	
LXXI. Steam cranes unloading manure	
LXXII. Mountain beaver. Badger. Kangaroo rat.	
LXXIII. Types of traps	
LXXIV. Break in irrigation ditch caused by burrows of California groun	
squirrel. Corn field ruined by Columbian ground squirrels	
LXXV. Erosion following destruction of grass by prairie-dogs. Mound	
California ground squirrel in oats field	
LXXVI. Jack-rabbit drive	
LXXVII. Types of sugar beets found in commercial fields	

				Page.
PLATE LXXVIII. Types of seed stalks for	ound	ın comm	nercial beet-seed relds	408 408
LXXIX. Harvesting sugar-beet seed				
LXXX. Sugar-beet seed cut	and s	shocked.	Stock feed left in sugar-need	408
seed field after cuttu	ng an	id inrasii	ing	408
LXXXI. Thrashing commercial LXXXII. Bronze turkey. Com:	sugu	ir-beet se	Par	416
LXXXII. Bronze turkey. Com. LXXXIII. Breeding turkeys. To	111011 1111201	wild tur.	asting Broad Coon	416
LXXXII. Breeding turkeys. Turkey drive. Turk	leaved leaved	g meno m Proceino 1	nlant	116
LXXXV. Fisher. Raccoon skin	E)	n coonig I grithae	mink. A friendly fox	488
LXXXVI. Mink pens. Pet beave	ers.	A pair o	ot otters	488
LXXXVII. Alfalfaland prepared for	orirri	gation.	Pump used for irrigating altalfa	512
LXXXVIII, Type of bridge used in	a Nat	tional Fo	prest road building	521
LXXXIX Views of roads in Nati	onal	Forests.		524
			oad, Colorado	521
TEX	T F	IGURES	š.	
Pa	ige.			Page.
Fig. 1. "U. S. suspect" tag	80	Fig. 26	Average acres and improved	
2. "U.S. condemned" tag	81		aeres per farm on owner and	
3. "U. S. retained" tag	. 84		tenant farms	342
4 Facsimile of inspection brand	88		Portable pit privy	351
"Condemned" brand	89	28.	Outdoor, dry-earth, removable-	
6. Butter trade-mark	213		container privy	354
7. Floor plan of shearing shed	229		Indoor dry-earth vault privy	355
8. The Australian ladybird	276		Chemical closet	357
9. The sugar-cane leathopper	278		Outdoor liquefying closet House waste pipes and septic	358
10. Paranagrus optabilis, a parasite	070	32.	cesspool	362
of the sugar-cane leafhopper	279	33.	Septic-tank installation for pri-	
11. Sugar-cane weevil borer	280	00.	vate house	368
12. Schedus kuranae, an egg para-	284	34,35.	Details of septic tank 3	69,370
site of the gipsy moth 13. Egg masses of gipsy moth	285		Layout of sewage-disposal plant	
14. Parcxorista cheloniae, a parasite	200	37.	Probes for locating pocket-	
of the brown-tail moth	286		gopher runs	
15. Parasite laying eggs in mul-		38.	Farmers' mutual fire insurance	
berry scale	287		companies, by geographic divisions	425
16. States having laws regulating	1	39	Value of insurable farm prop-	
public stallion service	292	00.	erty and of farm property in-	
Location of members of Roland			sured in farmers' mutual fire	
Cooperative Bull Association.	313		insurance companies	426
Average mortgage per farm and		40.	Percentage of insurable farm	
percentage of farms mort-			property insured in farmers'	
gaged, by States	324		mutual fire insurance com-	
19. Percentage of tenants among		41	panies	426
farmers, by age groups	325	41.	Average cost per \$100 of insur- ance in farmers' mutual fire	
20. Percentage of tenants among			insurance companies, 1914	427
farmers, by age groups, for	200	42.	Acreage in early potatoes	447
last three census periods 21. Percentage of tenant farmers for	326		Comparative acreage in miscel-	
last four census periods	327		laneous vegetables, other	
22. Percentage of tenants among	021		than potatoes, sweet pota-	
farmers for last four census			toes, and strawberries	448
periods	329	44-54.	Maps showing acreage of truck	
23,24. Percentage increase or decrease	020		erops4	55 -465
in farms operated by owners		55.	Small internal-combustion en-	~+0
and tenants 330	, 331	56	world identification map	516 535
25. Percentage increase in value of	,		World population map	536
farm land	332	58-74.	. World agriculture maps 5	37–553

YEARBOOK OF THE U.S.DEPARTMENT OF AGRICULTURE

REPORT OF THE SECRETARY OF AGRICULTURE.

Washington, D. C., November 15, 1916.

SIR: The half of agriculture embracing the marketing of farm products, rural finance, and rural organization has strikingly occupied attention during the last three and one-half years. Before 1913 little systematic thought had been devoted to it and there did not exist, either in the States or in the Nation, effective instrumentalities to furnish assistance and guidance to farmers in this field, nor had the laws necessary to remedy abuses and control unfavorable conditions been formulated or enacted. In view of the complexity and novelty of the problems, the accomplishments—legislative and administrative—have been notable and significant. This seems an opportune time to summarize them.

Early in 1913 a program for the ensuing four years was developed. This program in large measure has been executed. In the first place provision was made promptly for the creation of the Office of Markets and Rural Organization. Beginning with a modest sum, the appropriations for this office, including those for enforcing new laws to promote better marketing, have increased to \$1,242,000. Quickly an effective organization was developed and to-day the Nation possesses in this department the largest and best trained and supported staff of experts dealing with the distribution of agricultural commodities and rural organization to be found anywhere in the world. It is engaged in investigating all the larger and more difficult problems confronting farmers in this new field.

The matter of establishing standards for staple agricultural products, of supervising the inspection of grains shipped in interstate and foreign commerce and the operations of cotton futures exchanges, of devising financial machinery suited to the needs of the rural population, of developing a better system of warehouses for agricultural products, and of Federal aid in highway construction, received careful attention. The result was the enactment of a number of highly important laws—the Cotton Futures Act, the United States Grain Standards Act, the United States Warehouse Act, the Federal Farm Loan Act, and the Federal Aid Road Act.

Under the Cotton Futures Act, which was enacted on August 18, 1914, and reenacted with amendments in the Agricultural Appropriation Act for the fiscal year 1917, standards for cotton have been established, the operations of the futures exchanges have been supervised, and cotton trading has been placed on a sounder basis.

The United States Grain Standards Act, which is included in the Agricultural Appropriation Act for the fiscal year 1917, will bring about uniformity in grading, enable the farmer to obtain a fairer price for his product and to improve its quality, and prevent or diminish materially the shipment of adulterated grain.

The United States Warehouse Act, also included in the Agricultural Appropriation Act for 1917, authorizes the Department of Agriculture to license bonded warehouses which handle certain agricultural products. It will make possible the issuance of reliable and easily negotiable warehouse receipts, promote the better storing of farm products, and encourage the standardizing of storages and of marketing processes.

The Federal Farm Loan Act was approved on July 17, 1916. It creates a banking system which will reach intimately into the rural districts, operate on terms suited to

the farmer's needs under sympathetic management, introduce business methods into farm finance, bring order out of chaos, reduce the cost of handling farm loans, place upon the market mortgages which will be a safe investment for private funds, attract into agricultural operations a fair share of the capital of the Nation, and lead to a reduction of interest.

A provision in the Federal Reserve Act, which was approved on December 23, 1913, authorized national banks to lend money on farm mortgages and recognized the peculiar needs of the farmer by giving his paper a maturity period of six months.

The Federal Aid Road Act, approved July 11, 1916, provides for cooperation between the Federal Government and the States in the construction of rural post roads and of roads and trails within or partly within the National Forests. This measure will conduce to the establishment of a more effective highway machinery in each State, strongly influence the development of good road building along right lines, stimulate larger production and better marketing, promote a fuller and more attractive rural life, add greatly to the convenience and economic welfare of all the people, and strengthen the National foundations.

BUREAU OF MARKETS.

I have recommended in the estimates for the fiscal year 1918 that the name of the Office of Markets and Rural Organization be changed to "Bureau of Markets." The importance of the work and the size of the organization fully justify this change; and there is widespread sentiment throughout the country in favor of it. It is in the interest of simplicity and convenience and will give the organization a title by which it is already generally known.

The work of the Office of Markets and Rural Organization has developed very rapidly, and some notable results have

been secured. Definite assistance has been rendered to the fruit interests of the States of Oregon, Washington, Idaho, and Montana. An organization composed of cooperative associations, corporations operating for the producers, and individual growers was formed during the past year. The purpose of the organization is to secure broader distribution through the establishment of uniform grades and marketing methods. Through it the fruit industry of the Northwestern States should be placed upon a more efficient business basis. It comprises 65 per cent of the northwestern fruit industry, representing an investment of \$150,000.000, and supporting approximately 20,000 growers. This is probably the most important single activity in forming cooperative organizations that has yet been undertaken by the department.

Well-tested systems of accounts and records for primary grain elevators, for live-stock shipping associations, and for cooperative stores have been issued. Systems for country creameries and cotton warehouses have been devised and are being tested under commercial conditions. Systems perfected by the department for farmers' cooperative elevators and for fruit and produce associations already are in extensive use. A plan for adapting farmers' grain-elevator companies to the patronage dividend basis has been worked out and published.

The issuance of monthly cold-storage reports on apples has been continued, and the work has been extended to include butter, eggs, and cheese. These reports show the cold-storage holdings throughout the country, and include a comparison of the holdings of the current year with those of the previous year. In cooperation with carriers, extensive investigations of the economic waste of foodstuffs in transit have been conducted. The object of these investigations is to secure better cooperation between shippers and carriers and greater efficiency in methods of handling, with a view to eliminate, or at least greatly to reduce, the present waste.

MARKETING LIVE STOCK AND MEATS.

A systematic survey of centralized live-stock markets, begun during 1915, has been extended to cover practically all the large stockyard centers. Arrangements have been made with 58 stockyard companies to secure monthly reports of live-stock receipts and shipments. A uniform system of market records has been adopted, at the instance of the department, by a number of the yards. Twenty-six companies are reporting stocker and feeder shipments separately, in accordance with a form prepared by the Office of Markets and Rural Organization.

An investigation of the organization and conduct of cooperative live-stock shipping associations, begun during 1915, has been completed and the results published. The directory of these associations now includes 485 organizations, aside from 440 other agricultural associations which ship live stock as a branch of their business. The farmers' cooperative packing-house movement was studied and a press bulletin on the subject was issued.

A conference relative to the marketing of live stock and meats was held at Chicago November 15 and 16, 1915, for the purpose of "ascertaining the essential facts pertaining to the industry with a view to bring about more stable marketing conditions, more efficient methods, closer cooperation, and a better understanding among all the interests connected with the industry." Representatives of all the National organizations and of other interests concerned with the live-stock and meat industry participated in the meeting. The proceedings were published as House Document No. 855, Sixty-fourth Congress, first session.

Methods and costs of marketing live stock and meats in the United States were investigated. Extensive schedules were sent to 10,500 correspondents of the Bureau of Crop Estimates. A summary and discussion of the returns, together with data on economic factors affecting the cost of marketing and distribution, has been published. A preliminary investigation of the sources, accuracy, and use of market reports on live stock and meats has been made. The results of this study also have been published and have been utilized in the development of plans for the organization of a demonstration market news service for live stock similar to that now conducted for perishable crops. An appropriation of \$65,000 has been made available for the purpose. Other subjects which received attention are public abattoirs, transportation of live stock, organization and methods of the wholesale meat-packing industry, and local marketing of live stock and meats.

Surveys have been made of the marketing facilities for agricultural products in nine cities and advice has been given regarding the location, establishment, and management of municipal retail and wholesale public markets. Detailed studies also have been made of local conditions in other cities. The department now is prepared to furnish a model design for a public retail market, with the cost, fully equipped, estimated on the basis of square feet. Designs of model steel sheds for use on open farmers' markets also are available.

Investigations concerning methods of handling and grading perishable products and the practicability of the standardization of the products and their containers have progressed rapidly. Tentative grades for sweet potatoes of Arkansas and Bermuda onions of Texas have been worked out and adopted by the local growers' associations. Several standardization laws, Federal and State, have been enacted during the year. The most significant Federal legislation in this field is the United States Grain Standards Act. Congress also has established the 2, 4, and 12 quart sizes, with certain dimensions, as standards for Climax baskets for grapes and other fruits and vegetables, as well as the drymeasure one-half pint, pint, quart, or multiples of the quart

as standards of capacity for baskets or other containers for small fruits, berries, and vegetables.

Preliminary plans have been formulated for the investigation of foreign markets for American farm products and for assistance in the development of the export trade under normal conditions. A representative of the department recently conducted investigations in Europe along this line. The work, in so far as possible, will be done in close cooperation with the Departments of State and Commerce.

A survey of State marketing activities has been made and the results published. Provision was made in the Appropriation Act for the fiscal year 1917 for cooperation with the several States in the employment of marketing agents. This provision should enable the department to bring about a close coordination of the marketing activities and policies of the various States with those of the department.

DEMONSTRATION MARKET NEWS SERVICE.

The value to producers of fruits and vegetables of the experimental market news service inaugurated in 1915 resulted in insistent demands for the extension of the work. During the past year telegraphic reports have been received from 33 important metropolitan markets and from officials of all railroads serving producing territory. The information thus secured has been furnished to growers, shippers, and distributors through 35 temporary offices in producing territories and 11 permanent offices in large cities. Statements from growers and shippers of tomatoes, strawberries, peaches, cantaloupes, watermelons, onions, grapes, apples, and potatoes indicate that the actual monetary saving due to a wider knowledge of market conditions has exceeded the cost of the service many fold.

The education of producers in the proper marketing of farm products, the avoidance of unnecessary losses due to diversions in transit, and the encouragement given to growers who desire to reach new consuming centers are some of the benefits resulting from this attempt to develop for the farmer a reliable business basis.

THE COTTON FUTURES ACT.

The work under the Cotton Futures Act, which was reenacted with amendments at the last session of Congress, progressed satisfactorily. In addition to the Official Cotton Standards of the United States, which were promulgated on December 15, 1914, official cotton standards for tinges and stains were promulgated on January 28, 1916. Reproductions of these standards were furnished the future exchanges and spot markets which have adopted the official standards for white cotton.

While the compulsory use of the official standards extends only to contracts on future exchanges made subject to section 5 of the act, they were accepted and used voluntarily in all the more important spot markets and form the basis of their dealings. Demonstrations of the use of the standards have been conducted among farmers in many of the cotton-producing districts of the South, and arrangements have been made to provide 125 county agents in that region with reproductions of the standards. The interest in, and approval of, the Official Cotton Standards is not confined to this country. This is shown by the fact that the Rotterdam Cotton Exchange has adopted them.

As a result of the operation of the Cotton Futures Act, quotations for spots and futures have maintained a steady relation to each other. Future quotations now are better indications to the farmer of the value of his commodity than formerly. This uniformity has demonstrated the value of the future markets for legitimate hedging purposes. It is clear, therefore, that the general purposes of the act have been, and are being, accomplished.

GRAIN STANDARDS AND WAREHOUSE ACTS.

The Office of Markets and Rural Organization, in cooperation with the Bureau of Plant Industry, has been charged

with the duty of administering the United States Grain Standards Act. Plans for its enforcement have been developed as rapidly as possible.

Official standards for shelled corn, effective December 1, 1916, were issued on September 1. These standards consist of 6 grades each for white corn, yellow corn, and mixed corn, and also a sample grade, making 19 grades in all. As the inspection requirements of the act are not operative as to any grain until standards for it have been established thereunder, the supervision of inspection and grading for the present will be confined to corn. Standards for wheat and oats are in process of determination. Studies for the purpose of securing the information necessary to establish standards for other grains, including the grain sorghums, are under way.

Tentative rules and regulations for the enforcement of the act were published and distributed on October 14. 1916, and all interested parties were given an opportunity to make suggestions concerning them. Public hearings were held in four of the large grain marketing and exporting centers and in Washington. The suggestions received by letter and at the hearings were fully considered in drafting the final form of the rules and regulations, which were promulgated on November 6, 1916, effective December 1, 1916.

Examinations have been held at various points to determine the competency of persons who have applied for licenses to inspect and grade shelled corn and to certificate the grade thereof. Licenses relating to other grains will not be issued until standards for them have been established.

In order that the work of licensed inspectors may be supervised properly, and appeals and disputes under the act dealt with promptly, it has seemed advisable for the present to divide the country into 32 districts. This number may be increased when standards for other grains have been established. The districting has been made with a view to place

all sections of the country in convenient reach of a grain supervisor. In each district there will be an office of Federal grain supervision, usually in charge of a grain supervisor or a board of grain supervisors. The city in which the office is located has been designated in each case as the district head-quarters. The right to appeal or to refer a dispute in all cases must be exercised by sending the question for determination to the grain supervisor in charge of the particular district under whose jurisdiction it falls.

Grain producers and all branches of the grain trade have shown a commendable desire to cooperate with the department in bringing about the most beneficial operation of the law.

The administration of the United States Warehouse Act has been intrusted to the Office of Markets and Rural Organization. The rules and regulations for its enforcement are in course of preparation. A tentative draft will be published in the near future, and all interested parties will be given an opportunity to submit suggestions.

THE FOOD SUPPLY.

Interesting questions arise as to whether the domestic food supply of the Nation is keeping pace with the growth in population and as to what are the prospects for the future. The following table in this connection is illuminating:

Food supply of the United States.

		•	
June	1,	1900 1910 1916	92, 174, 515

	Producti	Production.	
Item.	Total.	Per capita.	
Meats: Beef, veal, mutton, and pork (pounds):			
1899	18, 865, 000, 000	248.2	
1909	19,712,000,000	213.9	
1915	22,378,000,000	219.6	
Dairy products:			
Milk (gallons)—			
1899	7, 265, 804, 304	95.6	
1909	7, 466, 406, 384	81.0	
1915 (estimated 1)	7,696,844,000	75.5	
175 1		,	

¹ Based upon average annual increase, 1899 to 1909, as shown in census.

Food supply of the United States-Continued.

	Producti	Production.	
Item.	Total	Per capita.	
Dairy products—Continued.			
Butter and cheese (pounds)—			
1899	1,790,097,244	23.6	
1909		21.1	
1915 (no data available)			
Poultry products:			
Poultry raised (number)—			
1899.			
1909	488, 500, 000	5.3	
1915 (estimated)	555, 500, 000	5.5	
Eggs (dozens)—	000,000,000	0.0	
1899	1, 294, 000, 000	17.0	
1909	1,591,000,000	17.3	
1915 (estimated 1)	1,811,000,000	17.8	
Fish (pounds):	1, 311, 000, 000	11.0	
1900–1904	989, 275, 000	² 12.5	
1908	1 ' '		
1915 (no data available)	1,046,541,000	3 11.6	
,			
Cereals: Corn, wheat, and rice (bushels):	0 000 000 F10	40.0	
1899	3, 333, 868, 710	43.9	
1909	3, 257, 407, 468	35.3	
1915	4, 094, 986, 999	40.2	
Potatoes (bushels):			
1899	273, 318, 167	3.6	
1909	389, 194, 965	4.2	
1915	359, 103, 000	3.5	
Sweet potatoes (bushels):			
1899	42, 517, 412	. 56	
1909	59, 232, 070	. 64	
1915	74, 295, 000	. 73	
Citrus fruits: Oranges, lemons, and grapefruit (boxes):			
1899	7,075,557	.09	
1909	23, 447, 044	. 25	
1915 (estimated)	24, 670, 282	. 27	
Orchard fruits: Apples, peaches, and pears (bushels):			
1899	197, 455, 620	2.6	
1909	190, 433, 327	2.1	
1915	304, 686, 000	3.0	
Small fruits (quarts):			
1899	463, 218, 612	6.1	
1909	426, 565, 863	4.6	
1915 (no data available)			
Sugar (pounds):			
1899	486, 006, 871	6.4	
1909	1,688,300,143	18.3	
1915	2,025,680,000	19.9	

Based upon average annual increase, 1899 to 1909, as shown in census.
 Based upon population June 1, 1902, 79,230,563.
 Based upon population June 1, 1909, 90,556,521.

These statistics cover the past 16 years. Within this period the population of the Nation has increased, in round numbers, 26,000,000, or 33 per cent. The articles dealt with cover the more important parts of the diet of the people. Meats and dairy products constitute 37 per cent of the average diet, fish 2 per cent, cereals 31 per cent, Irish and sweet potatoes 13 per cent, and other vegetables 8 per cent. It is notable that, notwithstanding the very rapid increase in population, the production per capita of the commodities indicated, with the exception of meats and dairy products, has remained approximately the same or has increased.

Similar statistics are not available for vegetables, other than Irish and sweet potatoes, but it is reasonable to assume that there has been at least a proportionate increase in production. The figures for Irish potatoes may be taken as a fair index of the normal increase of vegetable products. The potato acreage increased from 2,938,778 in 1899 to 3,668,855 in 1909, or 24.8 per cent, while the value of the product increased during the same period from approximately \$98,400,000 to approximately \$166,400,000, or 69.2 per cent. The value of all other vegetables increased during the 10-year period from \$120,000,000 to \$216,000,000 and the acreage by over 600,000. The statistics regarding canned vegetables are significant. In 1899, 19,300,000 cases of canned vegetables, valued at approximately \$28,700,000. were packed in the United States. In 1909, 32,800,000 cases, having a value of approximately \$51,600,000, were packed.

The area from which vegetables are drawn constantly is increasing, and improved canning, marketing, and transportation facilities have made it possible to supply our large markets with vegetables in greater variety throughout the year. It is a well-known fact that the consumption of fruits and vegetables has increased considerably in recent years and that they constitute a larger and more important part of the permanent diet of the people.

With all the agencies now available for improving agriculture there is ground for optimism as to the ability of the Nation not only to supply itself with food, but increasingly to meet the needs of the world.

INCREASING THE MEAT OUTPUT.

To increase the meat production of the United States has been one of the principal aims of the department in recent This can not be accomplished in a day, but requires steady constructive effort over a period of years. ever may have been the influence of the department's work, it is gratifying to note that the decline in beef production reached its lowest point in 1913, and that since that date there has been a material increase, while there has been a marked advance in the number of swine since the census year 1899. The number of sheep has continued to decline, but only to a slight extent. The number of animals slaughtered and the quantity of meat products prepared under Government inspection during the past fiscal year are the largest in the history of the service; yet this heavier slaughtering has been accompanied by an increase in the remaining stock of animals.

In December, 1913, a committee of experts was appointed to make a thorough survey of the meat situation. As a result of this study, the department recently issued a series of illuminating reports. They furnish information of value not only to the public but also to the department and suggest more definitely the lines of attack which the department should follow in its efforts to increase the meat supply.

The activities of the department have taken two principal directions—(1) checking and eliminating diseases and parasites and (2) increasing and improving stock raising by extending the industry where conditions are favorable and by pointing the way to better breeding and feeding.

COMBATING STOCK DISEASES.

The eradication of the southern cattle tick is proceeding more rapidly than ever before and is opening up for beef and dairy production a large territory. During the past fiscal year 31,358 square miles were released from quarantine and, in addition, 9,493 square miles were released on September 15, 1916. Within the past three years the quarantine has been removed from 106,810 square miles, making a total of 294,014 since the work was begun in 1906. This represents a territory greater than the combined areas of South Carolina, Georgia, Florida, Tennessee, Alabama, and Mississippi. More than 40 per cent of the original tick-infested territory has been cleared, and therefore the direct losses, originally estimated at \$40,000,000 annually, are being greatly reduced.

The diseases known as sheep scabies and cattle scabies likewise are being eliminated rapidly from the Western States. During the fiscal year 1916, 43,243 square miles were released from quarantine for sheep scabies and 12,691 for cattle scabies. At present only 286,398 square miles remain under quarantine for sheep scabies and 3,817 for cattle scabies.

Hog cholera.—Hog cholera, always the cause of heavy losses throughout the country, is less prevalent this year than for many years. This is due, in marked degree, to the wise application of the protective serum devised by the department and to the demonstration work in certain selected counties. The beneficial results of the field demonstrations are shown by a comparison of statistics for the 14 experimental counties before the work was undertaken and after it had been in progress for a time. There was an increase in the number of hogs raised in these counties from 859,910 in 1912 to 1,334,644 in 1915, while during the same period there was a decrease in the number that died from 152,296 to 30,668. This is an increase of 474,734 in the number raised and a decrease of 121,628 in the number lost, or a total gain

of 596,362 hogs. This demonstration shows what can be accomplished by the use of serum with sanitary measures, and undoubtedly has led to the extended use of such methods by farmers. The experimental plan would be impracticable and too expensive for the department to operate on a large scale, but the work will be continued in a modified form.

Contagious abortion.—Contagious abortion in recent years has reached such proportions as seriously to threaten the cattle-raising industry. It strikes at the source by curtailing the production of calves. It has been studied by the department, and vigorous efforts are being made to advise stock breeders as to its nature and means of prevention and eradication. The last Congress, upon the recommendation of the department, made a special appropriation of \$50,000 for attacking the problem.

Foot-and-mouth disease.—I am glad to be able to report the complete suppression of foot-and-mouth disease during the year. The disease appeared near Niles, Mich., late in the summer of 1914 and reached 22 States and the District of Columbia. It extended entirely across the country, from Massachusetts on the east to Washington on the west, the region of greatest prevalence being from New York to Illinois.

After July 1, 1915, the disease occurred only in Illinois, Massachusetts, New York, Indiana, and Minnesota. Before the end of August it had been eradicated from the last three mentioned States. It recurred in Massachusetts in October, 1915, and was promptly suppressed. In Illinois the last herd of cattle affected by the natural spread of the disease was disposed of in February, 1916. The infection reappeared, however, early in May among some test animals on a previously infected farm. These animals had been placed there to determine, before the owner was allowed to restock his farm, whether the disinfection was effective. As the cleaning and disinfection of these premises had been done under

very unfavorable weather conditions, the outbreak was not entirely unexpected. The diseased animals were slaughtered promptly and the premises again disinfected. There has been no recurrence of the disease anywhere in the United States. The last quarantine restrictions were removed June 5, 1916. Supervision by veterinary inspectors has been continued in the lately infected areas after removal of quarantine, as a precaution against any infection that may have remained.

This outbreak was the most serious invasion of this disease that has ever menaced the live-stock industry of the country. It was overcome only after a hard struggle in which the authorities of the various States affected cooperated cordially with the Federal Government. We are fortunate to have escaped with no greater losses. countries have been unable to eradicate the disease after it has gained a foothold and have to endure constant heavy losses. As a protection against future outbreaks of this or other diseases of a character to threaten seriously the livestock industry, Congress has made a special appropriation of \$1,250,000. It also has provided, upon the recommendation of the department, that breeding value, as well as meat or dairy value, may be taken into account in compensating owners for animals destroyed hereafter in the eradication work

TUBERCULOSIS OF FARM ANIMALS.

Tuberculosis probably is the most common, destructive, and widely disseminated of the infectious diseases of domestic animals, especially of cattle and swine. Its seriousness is emphasized by the fact that it is transmitted to human beings. This may be prevented in reasonable measure by the pasteurization of milk and the inspection of meat. There remains, however, the problem of eliminating the disease from farm animals in order to prevent losses estimated at \$25,000,000 a year in the United States. This is

the greatest problem confronting the live-stock industry of the country. Its very magnitude discourages the undertaking of any general plan of eradication.

Despite all that has been done in the past 10 or 15 years, there is no indication that tuberculosis of cattle and hogs is on the decline in the United States. It has been reduced or partially checked here and there, and even eradicated from some herds; but generally it is as prevalent as ever. The disease can be prevented and some definite system of eradication should be inaugurated. Three undertakings seem practicable at this time.

Eradication from pure-bred herds.—The first is the eradication from pure-bred herds of cattle. It is not necessary to resort to compulsion. The department should be placed in position more fully to assist individuals who wish to undertake the complete eradication of the disease from their herds. It could apply the tuberculin test and, in case infected animals are discovered, advise and supervise their proper disposal or management. The ruthless slaughter of all tuberculin reactors is not necessary. Many of them may be safely retained under proper quarantine conditions and their offspring raised free from tuberculosis. This plan has the approval of the breed-record associations in general and of many individual breeders. Numbers of breeders have requested that their herds be tested. Compliance with these requests to the extent of the limited funds available has yielded very satisfactory results.

Eradication from hogs.—The second undertaking is the eradication of tuberculosis from hogs. The experts of the Bureau of Animal Industry believe that this would be relatively easy of accomplishment. Hogs do not convey the disease to one another to any appreciable extent. They contract it from cattle, chiefly in two ways—by being fed on nonpasteurized products from creameries and by following cattle of somewhat mature age in the feed lot and feeding

upon the undigested grain. An educational campaign should be effective in removing these two sources of infection. It also may be desirable to have State laws requiring the pasteurization of skimmed milk and other products before they leave the creameries.

Eradication from restricted areas.—The third undertaking is complete eradication in restricted areas. The plan would be to select certain communities in which, after a thorough educational campaign had been made, the stock owners are willing to cooperate in eradicating the disease entirely from that territory. This would require the slaughter of infected animals and would necessitate reasonable indemnity for the animals slaughtered. The latter feature undoubtedly would require large expenditures.

The results accomplished in the District of Columbia afford an example of what can be done where systematic local eradication is undertaken. By means of repeated tuberculin testing, accompanied by the slaughter of the reacting animals, tuberculosis among cattle in the District has been reduced in a few years from nearly 19 per cent to slightly over 1 per cent. The joining of areas freed of tuberculosis in the manner proposed gradually should result in the elimination of the disease from groups of counties and from entire States.

Such an undertaking would be very similar to the plan of exterminating cattle ticks in the South. This work was begun systematically in 1906 in certain restricted areas on the border of the infested region. At first the opposition of the local people was almost unanimous. Even the fact that the tick is the carrier of splenetic fever was quite generally disbelieved. Persistent work in these few regions, however, eventually produced good results. Gradually the people were convinced that the tick is an evil; that its eradication would be advantageous; and that the cost would be small in comparison with the benefits. The tick-eradication movement is now going forward very rapidly. Furthermore, this

activity was begun almost exclusively at department expense. Last year the department spent approximately \$400,000 in tick eradication, while local agencies, including State and county governments, expended double that amount, or \$800,000. This indicates what can be done when the people concerned appreciate the real significance and value of an undertaking.

Such a plan should succeed against tuberculosis. It is a large task. Its feasibility will have to be thoroughly established first, as was the case with tick eradication. In the beginning the methods for tick eradication were crude and cumbersome. Improvements were made, however, until the present efficient system was developed. These suggestions, if carried into effect, should assist in developing a comprehensive plan for dealing with the tuberculosis situation which will meet with approval and lead to ultimate success. The department has recommended in the estimates for the next fiscal year that an appropriation of \$75,000 be made for the inauguration of the work.

DEVELOPMENT OF STOCK RAISING.

Experiments by the department, in cooperation with the State experiment stations, have shown conclusively that the South is well adapted to economical beef and pork production. It is beginning to take its place with other sections as a stock-raising territory. Numerous breeding herds are being established. The leading beef-cattle breeders' associations are featuring the southern trade, and two of them are holding sales in cooperation with the department. Cattle from southern herds have won the highest honors in northern show rings, and steers from southern feed lots, after being properly fattened, now command good prices in northern markets. This work is not for the benefit of one section alone; the entire country will profit from the extension of meat production into new territory.

A study of growing beef animals in the corn belt also was made, and records were obtained of the cost of raising calves from nearly 15,000 cows. The results show that calves, as a rule, can be raised at a profit, although the cost of production is higher than is usually thought.

The boys' and girls' pig and poultry clubs are valuable agencies for enlarging the meat output, as well as for training and developing the coming generation of farmers. The membership of both classes of clubs more than doubled during the year. The pig clubs now have more than 21,000 members and the poultry clubs 8,500.

National Forest ranges.—The investigations conducted at the instance of the committee appointed to study the meat situation indicate that there has been an increase of from 15 to 30 per cent in the carrying capacity of the National Forest ranges. This has been brought about by systematic regulation, better methods of handling stock, improving and increasing the number of watering places, opening up unused or inaccessible ranges, the building of drift fences, and the lessening of losses from poisonous plants. These ranges now are supporting over 1,750,000 cattle and 7,850,000 sheep, exclusive of calves and lambs. It is estimated that within the next 10 years their carrying capacity will be increased by an additional 15 per cent and that they will be capable of supporting fully 2,000,000 cattle and 9,000,000 sheep.

As previously pointed out, regulated grazing on the public lands outside the National Forests would permit a considerable addition to the country's meat supply. At present these lands, which include an area of over 250,000,000 acres, are not supporting the number of animals that formerly grazed upon them. By, the application of a system of control and development similar to that used on the National Forests, it would be possible greatly to increase the number of meat-producing animals upon the public ranges.

Destruction of forage by rodents.—The grazing value of the western stock ranges is much reduced by the depredations of prairie dogs and ground squirrels. More than 22,000,000 acres in 12 States are infested with prairie dogs. These rodents often completely destroy the forage plants over considerable areas and cause enormous damage to grain and other crops. Ground squirrels occur in large numbers in 18 States. While they are less destructive to forage plants than prairie dogs, they consume large quantities of forage and grain. In North Dakota alone the annual loss to farmers from the destruction of grain by ground squirrels is estimated at over \$3,000,000. The Bureau of Biological Survey has developed new methods of poisoning these pests at a cost of approximately 5 cents per acre. This is less than the grazing value of the land for a single year. The bureau practically has eradicated prairie dogs from more than 2.000,000 acres of public lands and ground squirrels from 500,000 acres. The complete elimination of them should enable the ranges and farms of the West to carry a million cattle and a million sheep more than at present.

Predatory animals.—The annual losses of live stock in the United States, mainly upon the public domain, from the depredations of such animals as wolves, coyotes, mountain lions, and bears, exceeds \$12,000,000. Wolves and coyotes are subject to epidemics of rabies and, therefore, are peculiarly a menace to domestic animals and human beings. There was a serious outbreak of this disease among coyotes during the past year. It was prevalent in several States in the Northwest and was especially disturbing in Nevada.

Congress appropriated \$200,000 for the destruction of predatory wild animals during the past year. The sum of \$250,000 is available for this purpose during the fiscal year 1917. A force of hunters and trappers has been organized in the infested States, and 543 wolves, 19,170 coyotes, and many other predatory animals have been destroyed. As a single wolf has been known to kill more than \$3,000 worth of stock in one year, the effect on the stock-raising industry

of the elimination of this number of destroyers is apparent. A continuance of the campaign should eliminate a large part of the losses from this source and also should check the spread of rabies among wild animals.

THE SHEEP INDUSTRY.

Normally the United States imports from about twofifths to more than one-half of the wool required for domestic consumption. During the past three years importations have ranged from nearly 250 million to more than 500 million pounds each year, the average being over 300 million pounds. The total consumption of lamb and mutton during the past 10 years has increased appreciably. In the fiscal year 1907 more than $9\frac{1}{2}$ million sheep and lambs were slaughtered at plants subject to Federal inspection. The number now averages about 13 million per annum.

In some sections of the United States there has been a steady decline in sheep production since the earliest statistical reports. This has been true also in every other settled country except Great Britain. The explanation undoubtedly is an economic one. In general, the primary purpose of sheep growers has been to produce wool. This can not be attained profitably on high-priced land. Naturally, therefore, with the increase in land values there is a rapid decline in the number of sheep. In Great Britain meat has been the principal product and wool the by-product, and the sheep industry has flourished.

Waste land made productive.—If American farmers will follow the British custom the industry can be put on a profitable and permanent basis. The greater number of sheep in Great Britain are raised in the hills and on land comparable to much of the "waste land" of American farms. The areas in this country, especially in the East and in parts of the South, now relatively little used, can profitably be devoted to sheep production if the farmers will secure the proper breed of sheep.

Sheep also can be made profitable on higher-priced land, as British experience shows. They compare favorably with other animals in economy of production. They require a minimum of expensive concentrated feeds. They exceed the other larger animals in the rate of maturity; lambs can be made ready for market at from four to six months. They make possible the economical and fuller use of labor. They are of assistance in keeping the farm free from weeds. The sheep farm is usually a weedless farm.

Extension of industry.—In the United States only one in seven farms of over 20 acres now supports sheep, with an average of one sheep of shearing age to 3 acres of land. The 300 million pounds of wool now imported annually could be secured from 50 million sheep, and this number could be added to our stock if a fourth of the remaining farms sustained one sheep for each 3 acres.

In 1914 the Animal Husbandry Division of the Bureau of Animal Industry and the Bureau of Crop Estimates canvassed crop reporters in 36 States in reference to sheep on farms. The replies indicated that the number could be increased 150 per cent without displacing other animals. It is to our settled areas, particularly in the Central, Southern, and Eastern States, that we must look for an increase in the number of sheep.

THE DAIRY INDUSTRY.

The profits of agriculture ultimately depend on the intelligent cultivation of the soil and the preservation of its fertility. Dairy farming is increasing in almost every section of the country, largely because it is the most economical form of agriculture so far as soil fertility is concerned. A ton of butter removes from the soil less than a dollar's worth of fertilizing elements. Dairying also is growing because dairy products are an important part of our food supply. Opportunities for dairying are found in every agricultural district. The different sections of the country have characteristic peculiarities, but all need milk and its products.

There production.—In 1909 this country produced 1,622 million pounds of butter and 321 million pounds of cheese. In 1870 our cheese exports amounted to 57 million pounds. They steadily increased until 1881, when the total was 148 million pounds. After that date they decreased rapidly until in 1914 they had dropped to less than 2½ million pounds. On the other hand, our imports of cheese amounted to 2½ million pounds in 1870 and advanced slowly until 1900, when 13½ million pounds were imported. From 1900 to 1914 the imports increased to 64 million pounds. Much of this cheese could and should be produced in the United States.

Most of the cheese in this country has been made in the territory around the Great Lakes, where climatic conditions are favorable to the handling of whole milk. All the valleys in the Rocky Mountain section and a large area on the Pacific coast offer splendid conditions for cheese production. So, also, does the mountain section of the South, including parts of West Virginia, Virginia, Tennessee, North Carolina, South Carolina, and Georgia. Three factories have been established in one of these States and have been very successful.

Cooperative associations.—Rigid selection, intelligent breeding, and skillful feeding are important factors in economical production. Cow-testing associations teach rigid selection and skillful feeding. Cooperative bull associations promote intelligent breeding. In cooperation with the various State agricultural colleges the department has greatly extended the work of these associations. For several years cooperative bull associations have been common in some parts of Europe. The first association of the kind in the United States was organized in Michigan in 1908. In this country their growth has not been rapid, but as a rule they have been successful. They provide for the joint ownership, use, and exchange of high-class, pure-bred bulls. If skillfully man-

aged, these associations should become potent factors in the upbuilding of a more profitable dairy industry.

A large part of the work of the cow-testing associations and cooperative bull associations has been done in the North and West. In Wisconsin alone there are more than 50 cowtesting associations, while the cooperative bull associations have been especially successful in Massachusetts, northern Michigan, and North Dakota. The dairy industry in the Rocky Mountain and Pacific Coast States recently has made great progress, owing in part to the importation of carefully selected dairy cows and registered bulls from the East and Middle West. Its development in the South has been very marked during the past year. A beginning was made in the work of cow-testing associations and cooperative bull associations. Five of the agricultural colleges have organized creameries to encourage dairying and to provide a market for the increased production of milk and cream. creameries furnish excellent facilities for teaching students improved methods of manufacturing and handling dairy products.

Community development in dairying.—Community development in dairying was undertaken by the department in a typical small creamery community in northern Iowa in 1910. The object of the experiment was to determine the practicability of employing skilled instructors to assist such communities in bringing the dairy business to a higher level. The work, which proved to be financially successful, was continued for five years, and similar work now is being carried on, with even greater success, in the vicinity of Grove City, Pa. If the 5,000 creameries in this country should adopt the community development plan, it doubtless would result in greatly enlarged profits for the patrons.

The creamery extension work has increased the efficiency of a large number of creameries. The department also has given assistance in building and equipping creameries, rearranging the machinery, systematizing the methods of operation, eliminating losses, and improving the quality of the products.

Research work.—The activities indicated are almost entirely of an educational nature. The department also is conducting investigations relating to dairy problems on a scale which is unequaled anywhere else in the world. Much of this work, in its beginning, is of a highly technical nature, but results are being accumulated which are of great practical value in the field demonstration work. Extensive study of the types of bacteria in milk, their origin, and the channels through which they contaminate milk, has established a reasonable basis for dairy sanitation. Perhaps the most striking example of the application of the results of laboratory research to practice is the development of methods of manufacture of some of the foreign cheeses which make up the bulk of our cheese imports.

PRODUCTION OF FOOD CROPS.

The production of food crops adequate to meet the consuming needs of the country and the export demand is a matter of large importance to the American people. Our potential agricultural resources in this respect are so varied and ample that there can be no doubt of our ability abundantly to supply our domestic wants, when climatic conditions are normal and the foreign demand is not excessive. One of the greatest agricultural needs, therefore, is the stabilizing of production.

Sharp fluctuation of yield and price from season to season tends to stimulate speculative and superficial farming and to discourage the systematic crop rotation and thorough cultural practice which are essential to an enduring and economically sound agriculture. It is obvious that, in large measure, stabilization of production must be brought about through the use of better adapted or improved crop varieties, more systematic and rational crop rotations, and improved agri-

cultural practice generally, including, in many sections, larger attention to live-stock production.

The extent to which the productiveness of such a crop as corn can be improved through continued selection is illustrated strikingly by the results of work done by department specialists. For 14 seasons the yields of 10-acre fields of corn, planted on a 3,000-acre farm in Ohio with seed selected from the department cooperative improvement plots on the farm, have been contrasted with the farm yields of the same variety of corn less rigidly selected and grown under identical cultural conditions. During the first seven-year period the fields planted with department seed yielded 13.3 bushels per acre more than the farm fields, while for the second seven years the increase averaged 21.8 bushels per acre.

It should not be inferred that such increases in yield can be secured except through very efficient crop-improvement work; yet it is obvious that, as the principles of crop improvement are better understood and more generally applied, larger yields per acre should result. In addition, a great deal can be accomplished through increase of soil fertility and better cultural methods. Enough has been done in this direction by the State experiment stations and the department, and also by good farmers, to justify the expectation that considerably increased acre yields gradually will be brought about in a large part of the area adapted to the staple food crops.

EXTENSION OF AREAS OF PRODUCTION.

Very destructive climatic conditions never occur in this country with equal severity throughout all the staple-crop regions. It is highly desirable, therefore, further to broaden the areas for these staples as far as experience and sound economics may warrant. While progress in this direction necessarily is slow, it is gratifying to note that in recent years the production of corn in the Southern States has increased

greatly. At the same time the frontier of commercial corn production has advanced steadily northward in the upper Mississippi Valley and Plains States.

Farther south and west, especially in western Kansas, Oklahoma, and the Panhandle of Texas, corn is being displaced to a considerable extent by the grain sorghums because they more regularly produce profitable crops. Approximately 4 million acres now are devoted to these crops. One of these sorghums has been changed by systematic breeding into a standard variety which produces a much larger yield of grain. Dwarf milo, a recent result of systematic breeding for low stature, has a higher grain-yielding power under adverse conditions than the tall variety. During the past four years it has become the leading variety grown in Oklahoma, Texas, and New Mexico. As the sorghum grains in large measure serve the same purposes as corn, the economic soundness to the Nation of their enlarged production is apparent.

In the Sacramento Valley of California, where this department has been investigating the possibility of rice culture, the acreage devoted to that crop has increased during the past five years from 1,400 to 67,000. The farm value of the current crop approximates \$3,500,000. The increased production of wheat, oats, and other small grains in the Southeastern and South Central States, which was specially stimulated by the cotton-market crisis of 1914, tends to stabilize the food supply. In several States the acreage planted to these grains was enlarged by from 50 to 100 per cent.

Adaptation studies of the hard red winter wheats, which formerly were restricted to a limited part of the Central Plains region, have shown that they can be grown throughout a much larger area. During the past four years they have become established extensively in Montana and in the States of the Great Basin and the Pacific Northwest. In

the States west of the Rocky Mountains they have largely replaced the soft wheats.

The area devoted to durum wheat has strikingly increased. This crop now is well established in western North Dakota, South Dakota, eastern Montana and Wyoming, and northeastern Colorado. As the durum varieties are more resistant to rust than other types and require less rainfall, their introduction by the department has proved to be of very great importance to the country. The durum production already has attained a magnitude of 40 million bushels in a single year.

Two new pure lines of Kherson oats have been developed in cooperation with the Iowa Agricultural Experiment Station and have been widely distributed in Iowa and adjoining corn-belt States. A large number of tests by farmers have shown a 10 per cent increase in yield over the varieties previously grown. Their adoption for the entire oat acreage of Iowa probably would result in an increase in production in that State alone of from 12 to 15 million bushels.

A systematic study of the soy bean, with a view to determine the relative adaptability of varieties to regions, the best methods of culture, harvesting, and threshing, and the uses to which it can be put, has been under way for several years. This study has thrown much light on its economic possibilities. It not only produces forage for live stock, but oil for various uses can be obtained from the seed, and meal, flour, and other food products can be made from the resulting cake. Through the efforts of the department, cotton-oil mills crushed during the past season over 100,000 bushels of southern-grown soy beans with satisfactory results from the oil standpoint, while soy-bean flour, or meal, and other food products made from the resulting cake, are being marketed by several manufacturers.

As the soy bean can be produced under widely varying climatic and soil conditions, it seems certain in the future to occupy a larger and more important place in our agriculture and in our food supply.

CALIFORNIA CITRUS INDUSTRY.

The citrus industry of California, although tracing its beginnings back to individual plantings by early settlers, owes its present magnitude and commercial importance in large measure to the introduction by this department many years ago of the Washington navel orange from Brazil. The present production of this variety in that State is estimated at approximately 27,000 carloads in a normal year, or about two-thirds of the total orange shipments of the State. It has, in fact, become the most important citrus-fruit variety in the world.

The results of several years of systematic study of citrus fruits in California show that important bud variations exist, even in standard varieties. This factor must be taken into account in their propagation in order to secure maximum productiveness and quality. In many of the best groves at least 10 per cent of the trees of the standard varieties are of inferior strains, which should be eliminated by topworking. The growers who have observed the experimental plots realize the importance of this work and already have undertaken the conversion of the undesirable trees by topworking on a rather large scale. This study will be extended to some of the deciduous-tree fruits.

As the economic soundness of commercial fruit orcharding to a considerable extent rests upon the maintenance of high average annual production, it is obvious that the results of this investigation are of fundamental importance to the fruit industry.

SUGAR-BEET INDUSTRY.

The production of beet sugar in the United States has increased during the past four years from less than 700,000 tons to approximately 900,000 tons. During the past year seven

new localities for sugar-beet production have been developed. But for the existing shortage of sugar-beet seed a considerably larger increase of production would have been secured.

Stimulated by the inadequate supply of seed from European countries, American growers now are undertaking seriously the production of seed. Approximately 4,000 acres, which should produce about one-fourth of the present requirements, have been devoted to this purpose during the current year. A special appropriation made at the last session of Congress will enable the department to cooperate with the industry in solving some of the more technical problems involved. It is hoped that, as a result of this work, the industry may be freed from the menace of seed shortage which during the past two years seriously threatened its existence.

CONTROL OF PLANT DISEASES.

It is very clear that fuller knowledge of the distribution and the nature and methods of control of crop diseases is essential. In some seasons, when unusual climatic conditions prevail at critical periods, diseases greatly lessen or practically destroy particular crops throughout important producing districts. Progress has been made in determining their exact character and in developing methods of control, but the destructiveness of certain diseases under climatic conditions favorable to their spread necessitates still more energetic inquiry. It has been estimated that in years when cereal rusts are epidemic the losses from them alone amount at least to \$180,000,000. No effective remedies have yet been found for these diseases. It seems probable, however, that through the development of suitable resistant varieties their eventual control in large part can be effected.

Distinct headway has been made in the study of diseases of fruits and vegetables. Many of them have proved amenable to spray control, especially when combined with rational field practice to prevent infection.

CITRUS CANKER.

Cooperative arrangements have been made with State officials of Florida, Texas, Louisiana, Mississippi, Alabama, Georgia, and South Carolina to insure the thorough inspection of nurseries and citrus groves for the purpose of promptly and completely eradicating citrus canker. This is an undertaking of great magnitude because of the extreme infectiousness of the disease and the wide area throughout which it has been disseminated. No final statement as to the outcome can be expected within a period of at least two years. The campaign, however, is progressing very satisfactorily in the commercially important orange and grapefruit regions of Florida. Supplemental protective measures, such as formalin treatments of infected soil and protective spraying of groves exposed to infection, are hastening the work of eradication materially. Even in the few places. where citrus-canker outbreaks have occurred in commercial districts and in old trees, the disease can be eradicated promptly and effectively. Although thorough inspection of citrus plantings will be necessary, at least throughout the coming fiscal year, it is believed that Florida now is so nearly free of the disease as to render its eradication from that State practically certain. In Texas, Louisiana, Alabama, and Mississippi the work has been more difficult from the beginning because of the more scattered plantings and the relatively smaller interests involved. Furthermore, in all these States the unusually severe tropical storms of the present year have caused unexpectedly wide distribution of the disease in some areas. Even in these States, however, the progress of the work is encouraging, and if no further unusual drawbacks are encountered the disease will be effectively checked.

CONTROL OF INSECTS.

While all the State Experiment Stations support work in economic entomology, and while many other countries are

developing services in this direction, the Department of Agriculture has by far the largest organization for the purpose of research on insect pests. It is virtually the leader of the world in the warfare against injurious insects. It has in its files biological notes on thousands of species and is studying them from all points of view in its field laboratories. No less than 143 distinct projects are being investigated at the present time, involving possibly 500 of the species of insects most injurious to crops, domestic animals, stored foods, forest products, shade trees, and ornamental plants. It is safe to say that some form of remedial treatment has been found for every markedly injurious insect in the United States, but continued efforts are being made to find something more effective or cheaper or simpler.

Many striking things have been accomplished. The pear thrips, which at one time threatened the extinction of the Pacific coast deciduous-fruit industry, is no longer feared. Two serious pests of the clover-seed crop now can be handled by slight variation of cropping methods. The bark-beetles of our coniferous forests, which have imposed a loss comparable to that resulting from forest fires, can be controlled at very little expense. Sprays and spraying machinery have been developed which can be used successfully against practically all leaf-feeding species. The fumigation of nursery stock and of warehouses has been perfected. Such injurious species as the onion thrips, the grape-berry moth, the alfalfa weevil, the tobacco hornworm, and many others of recent prominence, can be controlled. The spread of the gipsy and brown-tail moths through our northern forests and orchards has been prevented. These injurious insects not only have been kept in a comparatively small territory, but are being reduced in number year after year by active scouting, spraying, banding, and egg destruction, and through the aid of parasites brought from Europe and Japan. Although the spread of the cotton boll weevilwhich represents probably the most difficult problem in insect control—has not been stopped, the investigations of the department's entomologists have shown the southern planter how to reduce greatly the potential damage and how to grow cotton in spite of the weevil.

An important development in this practical entomological work of recent years has been the establishment of a number of more or less temporary field laboratories, scattered over the country. Thus the expert workers are taken into the centers of activity of the injurious species. Great stress is being laid on what may be termed the cultural method of insect control. The intimate life round of the insect pest is studied in close connection with farming methods in order to ascertain whether by variation of cultural practice the insect damage can not be considerably reduced. Remedial work of this sort is extremely practical. Investigations have shown that in many instances partial or nearly complete control can be gained by some change in farm management. This naturally is the best remedy, except possibly in the case of introduced pests, where control can be secured by the employment of parasites or other natural enemies.

Technical methods of control, mechanical and chemical, including sprays and spraying machinery, fumigation for citrus orchards, nursery stock, mills and warehouses, or trapping methods and other means of mechanical destruction also have been studied and developed. In the large problems it frequently has happened that cultural, biological, and technical measures are used at the same time.

When the enormous annual losses from injurious insects are considered it is clear that the value of the department's work in applied entomology is very great.

PLANT QUARANTINES.

Important service is rendered to the farm and fruit interests of the country, under the Plant Quarantine Act, by

preventing the introduction of new and dangerous insect pests and plant diseases. There are now in force nine foreign quarantines forbidding the entry, or permitting the entry only under restrictions, of various farm, orchard, and forest products which may harbor injurious insects or diseases. The more important quarantines relate to the Mediterranean fruit fly, perhaps the worst fruit pest of the tropical and subtropical countries; the pink bollworm, an insect which threatens to become the most serious enemy known to cotton; the potato wart, a disease which not only destroys the tuber but infects the soil; and the white-pine blister rust and the citrus canker, two diseases which became established in the United States prior to the passage of the act.

A number of domestic quarantines also have been promulgated. Under these quarantines many locally established plant diseases and insect pests, most of them of recent origin, are being so controlled, in cooperation with the States concerned, that their extermination ultimately can be effected or, at least, their spread can be checked. These quarantines relate principally to the gipsy and brown-tail moths in New England; the Mediterranean fruit fly and the pink bollworm in Hawaii; and diseases of sugar cane in Hawaii and Porto Rico.

In some instances plants and plant products are admitted only after certification by the proper official in the originating country and the issuance of permits by the department. They also are inspected by State or Federal experts before being released in this country. Such restrictions now apply to nursery stock of all kinds, fruits, certain plant seeds, and potatoes, and foreign lint cotton. The restrictions on cotton are designed to prevent the entry of the pink bollworm through cotton seeds which are found in all imported cotton. The cotton is subjected to fumigation in a vacuum, under supervision, by a new process devised by experts of the department.

The value of this service to the Nation is apparent. Undoubtedly many, if not all, of the plant diseases and pests mentioned now would have full lodgment or wider distribution in this country if the necessary action under the Plant Quarantine Act had not been taken to prevent their entry or to check their spread. It would be difficult to compute the resulting loss.

CCOPERATIVE AGRICULTURAL EXTENSION WORK.

The second year's operation of the cooperative Agricultural Extension Act of May 8, 1914, has been attended with a steady development of the Nation-wide system of practical instruction in agriculture and home economics discussed in my last two reports. There has been a fuller coordination of the activities of the department with those of the agricultural colleges and more complete development of the relations between the extension forces in the States Relations Service and the scientific staffs in the various bureaus of the department, resulting in the better dissemination of approved scientific information.

POTASH FROM KELP.

In 1911 the Bureau of Soils was authorized by the Congress to make a survey of the Nation's resources in fertilizer materials, particularly in potash, for which this country was entirely dependent upon the German mines. As a result of this reconnoissance, it became evident that the largest and most immediately available source of potash in this country was the giant kelps of the Pacific coast. This conclusion was reached after detailed surveys had been made of the kelp groves of southern California, the Puget Sound region, and Alaska. The attention of the public was called to this source in the hope that private capital would undertake its development.

Germany in 1915 prohibited the exportation of all potash salts. This action greatly stimulated the attempts of Ameri-

can manufacturers to produce potash and resulted in the erection of eight large plants in southern California for the extraction of this material from kelp. These establishments were constructed at a cost ranging from \$50,000 to \$2,000,000 and are centered around two cities, Long Beach and San Diego, five at the former and three at the latter place. They are operating harvesting equipment having an aggregate daily capacity of 2,500 tons of raw kelp. On September 1, 1916, about 125,000 tons of raw kelp had been harvested and treated, yielding approximately 10 per cent of dry kelp.

Notwithstanding this comparatively rapid development in the kelp industry, the problem of extracting potash from kelp commercially has not been completely solved. It is essential that methods be devised for producing the numerous by-products which can be obtained from kelp. plants now in operation, for the most part, are engaged only in the extraction of potash. Owing to the present abnormal prices for this material, they are devoting relatively little attention to the elaboration of processes for the recovery of by-products. If this situation continues, they probably will not be able to produce potash at a profit when conditions become normal. In the circumstances, it seems desirable for the department to demonstrate the commercial feasibility of producing potash and by-products from kelp with a view to put the industry on a sound economic basis. The Congress, upon the recommendation of the department, has made available \$175,000 for the purpose. Plans have been formulated for erecting and operating, at some advantageous point on the coast of southern California, a plant with a daily capacity of not less than 200 tons of raw kelp, in order that the necessary experiments may be conducted.

It is hoped that these experiments will result in the establishment of a potash industry which will prove profitable and permanent and render this country independent of foreign sources in normal times. In any event, information will be obtained which should be very valuable if the present abnormal conditions persist or recur.

THE FOOD AND DRUGS ACT.

Early in 1913 it became apparent that the efficiency of the Bureau of Chemistry in administering the Food and Drugs Act was impaired seriously by lack of system. The laboratories, both in and out of Washington, were congested with samples collected by inspectors. The inspectors, who were responsible only to the chief inspector in Washington, worked independently of the chemists in the branch laboratories, with resulting loss of efficiency. There was great delay in analyzing samples and in detecting adulterations. It was apparent that the work of the inspectors and of the chemists should be coordinated and more closely supervised. To make the bureau an effective agency in preventing the shipment of adulterated and misbranded foods and drugs, complete reorganization was necessary.

ESTABLISHMENT OF DISTRICTS.

Accordingly, the field service of the bureau was set off from the central organization and divided into three districts, with headquarters at Washington, Chicago, and San Francisco. A single official, whose duty it is to coordinate the work of the inspectors and the laboratories, was placed in charge of each district. Several small branch laboratories were closed and the research work was concentrated in Washington. The reorganization has effected a material reduction in the cost of operation and has made possible the accomplishment of substantial results. It has enabled the bureau to concentrate the activities of its 46 inspectors against definite lines of food and drug products. The establishment of inspection districts, together with the creation in Washington of the Office of State Cooperative Food and Drug Control, has secured the active cooperation of State food and drug officials. This cooperation has been an important factor.

Instead of attempting to deal with food products indiscriminately, the Bureau of Chemistry during the past three years has given special attention to articles in common use, such as eggs, milk, beans, shellfish, citrus fruits, tomato products, canned foods, and cottonseed meal and other feed for animals. As a result of the activities of the bureau there has been a marked improvement in the quality of these products entering interstate commerce.

Concerted efforts of the inspectors have put an end to most of the interstate traffic in decomposed eggs. Campaigns have been conducted, in cooperation with the local authorities, to improve the milk supply of several localities. Efforts have been made to induce farmers to produce better milk and prosecutions have been instituted in many instances. As a result the milk supply of many cities and towns has been improved. Seizure proceedings have been instituted against a large number of shipments of canned beans containing substantial proportions of decomposed beans. With the assistance of the Public Health Service and the Bureau of Fisheries, sanitary surveys have been made of the oyster beds on the Atlantic coast. Sources of pollution and polluted areas were located and the information conveyed to oystermen. Seizures of shipments of polluted oysters were effected and a marked improvement in the oyster supply, from the standpoint of wholesomeness, has been noted.

Formerly it was the custom of many orange and grapefruit growers at times to pick the fruit from the trees while green or partly green in color and still unripe, and subject it to a sweating process so as to give it the characteristic yellow color of ripe fruit. The incentive to the grower was the higher price afforded by an early market. Green citrus fruit which has been colored so as to give it the appearance of ripe fruit is adulterated under the law. Several seizures have been made and the efforts of the department have resulted in a material decrease in the quantity of sweated immature fruit sent to market.

The inspection of canned tomatoes has been continued, and an improvement in the industry has been noted. Consideration also has been given to other canned foods, many of which have been found to be adulterated on account of imperfect methods of manufacture. A large number of shipments of cottonseed meal were found to have a protein content materially less than that declared upon the label, and appropriate action was taken.

SHERLEY AMENDMENT.

Special attention has been given during the last two years to the enforcement of the Sherley amendment. The amendment declares drugs to be misbranded if their labels contain false and fraudulent statements concerning their curative or therapeutic effects. A large number of criminal prosecutions have been successfully concluded and many cases are pending. A systematic plan has been developed for dealing with this problem, and already an improvement in the labeling of the medicinal preparations has resulted. Concerted efforts have been directed against spurious and adulterated drugs.

NUMBER OF CASES.

During the past three years the bureau has collected and analyzed at least 22,000 samples of domestic foods and drugs. It has afforded formal hearings to more than 9,000 manufacturers and shippers, and has sent to the Department of Justice, through the Solicitor, about 2,250 cases. Approximately 3,000 cases have been finally disposed of by the courts, the great majority having been uncontested and practically all those contested having been decided in favor of the Government. During the same period about 50,000 importations have been sampled, of which approximately 3,000 were refused entry, and 15,000 were admitted only after relabeling to conform to the provisions of the law.

RESEARCH AND EDUCATIONAL WORK.

During the past three years the research work of the Bureau of Chemistry, which previously had been confined largely to problems arising in connection with law enforcement, was extended to include work designed to prevent spoilage and waste, to increase production, and to develop new methods of utilizing products of the soil and sea. Investigations in the utilization and transportation of sea foods have resulted in a marked improvement in the canning of American sardines. Means also have been found to utilize the waste of this industry as an animal feed. Important improvements in the transportation of fresh shrimp and the shipment of fish under refrigeration have been made. Studies of the transportation and marketing of poultry and eggs have made possible the elimination of much waste due to decomposition resulting from faulty methods of packing and shipping. A process has been introduced for the manufacture of table salt which eliminates from it a poisonous ingredient formerly present in the salt obtained in certain sections. Important improvements also have been made in the processes involved in the manufacture of gelatin, sauerkraut, maple and sorghum sirups, cider, fruit juices and sirups, citric acid, lemon oil, jams, jellies, marmalade, preserves, corn meal, and stock feeds.

Much important work has been done in the application of the principles of physical chemistry to the study of a large series of food products. The work upon the chemistry of sugars is recognized universally as of fundamental importance. A study of the composition of vegetable proteins has been begun and already has yielded results which are certain to be of value in the feeding and fattening of farm animals.

STANDARDS FOR FOODS AND DRUGS.

Experience in connection with the administration of the Food and Drugs Act has strikingly emphasized the impor54159°—XBK 1916—4

tance of enforceable standards for foods and drugs. Without them it is impossible to carry out completely the purposes of the act. In many instances protection of the consumer—the principal object of the law—can not fully be accomplished, nor can unfair practices on the part of unscrupulous manufacturers adequately be prevented. In some cases maintenance of prosecution is difficult and expensive, even when the articles involved clearly are adulterated or misbranded. To meet this situation, I have recommended in the estimates for the fiscal year 1918 that the Secretary of Agriculture be authorized to establish standards of strength, quality, or purity for articles of food and for those articles of drugs which are sold under or by a name not recognized in the United States Pharmacopæia or National Formulary. The suggestion provides that if any article fails to conform to the established standards it shall be deemed to be misbranded, unless it is labeled so as plainly and conspicuously to show how it differs from the standard.

The adoption of legally enforceable standards will benefit both the consumer and the honest manufacturer. They will give consumers exact information as to the quality of food and drug products and will enable manufacturers to produce articles which will meet the requirements of the act, putting competition on a fairer basis. They will be of great assistance to Federal and State officials in the enforcement of food and drug laws and will tend to promote uniformity among the various States.

INSPECTION OF ESTABLISHMENTS.

I have also recommended in the estimates that the department be given authority to inspect establishments producing foods or drugs intended for shipment in interstate or foreign commerce. No specific authority exists at the present time. While many manufacturers do not object to inspection of their factories, the lack of definite authority has caused con-

siderable embarrassment in the enforcement of the Food and Drugs Act. There are many forms of adulteration which are exceedingly difficult to detect without inspection of the place of manufacture. This is particularly true of foods produced under insanitary conditions. In many instances it is impossible to determine from a chemical or bacteriological examination the conditions under which a particular food or drug was produced. It is unnecessary to emphasize the importance of sanitation in the preparation of food products. If the suggested authority be granted, the department should be able to improve the quality of food products, both by bringing to the attention of manufacturers any insanitary conditions that may be discovered and by securing evidence of production under insanitary conditions.

ROAD DEVELOPMENT.

The Office of Public Roads and Rural Engineering has extended its work of giving assistance in road and farm engineering problems to individuals or local communities in every State of the Union. There also has been placed upon it the burden of administering the Federal Aid Road Act. Immediately after the approval of the act plans were formulated for its administration. The appropriation of \$5,000,000 for the fiscal year 1917, after deducting an amount sufficient for administrative expenses, was apportioned among the various States on the basis of three factors—population, area, and mileage of rural delivery and star routes—each factor having a weight of one-third. Rules and regulations were promulgated on September 1, 1916.

Thirty-two States have indicated their intention to assent to the provisions of the act—one through its legislature and the others through their governors. Before the department can undertake cooperation in any State, it is necessary to determine (1) whether the State has a legally constituted highway department within the meaning of the act and (2) whether the State has legally assented to the provisions of the act and is in a position to submit a program or scheme of work covering the five-year period and to meet the requirements of the act as to funds and maintenance of the roads constructed. This determination has been made in the case of nine States and, after certain details have been arranged, the department will be prepared to cooperate with all of them. Three States will await action by their legislatures before assenting to the provisions of the act. Tentative drafts of bills providing for State highway commissions have been prepared for two States which do not now have a highway agency within the meaning of the act. Eight States have submitted specific projects for consideration. In one of these States four projects have been approved tentatively and the necessary project agreements are in the course of execution.

The appropriation of \$1,000,000 provided by section 8 of the act for the construction of roads and trails within or partly within the National Forests has been apportioned among the various States in which National Forests are located. Applications for the construction of roads in the Forests must be filed in the district office of the Forest Service for the district within which the proposed road is located. In States having highway departments the applications, before filing, must be referred to them for recommendation. Many applications have been submitted to the district offices and now are under consideration.

THE NATIONAL FOREST ENTERPRISE.

There have been many important developments—legislative and administrative—during the past year in connection with the National Forests. The value of the properties to the public and the use made of them increased steadily. Their returns to the Treasury last year, exceeding \$2,800,000—an advance of more than \$340,000 over the previous year—are only a partial indication of their service. The land classification work, having for its object the determination of

the areas which permanently should be included in the Forests, progressed very rapidly. As a result there remained in public ownership at the close of the year 155,420,280 acres, several million acres having been restored to the public domain or opened to entry under the Forest Homestead law. There was a marked increase in the equipment of the Forests with roads, a matter of prime importance for the advancement of local community welfare and of no small importance for the economic development of the Forests themselves. An augmented volume of business, due to a larger number of timber purchasers, and a net addition of nearly three-fourths of a million to the number of stock grazed, together with a decided stimulus in prospecting and mining activities and in the use of the Forests for recreation and health, are further indications of broadening development.

PERMANENCE OF THE FORESTS.

Thus year by year the National Forest enterprise gains stability. In the long run the only means by which it can become stable is successful administration. Laws alone can not make it so. For a time the Forests were a great experiment. Whether the public benefits which their establishment had in view could be realized without accompanying intolerable drawbacks could be ascertained only through demonstration. An essentially constructive task was involved. The responsibility upon this department since it was placed in charge of the Forests has not been merely the routine discharge of definitely prescribed duties. It has been necessary to devise and apply methods for attaining broad general purposes embodied in laws by Congress. A vast land area was to be managed with a view to the most general, varied, and harmonious use. If these resources had not been made available to the public, a resistless demand for the abandonment of the project would have arisen. Through successful administration the permanence of the National Forests is becoming more and more assured. They

are now a vital part of the economic life of the regions which use their resources. It is increasingly clear that National supervision and control of them is necessary and that they could not be abandoned without disastrous consequences to western industries and to local welfare.

ROAD DEVELOPMENT IN FORESTS.

In my reports of the last two years the need for more ample provision for road development in the National Forests was emphasized. Many of the Forests are located in the more remote portions of the western mountains. Roads are necessary for their protection, administration, and development. They are essential also for the upbuilding of the local communities. They are needed to open up agricultural regions which now are practically shut off from the market, to make possible the development of mines and to stimulate prospecting, to shorten the distances of travel between localities and through the States, to make accessible wood and timber required for local use and for the lumber industry, and to enable the public to visit and enjoy the Forests for recreation and health. At the last session of Congress this urgent need received recognition through the enactment of the Federal Aid Road Act. An appropriation of \$10,000,000. to become available at the rate of \$1,000,000 each year, was made. This legislation constitutes one of the most important and far-reaching steps in National Forest development which has been taken for a long time.

EASTERN FORESTS.

By making provision for the continued purchase of forest lands in the East, Congress once more has recognized the permanence of the National Forest policy. Three million dollars, expendable during the fiscal years 1917 and 1918, has been made available for this work. The purchase of lands in the Appalachian and White Mountains, with a view primarily to the control of stream flow affecting the navigability of rivers, began in 1911. Under the provisions of the Weeks Forestry Act there have been approved for purchase 1,396,367 acres, at an average cost of \$5.22 per acre. The lands are in excellent condition and have been secured at very reasonable prices. These newly established Forests already are rendering important public service and are being used extensively. There is a marked demand for the timber upon them. The timber is cut in accordance with sound forestry practice. The White Mountain Forest in a short time should return to the Government as much as it costs to protect and administer it.

EXCHANGE OF LANDS.

Legislative advance also has been made in the approval by Congress of several important land exchanges. There are within the National Forests some private lands which are so intimately interlocked with Government lands as to embarrass protection and administration. At the last session of Congress authority was granted for the consolidation of Government holdings through exchange with private owners whose lands are within the boundaries of the Florida National Forest and within two of the Forests in the State of Oregon. These exchanges always are made on the basis of equal value and are greatly to the interest of the Government for the permanent development of the National property. The department for several years has been working with a number of the Western States to effect a consolidation, by exchange, of school lands scattered through the Forests. South Dakota the exchange has been partially completed, while in Idaho and Montana all the details have been agreed upon. Congress appropriated special funds for this work in Montana and Washington. Further authority is required to clear away certain legal difficulties and to permit final action. It is hoped that the measure now before Congress to secure this end will be approved.

PROGRESS IN ADMINISTRATION.

The progress made last year, both in new legislation and in the actual work of administering the Forests, is simply a continuation of the advance which has characterized each successive recent year. The public investment in its Forest work has become greater through reforestation, extensive additions to the permanent improvements, betterment of forest and range conditions resulting from the application of sound methods of management, and, perhaps most important of all, great progress toward final determination of the areas to be permanently held by the Government. Boundary rectifications since March 4, 1913, have eliminated from the Forests a total of 11,028,114 acres. The permanent retention of these areas was found to be undesirable either because of their character or because the Government holdings were too scattered for economical and efficient management. In the same period more than 886,000 acres have been opened to settlement under the Forest Homestead Act.

UNWISE LEGISLATION.

Millions of dollars, appropriated by Congress for the improvement, development, and consolidation of the Forest holdings, have gone into the properties. Only on the assumption that the Forests are to be permanent would expenditures of this character be justifiable. Abandonment of the work after it has been carried to its present point would be a stultifying course. Nevertheless, repeated efforts in this direction still are made. Measures of various kinds, which, if adopted, seriously would injure or even render ineffective the whole National Forest enterprise, are urged. The proposal that the properties be turned over in their entirety to the several States has a waning support and no longer needs to be taken seriously. On the other hand, efforts frequently are made to secure the abolition of individual Forests. Proposals to do away with the Forests in

Alaska still find strong advocates. As pointed out in my last report, such action would be unwise and unfortunate. Action of this sort, however, can be met squarely on its merits, for the question of abolishing a National Forest raises a clear-cut issue which the public can not misunderstand.

A more serious danger to the National Forest system lies in the repeated efforts to open them to the action of some general land grant or to the laws applicable to the unreserved public domain. Each year there are introduced in Congress numerous proposals designed to open the Forests, or portions of them, to private acquisition or to disposition of one kind or another. One measure of this character passed both Houses of Congress during the last session and failed to become law only through the Presidential veto. It proposed to open the Forests to the acquisition of lands by any incorporated city or town for park and cemetery purposes and to counties for park purposes. Every public purpose of the proposed measure can be realized under existing law. So serious would be the effect of such a measure that, if enacted, undoubtedly it would be necessary within a few years actually to abandon a number of important Forests. In his veto message, after explaining that the measure was entirely unnecessary and would have unfortunate public consequences, the President said:

But the most serious objection to the bill is that it subjects the National Forests to disposition under a general grant. At the very time while provision is being made for purchase by the Government of forested lands in the East for the protection of watersheds, it is proposed to permit similar lands in the West to be permanently alienated. I would respectfully urge that it is unwise to permit alienation of the National Forests under general legislation of this sort. If the process of piecemeal distribution is begun, independently of any oversight or control of the National Government, there is manifest danger that the Forests will be so disinte-

grated as to make their efficient administration impossible and the purposes for which they were established unattainable. Against such a process the National Forests should be carefully protected.

RECREATION USE OF THE FORESTS.

The use of the National Forests for recreation purposes continues to extend. This important aspect of forest utilization was discussed at length in my last report. It is not necessary again to enlarge upon it. As the upbuilding of the West goes on and cities and towns increase in number and size, provision for community needs along what may be called park lines increasingly will become a part of National Forest administration. Thousands of local recreation centers, public picnic and camping grounds, excursion points, and amusement resorts are being developed in places readily reached by large numbers of people, as well as at the innumerable lakes, mineral and hot springs, other marvels of nature, and spots of scenic beauty with which the mountains abound. Many of these places will attract visitors from distant parts of the country and will become widely known. Some of the areas, located near enough to cities and towns to be reached by considerable numbers of persons, serve already the purpose of municipal recreation grounds and public parks. To meet local needs along this line the department is cooperating with municipalities. It welcomes opportunities for cooperation in this direction, just as it does in the protection of Forest watersheds from which municipal water supplies are derived. These forms of public service can be rendered without difficulty in connection with the fulfillment of the general purposes of the Forests.

NATIONAL FORESTS AND NATIONAL PARKS.

The handling of the National Forest recreation resources inevitably raises the question of the relation of the National Forests and the National Parks. At present there is no clear distinction in the public mind between the two. Both

are administered for the benefit of the public along lines which overlap. The Parks and Forests occur side by side and have the same general physical characteristics—extensive areas of wild and rugged lands, for the most part timbered, with development conditioned upon road construction and similar provisions for public use. They differ chiefly in the fact that the attractions of the National Parks from the recreational standpoint are more notable. Yet this is not always true. Several of the Parks are inferior in their natural features to portions of the Forests. The need of drawing a clear distinction between National Parks and National Forests and of a definite policy governing their relation is increasingly evident. Parks are being advocated where the land should stay in the Forests, while elsewhere areas which should be made Parks continue to be administered as Forests-for example, the Grand Canyon of the Colorado.

A National Park should be created only where there are scenic features of such outstanding importance for beauty or as natural marvels that they merit National recognition and protection and, on this account, have a public value transcending that of any material resources on the same land—such areas, for example, as those now comprised in the Yellowstone and Yosemite Parks and in the Grand Canyon National Monument. The areas should be large enough to justify administration separate from the Forests and the boundaries drawn so as not to include timber, grazing, or other resources the economic use of which is essential to the upbuilding and industrial welfare of the country. In addition, when Parks are created from parts of the Forests, the portions remaining as Forests should not be left in a form difficult or impossible to administer.

CLEAR-CUT POLICY NECESSARY.

The importance of a clear-cut policy is evidenced by the efforts frequently made to secure the creation of National

Parks out of areas containing great bodies of timber, extensive grazing lands, and other resources, the withdrawal of which from use would be uneconomic and prejudicial to the local and general public interest. In most cases the desire for a specific Park, where economic use of the resources also is essential, has led to the proposal for an administration of the area, after the creation of the Park, identical with the present Forest administration. Several such measures now are before Congress. Their enactment would result in a mere division of the public properties into Parks and Forests, having no distinction except in name; handled alike, but by duplicate organizations in different departments. Still more serious is the fact that the cutting up of the Forests would greatly cripple administration of the remaining lands. would doubtless mean the abandonment of large areas which should remain under public ownership and control for timber production and watershed protection. It would greatly reduce efficiency in forest fire protection and in the handling of current business, increase the expense of protection and administration, and cause endless confusion to users, who in many cases would have to deal with two departments in developing resources when, for instance, logging and grazing units overlap.

The protection of the scenic features and the development of the recreational use of the lands is being taken care of in the National Forests. Some of the most unusual scenic areas in the Forests are best suited to a full Park administration. The bulk of the Forest areas, however, should continue in their present status, where they will be fully protected and developed for recreation purposes as a part of the Forest administration. The extensive road building, made possible by the \$10,000,000 recently appropriated, will open them up rapidly.

An added cause of confusion is the fact that National Parks and National Forests are administered by two execu-

tive departments. While there is an effort to cooperate, nevertheless difficulties arise which could be wholly avoided if they were under one department. Unquestionably the administration of the Forests should remain in the Department of Agriculture, because of the close relationship of the work of the Forest Service to the activities of other bureaus of the same department, such as the Bureau of Plant Industry, Bureau of Animal Industry, Office of Public Roads and Rural Engineering, Bureau of Soils, Bureau of Biological Survey, and the Bureau of Entomology. Obviously, there are in the Forests many problems relating to live stock, plant growth, predatory animal and insect control, soil conditions, and road and trail work. These great bureaus are directly and intimately concerned with these problems. the Forests were transferred to another department, that department either would have to duplicate these bureaus in part, or would have all the difficulties of cooperation with another department which seem to be inherent. Whether the National Park Service should be transferred to the Department of Agriculture is a matter for consideration. If the transfer should be made, it would be unnecessary and, in my judgment, unwise to consolidate the work of the two services. The Park Service should take its place in the organization of the department as an independent bureau, with its activities closely related to those of the Forest Service. Certainly, if the two services are to be administered by different departments, there should be the closest cooperation throughout. Such cooperation should include not only the question of the creation of new parks out of National Forests, but also fire protection on contiguous properties, game preservation, road building, and other activities.

Respectfully,

D. F. Houston, Secretary of Agriculture.

The President.

MEETING THE FARMER HALFWAY.

By CARL VROOMAN,
Assistant Secretary of Agriculture.

THE Federal Department of Agriculture is not a paternalistic agency, foisted by a benevolent despotism upon an apathetic people. It was created as the result of a widespread demand among the farmers themselves for governmental cooperation and aid. The United States Agricultural Society, one of the early farmers' organizations, was largely instrumental in securing the establishment of the Department in 1862. The Granger and Farmers' Alliance movements were the chief motive powers behind the legislation that in 1889 elevated it to the first rank as an executive department.

In the same way, nearly every step in the department's development during the past 50 years, instead of being taken by Federal authorities in anticipation of a need, has been conceded as a tardy response to the insistent demands of the farming world. It is scarcely 3 years since the Federal Government first established an office for the fostering of rural organization, yet more than 60 years ago a speaker told the New Hampshire Board of Agriculture that "the only reason why the farmers of America are without power is because they have never learned to act in concert."

It is only 3 years also since the Federal Government took its first active steps toward fostering cooperation among farmers, yet in 1858 a farmers' convention at Centralia, Ill., took a stand in favor of wholesale buying and selling agencies for farmers. Moreover, it was at this historic convention and at later farmers' conventions that was generated the public sentiment in favor of railway regulation, which finally resulted in the creation of railroad or public-utility commissions in most of our States and of the Interstate Commerce Commission at Washington.

The farm-loan act, which was passed so recently that the regional banks are still in process of organization, is a belated reaction on the part of the Federal Government to a half century's demand on the part of practically every farm organization in the United States for financial legislation that would enable the farmer to get a more adequate supply of money, on longer time, on more liberal terms of payment, and at lower rates of interest.

Indeed, in spite of all that has been done for the farmer during the past 3 or 4 years, it can not be said even at present that the Federal Government has done more than meet the farmer halfway. It has been stated that the Department of Agriculture is an example of paternalistic state socialism. Nothing could be farther from the truth. In reality it is a notable example of self-help slowly achieved by the farmer working through his Government.

Until recently the Department of Agriculture devoted its appropriations and energies almost exclusively to problems of production, in spite of the fact that the equally important problems of distribution were constantly being called to the attention of the Government by the voice of the organized farmers of the country. The history of the scientific work of the department along the line of production for the past half century is a most interesting and illuminating chronicle of brilliant achievement. During that time a total of some \$250,000,000 was expended, largely in research and experiment. The results of this research and experiment in the main have been a vast accumulation of facts about how to increase the productivity of nature and of human toil. The aggregate value of this work to the Nation is practically incalculable. It may safely be said, however, that each year's total of money put into the farmers' pockets through insect control and live-stock disease eradication, and the introduction of new crops and better farming methods, would easily liquidate the entire cost of the department since its creation.

Take the Bureau of Entomology alone. It has been conservatively estimated that the farmers of this country are better off by at least \$100,000,000 each year than they would have been if this bureau had never been created. An example of this extraordinarily useful scientific work is the case of the Australian ladybird. Found by a scientific explorer of this bureau in the antipodes, and introduced into California, it saves the citrus-fruit growers of that State many millions of dollars each year through the practical eradication of the

fluted scale, which until its natural enemy in the form of this little spotted beetle from the southern hemisphere was found, had threatened the utter destruction of the orange industry of that region.

Another noteworthy achievement of the department has been its fight against the southern cattle tick. In the Southern States the tick has been an almost universal scourge since there have been cattle there for it to feed upon. recently was this tick recognized as the sole agent in spreading Texas or splenetic fever, a disease that is deadly to imported cattle and destroys large numbers of native stock commonly supposed to be immune. The effect of this discovery was to stimulate a more determined attack upon the tick. In 1906 the Federal Government quarantined 728,561 square miles of tick-infested territory, and, having secured a small appropriation of \$82,500 from Congress for this purpose, began the systematic eradication of the pest. Since then over 42 per cent of this territory—an area larger than the German Empire in Europe and more than four times as big as England, has been freed from this scourge. Last year was the most successful in the history of the campaign, nearly 50,000 square miles being freed. Appropriations for this work have been gradually increased, reaching \$632,000 for 1917.

Of equal importance with the campaign for tick eradication is the fight that the department has been waging against hog cholera. This disease has been known in the United States since 1833, and there is to-day no part of the country altogether free from it. In the 20-year period from 1894 to 1913 it is estimated that the annual losses have ranged from a minimum of \$27,000,000 to a maximum of \$78,000,000. Ninety per cent of the hogs that die from disease are destroyed by cholera.

Although the study of hog cholera, which began in 1878, resulted in 1905 in the discovery by Dr. Dorsett, of the Bureau of Animal Industry, of a serum rendering hogs immune, it was not until 1914 that any considerable sum of money was placed in the department's hands for demonstrating to the farmers at large that they could protect their herds from the scourge. In February of that year Congress ap-

propriated \$500,000 for field work and for the inspection of establishments which were manufacturing the serum and shipping it in interstate commerce. As a result, the value of anti-hog-cholera serum is becoming much more generally recognized, and the character of the serum on the market is much improved. Last year enough serum was distributed for nearly 7,000,000 hogs—between one-eighth and one-ninth of all the swine in the country.

The Bureau of Plant Industry, at a cost of about \$2,000, introduced into this country the sorghum plant, which is now yielding each year a \$40,000,000 crop. Durum wheat, introduced at a cost of about \$30,000, now produces an annual crop estimated to be worth from \$40,000,000 to \$50,000,000. Kafir corn, now worth to this country \$15,000,000 a year; the navel orange, worth at least \$10,000,000; and that old stand-by, Fultz wheat, the present annual value of which can not well be computed—all these, together with a number of other valuable crops, were introduced into this country at comparatively small expense by the Department of Agriculture.

Moreover, many improved farm methods have been introduced by the department. "Dry farming," for example, in spite of the fact that it has not realized the early expectations of its advocates, has opened up to agriculture vast areas of semiarid country which before were given over to the sagebrush and cactus, the rattlesnake, and the prairie-dog.

In a sense, the term "dry farming" is somewhat misleading. The Department of Agriculture is teaching farmers how successfully to conserve the moisture in the soil, and it has introduced various crops which do well with a minimum of moisture. Further than that it has been unable to go without having recourse to irrigation. The present position of the department with regard to dry farming is somewhat analogous to that of a member of the Illinois Legislature, who, on being asked by a committee of the Anti-Saloon League whether he was "wet" or "dry," replied that they could put him down as "moist." In other words, the best dry farming is in reality moist farming.

Another new method relates to the use of legumes for the maintenance of soil fertility. Legumes, it has been discovered, can be grown almost anywhere, provided soil acidity is corrected by lime and the soil is inoculated with the proper bacteria. George Washington imported various legumes from Europe year after year in a futile endeavor to grow them on his farms. He failed because at that time agricultural experts in this country knew nothing about the inoculation of the soil with the legume bacteria. Now every schoolboy knows how to go to an old alfalfa field, or to the roadside where sweet clover grows, and get enough bacteria-impregnated dirt to inoculate his field and make sure of a good stand of alfalfa.

But in spite of the fact that practically all the energies of the Department of Agriculture for nearly half a century were devoted to problems of production, strangely enough a large majority of the farmers of the country have never taken advantage of the new and more efficient farm methods taught. As a matter of fact, the average yields per acre in the United States to-day are very little more than they were 50 years ago, as shown in the following table:

Average yield per acre, United States, bushels by decade.

Crop.	1907-1916	1866–1875
Wheat	14.7 26.0 29.6	11.9 26.1 28,1

The slowness of this increase in production has been partly the farmers' fault and partly the fault of the department. The publicity work of the department long left much to be desired. Until recently many of our bulletins have been too technical and academic, rather than simple and practical. To men having a scientific education they were splendidly suggestive and helpful, but they were not so written that the average farmer could derive much benefit from them. Thus while each of the older bureaus of the department had many years of honest and invaluable research work to its credit, but comparatively little had been done, until during the past few years, toward putting the results of the work of the department's scientific men before the farmer properly

condensed, correlated, and couched in terms easily understood.

Further, much of the information published on vitally important practical problems was scattered about in so many bulletins as to be entirely un-get-at-able by the average farmer. In order to secure the necessary information for a reorganization of his system of farming, he was required to read a score or so more or less technical bulletins, extract the practical instruction from them, and coordinate it for himself.

Moreover, what is good farm practice at the Arlington Experiment Station is not necessarily good farm practice throughout the country; indeed what is good farm practice at a State experiment station is not necessarily good farm practice even throughout that State. Heretofore the Federal department had not worked out and popularized among the farmers regional systems of scientific and successful farm practice for the great agricultural subdivisions of the Nation, nor had the State agricultural colleges been much more successful in working out and popularizing special systems adapted to the various localities in the several States.

This matter of adapting the teachings of the department and the colleges to local conditions is one of the most difficult problems that the apostles of the new agriculture have had to meet. The fact that this problem was not met and solved sooner is what has given rise to most of the prejudice felt by farmers throughout the country against scientific farming. Fortunately this problem is beginning to be more effectively handled by Federal and State agricultural agencies working through the county agent system which is rapidly spreading over the whole Nation.

While the demonstration method of promulgating new methods had been tested previously and successfully employed over a considerable area, it yet had had no Nation-wide application, and was inadequately supported. However, the value of teaching by direct touch having been clearly proved, so commended itself to Congress that the agricultural extension act was passed in 1914. When this act is in full operation it should be possible, through Federal, State, and local funds, to place two county agents in each of the 2,850 rural counties of the Nation.

As a rule a county agent is a man who has been born and raised on a farm, has studied at an agricultural college, and has had experience with the practical application to actual farm conditions of scientific methods. He is a representative of the Federal Department of Agriculture and the State agricultural college. He studies local soil conditions, climatic conditions, marketing conditions, labor conditions, and credit conditions. Working in conjunction with the best farmers in his county and keeping in constant touch with the experts of the State agricultural college and of the Federal department, he gradually discovers how the teachings of the new agriculture can best be adapted to existing conditions on the individual farms of that county.

This county-agent movement is the greatest and most practical university extension movement ever inaugurated in any country. It is essentially nothing but learning democratized, learning brought out of the laboratory and the experiment field, out of the libraries and the bulletins, adapted to local conditions, and brought home to the farmer by the power of personal explanation and of actual demonstration.

I was told the other day by a banker from central New York that in two short years one of our county agents, located in his county, had done more for the farmers of that county than the entire Department of Agriculture and the State agricultural colleges had done for them during the 50 years preceding. This same wonder is being worked to-day in over 1,200 counties in this country—and the Smith-Lever bill is not yet 3 years old.

The county-agent force might well be compared to a system of irrigation ditches, tapping reservoirs of agricultural information which have been accumulating during a long half century in the Federal Department of Agriculture and in the State agricultural colleges. Through the county agents, at last this stored treasure is being carried directly to those who need it, working a miracle similar to that which makes the desert bloom.

Another instance of the very practical aid given by the county agent is the experience of an old Maine farmer who had lived to be 70 years old without ever having made more than a bare living on his hundred-acre farm. The land had been cropped to death. His sons, discouraged by the pros-

pect, left home and went to work in the city. In due time one of these sons, having saved \$2,000, came home and undertook to make the old place pay. He asked the county agent what he should do, and learned a new wrinkle about real farming.

The farm was worth on the market about \$20 an acre. When the county agent told him that the first move was to spend \$40 an acre for fertilizer it took his breath away, but he followed the county agent's advice on 17½ acres. From this small field that fall he sold \$4,600 worth of potatoes. Deducting all expense, including that hitherto unheard-of fertilizer bill, the profit from his potatoes was \$2,600. When he handed his father \$1,300 as his half of the returns the old man said that he had never before seen that much money made from farming.

What that boy did any intelligent farmer in that section might do in a favorable year if he had as much cash to buy fertilizer with as that boy had. The new Federal farmloan act will help our farmers to get the cash, and the new system of county agents that is being developed throughout the country will furnish practical and detailed instructions, so that henceforth a man need not live 70 years before he learns how to cash in his agricultural "chips" of land, labor, and experience.

Even more important than recent improvements in the department's methods of adapting agricultural information to local conditions, and of disseminating that information among the farmers, is the creation in 1913 of the Office of Markets and Rural Organization. The creation of this office was an innovation of epoch-making significance. Ever since the department was started the farmers of the country have been requesting the Government to help them solve their economic problems, have been urging the utter hopelessness of the attempt to build a successful agriculture upon the doctrine of increased production, without regard to the equally important problems of marketing and distribution. But owing to the mistaken theory that everybody is interested in increasing agricultural production, while nobody but the farmer is interested in making that production profitable, until recently no important attempt was made

by Congress, by the agricultural colleges, or by the Federal Department of Agriculture to help the farmer solve his financial and economic problems. Indeed, the history of farm organizations in this country up to 1912 was the history of a long-drawn-out and unsuccessful effort on the part of the farmers to secure for themselves that governmental cooperation and help which governments were instituted among men to give to all citizens.

In the Middle West the dark seventies and eighties, which gave rise to the Granger movement, the Farmers' Alliance movement, and the Populist movement, were decades that tried men's souls. We who were boys on the plains in those days can well remember how grave were the problems that the farmers faced and how hopeless was the outlook for those who happened to be caught at an economic disadvantage. I remember reading when I was a small boy a little poem that greatly impressed me. It was entitled "The Mortgage." It was only a bit of fugitive verse, now long forgotten, but it expressed more poignantly than anything else I have ever read something that was then vital enough—the tragedy and pathos of the losing struggle which so many men and women were making out there in those days of high interest and cheap corn.

It used to seem to us that the blind forces of nature and the malevolent powers of human greed had conspired against us. Every few years the grasshoppers would sweep down in clouds and devour all our substance. Every now and then, too, there would come a drought that would ruin our crops. I have seen corn as beautiful as eye ever looked upon—green and fresh and high as a man's head—burned to a crisp within 48 hours by the hot winds from the southwest. Luckily, that happened only once in a while. But every year and all the time we had the mortgage hanging over us, embittering the very well-springs of life. has been said—and I think with good reason—that more midland farmers' wives died of mortgage during those trying years than of tuberculosis and cancer together, and that more farmers' wives were sent to the madhouse by mortgage than by all other causes. The wrongs that drove the farmers to political revolt were real enough, and the

agrarian legislation demanded and sneeringly stigmatized by its opponents as "hayseed socialism" was inspired by long decades of urgent need.

Of the early fruits of this movement the most significant were the so-called "granger laws," passed in several of the corn-belt States during the late sixties and early seventies. These laws in the main were short lived, but in the end they served to establish the principle of railroad regulation in State and Nation, and to bring about the creation of railroad and public-utility commissions in our various States and the powerful Interstate Commerce Commission at Washington. Unfortunately, however, no such concrete and beneficial effects on the farmers' other vital economic problems resulted from this movement.

It is true that some of the specific remedies demanded by the farmers were impractical, but these were mere details. Their basic demands were just. The evils they pointed out so insistently and at times so eloquently were real evils, and it is an amazing thing that during this long period our statesmen at Washington should have failed to grasp this fact and to devise some sound and effective substitutes for the unsatisfactory remedies suggested in all good faith by the organized farmers of the Nation.

During the past 4 years, for the first time in our history, Congress and the Department of Agriculture have persistently and intelligently conceived the economic phases of agriculture and have made a determined and consistent effort to find scientific and workable solutions for the farmer's most pressing financial and economic problems.

In addition to the creation of the Office of Markets and Rural Organization, a number of laws have been passed which are of immense economic importance to the farmer. Probably the most important one of these laws is that financial magna charta of the farmer, the farm-loan act. This is the first great financial measure ever passed by Congress primarily in the interest of the farmer. I have no doubt that in the future it will be strengthened by amendments with regard to some of its minor details, as was the Federal reserve bill, but in all fairness it must be recognized that this bill will do for the farmer very much what the Federal

reserve act is doing for the business man. It will furnish the farmer with those fundamental necessities that he has been asking for, voting for, and praying for during the past half century:

First. More adequate credit facilities; or, in other words, capital in sufficient quantities and capital that is always available for the farmers' legitimate needs. Frequently in the past the time when the farmer needed money most was precisely the time when, because industrial and speculative centers were able to outbid him for it, it was most difficult or even impossible to secure it.

Second. Loans on longer time and easier terms of payment.

Third. Lower rates of interest.

These are the three most important financial needs of the farmer, and the present farm-loan act will supply these three primary financial necessities of rural life.

The United States grain-standards act of August 11, 1916, which seems destined to work a gradual reformation in our system of marketing grain, is another of these measures so pregnant of promise to the farmers. This act will stimulate the production of the best quality of grain. This will be an advantage not only to the farmer, but as well to the middleman and to the consumer. No one will be interfered with save the man who wants to get a No. 1 grade of grain for a No. 4 price. The effect of this law on our foreign commerce in grain is certain in the long run to be very much to our advantage. It is a step in the direction of National efficiency and National economic preparedness.

Another of these measures is the bonded warehouse act of August 11, 1916, which was passed in response to a demand on the part of the farmers for a mechanism that would enable them to borrow money more easily and at a lower rate of interest on stored crops. In the past, when the bankers had plenty of money, those farmers with abundant credit usually could secure what money they needed at a reasonable rate of interest. The new method enables the farmer, no matter what his standing may be at his local bank, if he has a valuable crop, to store it and secure a bonded warehouse receipt, upon which he will be able to secure money at the

lowest current rate of interest, either at the local bank or at any other bank that loans money on this kind of gilt-edged security. By eliminating the bankers' risk, and enlarging the field in which loans may be negotiated, interest rates to farmers are certain to be cut to the current standard figure.

The Federal aid road act of July 11, 1916, is the first comprehensive Federal good-roads law ever passed, and should also be cited in this connection. At last we are beginning to work out a National highway policy that coordinates the road work of the township, the county, the State, and the Nation into a single comprehensive National plan. result, a higher degree of efficiency henceforth will characterize our road work, and the farmer at last will get a dollar's worth of road for every dollar of taxes devoted to that end. This will be a new experience, for although we are spending in the United States anywhere from \$200,-000,000 to \$250,000,000 a year on roads, it is doubtful if we are getting more than from two-thirds to three-fourths of that amount in value. This is a matter of vital interest to every farmer, for the farmer pays no heavier tax than that of the effort expended by him while hauling his produce to markets over bad roads.

The cotton-futures act of August 11, 1916, is still another beneficent act in behalf of the farmer. Without going into details, it can be said that as a result of this law the Government is gradually eliminating the abuses which had crept into the cotton-future exchanges. The effect of this measure was immediate. The American cotton-future exchanges at once adopted the form of contract prescribed by the Secretary of Agriculture, and not only the exchanges, but the more important domestic spot markets, at once adopted the official cotton standards established. The net result has been that the prices of cotton which now are published every day throughout the country reflect the actual changes in the value of cotton rather than quotations of arbitrary fluctuations created by gamblers for their own benefit, as was too often the case in the past.

It is clear that as a result of this splendid program of constructive legislation a new agricultural epoch has begun. At last what for so long was merely the hope, the aspiration, the dream of the widely scattered, imperfectly organized tillers of our soil has become the avowed policy of the Federal Department of Agriculture, and has been written by Congress into the law of the land.

All the farmers' legitimate demands have not yet been granted. There is indeed still need for organized effort on their part, still need for educational campaigns in behalf of measures to meet those requirements of the farmer which still remain unsatisfied. But it is a great thing that the Federal Government at last is meeting the farmer at least halfway and has manifested not merely a willingness but a friendly desire to cooperate with him in the future in any constructive work that looks to the building up of our national prosperity on the basis of a permanently prosperous agriculture.

THE MEAT-INSPECTION SERVICE OF THE UNITED STATES DEPARTMENT OF AGRICULTURE.

By George Ditewig,
Meat Inspection Division, Bureau of Animal Industry.

THE purpose of the meat-inspection service of the United States Department of Agriculture is to eliminate diseased or otherwise bad meat from the general food supply; to see that the preparation of the meats and products passed for human consumption is cleanly; to guard against the use of harmful dyes, preservatives, chemicals, or other deleterious ingredients; and to prevent the use of false or misleading names or statements on labels; in short, to protect the rights and health of the consumers of meat and meat food products to the fullest extent possible under the laws. The service is administered through the Bureau of Animal Industry of the department.

MEAT-INSPECTION LAWS AND REGULATIONS.

Federal inspection is maintained under the meat-inspection act of June 30, 1906, and supplementary legislation in the tariff act of October 3, 1913. Space will not permit giving an outline of the different provisions of the act of June 30, 1906; however, it is essential to an understanding of the scope of the service that the reader know that the food animals to which the law refers are cattle, sheep, swine, and goats, and that the slaughtering, packing, rendering, and meat-preparing establishments to which it applies are those which sell or ship their products in whole or in part in interstate or foreign commerce, and that it does not apply to those establishments the meats and products of which are neither sold nor shipped outside the confines of the State in which the plant is operated. Further, the act grants a qualified exemption from inspection to retail dealers supplying their customers, and also provides a similar exemption for the meat from farm-slaughtered animals. The tariff legislation referred to provides inspection for imported meats and products.

The meat-inspection regulations of the department for governing the service are clear and comprehensive and embody the recommendations of scientists and hygienists outside of the department as well as the judgment and experience of administrative officials and workers in the service as to what constitutes an efficient system of inspection and how best to attain the objects of the law. Copies of the regulations may be had free upon application to the Bureau of Animal Industry.

APPLYING FOR INSPECTION.

The proprietor or operator of an establishment of the kind which the law requires be operated under inspection must file an application and submit triplicate copies of plans and specifications of the plant. The plans are referred to the architect of the bureau to see whether the structure and arrangement conform to certain important requirements of the regulations. In addition, a qualified representative of the bureau is assigned to make a detailed inspection of the establishment to ascertain what sanitary additions or corrections must be made to place the plant in satisfactory condition, and to decide what facilities shall be provided to enable a ready and proper conduct of the inspection. Inspection is not inaugurated until a satisfactory compliance with the sanitary requirements is shown and proper facilities for the conduct of the inspection are provided.

GRANTING INSPECTION, OFFICIAL NUMBER.

Each establishment to which inspection is granted is given an official number. This number identifies the plant, and must appear in every instance as a part of the mark of inspection; that is, the mark or statement used on meats and products, or the containers thereof, to show that they have been inspected and passed under the Federal meat-inspection regulations. So long as the mark remains intact the number identifies the product wherever found. Further, with the granting of inspection and the assigning of an official number, a sufficient force of inspectors is detailed to the establishment to perform the inspections and enforce the regulations under the direction of an inspector in charge. For

convenience the establishments which operate under Federal meat inspection are called "official establishments."

SANITATION.

The requirements as to sanitation in the establishments that operate under inspection occupy an important place in the meat-inspection regulations. Prior to 1906 the Secretary of Agriculture was without authority to fix and enforce such requirements, but when it was conferred by the meat-inspection act of that year the department proceeded to enforce sanitation in all establishments operated under Federal inspection. The first step taken was to require strict cleanliness as regards the rooms and equipment and in respect to the conduct of operations and the handling of products, and the second was to adopt rules governing plant and equipment construction.

The first part of the program, that is, strict cleanliness, was soon attained in the plants of good construction, and in as full a measure as could rightly be expected in those of the type of construction common to that period. As regards the second, it was apparent from the beginning that conformity with a certain type of construction must be had if good sanitary conditions were to be readily and surely maintained throughout the plants. Accordingly it was aimed to attain this quality in all plants by leading to the use of nonabsorbent materials instead of the absorbent ones which had been so freely used in previous construction; to replace rough and pervious surfaces with smooth and impervious ones: to supplant artificial light with abundant natural light; to replace odor-laden air with fresh air wherever possible; to eliminate incomplete and defective systems of drainage and plumbing and to install such as are modern and effective; to require that sanitary and adequate dressing rooms, toilets, and lavatories be installed; to subject the water supply to the test of laboratory analysis to insure its purity; and to require a separation of the rooms and equipment used for edible products from those used for inedible materials. These improvements indicate the rules adopted by the department to mark the reform in plant and equipment construction. It is believed that the progress made has been excellent.

THE ANTE-MORTEM INSPECTION.

Under the Federal system not less than two examinations are made of the animals slaughtered in official establishments. The first is the ante-mortem inspection or examination of the live animal, the second the post-mortem inspection or examination of the carcass and the various organs and parts at the time of slaughter. The post-mortem is the more valuable of the two inspections, but both are necessary if it is to be determined with certainty in every instance that the flesh of the animal is sound, wholesome, and fit for human food.

The ante-mortem inspection is performed in the pens and allevs of the official establishments, except that at most of




Fig. 1.—"U. S. Suspect" tag. This kind of tag is affixed to the ear of live animals suspected of being diseased. Such animals are held for separate and special postmortem examination.

the large slaughtering centers it is found more convenient to conduct it in the public stockyards. The animals are carefully observed for evidence of disease or abnormal condition while at rest in the pens or as they move from the scales after weighing. If any of a lot show symptoms, then the entire lot is subjected to further

and individual inspection. If the animals are swine and the symptoms indicate cholera, they are driven to a special pen for further examination and in certain cases to ascertain their temperatures and to make a record of the same. Other diseases or conditions in which the question of temperature is important are Texas fever, anthrax, blackleg, pneumonia, septicemia, and severe injuries. When a high temperature exists and there is doubt as to its cause, the affected animal is marked and may be held for observation and retaking of temperature.

When its appearance is such as to lead the inspector to suspect that an animal is affected with a disease or condition that may cause its condemnation in whole or in part on the post-mortem inspection, it is marked for identification by means of a serially numbered metal tag bearing the phrase "U. S. Suspect" affixed to the ear. Such an animal is termed a "suspect." A record of the tag number, the in-




FIG. I.-ANTE-MORTEM INSPECTION OF CATTLE.

All animals slaughtered at official establishments are first inspected alive. Those which are suspected of being diseased are marked for separate and special post-mortem examination.




FIG. 2.-ANTE-MORTEM INSPECTION OF SHEEP.




FIG. I.-CATTLE SLAUGHTER ROOM.

Abundant light, adequate ventilation, efficient drainage, metal and other impervious materials and smooth surfaces mark the construction of the sanitary slaughter room.




FIG. 2.—POST-MORTEM INSPECTION OF SWINE.

The first step in this inspection is to cut and examine for evidence of tuberculosis the lymph glands of the neck. The figure indicated by X is an inspector making this examination.



FIG. I.-POST-MORTEM INSPECTION OF CATTLE HEADS.

The different pairs of lymph glands are cut and examined, particularly for tuberculosis, and the cheek muscles cut for detection of tapeworm cysts; the tongue and other parts also are carefully examined.




FIG. 2.-POST-MORTEM INSPECTION OF CATTLE.

As the several organs and parts are removed from the carcass they are placed before an inspector for complete and careful examination. The X indicates the veterinary inspector making this examination.




FIG. I.—POST-MORTEM INSPECTION OF SWINE.

Immediately after their removal the organs are placed before the inspectors for examination




FIG. 2.—POST-MORTEM INSPECTION OF SHEEP.

The X indicates an inspector examining organs.




FIG. I.—POST-MORTEM INSPECTION OF CATTLE.

Illustrating the detail observed in the performance of the final post-mortem inspection.




FIG. 2.—POST-MORTEM INSPECTION OF SWINE.

Illustrating the detail observed in the examination of retained swine.




FIG. I.—POST-MORTEM INSPECTION OF CATTLE.

If disease is present a detailed record is made of the conditions found.




FIG. 2.—POST-MORTEM INSPECTION OF SWINE.

After the head, organs, and other parts have been inspected and passed the carcass is carefully examined. The inspector performing this inspection is indicated by an X.




FIG. I.-BRANDING HOG AND CATTLE CARCASSES.

The passed carcasses are marked with an abbreviation of the legend "U. S. Inspected and Passed" and the official number of the establishment by means of an ink brand. The ink used is composed of approved ingredients.




FIG. 2.—SHEEP CHILL ROOM. "U. S. Inspected and Passed" mutton.






Fig. 2.—DRY SALT CURING CELLAR.

Government inspection and supervision of handling meats cured in dry salt.

spector's diagnosis, and of the animal's temperature, if that was ascertained, is made and sent to the inspector who is to conduct the post-mortem inspection. This information is given due weight by him in determining the final disposition of the animal. Suspects are kept apart and slaughtered separately from those which were passed on the ante-mortem inspection.

Animals which show symptoms of rabies, tetanus, milk fever, or railroad sickness, and hogs which are plainly sick with hog cholera, are condemned on the ante-mortem inspec-

tion. Such animals are marked by means of a serially numbered "U. S. Condemned" metal tag affixed to the ear. Animals so tagged may not be taken into the slaughter room, but must be destroyed and disposed of as required for condemned carcasses to prevent their use for food. Animals which are found dead or



Fig. 2.—"U. S. Condemned" iag. This tag is affixed to the ear of an animal condemned on the ante-mortem inspection.

in a dying condition on the premises of an establishment are condemned and disposed of in the same manner.

THE POST-MORTEM INSPECTION.

Each of the successive examinations, extending from the live animal to the finished meat food product, serves some particular purpose and has a relative value in a complete system of meat inspection. Omission of certain of the other examinations would result in some, though not vital, impairment of the service as a whole, but the post-mortem inspection is indispensable because its chief purpose is to detect disease and to eliminate the danger that threatens the consumer on this account. Further proof of its importance lies in the fact that aside from certain exceptional conditions it is not possible for even an expert to recognize or prove the presence of disease or the effects of disease by an examination of the meat alone after it has been cut from the carcass, but he can do so through a proper examination of the whole carcass together with the organs. Before entering upon a description of the post-mortem inspection procedures the

meaning of the word "disease" as it is used in meat inspection should receive some explanation.

MEANING OF "DISEASE" IN MEAT.

The meaning of the term "disease" as used in meat inspection does not differ materially from the meaning given it in medical literature, and never in meat inspection is the seriousness of disease underestimated. There is, however, much popular misconception in regard to the nature of the different conditions to which the term is applied in discussing meat inspection. The common or popular error on this point arises from the broad assumption that every condition to which the term disease is applied is noxious and harmful to such a degree as to make unsafe or unfit for food all the flesh of an animal in which any of these conditions is found. The facts of pathology plainly refute such assumption. By using the microscope and laboratory tests and by applying the term in its most technical meanings, a pathologist could demonstrate disease or evidence of disease in any and every food animal that might be submitted for examination. But no pathologist would hold such demonstration to be proof that the flesh of every such animal is unsafe or unfit for human food.

The error in the popular conception might be more clearly shown by the use of a homely illustration or two: The peach or the pear with a small unsound spot, strictly speaking, is an unsound fruit, but with the spot cut away it may certainly be a sound and delicious article of food. So also with a bunch of grapes, some of which may be in bad condition while the others may be sweet and wholesome. Similarly, any one of certain diseases may exist in a circumscribed area or part of an animal. A clear illustration of this is the disease commonly called "lumpy jaw" of cattle. In many instances the tumor on the jaw attains a considerable size. Nevertheless, in very many such cases the disease is as distinctly localized as is the unsound spot on the pear, and aside from the affected part the flesh of the animal may be absolutely clean and wholesome. To carry the illustration further, in meat inspection tuberculosis is encountered far more frequently than is any other disease, and great care is exercised to detect its presence in even the minutest degree.

In a very considerable proportion of the cases found the lesions are confined to one or to a small number of the visceral lymphatic glands, or they may exist to a slight degree in an organ and in some of the lymph glands. An animal so affected is diseased, and yet in that form of the disease the lesions are so limited in number and so completely localized and hemmed in by encapsulating tissues, built up by the protective forces of the body, that the affected tissues are as distinct from the remainder of the animal economy as are the bad grapes from the good ones. With the bad ones removed the bunch becomes good food, and likewise the meat of this class of tuberculous animals must be regarded as sound and wholesome when the affected parts have been carefully removed.

The foregoing comparisons are used merely to illustrate the point that soundness and unsoundness may exist in the body at the same time in varying proportion, and that as a rule it is possible to separate and treat each portion according to its condition. In short, the point can be made clear by discarding the word "disease" for the moment and saying that the function of a scientific and rational meat inspection is to recognize and reject the meat or meat food product which is unsafe or unfit for human food, to pass that which is wholesome and fit, and, when doubt exists as to which of these conditions obtains, to resolve that doubt in favor of the consumer.

PROCEDURES.

The post-mortem inspection is made at the time of slaughter and includes a careful examination of the carcass and all its parts. Where the number of animals dressed per hour does not exceed a certain general limit, one inspector, constantly present, performs all the inspections. Where the number of inspections per hour exceeds certain general limits, the inspectors are increased accordingly and the work so arranged and coordinated that each inspector gives his entire attention to some particular part of it. Thus the work is in a sense specialized and the inspectors become specialists, with the result that a high individual and collective proficiency is attained and efficient inspection assured regardless of the rate of slaughter.

An important requirement in the conduct of this inspection is that the identity of the carcass and of each of its severed parts be carefully maintained until the inspection is completed, so that if there is disease in any one organ or part all the other parts and the carcass may be brought together for additional and final examination. Facilities for maintaining such identity are provided in the slaughter departments, and every inspector is supplied with serially numbered "U. S. Retained" tags, which he affixes to




Fig. 3.—"U.S. Retained" tag. This tag is affixed by the inspector to every carcass or product which he deems necessary to hold for further inspection.

the carcass and severed parts, and by means of which he retains them for the additional inspection. The different steps of the postmortem inspection are: Head inspection, viscera inspection, carcass inspection, final inspection, disposition, and marking.

HEAD INSPECTION.

In cattle heads the different pairs of lymphatic glands are cut into and examined, particularly for tuberculosis.

The tongue is examined and, if necessary, is cut into. The presence in the flesh of cattle of a certain cyst capable of producing tapeworm in man can usually be determined by examining the inner and outer cheek muscles. Therefore, these muscles of cattle are laid open by deep slicing cuts for the detection of this cyst. A careful survey is made of the head as a whole for actinomycosis, deformities, etc. In the heads of swine certain lymphatic glands, which are favorite seats of tuberculosis, are incised in every instance and examined for evidence of that disease.

INSPECTION OF VISCERA.

As the several organs are removed from the carcass they are placed before the inspector, on a table, in pans or other suitable metal receptacles for examination. Facilities for promptly cleansing such equipment in the event of con-

tamination through the contact of diseased viscera are at hand. The various organs and parts are carefully viewed and certain of them cut into while others are subjected to manual as well as visual examination. The entire procedure is methodical and designed to disclose disease or harmful condition if any exists in the parts under examination.

CARCASS INSPECTION.

This examination embraces a careful viewing of all surfaces and parts of the carcass, with particular attention given to the condition of the serous membranes of thoracic and abdominal cavities. Further, certain parts which more frequently than others are seats of disease are subjected to a manual as well as a visual examination.

The head, viscera, and carcass examinations together constitute the regular post-mortem inspection. The animals found to be free from disease or any doubtful condition are marked "Inspected and Passed," while those in which any disease or doubtful condition is found are retained for the final inspection.

THE FINAL POST-MORTEM INSPECTION.

The carcasses and parts retained on the regular inspection are sent to the final inspection room or place, where another inspector with special facilities at his command subjects them to a searching examination. This enables the inspectors engaged in the preliminary and regular inspections to continue their examinations of the animals which are before them without delay and without omission of any kind. The establishments in which slaughtering is done are required to provide these rooms or places for the final inspection and to equip them with all the facilities necessary for a ready, cleanly, sanitary, and efficient performance of the work.

Since the animals held for the final inspection are tagged or retained for cause, only veterinary inspectors who have become skilled through training and experience in the work are detailed to make such examinations and to determine the final dispositions. As indicating the detail observed in the conduct of this inspection, it need only be mentioned that a record is made, on appropriate forms, of the results of the examination of every animal showing disease in any degree. In this record the animal is identified by a tag or stamp number; the diagnosis and the nature, location, and extent of the lesions are indicated; and the disposition of the carcasses and the name of the inspector are shown. The final inspection reports for the last fiscal year preceding this writing alone contain a record covering approximately 3.500,000 retained animals.

As soon as the several examinations have been made and the dispositions determined, there remain two important acts, the performance of which completes the post-mortem inspection. They are the marking of each caveass to show plainly to every beholder the disposition made of it and to see that those carcasses and parts which are condemned are disposed of as required by the meat-inspection regulations to prevent the sale or use of the same as human food. Each of these procedures will be briefly described.

DISPOSITION OF CONDEMNED CARCASSES, MEATS, AND PRODUCTS.

The Federal meat-inspection regulations governing the disposal of condemned articles emphasizes three important requirements, strict observance of which is imposed upon every bureau employee whose duties relate in any way to their enforcement: First, that every condemned carcass, part of carcass, meat, or product be plainly marked to show that it is condemned, and that parts or products too small or which are of such nature that they can not be so marked be placed in appropriately marked containers; second, that all condemned articles shall remain in the custody of an inspector from the time they are condemned until properly disposed of, and that if the articles are not disposed of on the day they are condemned they shall be locked in the "U. S. Condemned" rooms or compartments, the locks of which are selected and supplied by the department and the keys of which remain in the custody of the inspector; and third, that the required destruction or denaturing of the condemned articles shall be done by the establishment in the presence of an inspector, who must render a report covering the transaction. The meat-inspection act specifically provides that the Secretary of Agriculture may withhold inspection from any establishment which fails to destroy for food purposes any condemned carcass or part thereof.

The customary method of treating condemned carcasses and parts is to convert them into grease and fertilizer by rendering them in a steam-pressure tank. The procedure as outlined and practiced under the Federal meat-inspection regulations is substantially as follows: The lower opening of the tank is securely sealed by an inspector with seals supplied by the department for the purpose; then the condemned articles and a sufficient quantity of denaturing material of a kind approved by the department is placed in the tank in the inspector's presence, after which the upper opening is also sealed, and it remains the duty of the inspector to see that a sufficient force of steam is turned into the tank and maintained a sufficient time effectually to destroy the contents for food purposes. The department seals on the tank may be broken only by an inspector. A small number of the establishments at which Federal meat inspection is maintained do not have steam-pressure tanks in which condemned meats may be denatured in the manner described. At these such meats and products are denatured by the addition of crude carbolic acid or other prescribed denaturing agent, or are destroyed by incineration.

THE PRODUCTS INSPECTION.

Because meat or other edible portion of an animal which was entirely sound and wholesome at the time of slaughter may become unsound or contaminated through improper care or handling, and because healthful products may be made unwholesome through adulteration or the addition of deleterious ingredients, and for the purpose of protecting the purchaser against false or misleading labels, a proper measure of control of the various operations of processing, preparing, and labeling meats and products becomes necessary. Such control is one of the functions of the Federal inspection. In other words, under the Federal system of the inspection extends from the live animal in the pen to the product in the labeled package. The bureau employees who conduct the products inspection are designated "lay inspectors" and are selected for their practical knowledge and ex-

perience in the handling and preparation of meats and meat food products; also for their skill in testing and passing on these articles as to soundness and fitness for food.

All the meats and products in official establishments, notwithstanding that they were previously inspected and passed, are reinspected as often as may be necessary to ascertain




Fig. 4.—Facsimile of inspection brand. Brand used for marking carcasses, parts, and products to show that the same have been inspected and passed. The ciphers in the above imprint occupy the place reserved for the official number of the establishment.

whether they remain sound and wholesome. The lay inspectors exercise a supervision over all such operations as the processing, curing, packing, marking, labeling, and shipping of meats and products. The materials added to products are examined to see that the regulations relating to prohibited ingredients are observed and that the requirements as to correctness of labeling are complied with. Samples of the different kinds of products are taken and referred to the meat-inspection laboratories for chemical or other technical examination. It

is also the duty of the lay inspectors to see that the requirements of the regulations in regard to the cleanly and sanitary handling of products and as to the sanitary condition of the rooms and equipment are observed.

If upon reinspection of an article it is found to have become unfit for food from any cause, the original inspection mark or label thereon is removed or defaced and the article condemned.

THE INSPECTION MARKS, INSCRIPTIONS, ETC.

The mark of inspection is to identify the article and to show the condition of any particular carcass, meat, or product at the time the mark was applied. Under the Federal system, similar to that of the best European systems of meat inspection, three dispositions of a carcass are possible on the post-mortem inspection, depending on the conditions found. First, a carcass may be passed without restriction, meaning that when passed it was healthful, wholesome, and fit for




FIG. I.-MANUFACTURE OF SAUSAGE.

All meats, spices, and casings used are inspected and the different steps of preparation supervised.






FIG. 2.—PRODUCTS INSPECTION.

Canning room scene. Filling and weighing cans.



 $\label{fig.l.-Products Inspection.} Inspection of smoked means before they are wrapped and packed for shipment.$



 $\label{fig:smoked} \textbf{Fig. 2.-Inspecting Smoked Hams.}$ The instrument in the inspector's hand is a steel "trier" used to test meats for soundness.




Fig. I.-Products Inspection.

Inspection of fresh meats at car door. At official establishments inspection extends from the live animal to the meats and products as they are shipped from the plant.




FIG. 2.—SEALED RENDERING TANK.

The animals, meats, and products condemned under Federal inspection are rendered into grease and fertilizer. The Government seals on rendering tanks may be broken only in the presence of an inspector.

human food. Such a carcass is marked "U. S. Inspected and Passed," or an authorized abbreviation thereof. The official number of the establishment always appears as a part of such mark and serves to identify the carcass or part as having been inspected and passed at the establishment of that number. Second, a carcass or a part thereof may be condemned, meaning that it is unsafe or unfit for human food; therefore it must be destroyed or denatured to prevent its sale or use as human food. Such a carcass or part is marked "U. S. Condemned" and remains in the custody of an inspector until properly disposed of. Third, a carcass or a part thereof may be marked "Passed for Sterilization," meaning that it was passed on condition that it be

rendered into lard or tallow, according to the species, or otherwise sterilized by methods approved by the Chief of the Bureau of Animal Industry. The explanation of this procedure is that the animal was affected with some condition

U. S. INSP'D AND CONDEMNED

Fig. 5.—" Condemned Brand." Used for marking condemned carcasses, parts, and products.

or disease in such a degree that it could not be passed unconditionally; nevertheless, all objectionable conditions and all doubt as to its safety and fitness for human food can be removed by subjecting it to a sterilizing process. This process is to meat somewhat as pasteurization is to milk. There is, however, on the side of sterilization the advantage of greater certainty in the attainment of its object because of the higher temperatures employed under this process.

The flesh of a carcass passed for sterilization, whether it be in the form of a cut, such as a ham, or a prepared product like canned meats, is marked "Prepared from Meat Passed for Sterilization." The container of such cut or product also bears this inscription.

Whenever it is possible to so apply it, the mark of inspection is stamped upon the carcass, cuts, and products themselves by means of a rubber or metal ink brand. In all cases the ink used is composed of approved ingredients. Occasionally burning brands are used for imprinting the mark on cured meats, such as hams, bacon, and similar articles. When

it is not possible to affix the mark to the article itself, the required inscription is placed on the container of the article; in fact, all containers of inspected and passed meats and meat food products bear the inspection legend in the form of a printed label. The legend for all labels is "U.S. Inspected and Passed under act of Congress, June 30, 1960," or "U.S. Inspected and Passed by Department of Agriculture." or authorized abbreviation. The last quoted is the preferred form, and after July 15, 1917, will be the only one approved for labels printed after that date. Other marks of inspection, chiefly marks of convenience in the conduct of the inspection, are used, but those which have been described are the only ones in which the consumer is likely to feel concerned.

Consumers owe it to themselves to look for the mark of an efficient inspection, whether Federal, State, or municipal, on the meats and meat food products they bay, or on the containers of the same, but in doing so they should consider that the mark can not insure perishable foods against deterioration or other unfavorable change after they have been shipped from an establishment and beyond the jurisdiction of the inspection.

HONEST LABELS REQUIRED.

The legend "Inspected and Passed" means that the meat or product was sound, wholesome, and fit for human food when it was so marked; also that the packed article was correctly labeled. The meat-inspection act provides that when the inspected and passed meat or product is pucked in any can, pot, tin, canvas, or other receptacle or covering, the establishment shall cause a label to be affixed to such container under the supervision of an inspector, stating that the contents thereof have been inspected and passed; the act also provides that no such meat or product shall be seld or offered for sale under any false or deceptive name. The regulations based on this provision of the law define at length what may or may not appear upon any label which is to be used in connection with meats and products. However, they all center to one purpose, namely, that the statements on the labels shall conform to the facts and correctly indicate the contents of the package. Copies of all labels intended for use in official establishments must first be submitted to the Washington office of the bureau for examination and approval.

INSPECTION OF IMPORTED MEATS AND MEAT FOOD PRODUCTS.

The regulations governing the admission of meat and meat food products from foreign countries require that every importation shall be accompanied by a certificate signed by an official of the national government of the country of origin, stating that the animals from which the meat or meat food product was derived received an ante-mortem and a post-mortem veterinary inspection, and that as the time of slaughter the meat and products were sound, healthful, wholesome, and otherwise fit for human food. Further, that they had not been treated with and contain no ingredient prohibited by the regulations of the United States Department of Agriculture. Meat or meat food product not accompanied by the required certificate is refused entry, and that from a country which does not maintain a system of meat inspection satisfactory to the Secretary of Agriculture is also refused.

Every consignment of imported meat or product is checked with the foreign inspection certificate upon arrival and is subjected to a thorough physical examination, and in most cases samples thereof undergo a laboratory examination. The meat or product is then admitted, refused entry, or condemned, according to the findings and the requirements of the regulations governing the inspection and handling of such imported articles.

The imported meat or product which is found to comply with the regulations and has been admitted into the United States is marked "U. S. Inspected and Passed," or an authorized abbreviation of the same, and with a letter or letters to denote the port at which inspection was made. When imported meats and products have been inspected and admitted the law directs that they shall be deemed and treated as domestic meats and products within the meaning of and subject to the provisions of the meat-inspection act.

PORK NOT MICROSCOPICALLY INSPECTED FOR TRICHINA.

Under the Federal meat inspection pork is not microscopically inspected for trichina. There is no practicable

method of microscopic inspection which is even approximately effective for the prevention of trichinosis in persons who eat uncooked pork. Careful investigations in one of the European countries in which a highly developed system is in force have shown that nearly a third of all the cases of trichinosis, several thousand in number, which occurred during a period of 18 years were caused by pork which had been microscopically inspected and passed by the inspectors of that country as free from trichinæ. Evidence of this kind and various other considerations have led authorities to the conclusion that pork, even though it has been microscopically inspected, is not a safe article of food unless it has been properly cooked or otherwise treated to destroy any trichinæ which may be present.

In countries in which there is an established and widely prevalent custom of eating uncooked pork, microscopic inspection is perhaps justified as a means of reducing somewhat the danger of trichinosis, though, on the other hand, it tends to encourage the unhygienic custom of eating uncooked pork by creating a false sense of security in the minds of the public. Under the conditions which exist in the United States, microscopic inspection, in view of its great expense and the imperfect results, does not appear warranted. On the contrary, it is reasonably certain that if a comparatively small part of the huge sum that would be required annually for microscopic inspection were judiciously employed in extending the education of the public on the subject of trichinosis it would do more toward the prevention of the disease in this country than any system of microscopic inspection which could possibly be established.

In the United States most persons are careful to cook pork before eating it, and there is only a small fraction of the population, of foreign origin or under the influence of foreign food customs, who follow the dangerous practice of eating uncooked pork in one or more of its various forms of preparation, such as special kinds of sausage, hams, loin rolls, etc. Considerable quantities of products of the kind just mentioned are prepared in official establishments, and for the protection of the consumers, who may be either ignorant or careless of the dangers of raw pork, the Federal Government, as an alternative to the uncertain method of

microscopic examination, requires that official establishments subject all articles consisting wholly or in part of pork, if of a kind customarily eaten without cooking, to certain prescribed processes which have been found to destroy trichinæ. It is important to note that these measures employed with reference to safeguarding pork products apply only to those which are of kinds customarily eaten without cooking, and do not apply to pork products, such as ordinary cured hams, bacon, and other products, which are customarily cooked before they are eaten, nor to fresh uncooked pork.

In view of the foregoing, it may be stated that the practice of thoroughly cooking pork offers the best safeguard against trichinosis, and in general it is the only preventive method which can be absolutely depended upon by the consumer. Therefore, the certain way of avoiding trichinosis is to eat no pork unless it has been properly cooked. Whoever fails to observe this precaution runs the risk of acquiring sooner or later a most painful and distressing disease which frequently terminates in death. Everyone should remember this simple rule of food hygiene: Cook pork well.

MEAT-INSPECTION LABORATORIES.

The regulations specify what may be added to meats for curing or other purposes. The use of substances which impair wholesomeness is prohibited and only harmless artificial coloring matters may be used, and when used their presence must be declared on the product or the label. As a rule ordinary examination will not discover the presence of prohibited materials; therefore, to insure adequate examination for ingredients not permitted, also to determine soundness by chemical or other test, district laboratories fully equipped to make chemical and other technical examinations are maintained. Samples of meats and meat food products and of the materials used in their preparation are sent to these laboratories for examination. The samples are collected by the inspectors unannounced and at sufficiently frequent intervals to detect improper practices should any such be attempted.

In addition to the central and district chemical laboratories, the meat-inspection service has the cooperation and service of the several other scientific laboratories of the Bureau of Animal Industry. Frequently inspectors submit samples of diseased or abnormal tissues for diagnosis. Such samples are referred to the Pathological Division, in the laboratories of which they are tested and examined. The chief laboratory of this division is in the city of Washington, with branch laboratories in two other cities for the convenience of the more distant field stations. The numerous parasites and parasitic conditions with which meat inspection is concerned are studied by the Zoological Division, while questions relating to the biochemic changes that occur in animal tissues are referred to the laboratories of the Biochemic Division for attention.

THE NEED OF STATE AND MUNICIPAL INSPECTION TO SUPPLEMENT FEDERAL MEAT INSPECTION.

The Federal system of meat inspection has been extended to all parts of the field authorized for it by law. It is estimated that about 60 per cent of the cattle, sheep, swine, and goats slaughtered in the United States and all imported meats are inspected under this system. This leaves approximately 40 per cent of the domestic meat supply outside of Federal control. Much of the latter, it is known, receives no adequate inspection.

Federal meat-inspection statistics show that certain percentages of the different species of animals slaughtered are affected with some disease or condition in such degree as to require their condemnation in whole or in part. Some of the establishments at which Federal inspection is maintained have endeavored to avoid the loss incident to condemnation by exercising great care in the purchase of animals, accepting only such as appear to be sound and healthy... This has the effect of reducing the losses at such establishments, but it also tends to divert the sale of the animals of doubtful soundness to establishments that operate without inspection. With our knowledge of the frequency of disease in food animals, the question of what becomes of the meats and products derived from the diseased and unfit animals slaughtered in the uninspected houses assumes greater hygienic importance than is usually accorded it. Dr. Charles Wardell Stiles, after having studied a large number of town

and country slaughterhouses, said: "A well-regulated system of slaughterhouses is as necessary to public health as is a well-regulated system of schools to public education."

Many of the slaughterhouses which operate under no system of inspection have features that are not only objectionable but dangerous to health. Their construction is such as to make them incapable of being kept sanitary. water supply and drainage systems are inadequate and but little systematic attempt is made to keep them clean, and some are inexpressibly foul and filthy. Usually there is no protection of the meat against rats. flies, and other insects and vermin, and this condition is a dangerous source of contamination and infection. To remedy these conditions it has been proposed that municipalities provide central abattoirs at which all the slaughterers of a community may conduct their operations under sanitary conditions and an efficient system of inspection maintained. This proposal has very much to commend it; in fact, central municipal abattoirs have been established and operated with complete success in many of the cities of continental Europe, and several have been established in the United States.

PERSONNEL OF THE INSPECTION FORCE.

The personnel of the meat-inspection service is divided into two general classes—professional and nonprofessional. The professional is composed of veterinary inspectors, laboratory inspectors, an architect, and a sanitary engineer. The nonprofessional consists of employees designated lay inspectors.

The veterinarians must be graduates of accredited veterinary colleges and pass the civil-service examination for the position of veterinary inspector in the service. At each meat-inspection station an inspector is selected to take charge of the work and who reports directly to the Chief of the Bureau of Animal Industry. At stations where slaughtering is conducted only veterinary inspectors are placed in charge. The veterinary inspectors perform or supervise the regular ante-mortem and post-mortem inspections and perform all of the final post-mortem examinations. The laboratory inspectors are chemists and also must pass

an examination in accordance with the civil-service requirements. They make the laboratory tests and inspections.

The lay inspectors are designated lay inspector, grade 2, and lay inspector, grade 1; they also are required to pass the civil-service examination. The lay inspectors, grade 2, are experienced and well informed in regard to packing-house operations; they supervise the curing, preparation, and marking of meats and products. They are trained in passing on meats and products as to soundness, and conduct the inspection and reinspection of meats and products. The lay inspectors, grade 1, are required to have at least 3 years' experience in handling food-producing animals before taking the civil-service examination. Their duties are to assist the veterinary inspectors in the ante-mortem and post-mortem inspections, and to perform other duties similar to those described for the lay inspectors, grade 2. After a certain period of service they are eligible for examination for promotion to the position of lay inspector, grade 2. It is the duty of every employee, whether veterinary inspector or lay inspector of either grade, to see that the sanitary regulations are observed in their respective departments.

Certain veterinary inspectors, selected for their experience and general qualifications, are known as traveling veterinary inspectors. They inspect the official stations and establishments in their respective territories and report to the chief of the bureau whether the regulations and instructions governing meat inspection are properly observed. Their visits are unannounced and their reports are valuable in the effort to secure a uniform inspection and the enforcement of the sanitary regulations.

The personnel at present consists in round numbers of 800 veterinary inspectors; 1,000 lay inspectors, grade 2; 700 lay inspectors, grade 1; and laboratory inspectors, administrative officers, and clerical forces to bring the total to about 2,650 persons.

STATISTICAL.

The following very brief statistical summary is by no means an adequate statement of all the work performed under the Federal meat-inspection system. It will suffice, however, to convey to the reader an idea of the magnitude of the service.

The number of establishments at which inspection is regularly maintained varies somewhat: however, for several vears it has approximated 850, and includes practically every establishment of importance or large volume of operations in the United States. In the last five fiscal vears preceding this writing the total of cattle, sheep, swine, and goats given both the ante-mortem and post-mortem inspections was in excess of an average of 58,500,000 per year. The average number of whole carcasses of such animals condemned during that period was more than 262,000 per year, while the number of parts of carcasses condemned per year was very much greater. The records of the inspection and reinspections of meats and products subsequent to the slaughter inspection show totals running into billions of pounds annually, while the amount condemned on reinspection on account of having become tainted, rancid, or otherwise unfit for human food has approximated 18,000,000 pounds per year.

For the fiscal year preceding this writing, the sum appropriated by Congress for meat inspection was \$3,375,000, within which sum the service was maintained. In other words, the cost was less than 6 cents for each of the 58,500,000 animals slaughtered. This charge covered the entire service from the first inspection of the live animal to the final examination of the meats in the finished products, when ready for delivery to dealers or consumers. In this connection it seems but right to add that there has been no sacrifice of efficiency and completeness to attain this low cost; on the contrary, it is the constant aim of the department to strengthen the service in these respects.

54159°-- ҮВК 1916--- 7 А

COLOR AS AN INDICATION OF THE PICKING MATURITY OF FRUITS AND VEGETABLES.

By L. C. CORBETT,

Horticulturist in Charge of Horticultural and Pomological Investigations, Bureau of Plant Industry.

RUIT color is a factor intimately associated with fruit maturity. The small boy uninstructed in the arts is not attracted to the cherry tree until the fruits are colored, and he soon learns from experience to choose the fruits that are sweetest by his sense of color values associated with the perception of taste. While this is a simple illustration of the value of the color test for fruit maturity, it nevertheless illustrates the fact that unconsciously a value is placed on the color in fruits in order to arrive at an estimate of their palatability. This being the case, may there not be physiological activities or results directly associated with the life of the fruit_which can in a measure be estimated by the color values in the fruit? That such is the fact is quite evident from the results observed in the behavior of various fruits which have been subjected to careful control conditions in repeated experimental tests conducted by the investigators of the United States Department of Agriculture.


A concrete and striking example of the value of fruit color as an index to fruit picking maturity is afforded in the results of the picking and storage investigations conducted to determine the factors contributing to the successful storage of the apple. Early in the work upon this subject, undertaken by Taylor and Powell, it became evident that some physiological activity of the fruit itself was intimately concerned with the phenomenon termed "scald" in the stored fruit. As the work progressed it became more and more evident that scalding could not be wholly attributed to storage-house conditions or management. It was pos-

sible with the perfection attained in refrigerating apparatus and in storage-house construction and insulation to maintain practically constant, uniform conditions in the houses. It was also possible to reproduce such conditions from year to year. Notwithstanding these facts, varying results as regards scald were obtained, not only from year to year, but in different lots of fruit in the same house. These results focused attention more clearly upon the fruit itself.

COMPARISON OF STAGES OF MATURITY.

Accordingly, a series of observations was conducted to ascertain the relation of early (immature), medium (mature), and late (overripe) picking to the behavior of the fruit in what had been determined to be the most nearly ideal storage temperature. As one of the important teachings of this investigation there appeared results such as are recorded in the color reproductions presented herewith. The immature fruit illustrated in Plate A, which is characteristic of early-picked fruits of the Rome Beauty apple in the Yakima Valley of Washington, is distinguished by more or less development of the red or overlay color, but the important point for consideration in connection with fruit at this stage of maturity is the composition of the ground color. A careful study of this specimen reveals the fact that much vivid leaf green is present in the skin of the apple. Fruit picked at this stage of development, when withdrawn after a storage period of six months at a constant temperature of 32° F., presented the appearance illustrated in Plate B. This shows an advanced stage of "scald," which when present to any appreciable extent decidedly affects the food value as well as the merchandising value of the fruit. It will be noted not only that the skin shows the characteristic browning of scald, but that the discoloration has extended far below the surface of the skin; in fact, the cells of the skin as well as many layers of cells in the flesh of the fruit have ceased to function, as is indicated by the browning of the walls.

The specimen shown in Plate C represents a fruit in which, before picking, there had been a slight increase in the development of the overlay color. The area covered was a little larger and the color more intense than in the apple shown in Plate A. The significant fact, however, is observed




ROME BEAUTY APPLES OF NORTHWESTERN PRODUCTION PICKED TOO EARLY FOR HOLDING SATISFACTORILY AT NORMAL STORAGE TEMPERATURE OF 32° F. FOR A SIX-MONTHS' STORAGE PERIOD.

Fruits like the one in the upper figure, with a vivid leaf green area on the shaded side, are too immature for satisfactory storage, even though there is considerable color on the sunny side.

Cross section of a fruit at the same stage of maturity is shown in the lower illustration. The green color is apparent in the flesh.






RESULTS OF HOLDING ROME BEAUTY APPLES, AT THE STAGE OF MATURITY INDICATED IN PLATE A, AT 32° F. FOR SIX MONTHS.

External browning characteristic of fruits picked before the leaf green in the skin had disappeared and held in storage six months is illustrated by the upper figure.

The cross section of the same fruit shows that several layers of cells immediately below the skin, as well as the cells of the skin itself, have ceased to function and have become discolored.







ROME BEAUTY APPLES OF NORTHWESTERN PRODUCTION PICKED IN MORE MATURE CONDITION THAN THOSE SHOWN IN PLATE A, BUT YET TOO GREEN FOR SATISFACTORY BEHAVIOR IN STORAGE.

The coloring and the amount of leaf green in the skin of the fruit at the time of placing it in storage is illustrated in the upper figure.

Cross section of the same fruit, showing that while the flesh carries less green a trace still remains.






CONDITION PRESENTED BY FRUITS OF THE SAME STAGE OF MATURITY AS THOSE SHOWN IN PLATE C, AFTER BEING HELD SIX MONTHS IN STORAGE AT A TEMPERATURE OF 32° F.

The surface of the apple carrying the leaf green, as shown in the upper figure, Plate C, has assumed the characteristic baked-apple appearance of scalded fruit. The cells of the discolored skin have ceased to function.

The cross section of the same fruit shows that the fruit was sufficiently mature at the time of storage so that the discoloration has not penetrated deeper than the pigment cells.






ROME BEAUTY APPLES OF NORTHWESTERN PRODUCTION HARVESTED AFTER THE LEAF GREEN HAD DISAPPEARED AND THE TRUE YELLOW OF THE NORMAL GROUND COLOR FOR THE VARIETY WAS DISCERNIBLE.

Absence of leaf green, the presence of white, and light yellow in its place—true signs of picking maturity in this variety—are shown in the upper figure.

Cross section of the same fruit from which the green tint in the skin as well as in the flesh has disappeared.





ROME BEAUTY APPLES OF THE SAME STAGE OF MATURITY AS THOSE SHOWN IN PLATE E, AFTER HAVING BEEN HELD SIX MONTHS IN COLD STORAGE AT A TEMPERATURE OF 32° F.

No loss of color or discoloration, but the deepening of the yellow in the ground color due to progress of the ripening process, is shown in the upper figure.

The cross section of the fruit, shows no discoloration, but rather an increase in the yellow tint in the flesh, characteristic of the maturing of the variety.



in the ground color. There is less intensity in the green pigment, and the leaf green, while still observable, is less intense, having in a measure been replaced by white, a phenomenon familiar to every close observer of changes in the color values of fruits as they ripen. The chlorophyll, or leaf green, has grown less vivid and has certainly decreased in amount. This fruit, while still too immature for best storage behavior, responds to a six months' period in storage in the manner shown in Plate D. This apple, while showing a considerable amount of scald, is by no means as badly affected as the fruit shown in Plate B. While the amount of skin discoloration shown in Plate D is considerably less than that shown in Plate B, and while this discoloration has not been communicated to the underlying flesh of the apple, so that for practical purposes the apple is sound and fit for eating or for culinary uses, yet its merchandising value has been greatly impaired because of the discoloration. The brown baked-apple appearance characteristic of scalded fruit is taken as an indication that the fruit has passed the limit of its commercial storage life. Any considerable amount of scald, therefore, rapidly depreciates the market value of the fruit affected and is a phenomenon to be overcome or avoided as far as practicable.

The extent to which scald can be overcome or avoided through picking by color, even in some of the varieties known to be unusually susceptible, is brought out in Plates E and F. The apple illustrated in Plate E brings out clearly the color values which the grower and picker must learn to recognize in order to be able to determine the stage of maturity to which the fruit must attain before it may be placed in cold storage at the temperatures recognized as satisfactory for the storage of apples and come out in a sound, attractive condition and possessing a high merchandising value.

A critical study of the color values of the apple shown in Plate E reveals the fact that there is only a trace of true leaf or chlorophyll green remaining in that part of the skin of the fruit least highly colored. This will invariably be found to be the side most shaded by the foliage of the tree and is therefore the least mature portion of the fruit. It is here that the skin pigments are least stable and most likely to

be affected by the temperature. The leaf green, as has been noted, is small in amount, and its intensity is much less than in the fruits illustrated in Plates A and C. The ground color has been modified also, being, instead of greenish white. either white or yellowish white. Here we find the suggestion of the development of the true ground color of the fruit. The ground color or underlay in this variety is a shade of vellow, and as soon as there is a suggestion of the development of this characteristic color the fruit has reached a stage in its life when it can with safety be removed from the tree and placed under temperature conditions which slow down or inhibit the normal ripening processes to such an extent that instead of ripening to edible maturity in a period of a few weeks the ripening process is extended over a much greater period, which we term the normal storage period for the variety.

CONDITIONS DETERMINING THE STORAGE PERIOD.

The storage period of any variety of apple is long or short for that variety according to the degree of care exercised in picking it at the proper stage of maturity indicated by its growth and coloring and upon the treatment to which it is subsequently subjected. If it is harvested too green, even though the other factors contributing to successful handling and storage are carried out, the results shown in Plates B and D may be expected; but if, in addition to picking it too green, the fruit is allowed to stand in a warm packing room for several days previous to placing it in storage, the storage period will be shortened and the amount and seriousness of the scald augmented, provided the varieties to be stored behave normally in other respects in storage. The closer the condition of the fruit approaches that shown in Plate E the better it will carry in cold storage, assuming that it is carefully handled from the tree to the storage house, that it is not allowed to remain for more than a few hours at a high temperature after it is removed from the tree, and that whether placed in common or cold storage it is reduced to a temperature of 32° F. as soon as possible, the fewer hours the better, and then maintained without undue fluctuation at as nearly this temperature as is possible throughout the storage period.

Although the grower may observe and guard against all of the physical conditions which are known to affect the life of fruit in storage, such as careful handling, quick transfer from tree to storage room, and the maintenance of a suitable storage temperature, if the fruit itself has not reached a proper stage of maturity (Pl. E) the observance of these precautions will avail little. The physiological behavior of the fruit, even if stored under an ideal environment, will be that shown in Plate B if it is exceedingly immature, that shown in Plate D if it is approaching a satisfactory stage of maturity, and that shown in Plate F if it has reached a condition of maturity suitable for storage. Color, then, is the important factor by which the grower can determine the condition of ripeness of fruit for the best behavior in cold storage.

The illustrations here presented represent only one variety. and the color values shown are characteristic only of this variety. The general principle, however, holds for all varieties of apples and pears thus far subjected to coldstorage tests. In order to apply the lesson taught by the different stages of ripeness in the Rome Beauty apple here illustrated, it will be necessary merely to observe closely the true color values shown by each sort in the process of ripening and then to attempt to harvest the fruits at the time when these signs are most developed. In order to do this, the grower and picker must carefully train his sense of color values and observe closely the changes which take place in the make-up of the general color scheme of each variety. The points to be borne in mind are the decrease of the amount and intensity of leaf green in the skin of the fruit and the replacing of the green by white and gradually by yellow, if yellow is the normal ground color of the fruit, as is the case with the Rome Beauty apple.

The development to a slight extent of the normal ground color is desirable, but this process should not be allowed to go too far before it is checked by picking and placing the fruit in storage. This caution should be heeded, for it is found that overripe fruits are quite as unsatisfactory for long keeping in storage as are those picked too green. The ability to judge the stage of ripeness so as not to pick the fruit underripe or to allow it to remain on the tree until

overripe is the end desired. Careful attention to the color scheme of varieties is one essential, and another is to evaluate color changes in the developing fruit so as to pick each individual fruit at a time when it will keep longest and hold its color best. A careful study of the plates here presented will serve as a foundation, but the picker must carry with him to the orchard an accurate mental picture based on close observation for each of the varieties in his collection. The more perfect the mastery of the color problem for each variety the greater will be the success with the variety in storage, other things being equal.

THE COLOR FACTOR IN TOMATOES.

As a further contribution to information concerning the relation of color to picking maturity in plant products other than apples, it is desirable to mention the relation which the color at picking time bears to the color and general character of the canned product, as well as catsup made from tomatoes. Tomatoes, like apples, present a wide diversity of colors, but since red is the desired color in canned tomatoes, catsups, and pulp, only those varieties possessing red or scarlet pigments will be considered.

The tomato during the process of ripening passes from the leaf-green color which characterizes it during the early period of its development to a whitish green before the normal fruit color begins to develop. The green tints give way to the white, and this in turn is replaced in the desirable canning sorts by red, which gains in intensity as the process of ripening progresses, until at full maturity the pigmentation is complete and permanent. When this stage has been reached there is no further increase in the intensity of the color, and when tomatoes which have reached this stage of ripeness are subjected to the temperatures required for proper sterilization in the operation of processing the canned product there is no loss in color and the product possesses the deep red so desirable in high-grade goods. At this stage of maturity the pulp can be concentrated by boiling to the consistency required for catsup without loss of color. If, on the other hand, the tomatoes are gathered before pigmentation is complete and are subjected to the processing required

for canning or catsup making, the resulting product will not be of a deep red color, but will vary from a reddish straw color to light red, according to the degree of pigmentation attained by the fruits when harvested.

Before the passage of the food and drugs act, which requires that no food may be colored in a manner whereby inferiority is concealed, the question of the stage of maturity at which fruits or vegetables were picked or processed gave manufacturers little concern, for lack of coloring could be made up by sweating or by the use of dyes.

Now that such practices are discouraged by the regulations of the act, and the trade still requires high-colored and, fortunately, high-flavored products as well, the stage of maturity and the degree of pigmentation play an important part. Fortunately for the industry, nature has provided a method by which the demands of the trade can be met in a legitimate way; that way is via the ripe-fruit route.

Ripened tomatoes of desirable color will, when properly handled, produce a high-colored canned product or a high-colored catsup. Half-ripened red tomatoes will not produce a canned product or a catsup of a bright red color. The pigment in such fruits is not stable and fades slightly when the pulp is subjected to the temperatures required for sterilization or concentration. In the case of the tomato the heat of processing reduces the pigment and leaves a product varying from straw color through the shades of red, depending upon the stage of color development attained by the fruit when picked.

DISADVANTAGES OF HARVESTING IMMATURE PRODUCTS.

Immature apples when placed in storage develop various degrees of scald, depending upon the pigmentation or color development attained by the fruit up to the time of storage. As the apple matures it loses the leaf green which characterizes the young, immature fruit; this is replaced by white, and this in turn by the ground color and the normal pigmentation of the variety. Under common-storage or coldstorage conditions, immature fruits in which the chlorophyll, or leaf green, has not disappeared do not retain this color in storage, but assume the baked-apple appearance charac-

teristic of scalded fruit, the intensity or severity of the scalding depending upon the stage of maturity attained by the fruit, as illustrated in Plates A, C, and E.

The practical result from placing immature apples in storage is loss of color and that from processing immature tomatoes is loss in color. In both cases deterioration is due to unstable pigments in the product. The apples lose color when fruits with imperfect pigmentation are subjected to storage temperatures, whether or not the conditions to which they are subjected are low enough to check normal ripening processes. It would appear, on the other hand, that ripe fruits have developed stable pigments which are not affected in the apple by cold-storage temperatures nor in the tomato by the heat required for sterilization or concentration.

The practical lessons are: (1) Loss from scald will be lessened by harvesting apples after the leaf green has disappeared and the normal ground color for the variety has begun to develop; (2) high-colored and high-quality canned tomatoes and high-colored and high-quality catsup can be made only from ripe tomatoes of varieties possessing a red pigment. The time for picking fruit for special purposes must be determined by the behavior of the fruit. Put the fruit to the test; it will give the answer.

FARMS, FORESTS, AND EROSION.

By SAMUEL T. DANA,

Assistant Chief of Forest Investigations, Forest Service.

INTRODUCTION.

ARMS, forests, and erosion" may sound like a queer combination, but as a matter of fact the three are closely connected. Erosion is one of the most serious dangers that threaten our farms, and forests are one of the most effective means of preventing erosion. How true this is would be most startlingly demonstrated if all the forests of the country were to be wiped out overnight. Imagine how the water would pour off the mountains, cutting to pieces and washing away the land and destroying other property in its path.

The forest is, in fact. one of the best friends of the farmer in protecting his land from erosion and consequent damage. Just what this means, not only to the farmer, but to the Nation as a whole, becomes clearer when we remember that over half of the population of the country is rural; that there are more than 6,300,000 farms; that there are nearly 897,000,000 acres of farm land with a value of approximately \$28,500,000,000; and that the annual production of farm crops is valued at some \$5,500,000,000. Anything that exercises an important influence on interests of this magnitude is unquestionably deserving of the most careful consideration.

WHAT BECOMES OF THE RAINFALL.

IN THE FOREST.

When the Pilgrim fathers landed at Plymouth Rock in 1620 they found the new continent clothed with an almost unbroken expanse of virgin forest. Cool springs were abundant, streams ran clear, and excessive erosion had not left its mark upon the land. The geologic processes of land sculpture which have been going on since time immemorial were of course at work carving out the hills and valleys. Every year the soil on the steeper slopes was creeping a little farther on its way to the sea; every year there was some

change, however imperceptible, in the appearance of mother earth. At the same time another process was going on. Rocks were being decomposed and transformed into soil. This second process, though it, too, was slow, was in most places proceeding faster than the other. Soils were being formed more rapidly than they were removed, and the basis for the future farms of the country was gradually being built up. Such soil as was washed away consisted of the lighter particles, much of which, being deposited farther down in the more level portions of the streams, helped to build up the fertile alluvial plains. The entire action of nature was beneficial, rather than destructive.

Everyone who has been in a dense forest during a heavy storm knows how thoroughly it protects the soil and stores the water. The force of the rain is broken by the trees, the underbrush, and the litter on the ground, so that it does not beat upon the soil. Much of the precipitation reaches the earth by running down the twigs and branches. In a light shower nearly all of the rain may be intercepted by the leaves of the trees, so that one can stand in the forest without getting wet. Even in a heavy rain the water drips down so quietly as to have practically no beating effect upon the soil. There is no perceptible surface run-off until great quantities of rain have fallen. Instead, the water is soaked up by the organic matter, or humus, in the upper layers of the soil. This is really an enormous vegetable sponge capable of holding several times its own weight of water. As the rain falls it is absorbed by this sponge, then passed on to the reservoir of mineral soil beneath, and finally fed out gradually to the springs and streams. Then, too, surface run-off is checked by the mechanical obstruction offered by stumps, fallen twigs, branches, and even whole trees; and percolation of the water into the soil is made easier by the network of small roots and the channels left by the decay of large roots. Even when the rain is so heavy that the soil is unable to absorb all of the water at once, the excess flows off with no erosion. Streams coming from virgin forests are seldom muddy and are subject to comparatively small variations in flow.

IN THE OPEN.

The effect of heavy rains on the exposed soil of cleared fields is very different. There the rain beats upon the bare

ground like millions of little hammers. The soil is compacted, its absorbing capacity is reduced, and first the finer and then the coarser, infertile particles are washed away. The water quickly gathers into little rivulets, then into streams, and finally into roaring torrents, all carrying with them ever-increasing quantities of soil and often stones and bowlders. Myriads of tiny channels appear as if by magic. These run together into small gullies, and the small gullies grow into large ones. The whole area is cut up by erosion and the eroded materials carried away to cause trouble at lower elevations.

It has sometimes been argued that because the erosion which takes place under natural conditions is beneficial, that which takes place after clearing is equally or even more so. This by no means follows, however. When erosion becomes excessive, not only is the soil at the upper elevations washed away more rapidly than it is formed, but the amount of sediment is so enormous that the streams can not handle it. The coarser, infertile materials, the proportion of which is greatly increased, are deposited on valuable farm lands along the middle courses of the streams, while the finer materials are carried farther down, where they help to fill up the navigable portions of the rivers.

When the early colonists cleared the first land for agriculture they paved the way for the excessive erosion which has since taken place. It was of course inevitable that over a large portion of the country forests should give way to farms. It was not inevitable, however, that this change should be accompanied by such disastrous consequences to the soil. Many causes have been responsible for the damage that has been wrought, but underlying them all is the prodigality and indifference to the future which is characteristic of people richly endowed with natural resources.

CAUSES OF EROSION.

CLEARING OF NONAGRICULTURAL LAND.

Injudicious clearing for cultivation of land on which a forest cover should always have been maintained has been one of the main causes of unnecessary erosion. Thousands of acres on slopes too steep for successful farming have been ruined in this way. Such land has been cheap and the settler frequently has been only too ready to cultivate it for a few years until it was worn out and then complacently move on to repeat the process elsewhere. Improper methods of agriculture have often hastened the devastation. Unfortunately, this has not been confined to the area itself. Once started, erosion has progressed in both directions, washing out and burying fertile lands below and eating back into forested lands above.

Complete clearing of lands that should have been only partially cleared has had the same result. Not infrequently it happens that part of an area can safely be cleared for farming if the rest of the area is left in forest. Failure to recognize this fact and to retain the forest where its protective influence is needed has been the direct cause of much unnecessary wasting of the soil.

FIRE.

Among the many evils chargeable to forest fires, their effect on the character of the run-off is by no means the least. Their tendency is in the same direction as clearing—to decrease the amount of water absorbed and consequently to increase surface run-off and soil washing.

From the standpoint of erosion every fire on hilly land is a menace—the steeper the slope the more serious the menace. Conflagrations which completely destroy the cover are, of course, most dangerous. Even light surface fires, however, are not to be disregarded. By destroying the humus and the carpet of weeds and other plants, these tend to harden the soil and to reduce materially its absorptive capacity. Repeated fires on the same area are particularly dangerous, since they gradually open up the stand, remove all trace of vegetable matter, and may cause the soil to harden and pack so as to be almost impervious. One or two specific examples may help to make clear the damage that may be done by even a single fire.

On the north side of the Soleduck Valley, in western Washington, some 12,000 acres were severely burned in 1907. All vegetable growth was destroyed and all soil cover removed. Very little vegetation started in the first four years following the fire, and during these years the slopes were subjected to considerable erosion. Soil and fragments of

stone were carried in great quantities to the many gulches and water courses. In November, 1910, a combination of heavy snow, followed by a chinook wind and a warm rain, caused an enormous run-off of water, carrying with it great quantities of soil and rock. This shifting mass was so great that most of the creek channels, where they struck the flat, became choked with it and built up fan-shaped deltas, in some cases several acres being covered with débris from 1 to 6 feet deep. Even now erosion on these areas is considerable, although not nearly so great as during the first few years after the fire.

In the brush-covered foothills of southern California, near the town of Piru, is a small watershed of perhaps 1 square mile known as "Nigger Canyon." In October, 1912, approximately 100 acres of this were burned over and the cover completely destroyed. The following January a series of heavy rains caused unprecedented erosion on the area. Rocks from 2 to 24 feet in diameter, so large that they could hardly be moved by a team, were brought down by the flood. A section of 1-inch iron pipe between 400 and 500 feet long was entirely washed out. Ten acres of orange orchard near the mouth of the canvon were covered with a deposit of gravel from 6 inches to 5 feet in depth, so that in many places the lower branches of the trees rested directly on the ground. Though the orchard was not destroyed it was so injured that it will be necessary to reset the buried area. Farther downstream, where the deposit was not so deep, the individual trees have been raised at considerable expense by means of a derrick. Near the first orchard the bed of the creek was so filled with débris that the orchard was in constant danger of being overflowed at high water, and it was necessary to construct a dike in order to confine the water to the main channel. Four acres of bottom land which had been cleared the year previous to the fire for planting to lemons were so covered with gravel and bowlders as to be completely ruined. Local residents state that while the precipitation that winter was heavy, they do not believe it was worse than in many other years. One owner expresses the opinion that there has been more damage from erosion in the 3 years since the fire than in the 22 years before.

DESTRUCTIVE LUMBERING.

All cutting, of course, changes to some extent the character and amount of the soil cover and therefore disturbs more or less the natural balance between rainfall and run-off. If the cutting is properly regulated, however, this effect may be so slight as to be practically negligible. It is nearly always possible to leave sufficient cover on the ground to prevent any ill effects from the opening up of the stand, and if fire is kept out this is soon supplemented by other vegetation which effectively protects the soil from erosion.

Unfortunately, past cuttings have not in all cases been properly regulated. Considerable unnecessary erosion may be laid to destructive lumbering carried on without regard to the future welfare of the forest itself or of the interests dependent on its protective cover. Clear cutting has been practiced on steep slopes where at least a part of the stand should have been left. Roads have been so located as to be subject to serious erosion. Deeply gouged skid trails, formed by dragging many logs down the same rut, have been left unprotected to wash out after every heavy rain. Worst of all, fires have been allowed to burn uncontrolled on the cut-over areas. The dry mass of twigs, branches, and other inflammable material left after all lumbering operations adds to the fury of the flames and enables them to expose the bare soil to the mercy of the other elements.

One of the papers in the Yearbook of the Department of Agriculture for 1913 ("Economic Waste from Soil Erosion," by R. O. E. Davis) cites a specific example of the results of destructive lumbering. The owner was proceeding to remove all the timber possible from his tract with entire indifference as to the effect upon the soil of such a procedure. In one field where the entire forest cover had already been removed, great gullies had appeared and ruined the field for farming. One of the gullies extended for over half a mile to a creek bottom which had once been a fertile field, but was now covered in most places from 1 to 3 feet deep with sand which had been washed down from the cut-over area. When the lumberman was asked regarding his treatment of the land he replied that all he expected to get from it was the lumber; that he did not suppose he could sell it, because he "didn't think it worth anything as farm land, it washed




FIG. I.-THE RESULT OF CLEAR CUTTING AND FIRES.

This land is in the mountains, at too high an elevation for agriculture (over 10,000 feet), and should have been retained in forest.




FIG. 2.—ONCE A TROUT STREAM.

This stream formerly had a small but steady flow throughout the year and was named Trout Creek from the fish which made it their home. Cutting, overgrazing, and fires in the mountains at its headwaters have brought about steadily increasing washouts. So serious has been the damage to the railroad which originally ran along the bank that more than a million dollars would now be required to replace the track.




FIG. I .- How FARM LAND IS DESTROYED.

By being buried under a heavy deposit of sand and gravel brought down by a single flood from the cut-over and burned-over mountain watershed above, 11 acres out of the 45 acres of irrigated land on this farm were practically ruined. The irrigation works were also so damaged that no irrigation was possible the year following the flood.




Fig. 2.-A WASHED-OUT ROAD.

The washout occurred the next year after a severe fire in the mountains shown in the background. The gate, no longer used, shows where the road formerly ran—5 feet higher than its present location.




FIG. 1.-FARMING NO LONGER POSSIBLE.

Land which formerly sold for \$600 an acre has been rendered worthless by the deposit of sand, gravel, and bowlders brought down the year after a severe fire in the mountains shown in the background. Previous to the fire the stream bed had been an inconspicuous wash carrying only a small amount of water even in the rainy season.




FIG. 2.-A RESULT OF CARELESS FARMING.

The damage might have been prevented by proper terracing and cultivation. Even now reclamation of such land is both possible and profitable.




FIG. I.—FERTILE LAND RUINED BY EROSION.

If the soil-washing is not checked there is danger that the buildings in the background will eventually be undermined.




FIG. 2.—EROSION GAINING HEADWAY ON A STEEP SLOPE.

An effort is being made to check it by filling the gullies with brush. Tree planting would also help.




FIG. I.-A RESERVOIR ENDANGERED.

Where vegetation is sparse erosion once started is very difficult to check. It is particularly serious in this case because the eroded area drains directly into a proposed reservoir site.



Fig. 2.—Overgrazing Another Cause of Soil Washing.

The protective vegetation has been partly removed as a result of too heavy grazing by sheep. If grazing is not checked, the entire hillside may be destroyed.




Fig. 1.—THE KIND OF LAND FOR A WOODLOT.

Timber growing pays better than farming on lands of this character.




FIG. 2.—A PROTECTED RIVER BANK.

During the Kansas River flood of 1903 the fringe of willows and cottonwoods protected this river bank from erosion, and the land back of it from burial under a mass of sand, gravel, and other infertile material.

so bad." His method of handling it was indeed ruining it for either farm or forest, and in addition was contributing to the ruin of fertile land below.

OVERGRAZING.

Although less spectacular than fire, overgrazing may be equally serious in its effect on erosion. It is particularly dangerous in those areas where precipitation is light and where the vegetation even when ungrazed has a hard time holding its own. The woodland areas in the Southwest are typical examples. Here the natural balance between precipitation and run-off is so finely adjusted that very little disturbance of the soil cover is required to upset it. Moreover, adverse climatic conditions make it very difficult for vegetation to reestablish itself in such regions. Erosion once started, therefore, is likely to be permanent.

The evil results of overgrazing are well illustrated in central and southern Utah. Forest Service Bulletin 91¹ estimates that in the country surrounding the Manti National Forest, overgrazing, which occurred before this area was included in the National Forests, has been responsible through erosion and floods for a loss of \$225,000. Among the items of damage included are destruction of roads, bridges, streets, and buildings; heavy depreciation of realestate values; ruin of crops; permanent injury to agricultural lands; filling up and destruction of reservoirs, canals, and ditches; and even death.

Farther south, overgrazing on a single watershed has been responsible for an annual loss of about \$3,000 to the town and farming community of Salina. Furthermore, the sand and sediment carried by Salina Creek has filled up the main channel of the Sevier River between Salina and Redmond to such an extent that the river has submerged some 1,000 acres of valuable farming land worth about \$100,000, and has damaged other lands to the extent of about \$50,000.

OTHER FACTORS.

In addition to the forest and other soil covers, the chief factors having an influence on erosion are the amount and character of the precipitation, the degree of slope, the geo-

^{1&}quot; Grazing and Floods: A Study of Conditions in the Manti National Forest, Utah," by R. V. R. Reynolds.

^{54159°--} ҮВК 1916----- 8А

logical formation, and the depth and composition of the soil. In general, anything that increases surface run-off increases erosion. Severe storms, steep slopes, and soils with relatively low water-absorbing capacity are, therefore, all dangerous because they tend to make it impossible for the soil to absorb the water as fast as it is supplied. This is the case with the torrential downpours of rain that occasionally occur in various parts of the country, and especially in the West. These are often known locally as "cloud-bursts," or, more expressively, as "gully-washers," particularly if damage results from them.

In July, 1915, for example, a cloud-burst in northern Washington did considerable damage in the rolling farming and grazing district known as "Happy Hill." Deep gullies were cut in the side hill at intervals of from 20 to 30 feet. crops were destroyed, live stock drowned, and several acres of fertile bottom land ruined by being buried under rocks and other débris. Altogether, the storm, which covered an area of only 2 or 3 square miles, was responsible for a damage of some \$2,000. It should be noted, however, that one of the reasons why the unusually heavy precipitation was able to do so much damage in this case, as in many others, was the fact that the soil cover had already been broken by cultivation and overgrazing. It is a significant fact that "cloud-bursts" occur most frequently where the ground cover has been disturbed by fire or grazing, or in some other way. Equally severe downpours elsewhere are apt to excite little attention and to pass merely as heavy storms.

Under natural conditions the various forces are so adjusted that the damage from excessive erosion in most parts of the country is comparatively small. Some damage is, of course, inevitable, but such scars as are made are usually soon healed over by the growth of vegetation. As a rule it is only when the natural protective cover of forests, brush, grass, and other plants is disturbed that serious and long-continued erosion results.

KINDS OF EROSION.

SHEET EROSION.

Sheet erosion is marked by a more or less uniform washing away of the soil over the entire surface. It usually occurs on hillsides of only moderate slope and on the more cohesive soils. Every rain washes away some of the finer particles, but the progress of erosion is usually slow and the results not particularly conspicuous.

GULLY EROSION.

Gully erosion is much more noticeable than sheet erosion and usually progresses much more rapidly. In its early stages it is often characterized by the formation of numerous small, more or less parallel gullies, sometimes known as shoe-string gullies. Not infrequently gullies of this type are found on areas that have already suffered from sheet erosion. As they increase in size they vary in shape according to the character of the soil, from sharp-bottomed, V-shaped cuts with steep sides to broader depressions with more gently sloping, rounded sides.

Another type of gully has vertical, cliff-like sides which keep caving in as the water undermines them. Once started, it usually grows rapidly in length, breadth, and depth with every storm, until it has developed from a mere gash into a yawning chasm. It is the most striking form of gully erosion, the most rapidly progressive in its development, and the most difficult to check.

LANDSLIDES.

A landslide consists in the slipping down in a solid body of a considerable mass of the surface soil. Landslides usually occur where the soil rests on a smooth-faced, slippery substratum, or where the soil is of a "slick," micaceous char-They are caused by the soil becoming thoroughly saturated with water and then slipping off in a body from the underlying subsoil or rock. Railroad and highway cuts and the undermining of river banks often help to start them. Forest fires, by destroying the roots which pin the surface soil to the subsoil, are also a contributing cause. In November, 1910, for example, seven distinct slides took place on burned-over areas on the Rainier National Forest in western Washington. Some of these areas had been burned over only once, others repeatedly. The slides followed a series of warm, heavy rains which so saturated the soil that the decayed roots of the fire-killed trees and the short roots of the young, new growth were unable to hold it in place.

RIVER-BOTTOM EROSION.

Along river bottoms erosion is of still a different type. Here good valley land may be destroyed either by the wearing away of the river banks along the main channel or by the gouging out of new channels. Sometimes hundreds of acres of excellent agricultural land are so scoured out and stripped of their soil by a single flood as to be rendered valueless. The famous Kansas River flood of 1903, for example, completely destroyed 10,000 acres of excellent farming land and caused a total loss of at least \$22,000,000. Such damage is indirectly due in large part to erosion farther up the stream and its tributaries. The eroded material brought down by the rivers is deposited in their lower portions, fills up the channels, and creates obstructions which cause the water to overflow in time of flood. Furthermore, the material brought down by the flood serves as a scouring agent which most effectively reinforces the work of the water. Prevention of erosion at the higher elevations is, therefore, an important step in checking erosion along river bottoms.

CUMULATIVE CHARACTER OF EROSION.

One of the worst features of erosion is its tendency to progress with ever-increasing rapidity. Once given a good start it will grow of itself. Where sheet erosion is taking place every bit of the surface soil washed away decreases by so much the water-absorbing capacity of that which remains, and hastens its removal down to the subsoil and often to the bare rock. Where gullies have been formed the runoff is concentrated in these and frequently scours them out with almost inconceivable force. Often, indeed, the undermining and caving in of the banks proceeds so rapidly during a heavy storm that it is dangerous to be too close an observer.

Moreover, the eroded material greatly increases the scouring power of the running water. The sediment of sand, gravel, and bowlders carried down the gullies and stream courses exercises a powerful influence in carving out their banks and tearing away formations which would not be affected by the water alone. This is especially true on steep slopes, since the transporting power of water varies as the sixth power of its velocity. In other words, when a current of 2 miles an hour can move only fragments of stone the size

of a hen's egg, a torrent of 20 miles an hour can carry bowlders weighing nearly 100 tons. The tremendous scouring power which such a burden as this adds to the water and its effect in hastening the progress of erosion are obvious.

EFFECTS OF EROSION.

RUIN OF LAND.

Undoubtedly the most serious and far-reaching effect of erosion is the ruin of the land itself. Soil is, indeed, the most valuable natural resource possessed by any nation. It is the primary source from which we derive our food, our clothing, and our shelter—the basis, in fact, of civilization. Looked at from this standpoint it is as indispensable to existence as are air and water. Certainly its conservation is one of the most important steps for the welfare of the country.

Already some 4,000,000 acres of farm land have been ruined by erosion, and nearly twice as much more has been seriously damaged. In other words, erosion has rendered completely nonproductive an area capable of forming nearly 100,000 farms and of sustaining a population approximately equal to that of Arizona and New Mexico combined. Every year there is an unnecessary waste from erosion of more than 400,000,000 tons of soil material, an amount greater than that removed in digging the Panama Canal. Much of this comes from good farming land and all of it reduces by just so much the productive capacity of the country. In addition, thousands of acres of bottom land are ruined each year by being buried under infertile eroded materials brought down from the higher elevations.

Even a nation as rich in soil resources as the United States can not afford a loss of this magnitude. The day of reckoning will surely come when we shall pay the price for such prodigality. Continued waste of the soil can result only in failure to attain that development in production and population which our original endowment promised. So serious indeed is the situation that Dr. N. S. Shaler, formerly dean of the Lawrence Scientific School, was once moved to remark that if mankind can not devise and enforce ways of dealing with the earth which will preserve this source of life, "we must look forward to the time—remote it may be, yet clearly discernible—when our kind, hav-

ing wasted its greatest inheritance, will fade from the earth because of the ruin it has accomplished."

LOSS OF FERTILITY.

Actual waste of the land is, however, by no means the only evil wrought by soil erosion. Loss of fertility must also be charged to its account. The finest particles of soil are naturally the first to be washed away, and the removal of these seriously impairs the physical and chemical quality of the soil. In the Piedmont section of North Carolina, for example, the plant food and humus contained in the 4,000,000 tons of soil washed away every year are valued at \$2,000,000. A single week of heavy rain in August, 1908, is estimated to have impoverished the soils to the extent of more than \$500,000. Figures are not available for the country as a whole: the loss certainly mounts high into the millions.

One of the most serious features of this loss is the fact that it is seldom fully appreciated, particularly when it is not accompanied by pronounced gullying. It is not at all an uncommon occurrence on certain soils for the top layers to be washed away so gradually and uniformly that the change is hardly perceptible. In such cases the farmer frequently does not realize that erosion is taking place. He attributes the decreasing fertility of the soil to the fact that it is getting "worn out," and eventually abandons the land without once suspecting that he himself is in any way responsible.

LOWERING OF THE WATER LEVEL.

Another important effect of erosion, too often overlooked, is its effect in lowering the level of the ground water. As gullies are deepened and stream channels lowered there is a constant tendency for the water in the upper layers of the soil to sink to the same level. Not infrequently this lowering of the ground water is sufficient to have an unfavorable influence on crop production, to make the use of the water for irrigation impracticable, and even to change the natural type of vegetation. A specific illustration of this which occurred in eastern Oregon may be cited.

A mountain meadow of some 200 acres was formerly well covered with an excellent growth of grass. The small stream which ran into it had no pronounced channel, but spread out

so as to irrigate the entire area. Then came grazing, and then more grazing, until finally the sod began to be cut up and well-worn trails to be formed. Every spring, water would run down these trails until there was one deeper than the rest. This took the bulk of the flow and became the main drainage channel for the meadow. The channel was too small to accommodate all of the water, however, and the exposed soil soon began to erode. The banks at the lower end of the channel are now constantly caving in and being washed away, while at the same time the gully is growing deeper and deeper and working its way back toward the head of the meadow. As this development has taken place a striking change has occurred in the character of the vegetation. In the lower part of the area, where the lowering of the water level is most pronounced, the grass has entirely disappeared, and the land is now covered only with sagebrush and is worthless for grazing. Near the head of the meadow the grass still maintains its hold; but here also, unless the erosion is checked, the existing vegetation will be replaced in time by sagebrush and the value of the meadow entirely destroyed.

In addition to the loss of water through the deepening of drainage channels, the increased surface run-off which has accompanied erosion is a further cause of the lowering of the water level. This depletion of the water supply is of much more than local importance. In Bulletin 71 of the Bureau of Soils, for example, it is estimated that throughout an area of some 500,000 square miles in the eastern United States the natural level of the water in the ground has been lowered from 5 to 30 feet since the country was settled—the equivalent of 15 years' rainfall over the area depleted. Obviously such a drain on the water resources of the country, for the most part needless, can not be continued indefinitely.

DAMAGE TO IRRIGATION.

Erosion is also one of the most serious dangers that threaten irrigation. This is true for several reasons. The farmer on irrigated land is above all else dependent on a sufficient supply of stored water, which may come from either natural or artificial reservoirs or from both. Under normal conditions this storage is brought about primarily

by the mantle of soil which clothes the mountains, protects the headwaters of the streams, and acts as a great natural reservoir. The effectiveness of this natural reservoir is decreased just in proportion as the soil is removed or its absorptive capacity diminished. Both of these effects are produced by erosion. The result is a greatly increased surface run-off after heavy rains, corresponding low-water stages during dry periods, and a marked decrease in the amount of water available for irrigation. Everyone who has seen how the water pours off a bare mountain side or a thoroughly compacted soil after a storm realizes how little of it nature is able to store for future use.

Furthermore, erosion has a secondary harmful effect in the filling up of artificial reservoirs with the soil brought down by the stream. Any increase in the amount of this sediment, therefore, means a corresponding decrease in the capacity of the reservoirs. In many cases dam sites at which storage reservoirs can be constructed at a reasonable cost are limited, and when this is true the silting up of the reservoirs means the eventual abandonment of the irrigated lands dependent upon them for water.

Water heavily laden with eroded material also decreases the efficiency and increases the cost of maintenance of other irrigation works, such as diversion dams, pipe lines, flumes, and canals. Sometimes it injures the crops to which it is applied, and not infrequently it seriously impairs or even completely ruins the land by burying it under a mass of sand, gravel, bowlders, and other coarse material.

An example of the damage that may be done to irrigated lands by erosion following even a small fire is afforded by a ranch in Cajon Canyon in southern California. Approximately 100 acres of comparatively low, brush-covered hills just above this ranch were burned over in the fall of 1914. The next spring all of the irrigating ditches lying immediately below the burned area were filled with sand and gravel, although no such trouble had been experienced previously. In some places the deposit of gravel was from 7 to 8 feet deep. In others, repeated filling up made it necessary to dig out the ditch three different times. Altogether some \$800 was spent just for labor to repair the flumes which were burned out and to dig out the ditches. More serious than

this, however, was the damage to the alfalfa crop. In the fall of 1914 one cutting of alfalfa on about 35 acres was lost, as a result of which it proved necessary to buy approximately \$600 worth of stock feed during the winter. Worse still, the 1915 crop of alfalfa on 50 acres which had been seeded early in the spring was completely lost because the ditches could not be repaired soon enough to get water on the area in time to save the crop—a direct loss of perhaps \$2,500.

In the spring of 1914 a little settlement on irrigated land in the foothills near Los Angeles suffered similar and heavier damage. The fall before, some 700 acres of the brush-covered watershed from which the settlement derives its water supply was completely burned over. Previous to the fire the stream draining this canvon had been hardly more than a serious wash, carrying so little water, even in the rainy season, that no one had thought of the possibility of its doing any damage. The next spring, however, a tremendous flood brought down hundreds of tons of eroded material. inconspicuous wash widened until it carved out a stream-bed in places half a mile wide, in some spots gullied several feet deep, in others buried under from 8 to 10 feet of sand, gravel. and bowlders. Roads were washed out, irrigated orchards cut to pieces, and some land totally ruined. So serious was the damage that the county has spent several thousand dollars in correcting the stream channel and in constructing check dams in the canvon for the prevention of future floods. The total loss may be conservatively estimated at over \$60,000—rather a heavy price to pay for a small fire.

LOSS OF WATER POWER.

In its relation to water power, erosion is of the utmost importance, because it interferes with the steady flow which is so essential to successful development. As in the case of irrigation, the capacity of the natural reservoir is depleted and artificial reservoirs are filled up. Many striking examples of this are afforded in the Southern Appalachians. In one reservoir which had a depth of 28 feet when the dam was first closed, an island had appeared in 2 years. Another pond about 4 miles long and 40 feet deep at the lower end had its upper part entirely filled in 4 years and near the dam was about three-fourths full. So serious is this effect that

in this region the attempt to use more than the unregulated flow of the streams for water-power development has been practically abandoned.

Still another result of erosion in this connection is the morease in the number and severity of floods. In a single year the damage from floods to storage reservoirs, power plants, and other property in the Southern Appalachians amounted to \$18,000,000.

INTERFERENCE WITH NAVIGATION.

Erosion, because of its interference with navigation, has been one of the factors responsible for our failure to develop properly the inland waterways of the country. Increased rapidity of run-off results in decreased low-water flow. At the same time the sediment brought down by streams is deposited in their lower reaches. The action of both factors tends in the same direction—to decrease the depth and hence to impair the navigability of the stream. Many rivers formerly navigable have become so filled as to render them practically impassable by boats of even moderate size. Others have to be constantly dredged in order to keep them open.

To take a single example: The Tennessee River has been changed in comparatively recent years from a practically clear to a sediment-bearing stream. A survey in 1896 of the lower portion of the river, between Riverton, Ala., and Paducah, Ky., showed 49 bars through which it was calculated that a channel could be opened by the removal of 650,000 cubic yards of sand and gravel. As the work developed it proved necessary in some of the bars to remove several times as much material as had been calculated, and others had to be dredged several times. One, indeed, was opened five times in 8 years. By 1908 several new bars had developed, 1,127,660 cubic yards had been dredged in 31 places, and the results were stated to be fairly permanent in two-thirds of these.

GENERAL.

Altogether it has been estimated that erosion is responsible for an annual loss in this country of approximately \$100,000,000. To the farmer it means money out of his

 $^{^1\,\}mathrm{U}.$ S. Geological Survey. Professional Paper 72, " Denudation and Erosion," by L. C. Glenn.

pocket from start to finish. It impairs the fertility and decreases the productivity of his land, and may even ruin it altogether; it renders irrigation more difficult and more costly; by reducing the possibilities of cheap water-power development it tends to keep up the price and check the more extended use of electricity; and by interfering with navigation it helps to prevent the development of a comprehensive system of cheap inland water transportation. But the farmer is not the only sufferer. The entire community is directly affected by the loss and is justified in taking heroic measures to remedy the evil.

PREVENTION OF EROSION.

CONTROL OF SURFACE RUN-OFF.

Since surface run-off is the primary cause of erosion, it is obvious that complete control of this would constitute a solution of the entire problem. In other words, if we cure the cause we shall also do away with the effects.

Some of the factors that influence surface run-off, and therefore erosion, are, of course, beyond our control. We can not alter the total amount or the distribution of the precipitation. Neither can we remake at will the geological formation, the general slope, or the depth and character of the soil. Some of these things, however, we can modify to a certain extent. By means of terraces we can break up the uniformity of the slope; by the addition of fertilizers and by proper methods of cultivation we can increase the absorptive capacity of the soil. Most important of all, we can, within the limits imposed by climate and soil, do almost what we will with the ground cover.

Prevention of erosion is, then, dependent primarily on the way in which we treat the protective cover of trees and other vegetation, and secondarily on the way in which we handle cleared lands. If the problem is to be solved we must cease to accelerate surface run-off by burning the forests and brush fields, overgrazing the range, clearing steep slopes for agriculture, and practicing antiquated methods of cultivation. On the contrary, the farmer, the forester, and the stockman must cooperate in seeing that the land is so used that surface run-off, particularly at the higher elevations, is reduced to a minimum. If this is done, erosion can be effectively controlled without interfering with the fullest use of our natural resources.

CLASSIFICATION OF LAND.

The first step toward controlling the run-off is to classify all land according to its liability to erosion and need of a protective cover. This might well be part of a broader classification aimed to devote all land to its highest use. Such a classification by competent authorities would perhaps accomplish more than any other one step not only in preventing erosion but in bringing about the fullest use of all our natural resources. Until Federal and State authorities take comprehensive action in this direction the individual will have to settle the question for himself as best he can with the knowledge at his disposal. So far as erosion alone is concerned, this should not be a very difficult matter.

FARM LAND.

How steep a slope can safely be cleared for farming depends largely on the character of the soil. It has often been said that no slope steeper than 15° should be cleared, and as a general guide this is probably as good as could be given. Yet slopes of less than 15° not infrequently show serious erosion under cultivation, while occasionally slopes of 20° and even more show none. The question, therefore, is one that must be settled separately for every locality, and even for every tract. As a rule, however, there is some cleared land in every vicinity which can be used as a guide. In case of doubt the safest course is to leave the land uncleared.

Some erosion must be expected on all slope land cleared for cultivation. On land really suitable for farming, however, this can be reduced sufficiently to prevent any marked deterioration. The general principle to be kept in mind is to prevent surface run-off just as far as possible. Water that is absorbed by the soil not only causes no erosion but increases the supply of ground water, diminishes drought, feeds the springs, and maintains a steady flow in the creeks and rivers.

One of the most effective methods for preventing erosion on cultivated land is terracing. Properly constructed terraces check the velocity of surface run-off and give the soil a chance to absorb far more water than would otherwise be possible. Their construction has been so frequently described in various agricultural publications that it need not be discussed here. Their importance in any well-regulated scheme of farming should, however, be emphasized. There is scarcely a region in which they can not be used to advantage.

Numerous other measures can also be taken to convert surface into underground run-off. Deep plowing and fertilizing increase the absorptive capacity of the soil. On soils that become saturated quickly artificial drains help to carry off the surplus water. Contour plowing acts in the same general way as terracing. Winter cover crops and such crops as grapes and berries offer mechanical resistance to surface run-off and also bind the soil. Rotation of crops helps to retain the fertility and therefore the absorptive capacity of the soil. Occasional turning of the land into pasture for a few years is often beneficial. Properly located and constructed ditches help to carry away safely the excess run-off, and brush and stone dams serve to break its force. There is hardly a farm in the country where at least one, and usually several, of these measures should not be practiced.

FOREST LAND.

Forests, which are the highest type of vegetation, form the most effective cover for converting surface into subterranean run-off. They should therefore be retained on all areas which, if cleared, would either be in danger of erosion themselves or a menace to other areas. Paradoxical as it may sound, the crop production of the country would be greater if the forest cover were maintained where its protective influence is needed than would be the case if the entire area were cleared for farming.

Mountain Forests.—Water, like fire, is an unruly element which must be controlled at the outset if it is to be controlled at all. It is this fact that gives the mountain forests their peculiar importance. They catch the water at the begin-

¹ Sec, for example, Bureau of Plant Industry Circular 94; Department of Agriculture Bulletin 180; North Carolina Geological and Economic Soil Survey Bulletins 17 and 236; and South Carolina Agricultural Experiment Station Circular 20

ning of its journey to the sea. They tackle the problem at its very source. Furtherfore, they afford protection where the precipitation is heaviest and the slopes steepest. For these reasons the great bulk of the land on the steeper slopes and at the higher elevations should be retained in forest, and the forest cover supplemented where necessary by small check dams and larger storage reservoirs. In no other way can the soil be kept on the mountain sides, surface run-off controlled, and the prosperity of the community safeguarded. In many regions farming, irrigation, municipal water supplies, water-power development, and navigation are all, in the last analysis, dependent upon the mountain forests.

Europe has already had its lesson. In the Apennines, near Florence, it is now possible to walk for miles on mountain slopes of bare rock where a century or so ago dense forests grew. France has spent millions of dollars in reforestation and engineering works in the Pyrenees and French Alps to control the torrents and the erosion which have resulted from forest destruction in the mountains.

In the United States marked progress is being made. Since 1891 the reservation under Federal ownership of forested public lands has been an established policy of the Government. One hundred and sixty-three million acres of National Forests, mainly in the mountains of the West, now protect both the forests and the various interests dependent on them. Another step in advance was taken in 1911, when Congress enacted legislation providing for the purchase of forest lands on the watersheds of navigable streams. Already some 400,000 acres of forest land have been acquired and some 900,000 acres more approved for purchase under this act. In addition, some 2,800,000 acres of mountain land are held as State forest reserves.

Much still remains to be done, however, before the mountain forests will exercise the influence of which they are capable in controlling surface run-off. Throughout the world, history has demonstrated unmistakably that unrestrained private ownership can not be relied upon to give such forests the protection that is necessary. They are a community asset, and community ownership or control is essential for their proper management. Until the Nation

and the States realize this fact and act upon it, the problem of erosion, with all its attendant ills, will not have been solved.

Woodlots.—But the mountains are not the only place where a forest cover is necessary. Every farm has its patches which should be devoted to a woodlot—areas which are too rocky, poor-soiled, or steep to make cultivation practicable. Such areas if left barren are worse than useless because they form an actual menace to the rest of the farm. Woodlots on areas of this sort more than pay for themselves in the protection which they offer against rapid run-off and erosion. Not infrequently the very existence of a farm is dependent on the protection afforded by them. What timber they yield is clear gain.

Belts of timber may also be used advantageously to prevent erosion on long, moderately steep slopes. Unbroken slopes of this character which are otherwise suitable for farming often permit the run-off to gain such headway as to cause serious washing on their lower portions. Narrow belts of timber, which should, of course, be wider the steeper the slope, effectively check this tendency. The mechanical obstruction that they offer reduces the velocity of the water, which is then absorbed by the humus. A forest barrier is both more efficient and more profitable than any other.

RIVER BELTS.—Even along river bottoms the forest has its use. A fringe of trees along the main channel is of wonderful assistance in binding the banks and preventing the scouring out of adjacent lands. Although they have no effect on the height of flood waters, they offer a mechanical obstruction which checks the velocity of the water and causes the stream to deposit its load of sand, gravel, and other infertile débris. Instead of a raging torrent the flood is turned into a quiet overflow, carrying a burden of silt the deposit of which enriches the neighboring farm lands. Many examples of this were offered by the Kansas River flood of 1903. Farms where the river banks were protected by trees were in many cases actually benefited by the flood, while others without such protection were often completely destroyed. One farm protected in this way had some 200 acres enriched by a deposit of fine silt; another adjacent but unprotected farm had 16 acres gouged out to a depth of from 6 to 8 feet and 100 acres more ruined by being buried under from 1 to 3 feet of coarse sand. Every river which is in danger of floods, and therefore erosion, should have its banks protected by a belt of trees from a few to several hundred feet in width. For such a belt to be of the most benefit, however, the channel should be made as straight as possible and kept free from all obstructions, such as accumulations of logs and other débris. Nothing can prevent erosion on a stream so choked up that its channel is barely able to care for the normal flow.

FIRE PREVENTION.

From the standpoint of erosion it is fully as important to keep the forest floor in an absorptive condition as to maintain merely a stand of trees. Fires destroy both. They have no place in a well-managed forest, except occasionally as a help in securing natural reproduction, and then only under the direction of an expert. The prevention of uncontrolled fire is, indeed, an absolute necessity if the forest is to perform effectively one of its main functions.

Everyone recognizes a crown fire which destroys an entire forest as a disaster. But everyone is not yet educated to the realization that every surface fire, no matter how light, is a real menace. The mere fact that a fire is able to burn is sure proof that it is destroying organic material, and it is this organic material which makes the forest floor the great sponge that it is. Repeated fires will in time completely destroy this sponge. The change may be barely perceptible from year to year, but it is none the less sure. Every fire does its share toward removing the humus and making the forest less valuable for the storage of water and the prevention of erosion.

Adequate protection will not be secured, however, until the fire problem is attacked as systematically in the forest as it now is in the city. Laws to prevent the starting of forest fires, and a well-organized and well-equipped force to detect them as soon as possible and to extinguish them before they gain any considerable headway are essential in any protection system. To achieve such a result the efforts of forest owners, both public and private, must be supplemented by




FIG. 1.-AN UNPROTECTED RIVER BANK.

During the Kansas River flood of 1903 this adjacent bank, which was unprotected by trees, was badly washed out and the farm land back of it seriously injured.




FIG. 2.-FARM LAND ALSO SUFFERS.

This steam thresher stood on land unprotected by a fringe of trees along the river. During the same flood it was buried in sand, a telephone line in the background was washed down, and the value of the entire farm greatly impaired.




FIG. 1.-SOIL GONE; ONLY BARE ROCK LEFT.

The soil on this mountain slope has been washed out down to the bare rock as a result of the removal of the timber, followed by fires.




FIG. 2.-BOTTOM LAND BURIED UNDER SAND.

This fertile alluvial river bottom has been buried under a deposit of sand and other infertile material brought down as a result of erosion in the higher elevations at its headwaters.



 $\label{Fig.1.An Example of The Caving Gully.} Fig. 1.—An Example of the Caving Gully.$ This type of erosion often progresses very rapidly and is particularly difficult to stop.




FIG. 2.—BRUSH DAMS HELP TO CHECK EROSION.

An attempt was made to grow peaches on this area. Brush dams are now being used to hold the soil preparatory to planting forest trees.




FIG. I.—THE CARRYING POWER OF WATER.

This huge bowlder, weighing some three tons, was washed down by a flood caused by rapid run-off from overgrazed lands on the upper part of the watershed. The carrying power of water varies as the sixth power of its velocity.




FIG. 2.—BOTTOM LAND STRIPPED OF ITS SOIL.

This alluvial bottom has been rendered worthless by the washing away of the soil. The small area in the center shows the soil level in the bottom, the best part of the whole farm, before the soil was removed.

the cooperation of the entire community. The public as a whole suffers from the evil and should cooperate in putting a stop to it.

GRAZING REGULATION.

The regulation of grazing, whether conducted on farm lands, on forest lands, or on intermediate lands devoted entirely to grazing, is important in preventing erosion. The most important precaution is to make sure that the grazing is not overdone. When carried to extremes it is a fruitful source of erosion because it reduces greatly the amount of surface vegetation, packs the soil, and forms well-worn trails in which the water readily collects. Such damage may be prevented by limitation of the number of stock grazed and by proper methods of handling.

One point to be borne in mind in determining whether an area should be used for grazing or forest production is the fact that a sod cover is not so efficient in decreasing the rapidity of surface run-off as a humus cover. A well-knit sod nearly always binds the underlying soil sufficiently to prevent erosion, but does not absorb water so readily. Consequently, certain areas that are not themselves in danger of erosion may be a more serious menace to farm lands below if devoted to grazing than if retained in forest.

On steep slopes where landslides are apt to occur, it may often be advisable to stop grazing during periods of very wet weather.

CONSERVATIVE LUMBERING.

The forest can be cut for its timber without serious danger of starting erosion, except on the highest, most exposed, and thinnest-soiled slopes. In such places the natural balance is very closely adjusted, and cutting should be prohibited entirely or limited to the removal of individual trees here and there. Areas of this sort should be set aside as "protection forests." These should be managed primarily with a view to retaining their protective value, and timber production should be treated as a purely secondary object.

Elsewhere ordinary lumbering operations may be carried on safely. Usually a sufficient cover of small trees, underbrush, and humus is left to protect the soil, and this is soon reinforced by new growth. Certain precautions must be observed, however. Such methods of logging should be adopted as will cause as few deeply gouged skid trails as possible. When soil and climatic conditions are such that these are liable to erode badly they should be filled up with brush and other slash left after logging. This will check the rapidity of the run-off and enable nature to repair the scar before serious damage results. Above all, the cut-over area should be protected from fire. Burning is permissible only as a silvicultural measure to assist natural reproduction, and then only under the direction of an expert. Uncontrolled fires following lumbering have caused far more damage than the cutting itself. They are a serious menace from every point of view and the greatest danger to be guarded against in connection with lumbering.

EDUCATION.

The most fundamental step that can be taken toward the prevention of erosion is education of the general public. The importance and extent of erosion, its causes, and methods of control should be made matters of common knowledge. In the last analysis an enlightened public sentiment is the only cure for a public evil.

Much can be done along this line in our educational institutions, especially in the common schools. Children in particular should have their interest actively aroused and their support enlisted. In one State "gully clubs" have been organized by the State forester. These are composed largely of school children who take an active part in the work of gully reclamation and particularly in finding and checking incipient gullies before it is too late. Why could not such organizations as boy scouts, girl scouts, and campfire girls be used in the same way? The normal child is never so happy as when doing something. Here is an outlet for his or her energies.

Much may be done also in the various agricultural organizations, such as the granges and farmers' institutes. County agents have an unequaled opportunity for effective educational work where it will do the most good. Legislatures can do their share by enacting adequate laws for the pre-

vention of fire, the protection of mountain forests, and even of grazing and farm lands. It has been suggested that soil wash in coltivated or abandoned fields should be considered a public nulsance, and the holder of land on which it is permitted to occur held liable for resultant damages to neighboring lands and streams. This suggestion is based on the ide, that the community has a right to take any action necessary to preserve its most valuable natural resource.

RECLAMATION OF ERODED LANDS.

NEED FOR PROMPT ACTION.

It should never be forgotten that to prevent an evil is infinitely better than to remedy it after it has once occurred. Nowhere is it more strictly true than in the case of erosion that "a stitch in time saves nine," and that "an ounce of prevention is worth a pound of cure." At the same time it is reassuring to know that erosion can be controlled if action is taken in time. If delayed too long, however, the process may have proceeded so far as to make control measures impossible except at a prohibitive cost. The golden rule in all reclamation work is to start early and stick to it; vigilance and persistence offer the only assurance of success.

The same measures which are effective in preventing erosion may also be used to control it after it has once started. Terracing, ditching, damming, deep plowing, contour plowing, fertilizing, straightening of stream channels, and forestation all have their place. Each case is a problem in itself, and the measures to be adopted depend on local conditions and the character of the erosion.

DAMS.

Small gullies may often be stopped by blocking them with cornstalks, straw, brush, logs, and similar material. These check the force of the water, and the gullies are gradually filled up with the sediment deposited. More pretentious dams may be made of earth, stones, or concrete. One device of this sort, known as a "christopher" or as the "Dickey system," consists of a dam beneath which is laid a sewer pipe with an upright arm. After every storm the basin

behind the dam is filled with water to the height of this arm. which then carries the additional water off through the sewer. The sediment carried by the water is deposited in the basin until finally the gully is entirely filled. More effective drainage of the basin can be secured if it is also underlain by a tile drain connected with the sewer. The chief objection to dams in general is the danger of their being undermined by the water and washed out. This, of course, merely increases the evil, and is a danger that must be guarded against.

REVEGETATION.

Another method of reclaiming gullies is to cover their sides with vegetation. Herbs, shrubs, or trees, or sometimes a combination of all three, may be used for this purpose. Often it is wise to start the work with such plants as honey-suckle. Bermuda or other grass, Japan or native clover, or even sorghum or rye, and to follow these up later with trees. Black locust is a rapid-growing tree which is excellent for this purpose in places where the locust borer is not abundant. Willows, poplars, sycamore, yellow poplar, black walnut, shortleaf pine, white pine, and Norway pine may also be used to advantage in different parts of the country. The trees should usually be set fairly close together, say from 4 by 4 to 6 by 6 feet. The steeper the slope and the greater the danger of erosion, the closer should be the planting.

A combination of dams and revegetation may often prove advisable. This is especially true in particularly bad cases. Deep gullies with vertical sides are the most difficult to reclaim. Here the sides should first be flattened out by plowing back at their heads until uniform slopes of perhaps 15° have been established. Revegetation of these slopes should then be undertaken immediately. These measures should also be reinforced by dams if conditions are such that they will not be washed out.

On slopes where the soil is being washed away uniformly by sheet erosion it is usually possible to plant some cover crop. Best results are obtained by using a rotation of crops and by turning the land occasionally into pasture. Liberal fertilizing adds materially to the effectiveness of such measures. Reforestation of denuded lands at the higher elevations will often serve to check erosion below. Along the main river bottoms the principal remedial measures to be used are straightening of the channels, removal of all obstructions, forestation of the banks, and in extreme cases the building of levees and revetment works.

FINANCIAL RESULTS.

That reclamation of eroded lands is not only practicable but often financially successful has been proved time and again. A badly eroded farm in Tennessee, for example, having a gully from 8 to 10 feet deep, was purchased for \$53 an acre. The owner proceeded to reclaim the land at a cost of \$10 an acre by filling the gully with débris and soil, adding manure, and planting rye. A few years later he refused an offer of \$100 an acre for the farm.

Another owner reclaimed eroded land on his farm by plowing back the side walls of the gullies to a moderately gentle slope, planting them to peas, then to grass, pasturing the area for two years, and then repeating the rotation. Ten years later the reclaimed areas, which for 30 years previous had been practically worthless, were valued at \$35 an acre. The owner estimates that even during the first year the returns were more than sufficient to pay for the labor expended in reclaiming them.

Still another owner reclaimed the gullies on his farm by planting them with black locust trees and sowing them to grass. Fifteen years later formerly worthless areas yielded good fence posts and excellent pasturage, and were then producing such crops as oats. During the same period the value of the entire farm had increased from \$7.80 to \$35 per acre.

CONCLUSION.

The problem of erosion and its control forms an integral part of any comprehensive plan for the development of our natural resources. If all land were put to its best use and so handled as to maintain its productivity the problem would be solved. This result can be attained, however, only by marked change in our present practice. A stop must be put

to reckless destruction of the forest, to uncontrolled fires, to evergrazing, and to careless farming. For the sake of the farmer in particular and the public in general, steps should be taken to retain and restore the forest cover in the mountains, under public ownership or supervision. There should be brought home to the people as a whole the extent and seriousness of erosion and the necessity for its control by the community. When all these steps are taken, and not until then, will "farms, forests, and erosion" be a queer combination. When that day finally arrives we shall indeed have farms and forests, but no erosion.

THE PLANT-INTRODUCTION GARDENS OF THE DEPARTMENT OF AGRICULTURE.

By P. H. Dorsett,

Plant Introducer, Office of Foreign Seed and Plant Introduction, Bureau of Plant Industry.

FEW Americans, possibly not more than one in ten thousand realize that all in the sand realized the sand realized that all in the sand realized the sand realized that all in the sand realized the sand realized that all in the sand realized the sand realized that all in the sand realized the sand realized that all in the sand realized the sand realized the sand realized that all in the sand realized the sand r sand, realize that plant introduction has given to the United States practically all of its commercial crops. Thousands of the new plant immigrants that enter the United States each year find their first home in the plant-introduction field stations, or gardens, of the Department of Agriculture. These are the "Ellis Island" of the plant immigrants. but they also are the workshops, field laboratories, and plantpropagation factories of the Office of Foreign Seed and Plant Introduction. They are situated at Miami and Brooksville, Fla., Chico, Cal., "Yarrow," near Rockville, Md., and Bellingham, Wash. Here the new plant arrivals are cared for and studied for the purpose of determining whether they are of economic importance, and those which promise to be of value are extensively propagated. From these stations the plants are distributed, upon orders from the Washington office, to specialists of the department and of the State experiment stations and to the thousands of private experimenters, special cooperators, and plant breeders throughout the country.

LOCATION OF THE GARDENS.

The almost complete freedom from frost and the general tropical character of the region in which the Miami station is located make it most advantageous for the propagation and preliminary testing of a wide range of new plant introductions from the tropical and subtropical regions of the world.

The Brooksville station, containing 35 acres in the hammock region of western Florida, was established after a careful search had been made for ideal conditions for the propagation of plants coming from the moister but not tropical portions of China and Japan. The first Federal plantation of any considerable size of the Japanese timber bamboo is located at this garden. It is here that the propagation of the dasheen has been most successful and the chayote, a moisture-loving tropical vegetable, has grown luxuriantly.

The Chico Plant Introduction Field Station is located in one of the leading deciduous-fruit, nut, and citrus sections in northern California. The high summer temperature, abundance of water for irrigation, long growing season, and mild winters of this region make possible the propagation and testing of such widely different species of plants as alfalfa from the steppes of Siberia, hardy apples, pears, and cherries from Russia, chestnuts, jujubes, and persimmons from northern China, and citrus fruits from the Tropics.

The Yarrow garden was established primarily to meet the pressing demand for a place near Washington where newly introduced plants which the inspectors of the Federal Horticultural Board pass as apparently free from disease, but in regard to which there is a suspicion, may be cared for. Here they can be held or propagated and grown under observation for a season or until all possible danger of the development of disease is past and it is perfectly safe for the material to be distributed.

Extensive greenhouses, coldframes, and lath sheds have been provided at this garden, which admit of the propagation, care, and proper handling of the tropical and subtropical species in the rapidly growing stream of new plant immigrants. The hardy plant introductions are propagated, grown, and preliminarily tested in the nurseries and test orchards in the open.

The establishment of the Bellingham field station is the natural outcome of several years of experimentation carried on in various parts of the country to discover where flowering bulbs could be most successfully grown. It has been maintained for several years as a bulb garden, but is now being developed to include the propagation of a wide range of plants from western Europe, northern Japan, and the high mountain regions of western China.

PRECAUTIONS USED TO PREVENT THE INTRODUCTION OF INJURIOUS INSECTS AND DISEASES.

The thousands of new plant immigrants annually received in Washington in the form of seeds, plants, cuttings, etc., sent in by the agricultural explorers and correspondents of the office are unpacked and given an identification number in the specially equipped plant-inspection laboratory of the office in the presence of the inspectors of the Federal Horticultural Board, whose specific duties are to determine whether or not the material is in a condition to be distributed. If it is found to be affected with insect or other pests or with diseases, it is ordered into quarantine and the necessary treatment prescribed and administered. If found to be apparently free from insects and diseases, it is given a clean bill of health which permits it to be forwarded to the experimenters of the department for whom it was especially secured or to the plant-introduction gardens for propagation, cultivation, preliminary tests, and, later, if deemed advisable to be grown for distribution, to the special experimenters of the office.

The plant propagators at these gardens, who are personally responsible for the care and propagation of these new plant immigrants, have frequently to resort to every known practice of the craft to save an introduction arriving out of season or in a critical condition; and in some instances, when the plant introduced is unknown and no information regarding its identity can be secured, they must rely upon their own ingenuity in developing methods of handling such material in order to save what may eventually develop into an important new plant industry.

The necessary records of each new plant immigrant received at Washington include a Federal Horticultural Board inspection card, upon which is recorded the inspection and introduction number, the source and amount of material received, the dates of inspection, names of inspectors, and treatment prescribed; a plant-introduction card giving the plant-introduction and inspection numbers, by whom and from whence introduced, when received, its probable economic value, and such other available information as is considered important or of special interest; a plant-order card showing to whom the material was forwarded and the

amount sent: and a shipping tag upon which is a certificate of inspection signed by the inspectors of the Federal Horticultural Board.

PRELIMINARY AND EXTENSIVE TESTS MADE.

The propagacion houses, coldframes, lath sheds, greenhouses, and other equipment at the plant-introduction gardens of the departmens, together with trained superintendents, experienced plant propagators, and a corps of capable gardeners and laborers, afford excellent facilities for the propagation and preliminary testing of the thousands of new plants annually introduced by the Office of Foreign Seed and Plant Introduction. They also make possible the efficient distribution of new plant material to specialists of this and other bureaus of the department, the State experiment stations, and to the thousands of private experimenters who, in occupving and developing the vast areas of agricultural lands of our country, are calling for something new to grow, either as an entirely new crop or to take the place of one that locally can no longer be grown commercially with profit. Ornamental trees and flowering plants for yard and park planting are also very much in demand.

The new plants annually propagated at the department gardens, together with the test nurseries, test orchards, and permanent plantings, afford exceptional facilities for study to all who are interested in the development of a broader agriculture, and can avail themselves of the opportunity to visit these gardens and become personally familiar with the interesting new plant introductions.

It is at these plant-introduction field stations of the department that the agricultural experts determine which of the new plants show promise of being of economic value as direct producers and which are likely to prove valuable in plant breeding and selection experiments.

RECENT INTRODUCTIONS NOW BEING TESTED AT THE GARDENS.

Among the host of interesting new plant introductions which have been propagated at the various gardens, a few selected examples will give some idea of the range of species handled and the variety of the problems presented.

The jujube, Ziziphus jujuba, from China, is possibly as promising a plant commercially for California and the semi-arid South and Southwest as any of the other valuable crop and ornamental plants that have been introduced from the Far East.

The experimental tests made with this new alkali and drought resistant fruit at the Chico Plant Introduction Field Station, to determine the possible value of the strains and varieties that have been introduced from among the several hundred known to exist in China, have been very satisfactory. The fruit of the better varieties is fully as large as a large prune, and reddish or mahogany brown in color when ripe. While the jujube is a very good fresh fruit, it is undoubtedly of greatest value when processed with cane sugar or honey. Prepared jujubes are as delicate in flavor as many dates.

From the seed of the tung-oil tree (Aleurites fordii) an oil is made which the paint manufacturers of this country consider one of the best drying oils known to the trade. The importations of this oil are valued at from \$2,000,000 to \$3,000,000 per annum. Trees of this new plant immigrant distributed from the Chico garden in 1906–7 are doing well and bearing fruit in many places in the region extending from northern California to and throughout the Gulf States, but appear to be doing best in northwestern Florida and the southern parts of Georgia and Alabama.

The oil manufacturers are watching the experimental plantings of this tree with a great deal of interest.

The pistache tree (Pistacia vera), a promising introduction from central western Asia, presages another new industry for the United States. The small, green-fleshed nuts are most excellent to eat when roasted and salted, and are extensively used in the coloring and flavoring of ice cream and confections. The entire supply of these nuts at present comes from abroad. This country can, and surely should, grow what it needs. The trees do exceedingly well in the Sacramento and San Joaquin Valleys in California. A few of the grafted trees of some of the commercial varieties in the Chico test orchard are bearing a few nuts this season. Seedling trees near Fresno, Cal., have borne large crops of nuts for some years. Mr. Walter T. Swingle and several others

who have studied the subject and are familiar with the conditions believe that in the not distant future pistache culture will be an established commercial industry of considerable importance in this country.

Budded and grafted plants of some of the best commercial varieties have been distributed to experimenters interested in testing out this introduction to determine the possibili-

ties of its cultivation as a new plant industry.

The peculiar beauty of the Chinese pistache (*Pistacia chinensis*) and the great age to which it lives have suggested its trial as an avenue tree, and thousands of young trees have been distributed to parks throughout the country. A trial avenue a quarter of a mile long, planted at the Chico garden in 1910, already makes an excellent appearance.

The udo (Aralia cordata)¹ is a new salad plant from Japan that will probably succeed in practically every State in the Union. The crisp young shoots produced by this plant, when properly blanched, make a delicious salad or are excellent when cooked like asparagus. The culture and handling of udo is similar to that of asparagus. A few plants of udo should be in every home garden. It is believed that when the merits of this new introduction, both as a salad and vegetable, are better known, its cultivation will develop into an industry of considerable economic importance.

The Chinese varieties of persimmon (Diospyros kaki) vie with those of Japan in size, quality, beauty, and hardiness. Many varieties have been propagated at Chico and Yarrow, and the special Chinese stocks upon which they are grown in China have been used. The region in which the oriental persimmon can be successfully grown commercially includes California and the South, where the temperature does not fall much below zero. The culture of this excellent fruit is destined, sooner or later, to develop into an important industry. Dried persimmons form a staple food product of China and Japan.

The Chinese chestnut (Castanea mollissima) is an extremely interesting and possibly very valuable new plant introduction. This species, according to Mr. Frank N.

¹ Fairchild, David. Experiments with Udo, the New Japanese Vegetable. U. S. Department of Agriculture Bul. 84, 1914.

Meyer, to whom belongs the credit of discovering that the chestnut bark disease (*Endothia parasitica*) is indigenous to China and Japan, is more or less resistant to this disease, which is threatening to destroy the American chestnut. A considerable quantity of nuts of this species sent by Mr. Meyer have been propagated and the trees distributed from our plant-introduction gardens to interested experimenters for growing and testing in disease-infested areas.

We have in Dr. W. Van Fleet's hybrid chinkapin-chestnut the result of a cross between Castanea pumila and Castanea crenata, an extremely promising new chestnut. A considerable number of the trees that are being grown experimentally appear to show rather marked resistance to the disease. Many of the plants have borne good crops of nuts within 18 months to 2 years from the planting of the seed. The trees will no doubt be small; the nuts, however, are of good size and of very good quality.

The Chinese dry-land elm (Ulmus pumila) is a promising new plant immigrant. This elm is found throughout northern China and Manchuria and is known to be very resistant to drought, neglect, and extremes of heat and cold. Seedling plants of this elm secured at Fengtai, near Peking, Chihli, China, in 1908, were grown and distributed from our Chico Plant Introduction Field Station. These early distributions proved sufficiently promising to justify its propagation in quantity for distribution throughout the United States. Our stock at the Chico garden being limited to a few small trees retained for permanent planting, it was necessary to resort to propagation by dormant hardwood cuttings. with this elm at the Government Great Plains Field Station at Mandan, N. Dak., indicate that it is likely to be of very great value for windbreaks, shelter belts, and other plantings in the Great Plains region.

A promising small, early sweet cherry (*Prunus pseudocerasus* Lindley), introduced from Tanghsi, China, in 1906, was saved to the country by a chance graft. When this introduction was received at the Chico station, the gardener, after working practically all of the scions received upon nursery stock in the usual way, conceived the idea of running the few he had left into the small limbs of an old seed-ling cherry tree. The scions worked upon commercial stocks

in the usual way all perished; two of those worked upon the old seedling tree survived, and in the following spring these grafts were in full flower before the buds of the seedling tree began to swell, and they ripened their fruit by the time the old tree was in flower, which was 10 days earlier than the earliest commercial cherrics of that region. From the scions thus saved a large number of plants have been propagated and distributed throughout the country for experimental tests. At Yuba City and Vacaville, Cal., this introduction gives promise of being of considerable commercial importance as an early cherry for the eastern markets.

It is a curious fact that this Tanghsi cherry and not the Japanese flowering cherry is the true *Prunus pseudocerasus*, and its introduction puts in the hands of the American plant breeder a new oriental species of fruiting cherry which may prove valuable in the production of early strains of cherries.

The Davidiana peach (Amygdalus davidiana), a promising new stock for stone fruits other than the cherry, appears to be quite resistant to alkali and drought and well adapted to the deep alluvial soils of California. It is also succeeding at San Antonio and other places in Texas and has stood a temperature of -40° at the State Agricultural Experiment Station, Ames, Iowa, with little or no injury when 50 other varieties tested in comparison were either killed outright or seriously injured.

The fruit of this wild peach is small and inedible; however, the introduction may, on account of its extreme hardiness, prove valuable in hybridization experiments for the production of hardier types of commercial peaches.

Upward of 200 trees of this promising new plant immigrant have been planted in orchard form at the Chico station for the purpose of insuring a domestic seed supply.

The chayote (*Chayota edulis*), a little-known vegetable from tropical America, has been successfully grown in a limited way in California, Louisiana, and Florida, and can possibly be grown successfully in other parts of the country where the temperature does not fall much below freezing.

Many of those who have eaten the chayote consider it superior to our summer squash or vegetable marrow. The plant is a perennial vine that is comparatively easy to grow. The single-seeded, pear-shaped fruits, light green or creamy white in color, are produced in quantity in the fall and can be used then or stored and used as a fresh vegetable throughout the winter.

Bamboos are among the most useful and ornamental economic plants in the world. The first systematic planting of the timber and edible bamboos for experimental purposes in the United States on any considerable scale was made by the Government at the Plant Introduction Field Station at Brooksville, Fla., and at Avery Island, La., in cooperation with Mr. E. A. McIlhenny.

Canned and dried bamboo shoots are imported into the United States in considerable quantities for consumption by Chinese residents. The importation of bamboo canes for fishing rods and other purposes amounts to several millions of dollars annually. All of this material can and no doubt some day will be grown at home, for already most excellent shoots have been harvested from plantings in this country and poles of marketable size have been produced.

Flowering bulbs, which are imported into this country for forcing and ornamental planting at an expense to the people of the United States of at least \$2,000,000 annually, have been grown at the Bellingham station with excellent success. Judging from the results of these experiments, there are many reasons to believe that the so-called "Dutch bulbs" can be successfully grown in commercial quantities in the Puget Sound region and probably in other sections of the United States. Tests so far made show that the homegrown bulbs are fully equal and in some respects superior to the imported stock.

In the spring of 1916 the flowers at Bellingham were unusually fine. The extensive masses of gorgeous colors made a scene of exceptional beauty. Fully 2,000,000 bulbs were in bloom, and in a single day upward of 2,000 people visited the garden and inspected and admired the flowers.

The avocado (*Persea americana*) as a salad fruit stands without a rival. It is also excellent served in the "half shell," with salt or with lemon and sugar. The tree is adapted for culture in southern Florida and southern California.


To assist in building up the avocado industry, which has recently awakened widespread interest in southern California and southern Florida, considerable areas of the Miami garden have been devoted to the preliminary testing of a large number of varieties, and some of the more important problems of the new industry are being worked out there.

The introduction of hardier types from Mexico and the hardier, hard-shelled varieties from the highlands of Guatemala, which ripen their fruit at a different season from the West Indian and South American varieties, it is believed, will result in an extension of the commercial culture of the avocado and secure a practically continuous crop of this most excellent fruit throughout the season.

The introduction of the East Indian mango (Mangifera indica) has been stimulated in Florida by the growing and fruiting of nearly 100 imported varieties at the Miami garden. The investigational work incident to the building up of the mango industry in this country has occupied a prominent place in the activities of this station, where most of the varieties now growing in Florida were propagated and where many of them have fruited.

While the foregoing brief descriptions indicate a few of the interesting new plant industries which are finding their beginnings in the Government plant-introduction field stations, even a bare list of the hundreds of species and varieties of plants which are now in process of propagation there would much exceed the limits of this article.

The work of the Office of Foreign Seed and Plant Introduction is to find, introduce, propagate, and distribute valuable new plants and also to assist in making possible the cultivation of some economic new plant immigrant upon every available acre of our agricultural lands. The field stations of the office are filled with the new beginnings of plant industries which later will add to the wealth and beauty of the country.



FRUITING BRANCH OF ONE OF THE LARGE-FRUITED VARIETIES OF THE CHINESE JUJUBE GROWING AT THE CHICO PLANT INTRODUCTION FIELD STATION (Natural Size.)




Fig. 1.—One of the Propagating Houses at the Yarrow Field Station.

This illustration shows a block of young broad-leaved evergreens, *Pittosporum floribundum*, from the Himalayas, large enough to be distributed to experimenters. The utmost care has to be exercised to keep these plants free from disease and insect pests.



Fig. 2.—Lath House at the Miami Field Station Filled with Tropical and Subtropical Plants.

The Miami garden has contributed largely to the agriculture of Florida through the study made there of new methods of propagating tropical plants, which heretofore were only grown from seeds.




Fig. I.—A Portion of the Nursery Plantings at the Chico Plant Introduction Field Station.

Beyond the test nursery of citrus hybrids in the foreground are thousands of new plant introductions that are being grown for distribution during the season of 1916–17.



FIG. 2.—TEST ORCHARD AT THE PLANT INTRODUCTION FIELD STATION, CHICO, CAL.

Hundreds of varieties of new plants are here given a preliminary test, and it is here that many new plant immigrants fruit for the first time in the United States.




FIG. 2.—SEVERAL THOUSAND YOUNG TUNG-OIL TREES.

Fra. 1.—In the test orchard at the Chico Plant Introduction Garden this tree thrives remarkably well. The fruit is borne in quantity upon the decidnous leafy twigs, which resemble the compound leaves of legiminous trees, and not directly upon woody fruit spurs like those of most other northern fruits. Fra. 2.—A portion of a nursery block of young seedling tung-oil trees, Chico Plant Introduction Garden. From the nuts of this tree one of the bost drying oils of commerce is obtained. FRUITED VARIETIES OF THE CHINESE JUJUBE S. P. I. 23455.

FIG. I.—FRUITING BRANCHES OF ONE OF THE LARGE-




Fig. I.—Chinese Pistache in the Chico Plant Introduction Garden Test Orchard.

This species is an excellent pollen bearer and is being experimented with as a stock for the commercial pistache $(Pistacia\ veru)$, a tree of which is to be seen at the right. It is also a fine ornamental, shade, and avenue tree for California, parts of Arizona, New Mexico, Texas, and the South.



Fig. 2.—Lath Shed at the Chico Field Station Filled with Udo Salad Plants.

These were distributed during the season of 1911–12. The partial shade afforded by a lath shed of this character makes it possible to grow many species of plants which otherwise could not be propagated where the sunlight is most intense.




FIG. I.—A BLOCK OF DR. VAN FLEET'S YOUNG HYBRID CHESTNUT TREES AT THE CHICO PLANT INTRODUCTION FIELD STATION.

These were distributed during the season of 1915-16. They are hybrids between the Japanese chestnut and the American chinquapin, and although smaller-growing trees than the American chestnut, they produce good nuts and are more or less free from the chestnut-bark disease.




FIG. 2.-DAVIDIANA PEACH SEEDLINGS IN MARYLAND.

This shows a portion of a nursery block of seedling stocks of a Chinese wild peach ($Amyg-dalus\ davidiana$) at the Yarrow Plant Introduction Field Station that were distributed throughout the country to experimenters desiring to test a stock for various stone fruits or to utilize it in plant-breeding experiments.




FIG. I.-CHAYOTE ARBOR AT BROOKSVILLE, FLA.

One of a number of experimental plantings at the Brooksville garden for the purpose of determining the desirability of this method of training the plants. The chayotes produced will be utilized in cooking and demonstration experiments and to direct public attention to the delicate character of this valuable vegetable for the South.





Fig. 2.-VIEW IN THE BROOKSVILLE PLANT INTRODUCTION FIELD STATION

The road runs between a 3-acre planting of Japanese timber bamboo on the left, now 6 years old, and a nursery of young bamboo plants on the right, set out for the purpose of propagation. The small 3-room field laboratory on the right is equipped for pre-liminary field studies and has been used for microscopic investigations and cooking experiments in connection with the dasheen and chayote investigations.



JAPANESE TIMBER BAMBOO IN NORTHERN CALIFORNIA.

Portion of a 9-year-old planting of one of the large timber bamboos, *Phyllostachys bambusoides* (S. P. I. No. 12180), at the Chico Plant Introduction Field Station. Large, young, growing shoots in this planting have made a growth of 16 inches in 24 hours. This is about the usual rate of growth under normal conditions. Growths of 26 inches in 24 hours have been reported; such rapidity of growth, however, is under exceptionally favorable conditions.

FIG. 2.—AN EAST INDIAN GRAFTED MANGO IN FRUIT AT MIAMI, FLA.

FIG. I.—BUDDED AVOCADO TREE AT THE MIAMI FIELD STATION.

Fig. 1.—Seedling avocado tree with large shoot growing from near the base, which came from a bud of a valuable and hardy variety worked into the stock 13 months previously. The bud sticks from one of which this bud was taken were secured in Antigua, Guatemala, at an altitude of \$5,000 feet. The fruit was large, tound, and hard shelled, with thick, firm flesh of excellent quality, plot yellow near the seed, changing to greenish yellow the seed hardier types and varieties, and also those that will prolong the promise season. For 2.—The Sandersham mang from Bagader, India, hears good, regular cyps of large, kidney-shapped fruit, which, when well promed, so yery good quality. This variety, while not of as high quality or as attractive as others that have fruited at the station and at other places in Florida, fruits with more regularity than many of these and is especially valuable for canning and preserving.



Fig. I.—View of a Portion of Narcissus Plantings at the Bellingham Garden.

Madame Plemp in the foreground and Sir Watkin in the distance. This broad expanse of yellow and green was wonderfully beautiful and inspiring.




FIG. 2.—AN APPROACH TO THE MIAMI PLANT INTRODUCTION FIELD STATION.

On each side of the drive is a beautiful carissa hedge, Carissa grandiflora, an extremely handsome shrub bearing sweet-seented, white flowers and edible fruits. This plant is worthy of a place in the grounds of every home in southern Florida and southern California. The large trees beyond the hedge on either side are different varieties of the East Indian mango, a fruit which for quality, fragrance, and beauty has few rivals.

A FEDERATED COOPERATIVE CHEESE MANUFACTURING AND MARKETING ASSOCIATION.

By Hector Macherson, Director Bureau of Organization and Markets, Oregon Agricultural College, and Field Agent, Office of Markets and Rural Organization, and W. H. Kerr, Investigator in Market Business Practice, Office of Markets and Rural Organization

UNITY of purpose among its members, correct methods of conducting its business, and loyal support accorded its management are universally essential to the success of any cooperative enterprise. These fundamentals are exemplified in every well-known cooperative association. Each organization, however, has its own peculiar problems to face and has developed specific methods of meeting them, a study of which can not fail to be valuable to similar associations.

A survey of the cheese industry in Tillamook County, Oreg., discloses the importance of proper marketing methods in the stimulation of production and the beneficial effects of concentrated agricultural effort for a common purpose. The Tillamook County Creamery Association, among other things, has standardized the product of its member factories and eliminated unequal competition in matters of production and prices. Much of the success of the association, it seems safe to conclude, has been brought about through correct methods of business administration. A study of these methods should be valuable to other rural communities where less success has been attained in manufacturing and marketing cheese.

GENERAL AGRICULTURAL CONDITIONS.

Tillamook County lies near the northwest corner of the State of Oregon, between the Coast Range and the Pacific Ocean. The climate is mild, and abundant rains in winter, with cool, clear weather in summer, tend to produce abundant green feed and pasturage for stock almost the year around. This condition of climate is conducive to large yields of milk at low cost, with regard to both labor and purchased feeds. A small expenditure in buildings is sufficient to provide

stables for the herds, so that the investment of the farmer is almost entirely of a type which will furnish earnings on the money invested. Land values, however, are sufficiently high to offset the saving in building prices as compared with the average dairying district.

A TYPICAL SMALL DAIRY FARM.

The following survey of a small dairy farm in the county is pertinent in so far as it is typical of the best farms of this character in Tillamook County. The 53 acres of cleared river-bottom land in this farm were valued at \$400 per acre in 1914, and \$7,000 had been invested in improvements, including the house, barns, and all outbuildings. The total investment of \$32,790 included, in addition, \$2,390 worth of live stock, an automobile valued at \$1,700, and \$500 worth of machinery.

The farm supported, in 1914, 35 dairy cows valued at \$60 each, 6 yearling heifers valued at \$25 each, and a Jersey bull valued at \$75. These cows were grade Holsteins, Jerseys, and Guernseys. No attempt had been made to grade the herd up to one breed. The proprietor owned a Holstein bull a few years ago, and had previously a Guernsey. Only the heifer calves from the best cows were kept, while all others were sold to local exporters when they were 2 or 3 weeks old. One horse was kept and used to haul the milk to the factory. There were 50 chickens on the place, the product of which was used mainly for home consumption, not more than \$25 being realized from the trading of eggs at the store for groceries.

Since this is a dairy farm of the most highly specialized type, the income is derived almost entirely from milk disposed of through the cooperative cheese factory. In 1914, the milk sold produced 9,411.36 pounds of fat. The average price yielded was 38 cents a pound for butterfat, making a gross income from the dairy of \$3,576.32.

The expenses for the year were \$480 for wages; \$100 for whole grain, bran, and ground barley, and \$343.90 for taxes, making a total of \$923.90. Subtracting this from the gross income, there remains \$2,676.10 as interest on the investment and labor income for the owner. Charging 7 per cent on the total investment, or \$2,295.30, there is left \$380.80

¹ This survey was made in July, 1915, covering the year 1914.

as labor income. This comparison is hardly a fair one, however, since this farm represents a home value which it would cost the city dweller from \$7,000 to \$15,000 to duplicate.

It is not to be assumed, of course, that all farms, or even all river-bottom farms in Tillamook, are as productive as these 53 acres. In a few particulars, however, this farm is typical of the best lands of Tillamook County. In the first place, the cattle were pastured on the permanent pasture land of 33 acres, supplemented by the other 20 acres on the farm, which was pastured in early spring and in the fall after the hay had been cut. Another typical feature was the small quantity of grain and milled feed purchased. This particular farmer fed little or no grain to his cows, and yet an average of over \$102 worth of butterfat was marketed from each cow during the year 1914. This return may be compared with that on another small farm where the average income from each of the 27 cows was \$119.20 for the year 1914. This greater production was attained at an outlay of \$296 for the purchase of 8 tons of clover hav and 8 tons of bran, making a cost for bran and clover of \$10.96 a cow. Without taking into account the additional labor required, this would indicate a difference in net profit of \$6.24 per cow, owing probably to the feed purchased.

The farm in this survey, however, with its small outlay for milled feed, represents the common practice of Tillamook dairymen more truly than does the farm upon which grain feeds and clover are used for 4 or 5 months of the year.

DEVELOPMENT OF THE INDUSTRY.

The first white settler reached Tillamook County on the first day of April, 1851. Three men made the trip from the Columbia in order to investigate the Indian tales of rich meadow land, splendidly watered, which was reported to lie back of the bay. From that date the county passed rapidly through the usual stages of the frontier settlement. Hunting, trapping, and fishing were good along the bays and numerous streams. But the rich prairie and bottom lands soon attracted the steckmen, whose herds usurped the dominion of the deer, the bear, and the mountain lien. As the settlement grew, the fertile soil and rich pastures bid for more complete utilization. Farms crowded out the range, making dairying a specialty.

Previous to 1893 dairying in Tillamook County was carried on in a primitive way common to communities in which dairying is conducted only as a side line. Cows were bred fresh in the spring and milked while the pasture was good, after which they were allowed to dry up until the following spring. Most of the butter was made in the homes of the farmers, packed in kegs, and shipped to commission men in neighboring coast cities.

Because of the varying quality of the butter produced under such conditions and the instability of the supply, returns usually were small in amount, while a period of from 6 months to a year sometimes elapsed between the date of shipping and the receipt of returns.

In 1890 the first serious attempt at scientific dairying was made in this locality, when certain of the methods employed in the production of butter in the Elgin district were followed. Three years later the first farmers' creamery in the county, the Tillamook Dairy Association, was established. The factory was completed in the spring of 1893 and was operated as a butter factory during its first season. Earlier in the same year a creamery was established in Tillamook County under private ownership, and the following spring it became the first cheese factory of Tillamook County.

From this beginning the movement spread until by 1899 there were 8 privately owned cheese factories in the county, producing a total of about 1,000,000 pounds of cheese a year, and four large creameries having an output of about 350,000 pounds of butter annually.

As cheese proved better adapted than butter to the uncertain transportation conditions of the locality, the number of cheese factories increased rapidly until in 1902 approximately 40 privately owned cheese factories were operating in the county, and half of these were very small plants handling the milk of from 1 to 3 farms.

COOPERATION IN MANUFACTURING CHEESE.

A new business type which was to bring far-reaching changes in the dairy industry of the county already had made its appearance by 1899, when the Tillamook Dairy Association was formed at Fairview. This factory was cooperative from the beginning, \$1,000 being raised as capital, but this amount fell far short of meeting the needs of the

association. Because of the limited number of farmers who could be induced to purchase stock in the new venture, the members then owning stock combined on a joint note and raised an additional \$1,200, which represented the balance of the necessary capital. The factory first was employed in the manufacture of butter, but as prices were poor in this commodity, equipment was installed for the manufacture of cheese. This experiment proved quite as unsatisfactory and gave very little relief, and the factory reverted to the manufacture of butter.

Such conditions discouraged some of the members, who offered to pay their proportionate share of the losses and withdraw. Other members, however, were determined to make the creamery succeed and refused to relieve any member from his position in the society and his liability on the note, unless he should pay the whole \$1,200. By this means the membership was held together. By the end of the second year the association had begun to succeed, and paid off its obligation without a levy on its members.

The success of this association led to the establishment of other local farmers' creameries. The cooperative movement has grown until now, out of a total of 23 factories in the county, but two are privately owned. A few farmers still are making their own cheese, but most of the small factories have ceased to operate and their place has been taken by larger and more economically managed plants, owned and controlled by the farmers in cooperation.

All of the factories, though for the most part cooperative, are corporations organized under the Oregon corporation law. The plan of organization is simple. A few of the most interested farmers make an inventory of the dairying assets of the neighborhood, taking into account the number of cows, the pasturage, and the crop conditions, from which a decision is reached whether the locality can support a cheese factory. If conditions are found favorable, a company is incorporated with sufficient capital to provide an adequate factory for taking care of the milk supply.

Cooperation between banks and farmers' companies in Tillamook County has been responsible, in a great measure, for the success of many of these creameries during the early stages of their existence, since funds have been provided at low rates of interest and for a long time.

PLAN OF OPERATION

The security offered in most cases took the form of a joint note of the members, but in some cases the note of the association, signed by the board of directors, was sufficient.

The management of these factories is vested in a board of from 3 to 5 directors. This board elects from its number a president, who is the legal head of the association. A secretary and a treasurer also are appointed by the board of directors. In the majority of Tillamook creameries these important officers may not be members of the board.

To meet the expenses of operation, a flat rate per pound is charged for manufacturing cheese. The standard price is 13 cents per pound. For the large factories this price is sufficient to meet all charges, including making, hauling, and inspection of cheese, entrance charges, insurance, the cost of marketing, and the annual addition to the sinking fund. In addition to meeting all these expenses the charge of 1\frac{3}{4} cents per pound provides for the accumulation of a considerable surplus in the case of large factories. Because in most cases these factories are not conducted as true cooperative associations, but are rather farmers' stock corporations, this surplus sometimes is distributed only to a small number of patrons who are stockholders. Associations which tend toward the stock-dividend policy have been known to pay as high as 100 per cent dividends upon their capital stock. This condition of affairs sometimes leads to discontent among the patrons who have not been able to share in the distribution of the surplus.

Where factories are conducted upon a strictly cooperative basis the policy is to pay a liberal rate of interest on capital invested, the remaining surplus being distributed to patrons in proportion to the milk they have supplied during the year. One such factory distributed a surplus by paying 10 per cent on capital stock and 2 cents on the hundred pounds of milk delivered at the factory.

The economic waste of conducting small factories for the manufacture of cheese is exemplified by comparing some of them with those of larger capacity. It has been found that whereas $1\frac{3}{4}$ cents per pound for making cheese is sufficient to produce a large surplus in factories with a heavy output, the same rate is not sufficient even to sustain the smaller

factories, and for that reason these small factories are an expense rather than an advantage to the farmers patronizing them, providing there is a market for their product elsewhere at a lower cost.

CENTRALIZED MARKETING CONTROL.

The great influence of proper marketing methods on the success of cooperative manufacturing or marketing associations has been demonstrated fully in the experience of the Tillamook County cheese factories. Previous to the year 1904 the factories, on account of the lack of storage facilities, were compelled to ship their cheese, as fast as it was made, on consignment to jobbers and commission houses in the large centers of population on the Pacific This necessity created a temporary congestion on the market in the cities receiving the bulk of the output during the period of high production, and especially was this true in Portland, Oreg. The depression in price which followed was maintained until the season of low production in the fall of the year, which also is the season of greatest consumption of cheese. The diminished supply and increasing demand generally brought about an immediate upward trend in prices which resulted in great profit to those dealers who had stored the cheese during the summer. Such a condition, resulting as it did in unsatisfactory prices to the producers, brought about a consolidation of the various factories of the county in an effort to market their output as a unit and to provide storage capacity so that the excess production of cheese during the summer could be held over at the point of production under the ownership of the association.

The efficiency of the cooperative plan of consolidated purchasing and marketing immediately began to have its effect upon privately owned factories, several of which went into bankruptcy or sold out to farmers' companies during the next two years. The added efficiency which secured higher prices under this plan of operation also brought greater returns to the farmers and stimulated the production of milk on all the farms previously supplying these factories. This gave a great impetus to the cooperative movement, so that by the spring of 1909 the cooperative

selling agency was handling the output of 16 large factories and 3 private farm factories.

This cooperative plan of selling brought about the establishment of a central office supervised by a secretary-salesman who kept in touch with all the markets and arranged the sale of the entire output of the member factories. The increase in business transacted through this office also brought about the establishment of highly efficient accounting methods, which not only facilitated sales but also improved the quality of the output.

By having only one salesman to handle 90 per cent of the output of the county, the Tillamook factories have been able to get better prices for their cheese. The secretary-salesman knows that his prices must conform closely to the prices for eastern cheese. Hence, the price asked for Tillamook cheese is determined by eastern markets. To the price of New York or Wisconsin cheese is added the freight to the coast point, and from this rate the freight from Tillamook is usually deducted. Although this is the rule, the secretary-salesman explains that it is often broken. The whole cheese situation of the coast, with the supply on hand in the factories and their daily output, is taken into consideration. The secretary-salesman knows that eastern cheese is coming into his territory constantly, and that any attempt to raise the price unduly would stimulate such shipments and result in a hardship to his factories at a later date. By keeping in constant touch with the conditions in eastern markets, he is able to secure the highest possible average prices for cheese the year around.

Close acquaintance with jobbers and wholesalers throughout the Pacific coast has had its advantages. Bad debts have been reduced to the minimum. During the last 10 years the entire loss from this source will not amount to \$500. As the sales have amounted to over \$3,000,000 during that time, the losses from bad debts have amounted to only one-sixtieth of 1 per cent. The terms of sale stipulate cash within 30 days. The secretary-salesman has occasionally suspended business relations with a house which failed to make its payments promptly until it had complied with the terms of the contract.

The regularity with which the returns for cheese come in enables the factories to pay their patrons regularly. Punctual payment is no small factor in the success of the cooperative cheese factory, or, for that matter, in the success of any other farmers' marketing organization.

QUALITY STANDARDIZATION.

The gravest problem encountered in pooling the output of several factories was that of securing a uniform quality. Under the early operation of this plan, numerous complaints were received about the quality of the cheese. The cheese was shipped as it came from the different factories, and the cheese makers mixed their off-flavored and gassy cheese with their best product, bringing the whole output into disrepute. A meeting of the factories selling through one salesman was called, resulting in the organization of the Tillamook County Creamery Association, which began operations in 1909 with a membership of 9 of the largest factories. The object of this organization, according to its by-laws, was in part as follows: To bring the producers of the different creameries in Tillamook County together and maintain just and cordial relations among them, and by cooperation to advance their common interests; to foster and encourage domestic and foreign trade pertaining to the farming interests of Tillamook County and to acquire and disseminate valuable business information; and to adjust controversies between its members and generally to secure to its members the benefits of cooperation in the furtherance of their legitimate pursuits.

The most important action taken by the association was the placing of an inspector in the field to visit regularly each of the factories belonging to it. The duties of the inspector are to help improve the quality and increase the quantity of cheese obtained from the milk of the associated factories. Under his administration the factors responsible for poor cheese practically have been eliminated. Inefficient workmen have been removed, and the methods of making cheese in all of the factories have been standardized. Through the interchange of ideas among cheese makers, the good points responsible for high quality of output in one factory have been introduced in another, and improved methods, such as the use of a commercial starter and of acidity tests for whey, have brought about a much greater certainty as to the quality of the cheese.

While undoubtedly there is not nearly so much gassy cheese or high-acid cheese as there was formerly, there is still room for improvement in the quality, as the association has been working more for increased yield than for the highest quality. The increase in the average yield of cheese obtained per hundred pounds of milk is shown by an increase from 10.7 pounds in 1909 to 11.12 pounds in 1914.

The association now includes 18 factories, and the inspector visits each of these factories once a week. He tests one cheese out of each vat produced, and if the cheese is found to conform to a standard set by the Tillamook County Creamery Association the boxes required for the cheese inspected are stamped "Inspected by Tillamook County Creamery Association." If a vat of cheese for any reason falls below the required standard, the boxes are not stamped in this way and this cheese must be shipped in what are known as plain boxes. Indicative of the standard uniformly attained by the various cheese makers, it may be noted that the amount of cheese shipped in plain boxes is now less than 1 per cent of the total output. Plain-boxed cheese is usually consigned to be sold on commission for whatever it will bring. and under this plan of distribution its sale does not have any appreciable effect on the position of the better cheese on the market.

BUSINESS PRACTICE.

The business practice followed in the Tillamook County Creamery Association concentrates the marketing and operating control in the hands of a secretary-salesman. The books of record necessary for tabulating and accounting for the operations in the several factories are kept under his direction in the central office. As the milk is received at the factories each morning, the cheese makers enter the milk receipts from each person on a tally sheet. At the beginning and the middle of the month composite tests are made of the milk supplied by each patron. At the end of the month the tally sheets are summarized in a monthly report showing the total amount of milk and the tests for each patron for the month. This monthly summary is sent to the secretary-salesman's office, where it is used as the

		Milk received.						Cheese produced.				
Factory No.—			1913		1914	1912		1913		1914		
		Po	ounds.	P	ounds.	F	ounds.	P	ounds.		Pounds.	Pounds.
1		4,8	809, 293	4,	539, 999		1, 861, 981	1	527, 233		514, 791	550,592
2		4,1	48, 442	4,	149, 791	4	1, 153, 089 46		461,136		463, 233	463, 846
3		3,9	923,074	4,008,258		4	, 078, 036		441,007		451,700	455,683
4		2,3	391,159	2,	287, 492	1	2, 527, 709		259, 766		253, 945	251,120
5		2,2	276, 749	2,	138, 362	2	2, 106, 501	1	252,314		233, 804	232,456
6		2, 1	20, 895	2,	012, 366	1	, 931, 413	1	200, 766		220, 381	210.871
7		1,8	866,008	1,	892, 720	1			203, 162		210, 931	207, 029
8		1,5	574,255	1,	672, 663	3	, 844, 850		175, 272		189, 765	201,691
9		1,3	351, 081	1,	669, 356	1	., 720, 606		147,953		183,089	192, 845
10		1,1	60, 768	1,	569, 640	1	, 595, 005	1	125, 824		174, 572	174,620
11		1,1	.01, 691	1,	015,855)	1, 26 2, 108		122, 256		110, 293	139,961
12		. 8	896 694		932,610	1	, 006, 872	1	95, 958		101,463	111,634
13		1 -	153, 768		904, 013		947,374	1	51,876		100,356	104, 691
11		4	170, 214		794,039		889, 548	50, 503			86,074	97,034
15		3	394, 901	614,71			642, 888	40, 647			67, 483	71,898
16	221, 522			595, 393		611, 158		22, 231		65, 404	69,364	
17	17			575, 726		530, 580	 			60, 451	58, 477	
18			183, 747		465, 493				17, 951	5 1,335		
19				ļ			126, 195					13,311
Tot	al	29.1	.66, 514	, 514 31, 556, 779		33	, 202, 516	3, 210, 901		3	, 505, 716	3,694,458
Factory No.— Value of 1912 19		alue of			-	Value of cheese.						
						Facto No						
		12	191:	3	1914		210	_	1912		1913	1914
1	\$86, 48	0.88	879, 769	. 31	1 \$84, 799. 84		12		\$15, 774. 9	3	\$ 15, 457. 76	\$17, 127. 57
2	75, 70	5, 68	71,582	. 48	1 '		13		8, 324. 5	3	15, 470, 11	16, 066. 00
3	72, 16	4.53	69, 990	. 08	1		14		8, 274. 4	3	13, 213.03	14, 667. 40
4	42, 53	4.51	38, 214	. 69	1		15		6, 721.	4	10, 416, 75	10, 944, 87
5	41,11	5, 58	36, 036	. 32	35, 711. 07		16		3, 505. 1	2	10, 075, 86	10,674.78
6	37, 26	0.67	31, 310	. 60	1 '		17				9, 321, 55	8, 875.14
7	33, 12	9. 20	32, 571	. 84	1		18	. .			3, 768, 22	7, 781, 73
8	28 70	6.60	29, 296	. 79	1 '		19					2,028.84
9	23, 91	2.20	28, 179	. 31	29, 932, 61		i					
10	20,80	1.26	26, 974	. 72	26, 585.	.03	Total		524,618.6	1	541, 748.46	568, 395, 53
11	20, 17	7.05	17,099	. 04	21, 481.	.06			İ			
	i		1		l				I			1

basis in making out the patron's monthly statement. In addition, each cheese maker is required to make out a weekly report to the secretary-salesman showing the total amount of milk received and the number of cheeses of the different kinds made for each day of the week. Supplementing these reports, the inspector is required to make out a report of the number of cheeses of each variety inspected and of the number of cases of each kind branded as "Inspected by Tillamook County Creamery Association." The inspector's reports are made out daily and cover the factories as inspected by him. By referring to the inspector's reports the secretary-salesman is enabled to keep an accurate account of the number of cheeses of each kind ready for market at all times. This process of accounting makes it possible to manufacture the different styles of cheese according to the market demand. In the relations of the central office with the different commission men who handle the output, the association is enabled to safeguard itself against bad accounts and to distribute its output in those markets where the highest level of prices obtains.

When the shipping season is at its height orders come in rapidly by telephone, telegraph, and mail, and it is not uncommon for sales to average over \$3,000 a day during the months of May, June, and July.

Total products handled for the last seven years by the Tillamook County Creamery
Association.

Year.	Milk.	Cheese.	Value.	Yield of cheese.1
1908 1909 1910 1911 1912 1913	Pounds. 23, 416, 524 23, 639, 664 24, 131, 802 29, 139, 514 31, 566, 888 33, 202, 516	Pounds. 2, 073, 390 2, 506, 612 2, 541, 057 2, 619, 229 3, 211, 001 3, 505, 516 3, 691, 458	\$259, 355, 29 386, 135, 81 400, 044, 84 358, 206, 29 524, 718, 61 541, 748, 46 568, 395, 53	Pounds. 10.70 10.75 10.85 11.02 11.10 11.12
Total.		20, 151, 266	3, 038, 601, 83	

1 Per 100 pounds of milk.

The accounting records kept in the central office are arranged so as to account for the pounds of milk delivered by each patron. The value of this milk, figured either as

to pounds or as to butterfat content, is credited to the patron's account, and at the end of the month a check for this amount, minus any deductions, is paid to the patron. All funds are disbursed by check, either over the signatures of the officers of the association or, in special cases, over the signature of the secretary-salesman. Supplementing this accounting system, the office operates a simple cost system, covering the manufacturing costs in the making of cheese.

Cost of manufacture and returns to farmers.

Factory No.—	MJF.	Yield of cheese per hundred weight.	Cost per pound for muking cheese.	Gross price of milk per hundred- weight.	Net returns to	
					From milk per hundred- weight.	From butter fat, per pound.
	Pounds.	Pounds.	Cents.			Cents.
1	4, 861, 981	11. 32	1. 75	81.744	\$1.546	38.7
2	4, 153, 089	11.17	1.75	1, 708	1, 513	37. 8
3	4,078,036	11, 17	1.75	1. 735	1.540	38.5
4	2,527,709	11.21	1.75	1 732	1.535	38, 4
5	2,106,504	11.03	2	1.695	1.474	36.9
6	1,931,413	10, 92	2	1.679	1.461	36.5
7	1,901,107	10.88	2	1.675	1.457	36 4
8	1, 814, 850	11.09	2	1. 733	1.511	37.8
9	1,720,606	11. 21	1. 75	1, 7!0	1.544	38.1
10	1, 595, 005	10.95	1.75	1.667	1.475	36-9
11	1,262,108	11.09	2	1, 624	1.:02	35. 1
12	1,006,872	11.08	2	1.701	1,479	37.0
13	947,273	11.05	2, 25	1.696	1 447	36, 2
14	889, 548	10.91	2.25	1, 649	1 403	35. 1
15	642, 888	11.18	2.50	1.702	1.412	35 3
16	611, 158	11, 35	2.25	1.747	1.492	37.3
17	530, 580	11.02	2.50	1, 673	1.397	34.9
18	465, 493	11.03	2.50	1, 672	1.396	34.9
19	126, 195	10, 55	3	1.608	1. 291	32. 3
Total	33, 202, 516	11. 12		1.712		

The importance of an adequate cost system in both creameries and cheese factories can not be overestimated. Since these types of business, to a great extent, are factories wherein manufacturing costs are largely the basis of success or failure, great care should be taken that all the items which enter into the cost of making the finished article are taken into account.

SOME AMERICAN VEGETABLE FOOD OILS, THEIR SOURCES AND METHODS OF PRODUCTION.

By H. S. BAILEY,

Chemist in Charge, Oil, Fat, and Wax Laboratory, Bureau of Chemistry.

A S far back as we have any authentic records we find that the peoples of Asia Minor used the oil of the olive, and undoubtedly the original salad oil was that obtained from the fruit of the olive tree, which grows luxuriantly in all the Mediterranean countries. With the spread of civilization from its ancient home, the cultivation of olive trees and the utilization of their fruit extended as far as the west coast of Spain. The Phænicians and early Romans carried this precious oil, which was not only concentrated food but fuel for their lamps as well, to distant countries, whose peoples doubtless quickly learned to prize it highly.

In comparatively recent years the demand for oils suitable for salad dressings and general food purposes has increased so rapidly that now, even in the Mediterranean countries, the total annual production of olive oil is only about one-half the consumption of all the vegetable food oils. Cottonseed, coconut, and peanut oils already are used extensively in the United States, corn oil is beginning to appear in the retail stores, and the sunflower oil of Russia, soy bean, poppyseed, sesame, and numerous other oils of Europe are now making, or sooner or later probably will make, their appearance among American edible oils. We are welcoming to our shores not only the peoples of the Old World, but with them their foods.

Edible oils are food in a form highly concentrated and usually readily assimilated. Pure oils and fats are practically free from water, an ingredient present to some extent in nearly every other food except sugars and thoroughly dried grains. Edible oils contain no indigestible substances, such as the crude fiber of vegetables and the cartilage and tendons of meats. Partly because they are obtained readily in this natural, concentrated condition and partly because of the wide distribution of oil-bearing materials, many of

these oils are among the cheapest of our food products. As compared with beef, for instance, at 25 cents a pound, cottonseed oil at 20 cents a quart will yield dollar for dollar more than five times the amount of body energy, although, of course, it has not the same tissue-building power.

Since the various vegetable food oils are similar in chemical composition and in digestibility, the question of their relative values for domestic use is one of preference rather than of absolute food value. Just which oil will be best suited to a particular individual often depends more upon the person to be nourished than upon the characteristics of the oil itself. It is a well-known fact that we are often more apt to digest without digestive disturbance a food which is palatable than one which is not; so in a final analysis the question of which oil is the best to use in the kitchen and upon the table resolves itself into the everyday question of what we like best and whether we can afford it. The Russian, accustomed to his sunflower oil, doubtless would think the bland, highly refined American cottonseed oil tasteless. while the Italian peasant, brought up on a low grade of olive oil, firmly believes that the better, sweeter grades he buys in America are adulterated or "diluted."

OLIVE OIL.

Olive oil is produced in Syria, Greece, Italy, southern France, and Spain, and in all the countries along the southern shore of the Mediterranean Sea, with the possible exception of Egypt. In the United States the olive now grows in California (where it was introduced by the early Mission fathers, who planted it wherever they established a mission) and to a less extent in Arizona.

While American olive oil is of high quality and commands a good price, especially in the West, the demand for pickled olives apparently is so great that it pays better to use most of the fruit in this way rather than to crush it for oil. The American olives are not nearly so rich in oil as those grown in Italy. In the "Mission" variety there is only about 20 per cent of oil and in the best "rubra" usually less than 30 per cent, while most of the varieties grown in southern Europe contain between 40 and 60 per cent of oil. By proper

selection it will doubtless be possible to produce in the United States olives as rich as these if there is a sufficient demand for them, but at present the tendency seems to be toward the production of a large, firm fruit for pickling rather than of one with a high oil content.

For making the best grades of oil it is customary to gather the clives by hand just before they become fully ripe. The amount of oil present is said to increase gradually up to full maturity, but oil of a superior quality is obtained if the fruit is gathered before it begins to soften. In the manufacture of first-grade oil it is necessary in handling the fruit to guard against bruising, especially if the clives are to be held for even a short time before pressing.

Many producers of clive oil believe that in order to obtain the highest grades of oil the clives should be crushed without breaking the pits, which should be separated from the rest of the fruit before it is pressed. This is by no means always done, and there is reason to believe that it makes little difference whether or not the pits are removed.

The machinery employed for obtaining the oil from the fruit in different regions varies from the crude stone mortars and hand presses employed in Africa to the modern disintegrators and big hydraulic presses of the United States and parts of southern Europe. The process itself, however, is essentially the same to-day as it was a thousand years ago. In California the olives are crushed in immense flat pans by heavy wheels which roll around and around in these shallow bowls just as in the early days the old stones, turned by oxen yoked to the end of a pole, ground in their stone saucers the fruit for the Mission fathers.

The pulp as soon as crushed is put in heavy cloths or sacks and subjected to a gradually increasing pressure. The heavier the first pressing the lower will be the quality of the oil, but the greater the quantity. After this first oil, often called "Virgin" or "Sublime," has practically ceased to run from the press, the marc is wet down with cold water, or, in some instances, removed from the press and reground in a little water, then pressed again. The oil obtained in this second pressing is edible and appears on the market as second quality, or very often is found in the retail trade

mixed with and sold as first-pressing oil. A third and sometimes a fourth grinding and pressing are given the pulp. These pressings are usually run hot, or at least hot water instead of cold is mixed each time with the marc. The quality of the oil from these hot pressings is comparatively low and the oil, unless chemically refined, is suitable only for making soap or for other tec mical uses. Abroad the final press cake, which usually contains from 10 to 20 per cent of oil, is extracted with carbon bisulphid or tetrachlorid, but apparently this method has not been found profitable in this country. The oil produced by the extraction process, freed as far as possible from the solvent, is a heavy, dark-green product known as sulphured oil or olive-oil foots and is used only for technical purposes.

The edible grades of oil as they come from the presses are run into tanks or cisterns and allowed to stand for a day or two. The oil gradually rises to the top, while the particles of pulp, water, and gelatinous material settle to the bottom. The clear oil is then dipped or siphoned off and sometimes washed with water to remove small quantities of foreign substances, which, if allowed to remain in the oil, would give it a cloudy appearance and cause it to become rancid in a short time. After standing at least a week in the finishing tank the oil is drawn off, usually through a filter, and is then ready for the table.

In order to procure for the market brands of oil which from year to year will be as nearly uniform in flavor as possible, it has been the custom of the brokers and exporters of Italy to buy oils from various sources and then blend them. In this way certain cities which are centers for olive-oil exportation have become famous for their products. Originally the oils shipped from Lucca were blends of Italian oils of that immediate vicinity, but the demand for these oils has become so great that now many of the oils labeled Lucca are mixtures of Italian and non-Italian oils. While this type of misbranding of foreign oils is not easily prevented, the importation into the United States of olive oil adulterated with peanut, sesame, poppyseed, or cottonseed oil has practically ceased, now that all shipments are examined by the Department of Agriculture before their entry is permitted. During the last few years, however, a more insidious form of adulteration has been practiced to some extent by the foreign brokers, some of whom are mixing with highly flavored, dark-colored oils the bland, almost tasteless refined, or so-called rectified, olive oil. This oil is made from low-grade or rancid oil by treating it with a mineral acid, and possibly with other chemicals. The exact details of the process are a trade secret. So far as is known, the refining and blending of olive oils is not practiced in the United States, and the production of olive oil in this country meets only a small part of the demand for this, the oldest and most widely used of all the vegetable food oils.

COTTONSEED OIL.

Since so little of America is climatically suited to the cultivation of the olive, it is fortunate that we have another food oil which in nearly every respect satisfactorily takes its place—cottonseed oil.

Cottonseed oil is produced in Great Britain, Germany, France, Smyrna, India, China, and South America, but by far the larger portion is made in the United States. Several varieties of cotton seed are pressed in this country. These are generally grouped into two classes—the bald or black, the smooth, lint-free seeds of the Sea Island varieties, and the white or woolly, the seeds from the Upland and similar cottons which come from the gins with a fluffy white coat of lint on them. While there is a climatic and varietal difference in the chemical composition of the cotton seeds, all of them contain on an average about 20 per cent of oil.

The present annual production of cottonseed oil in this country is more than 3,000,000 barrels or 150,000,000 gallons. Of this we export in normal times about 700,000 barrels, chiefly to Mediterranean ports. Although we are by far the largest producers of this oil and export nearly a fourth of our crop, we also import from China and other countries some 10,000 barrels annually.

The machinery and processes used in the production of cottonseed oil in the United States are superior to those of any other country, and plants of American design and construction are in operation in Europe, Asia Minor, India, and China. In the treatment required for the production of an edible oil there is one fundamental difference between cotton seed and the olive. The finest grades of olive oil are those expressed from the fruit with the least possible subsequent treatment, whereas before cottonseed oil is suitable for human food it must be refined, and in addition it is often bleached and deodorized.

In tracing the production of cottonseed oil from the raw seed to the finished edible product it will be followed through the crude-oil mill and then through the refinery. As is the case in any highly developed manufacturing process, there are many variations of the general methods used, and numerous so-called trade secrets are involved; yet the fundamental principles in all these processes are similar.

The cotton seed, as received at the crude-oil mill from the gins, is covered with short cotton fiber and is mixed with broken bolls, stones, nails, and similar trash, all of which must be removed before the seeds are ground. After being run through revolving screens which separate the larger pieces of trash, over shaking sieves and magnets, and through evelone cleaners, to take out the sand, nails, and dust, the seeds are fed into the machines which remove the lint. These machines, known as delinters, consist of a series of fine-toothed buzz saws set close together on a rapidly revolving horizontal shaft. At the back of each machine is a long, cylindrical brush running so close to the saws that it catches the fiber that they have cut from the seeds and passes it on to the lint reel, which is set just behind it. Here the little, short cotton hairs which the gins failed to remove from the seed are compacted into a felt and rolled out like cotton batting, ready to go to the mattress maker or guncotton manufacturer.

As the seed comes from the last of a set of these linters it is nearly free from lint and ready for the hullers—mills which break the hard outer coat or hull and liberate the soft oil-containing meats. In order to separate the hulls and meats as thoroughly as possible, the material as it comes from the hullers is run over shaking screens. The hulls are passed through a second and sometimes a third huller, and then through additional separators until finally they come out practically free from any of the valuable oil-bearing

interior portion. The meats when freed from the hulls are ground through a series of three or more heavy steel rolls and finally carried into the storage bins over the press room.

In the expressing of most of the edible oils frequently several grades are made by a re-pressing of the same batch of raw material. Cottonseed, however, at least in the United States, is pressed only once, and when hydraulic presses are used it is always heated or cooked before pressing. The cooking of the seed is the most important step in the making of the crude oil by the hydraulic or hot process. It requires experience and judgment on the part of the cooker to get the crushed meats in the proper condition to yield the maximum amount of the best possible grade of oil. The cooking is done in a shallow, steam-jacketed pan equipped with a mechanical stirrer, which, as it revolves, mixes the meats thoroughly and prevents uneven cooking. Inside, near the top of the pan, is a perforated steam pipe through which steam may be admitted to moisten the meats should they become too dry. In many mills a second pan, called a subheater. similar to the cooker, is installed just below it and used to hold the cooked batch until the presses are ready for it.

The type of press most commonly used in this country in the production of cottonseed oil is the steel box-frame hydraulic, which operates under a pressure of about 5,000 pounds per square inch. Such a press consists of a series of horizontal steel plates, about 14 inches wide by 34 inches long, set one above the other, about 5 inches apart, when the press is fully open. The plates are perforated or channeled and provided with closely fitting steel sides, so that the whole machine is really a series of steel boxes, without ends, piled one upon the other, the lowest box resting upon a hydraulic piston. Above the top frame is a heavy iron plate fastened to the piston cylinder by four vertical rods, which serve as guides for the sliding frames.

With the press fully open, that is, with the piston at its lowest point, a measured charge of cooked meal is dropped from the subheater, or holder, upon the strip of camel's hair or other press cloth in the cake-former. This cake-former is a steel block with a shallow groove, the size of a single press box in its upper surface. It is so constructed that after the meal has been run upon the press cloth and the two ends

turned up over the charge, pressure can be applied from above or below, and the cake, now entirely covered with cloth except on its two long sides, can be subjected to a preliminary squeeze to compact it into shape. When the charge is in the cake-former pressure is applied for an instant and then released. A sheet of steel the width of the groove is slid underneath the cake, which is removed, cloth and all, from the former and pushed into the lowest frame of the press.

One after another all the boxes are thus charged until the press is filled; the compressed air is then turned on the hydraulic ram, forcing the frames upward, each against the one above it. The oil as it is squeezed through the cloths flows down over the sides of the press into a gallery around the bottom frame and out through troughs to the settling cistern. So perfectly has every detail of the construction and operation of these huge presses been worked out that they are often charged, pressed, and discharged ready for refilling in less than 20 minutes.

The dark-red crude oil, as it flows from the press, always contains some fine meal, which has been squeezed through the cloths. The larger particles of this meal collect in the oil troughs in the floor below the press, through which the oil flows to the settling tanks, and are shoveled out and repressed with the next batch of meats. To clarify the oil still further, before it is pumped or shipped to the refinery, it is held in settling tanks or eisterns until most of the finer particles have settled out.

In addition to the production of crude oil by the hydraulic process just described, an increasing amount is being made in mills equipped with a type of continuous-working press known as the expeller. Some of this oil is cold pressed, that is, the meats are not cooked before pressing, but in other plants the material fed into the expellers is treated in much the same manner as though it were intended for the hydraulic press. In the cold-press mills, after cleaning and delinting, the seed is merely ground, run through a tempering apparatus, where it is dried if too wet or blown with moist steam if too dry, and then fed into the expeller, hulls and all.

The expeller is built somewhat on the principle of the ordinary meat grinder, and is simply an interrupted screw revolving inside a slotted steel barrel. The ground seed enters through a hopper at one end of the barrel, is pressed along toward the other end, and finally discharged around a cone, which can be set in or out of the outlet orifice so as to give any desired pressure. The oil is squeezed from the seeds by the pressure of the screw, runs out through the small slits in the barrel, and after settling or, better, filtering through a filter press, is ready for shipment to the refinery.

The tempering of the seed, which is often necessary to make it press properly, is really a preheating process, and as the heat due to pressure and friction in the expellers is sufficient to make the oil and cake as they come from the press actually hot, the term "cold pressed" is not strictly applicable to oil obtained by the expeller process. Although this crude oil is very different from that obtained by the regular hot pressing, there is very little, if any, difference between the two oils after they have been refined.

As the yield of oil by either process is only about 45 gallons per ton, or less than 17 per cent of the weight of seed handled, and as a large part of the ground cake and hulls can be used as feed or fertilizer by the local farmers, the crude-oil mills often are located in the smaller towns throughout the cotton-growing sections. From these the oil is shipped in steel tank cars to more centrally situated refineries or to the packing houses and cooking-compound manufacturers of the North.

As previously stated, crude cottonseed oil is not suitable for human food, even when made from sound, sweet seed, for, although it has a pleasing nutty flavor, it contains coloring matter and other foreign substances such as the albuminous bodies and free fatty acids. The first step toward rancidity in an oil is, apparently, the formation of free fatty acids. The glycerids—chemical compounds of glycerin and fatty acids—begin to break up, and instead of the sweet neutral glycerids we have the acrid, free fatty acids and ordinary glycerin. Before the oil is marketable as a table oil, the acids must be neutralized and removed and the major portion of the coloring matter taken out. It is this process which is known as refining.

As the crude oil is received at the refinery it is run into storage tanks or pumped directly from the cars into the weighing tanks and then to the refining kettles—tall cylin-


drical sheet-iron tanks with conical bottoms and provided with a series of steam-heating coils extending part way up the sides. During the refining the oil is stirred either by some form of mechanical stirrer or by compressed air blown in through perforated pipes.

When a tank has been filled with crude oil to the extent, perhaps, of 100,000 pounds, the agitator is started and steam turned on to the heating coils until the desired temperature has been reached. This varies with different oils and in different plants, but is usually around 85° F. While the tank is being heated a sample of the oil is tested in the laboratory.

By the time the oil in the refining tank has been raised to the proper temperature the refiner knows from the laboratory report just how much caustic-soda solution to add to make a good refining. The lye solution is run rapidly into the oil and the agitation and heating continued until the dark-brown, almost black, particles of soap formed by the action of the lye on the free acids clot together into little spongy masses and begin to settle. The steam is turned off from the heating coils when the oil reaches about 120° F., the agitation is decreased, and finally stopped, and the tank allowed to stand several hours until the soap settles to the bottom, leaving the clear, golden-vellow oil above. This is siphoned off into a series of settling tanks, and after standing a while is transferred into a second and sometimes a third set of tanks. The oil at this stage is known as "summer vellow" and is used largely in making margarin and as a cooking oil. Before being placed on the market for table use the summer yellow oil as a rule is bleached and deodorized.

In addition to caustic soda or in place of it many other chemicals have been used in refining. A strong salt brine sometimes is added to produce a cleaner separation of the soap stock, and water glass, silicate of soda, and borax have been recommended, and, in the early days, bichromate of potash was tried.

Cottonseed oil, in common with most of the other edible vegetable oils, contains a large enough proportion of the socalled stearins, that is, glycerids of palmatic and similar fatty solids, so that in cold weather these separate out, giving to the oil a milky appearance which makes it undesirable for



The olives are sorted by hand as they pass on moving belts in front of the girls, the imperfect and off-color fruit being culled cut to be used for making oil.

SORTING OLIVES.




FIG. 1.-OLD OLIVE MILL AND PRESS.

Goaded by a mission father, the oxen walked round and round, rolling the heavy stone wheel over the clives in the flat stone dish. From time to time the pulp was scooped out into cloths and pressed in a stone saucer by means of the screw and lever.




FIG. 2.—GRINDING OLIVES.

Heavy rolls like great bull wheels running in a huge iron saucer grind the olives to a pulp, which is then elevated to the charging bins.




Fig. I.—Pressing Olives (BACK); STRIPPING THE CAKE (FRONT).

After pressing in the big hydraulic presses the cakes of olive pomace are wheeled to one side, the cloths stripped off and refilled with fresh pulp, and these new "cheeses" are then run back into the press.




Fig. 2.—Delinter for Cleaning Cotton Seed.

In the delinters a gang of fine-toothed buzz saws cuts the lint from the cotton seeds and leaves the seed nearly bald ready for hulling.




FIG. I.-PRESS ROOM.

From the steam-heated "cooker" the ground cotton seed is run into the "cake former" and the cakes, as fast as shaped, are transferred to the hydraulic presses, one cake to a shelf, 16 to a press.




FIG. 2.—OIL EXPELLER, PEANUT OIL MILL.

The peanuts flow continuously into this huge sausage-grinder sort of a machine and the oll in a bright yellow stream runs out below into the settling cisterns. The cake, in hot, fragrant ribbons, unwinds at the discharge end of the press into a conveyor.

use in cold climates. To produce an oil that will not "cloud up" and sometimes even solidify in winter, the summer yellow grade is "wintered," that is, held for a time in chill rooms or in tanks surrounded by cold brine until it becomes semisolid. This mushlike mass is then pressed, or run through centrifugals, to separate the solid stearin from the lower-melting oleins. The oil thus obtained is known as "winter yellow" and, if properly made, remains perfectly clear even in cold weather.

Housewives frequently show preference for particular colors in foods: thus, they demand greenish olive oil, goldenyellow butter, and light-vellow cottonseed oil. To meet the demand for a light-yellow oil and also to supply the lardsubstitute maker with one from which he can produce a white cooking compound, the refined vellow oil must be decolorized. In this bleaching process the vellow oil is heated in tall steel tanks similar to those used in the refinery, and is thoroughly mixed with a small amount of fuller's earth. sometimes called clay by the refiner. This fuller's earth is mined in Florida and other sections of the United States. although until recently the best qualities were imported from England. Various kinds of charcoal and animal blacks are occasionally added to the fuller's earth in small quantities to assist in the decolorization. After the batch of oil and earth in the clay tanks has been thoroughly mixed and heated, it is pumped into filter presses. From these presses the oil runs bleached and clear, leaving behind in the cells of the press the decolorizing materials.

Deodorization is necessary in order to remove the undesirable flavors natural to the oil, or remaining as a result of the claying process, and to make it bland and nearly tasteless. At this point, anyone going through a refinery probably would find that the door to the next department bore the sign "Positively no admittance." Numerous processes for deodorizing oils have been patented and many unpatented processes also are in operation, the secrets of which are guarded as among the most valuable assets of the companies using them. Since there is scarcely any color, taste, or odor to the pure chemical glycerids which make up nearly 99 per cent of all the common food oils, practically all the color, odor, and characteristic flavors must be in

the remaining 1 or 2 per cent. The flavor substances, as a rule, are much more volatile than the bulk of the oil, and can be removed by simply heating the oil in a very high vacuum. This process, unfortunately, is only applicable as yet to small-scale laboratory experiments, and in practice the deodorizing is effected by washing with steam or heated air. It is common knowledge that fats readily absorb strong odors from the atmosphere. The good housekeeper takes care that the onions and cooked cabbage are not shut up in her refrigerator with the butter and lard. The refiner also has learned that unless the odor-causing bodies are removed from contact with his oil as rapidly as they are liberated it is difficult to deodorize the oil properly. For this reason the deodorizing process is usually conducted under vacuum in large cylindrical tanks covered air-tight and having a big gooseneck outlet pipe at the top, which is connected to a vacuum exhaust system. The oil is heated by means of closed steam coils, and the odors are swept out with superheated steam or hot air, which is injected through perforated pipes or nozzles at the bottom of the tank and carried off by the vacuum pipe at the top.

From a cloudy, dark-red, sometimes strong, rancid-tasting, crude cottonseed oil there is thus produced by refining, bleaching, and deodorizing a clear, light-yellow, bland, almost tasteless, and odorless product, which for those who do not care for a marked characteristic flavor in their salad dressings or for the lard taste in their pastry is a very desirable food oil.

PEANUT OIL.

The peanut is now rapidly coming into prominence as one of the most satisfactory crops for those districts of the South in which the boll weevil is making the raising of cotton uncertain. The ravages of this pest, which has been gradually working northward and eastward through the Southern States, have decreased the production of cotton in some sections to such an extent that the local oil mills have been forced to ship their seed long distances or find some other material upon which to operate. The peanut not only supplies the crusher with a splendid raw material, but the hay and press cake make highly desirable cattle feeds.

It is not known whether the peanut, which is probably a native of Brazil, was used by the aborigines as a source of oil, but certainly in a comparatively short time after the early explorers carried this product of the Western World back to Europe its value as an oil material was realized. Peanut oil, or arachis oil as it is usually known abroad, may be expressed from any one of the many varieties of peanuts. That this oil is one of the most important of the world's food oils is shown by the fact that annually over 120,000 metric tons of peanuts in the shell, together with about 240,000 metric tons of shelled nuts, are crushed in Marseille alone, yielding 15,500,000 gallons of edible oil.

Abroad, peanut oil is made almost invariably from shelled nuts. Mills that buy the auts in the shell first hull them by machinery designed particularly for that purpose. The foreign matter, such as sticks and stones, and a small quantity of unshelled peanuts are next removed by running the shelled stock over screens similar to the shakers used in the cottonoil mills. The inner or red skins are then removed as completely as possible by an air blast or fan mill. When thoroughly cleaned the kernels are ground, usually by a system of corrugated rolls which do not crush them as fine as cotton seed is ground for the hydraulic presses. The material when ground is put into press cloths and pressed in a machine somewhat similar to the ordinary fruit or cider press used in this country. These presses have no protecting sides or boxes such as are commonly found in the American hydraulic press, and the pressure which is applied to the peanuts is much less than that used with cotton seed. When the press is full the pressure is applied and the material allowed to stand under pressure until a little over half the oil has been squeezed out. This gives what is known as colddrawn oil, which is nearly colorless, has a pleasant, nutty taste, and needs no refining to make it suitable for salad or cooking purposes, provided, of course, the original peanut material was clean and free from rancid nuts.

After the first pressing the cakes are taken out of the cloths, reground, a small quantity of moisture added, and after being heated for a few minutes new cakes are formed and again pressed. The second oil thus obtained is inferior in quality to the oil of the first pressing and goes into a lower

grade of edible oil. A third pressing and possibly in some mills a fourth, both of course after regrinding and heating, are sometimes made before the cake is exhausted.

In Europe the finest grades of peanut oil are used exclusively for edible purposes, and practically all that is produced in France is consumed there, only second-grade peanut oils being exported to the United States.

Of the five different varieties of peanuts grown in this country the Spanish is undoubtedly the best suited to oil production. It is adapted to a wide range of soil and climatic conditions, and contains an appreciably greater quantity of oil than do the Virginia Bunch, Virginia Runner, or African varieties.

The production of peanut oil on a large scale in this country is yet in its infancy, but the cottonseed-oil mills located in the peanut-growing territory and in charge of men thoroughly acquainted with oil machinery are rapidly taking up the pressing of peanuts.

While there are now perhaps 20 or 30 mills pressing peanuts, only a very few of these were built especially to handle this material. The others are cottonseed-oil mills, which have been remodeled to fit them for peanut-oil production. In some of these cottonseed-oil mills the unshelled peanuts, after being well cleaned to remove all the sticks, stems, stones, and adhering dirt, are run through disintegrators and then directly into expellers. In some only a part of the oil is expressed the first time and the cake returned for a second pressing, but more often only one pressing is made, which gives a lower grade of oil than would be obtained by a lighter partial crushing. In other mills cleaned shelled nuts are used, and when the stock is fresh and sound and not pressed too hard the first time the oil is of the highest quality obtainable.

The regular hydraulic presses also are being utilized for the production of peanut oil by those cottonseed-oil mills so equipped, and both shelled and unshelled nuts have been pressed, sometimes hot and sometimes without any cooking. This lack of uniformity in the American practice and the use of all sorts of stock from old, rancid, cull peanuts to prime fresh material have resulted in the production of oils of every quality, some of which require refining and bleaching the same as do cottonseed oils, while others are sweet and bright, ready for the table as soon as they have been filtered.

In even the best oil as it comes from the presses there is, of course, some insoluble matter, fine parts of the peanut, which must be filtered out to prevent a rapid spoiling of the oil. When good, sound stock is cold pressed and the oil well filtered, the peanut oil obtained, like that of the olive, is sweet and brilliant, ready for the housewife just as it comes from the mill, in fact, just as it existed in the peanuts themselves. Off-grade peanut oils, made either from spoiled nuts or from sound nuts improperly treated, can be refined and the disagreeable odor and flavor removed, but such oils are lacking in the characteristic sweet peanut taste of a virgin oil and are inferior for salad and general table purposes.

There is very little demand in the United States at the present time for a high-grade table peanut oil, but many who have tried the cold-pressed oil for salads consider it very satisfactory and think that practically the only difference between peanut oil and olive oil is one of flavor. Just as some people like grapefruit better than oranges, there are those who prefer an oil with a marked characteristic taste, such as olive oil, to a bland oil, such as refined cottonseed oil, and many who have become accustomed to peanut oil with its mild nutty flavor think it more palatable than any of the other vegetable food oils.

CORN OIL.

Within the last decade there has come into prominence in the United States another food oil which, like cottonseed oil, was originally a by-product. Corn oil, or, as it is sometimes called, maize oil, exists in the small germ portion of our common Indian corn. Although this germ itself is more than half oil, there is only from 3 to 6.5 per cent of oil present in the entire kernel. Were it not for the fact that in the preparation of cornstarch and brewer's grits, and sometimes in the making of corn meal and other corn products, the germ is more or less completely separated from the rest of the grain, corn oil doubtless would be a mere curiosity, as it would not pay to extract it.

Oils exposed to air and light, especially oils finely divided and mixed with the enzyms which occur to a greater or less extent in all oleaginous seeds, quickly become rancid and unfit for food. Because of this rapid deterioration in the oil portion of corn it has been found advisable to remove the germ from hominy and corn meal when these are to be kept for any length of time before being used. In the preparation of cornstarch, which is practically a pure carbohydrate, it is of special importance that all the corn germs be separated from the starchy portion of the grain.

In the degerminating of corn two distinctly different processes are now in use in the United States. In the older one, known as the wet process, the corn is soaked in dilute sulphurous acid for some time, and yields a germ in which the oil is already rancid when extracted. The corn oil made from these germs either has to be used for technical purposes or else refined to make it suitable for food. In the newer process, usually known as the dry process, no water is added to the grain, but the germs are removed by mechanical means. If the corn is sound the oil can be used for food purposes with little or no refining. Unfortunately the dry process vields only about one-fifth as much germ as the wet process, so that it has not entirely replaced the latter method, which is still generally used in the manufacture of starch and glucose. In making brewer's grits and corn meal a certain amount of germ may be left in the finished product, but it is essential that the corn itself should not be soaked, as this would spoil the finished product.

The wet process first came into use about 20 years ago, when it was discovered that the difference between the specific gravity of the corn germs and the rest of the kernel was such that the germs in certain strengths of starch water floated on top, while the major portion of the kernel settled to the bottom. In operating the wet process the shelled corn is first soaked for several days in large steep tanks in water containing a small amount of sulphur dioxid. The dilute acid added coagulates the glutinous material which otherwise would be difficult to remove later from the starch. During the steeping the corn swells and the germs become toughened, so that they are not readily broken up in the grinding process. The water and corn from the steep tanks are run together through attrition mills, which crack the grains and loosen the germs. The mixture, which, as it

flows out of these grinders, is a sort of thin gruel, is fed into the germ separators—long rectangular steel tanks about 4 feet wide, with a semicircular bottom. These separators are filled with starch water of a specific gravity that will permit the germs to float and the grits to sink. As the gruel is fed in at one end of the separator it drops to the bottom and is gradually worked toward the other end of the tanks by a rapidly revolving beater. This beater removes the germs from the starchy portion of the grain, and as they rise to the top they are skimmed off by an endless belt which runs along just below the surface of the water. The starchy portion of the corn works along the bottom of the separator and is finally discharged through an automatic gate at the far end of the tank. The germs from the separator go next to a sheker screen of bolting cloth and are washed free from adhering starch particles by a spray of water. From this screen they are transferred to some form of moisture expeller which squeezes out the excess of water. They are then ready for the driers—long, nearly horizontal cylinders heated by steam or other means—which reduce the moisture content of the germs from 55 to not over 5 per cent. The dry germs are then put into bins and allowed to cool and cure for two or three hours, because if pressed immediately as they come from the kilns they are too brittle to give a satisfactory yield of oil.

The germs, after curing, are tough and leathery. They are then run through a series of flaking rolls which flatten them and break the oil cells, but do not grind the material into a flour which would be hard to hold in the oil presses. While hydraulic presses could be used, as in the cottonseed-oil mills, the general practice in the United States is to run the germs directly from the flaking rolls into expellers similar to those already described in connection with the production of cottonseed and peanut oils.

In the dry process the corn, instead of being soaked, is heated with live steam until it contains about 18 per cent of moisture. It is then put through a machine known as the automatic degerminator, which removes the bran from the whole corn, breaks the kernels, and partially separates the germs. From the degerminator the mixture of cracked corn

and broken germs is passed through a series of screens and aspirators, where, by means of suction and sifting on wire screening, a further separation is made of the germ from the starchy portion of the corn kernel. The germ taken out by the aspirators is still partially mixed with grits and is again run through flaking rolls and aspirators, which suck out the lighter germ particles and leave the grits behind.

The pressing of the dry-process germs is similar in every way to that used in getting the oil out of the material obtained by the wet process. When the germ comes from the last aspirators it is tempered if necessary to insure the proper moisture content, being dried, if too wet, or moistened with live steam, if too dry, and is pressed in any suitable form of press.

Corn oil is not as yet a common household product, but it is now being placed upon the market in small retail packages for use as a table and cooking oil. For some time large quantities of the oil have been used for technical purposes, and since the methods for producing a sweet, attractive oil have been perfected, the manufacturers of edible fats are using increasing amounts of this product in making lard substitutes.

AGRICULTURE ON GOVERNMENT RECLAMATION PROJECTS.

By C. S. Scofield, Agriculturist in Charge, Western Irrigation Agriculture, and F. D. Farrell, Agriculturist in Charge, Demonstrations on Reclamation Projects, Bureau of Plant Industry.

FARMING UNDER IRRIGATION.

THE development of agriculture under irrigation involves conditions that are essentially different from those of ordinary farming. In general, the labor cost of crop production is somewhat greater, the necessary investment of capital is larger, and the requirements of social organization are more complex. These conditions require that irrigation farming shall yield larger returns than ordinary farming if it is to be successful. Of the three conditions mentioned the essential complexity of the social organization is the least understood by those who have to take part in it.

The development of an irrigation enterprise necessitates a period of pioneer existence. This period, unlike most of the pioneering with which many people are familiar, involves community problems which must be dealt with from the very beginning. On Government reclamation projects these problems are more conspicuous than elsewhere, chiefly because the colonists who occupy them have come together suddenly from widely different conditions of life and usually without previous experience to guide them.

The underlying purpose that has influenced legislative and administrative policies regarding Government reclamation has been to establish homes on the land rather than to provide the most efficient means for increased agricultural production. But successful home making is dependent upon a reasonable degree of material prosperity. Thus, the economic problems and possibilities of irrigation farming must be understood and realized if this great experiment in the reclamation of arid lands is to be made a success.

COURSE OF DEVELOPMENT.

Prior to the recent rapid expansion of irrigation development it was generally believed that the reclaimed lands could be utilized profitably for the production of such special crops as orchard fruits, truck crops, sugar beets, and alfalfa. Recent experience, however, has demonstrated that these crops can not be depended upon to meet the requirements of the situation. New projects do not show immediately the assortment or balance of industries that ultimately are to become established. There is instead a rather regular sequence of development, beginning with the production of alfalfa and small grains and gradually reaching a great diversity of crops and industries. Finally, out of this diversity a few major industries become permanent.

Almost invariably it is desirable to get the land seeded to alfalfa as soon as possible, not only because of the usefulness of the crop itself but also because its growth greatly increases the productivity of the soil. It is a common practice to seed wheat, oats, or barley as a nurse crop for the alfalfa. Moreover, many farmers plant small grains as a first-year crop because of the quick returns and as a method of preparing the new soils for the production of perennial crops. Hence, on the newly irrigated lands, alfalfa and small grains occupy a large proportion of the cultivated acreage. As the soils begin to respond to cultivation, sugar beets, potatoes, truck crops, orchard fruits, and, on the southwestern projects, cotton are added to the cropping system.

Thus the agriculture of these projects is gradually changing and developing toward a diversity which ultimately will include a number of different crops, with the chief emphasis placed on those which under local climatic and economic conditions prove to be most profitable. The rate and direction of this development vary, of course, on the different projects. If account is taken of the 24 Government reclamation projects now in operation, including at present about 19,000 farms with about 800,000 acres in production, the areas devoted to the more important crops are approximately as follows, in terms of the total irrigated acreage: Forage (chiefly alfalfa), 50 per cent; cereals (chiefly wheat, oats,

barley, and corn), 25 per cent; fruit crops, 7 per cent; potetoes, 3 per cent; seeds (chiefly clover and alfalfa), sugar beets, and cotton, each 2 per cent; and truck crops, 1 per cent.

PROBLEMS OF CROP DISPOSAL.

The problems encountered in the production of crops are much less difficult than the problems of profitable disposal and utilization. The reclamation projects are all located in the sparsely settled Western States, far removed from the great consuming centers. Because of this fact the supply of crop products in these areas exceeds the local demand. and the problems of distant marketing must be worked out. Transportation costs from the reclamation projects to the great marketing centers are high. Furthermore, as the underlying purpose of Government reclamation is to provide homes for as many families as possible, the farm units on the reclamation projects are small. This results in a relatively small output per farm, and this in turn necessitates cooperation in marketing and in some of the enterprises of production. Groups of farmers must work together to attain those objects which the individual farmer is powerless to accomplish.

This does not mean that cooperation should be regarded as a panacea, but rather that the solution of certain specific problems of production and of marketing requires cooperation. In view of the fact that our farmers are still relatively inexperienced in matters of cooperation, there is need for a clear understanding of the purposes to be accomplished and for special attention to the methods of procedure.

To secure the necessary efficiency in meeting these problems of crop disposal requires that settlers on the reclamation projects endeavor as early as possible to develop definite agricultural industries for which the local conditions are favorable. It is the purpose of this paper to discuss briefly a number of the agricultural industries that have been or may become important on reclamation projects. This discussion may serve to show something of the present status of agriculture on these projects and to indicate what now appears to be the direction of progress.

THE SUGAR-BEET INDUSTRY.

The production of sugar beets has been one of the important industries on these irrigated lands. Where the climatic and soil conditions are favorable the crop has been fairly profitable, and while the returns are seldom very large they are reasonably certain. There is no serious marketing problem in this industry, because the beets are grown under contract at a price stipulated in advance of planting. The seed, and, if the farmer so desires, the necessary hand labor, are provided by the manufacturing company which purchases This company also provides field men to visit the farmer from time to time and advise with him as to the best cultural methods to use in producing the crop. These factors have been influential in maintaining and extending the irrigated area devoted to beets, in spite of the fact that the possible profit from beets appears to be less than from many other crops.

There are some undesirable features in the sugar-beet industry. The production of the crop requires much hand labor during two brief periods of the season—one in early summer, when the beets must be thinned and weeded, and one in the autumn, when the crop is harvested. In some places where the population is dense this labor may be locally available, but ordinarily it is necessary to import labor, and the people usually brought in and the circumstances under which they live are such that they constitute an undesirable social element. There is also a tendency in the sugar-beet industry toward the rental of land for beet production and toward continued cropping on the same land without a suitable crop rotation. Such intensive specialization does not make for the best development of an agricultural community. The production of sugar beets is possible only within reasonable distance of a sugar factory. These factories are large and expensive, so that unless a large acreage is available for beet production it is not feasible to construct a plant.

In respect to certain social and economic factors, the sugarbeet industry illustrates the essential points which need to be considered in the effective utilization of irrigated land. It is first of all a continuing or permanent industry. It is reasonably certain to yield a fair return on the labor and capital invested in production. The crop fits well into a rotation with alfalfa and the other common field crops. The advisory assistance of the field men employed by the sugar company is helpful, particularly to the inexperienced farmer. With an assured market for the crop, the farmer has every incentive to devote his bests efforts to increasing the efficiency of production, and the profits increase rapidly as the yields exceed the minimum which covers the cost of production.

In some of the points already enumerated the sugar-beet industry is essentially different from any other industry followed on irrigated land. While some of these practices are possible only with beet growing, others might be adapted, at least in part, to other industries with resulting advantage. While none of the sugar factories in this country is cooperative in the ordinary sense of that term, yet in another sense the cooperation between the manufacturer and the producer is very close and helpful. The widely prevalent custom of paying for the beets on a definitely adjusted scale of prices, so that the beets which are richer in sugar bring higher prices, is a stimulus to good farming, and the certainty of market and price, by eliminating one element of risk, also encourages the farmer to put forth his best efforts to secure high production.

POTATO PRODUCTION.

On several of the reclamation projects the soil and climatic conditions are favorable for the production of large crops of potatoes. A rotation in which this crop follows alfalfa not only makes for large yields of potatoes, but also leaves the land in good tilth for other crops. Yet potato production as an industry has not been important on many of the newer irrigated projects. This is due chiefly to the uncertainty of marketing. Were it possible to have for potatoes a market that is as definite and secure as that for sugar beets, the extent of the industry might now be much larger, even though the prices were to range below what is often received or ordinarily expected.

Where potato production is not well organized it has been the common experience that in only one year in three, or at best one year in two, is the price such as to return a profit to the grower. Sometimes there is no market or the prices offered are so low that the crop is used for feed or allowed to rot on the farm.

There are several obvious possibilities in the direction of improving the marketing situation, particularly on the northern projects. These possibilities may be achieved more easily through community cooperation than by individual There are two important demands for potatoes. The larger, of course, is for food, but there is also an extensive market for seed for planting. In order to reach either of these markets effectively it is of first importance that a community go into the industry seriously, with the purpose of continuing in it through years of poor prices as well as through years of good prices. When a certain region becomes known to the trade as a reliable source for potatoes it soon comes to enjoy an advantage that is a great asset. Buyers become accustomed to handling the crop and will take it all up before going into newer regions to supply their needs. The importance of community action in establishing the potato industry can not be too strongly emphasized. Without it the individual farmer on a reclamation project can scarcely hope to find a profitable market.

The first step to be taken by a community is to limit the number of varieties of potatoes that are to be grown and to continue the production of the same varieties from year to year. It is better to have only one variety, or at most two varieties, in a community, because it is then possible to develop a discriminatory market, to establish a reputation, and to ship in large lots of uniform character. Community action in potato production also affords an opportunity for the farmers to protect themselves against the introduction of certain dangerous diseases that are carried with the seed. It also makes possible the development of a system of certification of the product as being true to variety and free from disease and thereby secures important market advantages.

SEED PRODUCTION.

The production of seed, particularly of forage crops, has been developed on several reclamation projects and may come to have a place among the important industries on

these projects. As the present time alfalfa seed is probably the most important of these crops. This country has not in recent years produced all the alfalfa seed needed, and large importations have been necessary. Speaking generally, the imported seed is less satisfactory than domestic seed, and since the outbreak of the European war these importations have been seriously interrupted. Notwithstanding these facts, which contribute to the ruling high prices of alfalfa seed, and the relative stability of the market for that commodity, serious difficulties are likely to be encountered in selling the crop. Similar difficulties are encountered in marketing the seeds of other plants. Seed crops are more susceptible to environmental conditions than most other crops. As a result, there are large variations from year to year in the available supplies and, consequently, in market prices. While these seeds are not so quickly perishable as are potatoes, the market demand and the prices fluctuate as widely. In view of these conditions the production of forage-crop seed should not be undertaken in a haphazard manner. A satisfactory industry can be developed only by intelligent and persistent attention to the business.

While community action may not be quite as essential in the seed industry as in potato production, it is, nevertheless, highly advantageous. By such action it is easier to develop reliable outlets for the seed and to establish a reputation which soon becomes an asset of material value. Seed-producing associations of farmers are useful not only as effective selling agencies, but they may provide for field inspection so as to insure the purity of the variety, and they may inspect, class, and certify the quality of the seed. These functions are of the utmost importance in meeting trade requirements and result in larger profits to the grower than can be expected where individuals act separately.

Because of the periodical fluctuation of yield and of market prices, the seed industry is uncertain and likely to be disappointing unless it is firmly established and continued from year to year. For the same reason it is inadvisable to devote a large proportion of the farm to the production of seed crops. The methods of production are often complicated and can be mastered only by constant attention to the business. The farmer who can irrigate his crops has a


marked advantage in seed production over the farmer who can not, because of the critical water requirements of the seed crop. This feature, together with the relatively favorable climatic conditions that obtain in irrigated districts, gives advantages which should be made use of by irrigation farmers; but, on the other hand, these advantages do not justify exclusive specialization in the seed industry.

COTTON PRODUCTION.

The production of cotton is possible on only a few of the southwestern reclamation projects, and on these it has become important only recently. Interest in the possibility of utilizing these irrigated lands for cotton production has been stimulated by the decreased production in parts of the cotton belt, following the invasion of the boll weevil.

While much of the cotton so far produced on the irrigated lands has been of the ordinary short-staple varieties, it has become increasingly apparent that these must in time give place to varieties that yield the more valuable long staple, either of the American Upland or of the Egyptian type. It is economically unsound to devote high-priced irrigated land, having a long growing season, to the production of the cheaper types of cotton instead of the high-priced long-staple types, which have been found to yield equally well and for which there is a strong demand.

The production of cotton by irrigation enjoys certain important advantages which should be understood clearly and utilized more fully. Irrigation projects on which cotton production is possible are nearly all isolated from other cotton-producing regions. This isolation affords an opportunity to prevent the encroachment or invasion of certain insect pests, such as the boll weevil, and also, because of the definite limits of the community, it is easier to establish and maintain an industry based upon a single variety or type of cotton. The advantage to a community of isolation as an aid in preventing the invasion of noxious insects or plant diseases is so obvious as not to require discussion; but it may not be so generally appreciated that such isolation also favors the restriction of cotton production in a community to a single variety, or at least to a single type, and that such restriction is greatly to be desired.



SUCCESSFUL IRRIGATION DEVELOPMENT INVOLVES INTENSIVE FARMING, THICKLY SETTLED NEIGHBORHOODS, AND COMPLEX SOCIAL RELATIONS.

The underlying purpose of Government reclamation has been to provide homes on the land. (Photograph from the United States Reclamation Service.)




FIG. I.-IRRIGATING SUGAR BEETS.

Beet production is one of the most dependable industries for irrigated lands and is unique in that it has no marketing problems. (Photograph from the United States Reclamation Service.)




Fig. 2.—An Example of Intensive Specialization in Fruit Farming Under Irrigation.

A greater diversification of industries would be safer, though perhaps less spectacular. (Photograph from the United States Reclamation Service.)



Fig. I.—In the First Years of Irrigation Farming an Excess of Alfalfa Hay is Often Produced.

This crop may be made more profitable if fed to live stock than if sold off the farm.




FIG. 2.—A SMALL FLOCK OF SHEEP CAN BE KEPT CHEAPLY AND BE EXTREMELY USEFUL ON AN IRRIGATED FARM.

The sheep can utilize the aftermath on grain and hay fields and keep down the weeds along fence rows and ditch banks. (Photograph from the United States Reclamation Service.)



FIG. 3.—THE FEEDING OF STEERS FROM THE SURROUNDING RANGES IS ONE OF THE WAYS OF UTILIZING THE ALFALFA CROP TO ADVANTAGE.

The West must continue to produce increased quantities of meat, and irrigation farming should stimulate rather than hinder progress in this direction. (Photograph from the United States Reclamation Service.)

Where only one kind of cotton is grown in a community it becomes possible to achieve results in production and in marketing that are quite out of the question where several different varieties or types are grown. This is more particularly true with long-staple cotton, where full market values can be secured only by maintaining the uniformity of the product from year to year. In order to maintain the uniformity of the product, it is necessary to make provision for a continuing supply of seed for planting which will reproduce the desired type of fiber and be free from the contamination which results from the accidental mixture of seed at the gin or cross-pollination between adjacent fields. Where several different kinds of cotton are grown in a community such contamination is very difficult to avoid. Furthermore, the conditions of cotton marketing are such that buyers and manufacturers are influenced in favor of localities from which they have learned to expect certain kinds of cotton to be produced regularly. On the other hand, they are likely to be apprehensive if they are offered several different kinds of cotton from the same region, for experience has shown that under such conditions intermixture and deterioration of the better sorts are inevitable, and that, too, without any compensatory improvement in the quality or uniformity of the poorer sorts.

In view of these facts it should be the aim of isolated cotton-growing communities to adopt some one variety of cotton to the exclusion of all others and then to take such steps as may be necessary to maintain the purity of all the seed used for planting. With a constant supply of pure planting seed it becomes a very simple matter to establish market grades or types of cotton that can be reproduced from year to year and find prompt sale at a premium over the mixed lots of the bulk of the cotton crop.

The cotton crop is one that responds to favorable conditions of growth with increased production, and it is possible on rich irrigated lands to produce crops large enough and valuable enough to find a place with other industries. Furthermore, cotton fits in well with a number of other irrigated crops. Cotton, following alfalfa, responds to the stimulus afforded by the preceding crop, and the early intertillage followed by the shading of the mature growth aids in the

eradication of weeds. The soil is thus left clean and in good condition for other crops. The cotton seed is also a commodity of value and the by-products of its manufacture are important as a feed for live stock.

FRUIT PRODUCTION.

The production of orchard fruits has been one of the most conspicuous features of irrigation farming in this country. Some of the oldest and many of the best known irrigated sections owe their fame and prosperity to one or another of the fruit industries. In many of these sections the natural conditions are so favorable to the growth of the fruit that these industries may be expected to continue and even to be materially extended.

But not all of the irrigated lands of the West are suited to fruit production, and there have been serious disappointments in some new regions which have been exploited on the basis of orchard fruits. The causes for these disappointments have been too many and too complicated to be discussed here in detail. In general, they have been the high capitalization of the land and the difficulties of marketing. There have also been some production problems, but these have been less important. All these difficulties, combined with the widespread tendency of the farmers to rely on fruit production exclusively, have caused serious economic depressions in several of the more important fruit-growing sections.

Almost from the first the problems of fruit transportation and marketing have been acute. These problems have been dealt with largely through cooperation on the part of the growers, and sometimes with marked efficiency. Some of the most conspicuous instances of agricultural cooperation are to be found in this field. In fact, it is possible that much of the spirit of cooperation among irrigation farmers is due to the example of success in this direction achieved by fruit growers. This cooperation has brought into use high standards of fruit packing and has stimulated improved methods of production.

There is to be observed at present on irrigated lands a reaction from fruit production toward other industries. This readjustment is probably to be regarded merely as a phase of normal development. It is to be expected that fruit

production will continue to be one of the important features of irrigation farming, though in many sections it will probably remain subsidiary to other industries.

PORK PRODUCTION.

One of the first crops of which there is a local oversupply on the reclamation projects is alfalfa. The acreage devoted to this crop, particularly during the early stages of the development of a project, is frequently greater than that devoted to all other crops combined and the yield is abundant. The cereal crops are also very important in the first years of irrigation farming. Under ordinary conditions neither alfalfa hay nor grain will bear the cost of transportation to the market centers. It therefore becomes necessary to convert these crops into some form of live-stock products which because of relatively high value per unit of weight will stand the transportation charges from the projects to places of manufacture or consumption.

The hog is one of the most efficient of farm animals in converting alfalfa and grain into a readily marketable prod-The returns secured by pasturing hogs on irrigated alfalfa, supplemented with a light ration of grain, are frequently three to five times as great as could be obtained by selling the alfalfa as hay. If efficiently managed, hogs can be made to pay from 25 to 50 per cent more for grain than can be secured by the direct marketing of that crop. Furthermore, the amount of capital required to make a start in the swine industry is relatively small and the returns come quickly. The swine population of an irrigated farm can be made to increase from 500 to 1,000 per cent a year, and the animals are marketable before they are a year old. For these reasons the production of pork is one of the most promising industries for an irrigated farm. Much of the best progress made on several of the Government projects in recent years is directly attributable to the development of swine production. The abundance of cheap feeds, the favorable climatic conditions, and the advantages of isolation in the prevention and control of diseases all tend to reduce the cost of producing pork on these projects.

The successful establishment of the swine industry involves a number of factors to which careful attention must

be given. These include matters of production and of marketing, and some of them are inseparably connected. Efficient production requires breeding for both quality and quantity, an intelligent understanding of the best methods of feeding, adequate housing facilities, and the control of diseases and pests affecting swine. Profitable marketing requires high quality, uniformity, an understanding of market requirements as to size and finish of the animals and as to time of delivery, and adequate arrangements for shipping and selling. In securing the necessary efficiency in these matters the individual farmer working alone is all but helpless. Some form of community action is imperative.

There is a great advantage in having only one breed in a community, as this facilitates improvements in breeding and marketing. Through an association the swine growers can be mutually helpful in working out problems of feeding and housing, as the interchange of ideas and experiences tends to eliminate mistakes and to popularize the best methods. Much can be done through community arrangements with respect to the utilization of the grain which is now shipped out in the fall by the farmers on or near the projects, while in the following spring the same kind of grain is shipped in, to be bought by swine growers at higher prices. This practice is obviously wasteful, and its elimination could be effected easily by concerted action.

The control of contagious diseases, particularly hog cholera, is impossible without community action. This fact is perhaps more conspicuous on the irrigated lands than elsewhere, because the germs of the disease may be carried in irrigation water and thus spread throughout the entire community; but, on the other hand, the isolation of the communities makes it comparatively easy to enforce the quarantine and sanitary regulations necessary to prevent or control the disease. In other words, the conditions on the projects, while especially requiring community action, also promote its effectiveness. The experience of the past two years in the control of hog cholera on certain of the reclamation projects has demonstrated fully that through community cooperation disease control is a purchasable service.

The size requirements of the swine industry on these projects should be understood clearly. Difficulty is commonly

encountered in the early stages of the industry's development in making satisfactory shipping arrangements. When the total output of hogs is small, the railroads are unable to give as good service as when the output becomes sufficient to justify regular shipping schedules, live-stock trains, and other conveniences. Here, again, the importance of community action is obvious. If the community as a whole is actively interested in the establishment of the swine industry, satisfactory shipping arrangements can be made much more quickly than if the industry is forced to struggle along on a purely individual basis.

On the reclamation projects, where the farm unit is small, few farmers produce hogs in carload lots. Hence, the producer in marketing his output must sell to a local buyer or cooperate with his neighbors in shipping to market. Of the two, the latter is decidedly preferable and is properly a function of an association. Cooperative marketing already is being done with gratifying results on some of the projects. But the factors of successful cooperative marketing extend farther back than the mere act of collective shipping. The breeding and feeding practices need to be adjusted to the requirements of efficient marketing, so that animals of the desired size, finish, and number may be ready at the proper time. This, again, requires concerted action and community interest.

In the absence of real efficiency the swine growers are certain to suffer discouraging financial losses in periods of low prices for pork. Farmers should remember that productive efficiency, that is, low cost of production, is as much to be desired as high prices for the finished product. Fair prices, large consumption, and high efficiency are the things which promote the best development. With the proper consideration of these facts and with special attention to the community phases of pork production the farmers on the reclamation projects should be able to make swine production one of their most profitable industries.

DAIRYING.

It is not improbable that dairying has done more than any other live-stock industry to support irrigation agriculture in this country. This has been true not because the profits of dairy farming have been large, but rather because they have been comparatively certain. The dairy industry has saved the situation for hundreds of settlers when the expected returns from more spectacular industries have failed to materialize. The possibilities of dairying have not begun to be realized or even appreciated by the majority of irrigation farmers.

One of the chief favorable features of dairying is its continuity. It employs labor throughout the year and furnishes a steady cash income. The natural conditions on the reclamation projects are favorable to high production in dairying. All the necessary feeds can be grown cheaply and abundantly. This applies particularly to alfalfa hay, corn silage, and irrigated pastures. These, when properly combined, furnish practically all the feed required by dairy cows; and where concentrated feeds are abundant and cheap they, too, may be utilized profitably. A further advantage is the mild climate of most of the projects, which makes it unnecessary to provide expensive buildings.

The dairy industry combines well with pork production, the by-products of the dairy furnishing excellent feed for pigs. Sugar-beet production also fits in admirably with dairying, both in the employment of labor and in the utilization of manure. Perhaps no irrigated crop responds more markedly than sugar beets to the application of manure.

As the volume of the dairy products of the country increases and competition becomes more keen, there will be need for much higher dairy efficiency on the reclamation projects. While these areas have many natural advantages over the highly developed dairy districts in the Eastern and Central States, they are at some disadvantage in marketing and, at present, in the quality of dairy stock. Perhaps the greatest need of the dairy farmers on these projects is better cows. While the prices of dairy products remain fairly high, the availability of cheap feeds makes it possible for the settlers to make some profit from low-producing cows; but as production in the irrigated districts increases it will be necessary to cull out the less profitable individuals. As the local production expands, outside markets will have to be sought, and this will bring the irrigation farmers in

direct competition with the more efficient dairymen of the older dairy regions. It is essential that the farmers on the reclamation projects foresee this development and prepare themselves for its requirements.

It is probable that the variations in individual efficiency are more marked in dairy cows than in any other domestic animals. These great variations are among the most conspicuous features of the dairy industry on the reclamation projects. Furthermore, the general level of productive efficiency is low. The average production per cow on these new irrigated lands could probably be increased 50 to 75 per cent through the introduction of better stock and the improvement of present herds through the use of good bulls and the general elimination of inferior cows. There is need also for improvement in methods of management.

Several of the reclamation projects, particularly those in the Northwest, are well situated for the production of cheese. The abundance of cold water, the cool summer climate, and the thickly settled neighborhoods are conditions which favor cheese making. The cheese industry within the past two years has experienced marked development on several of the northern projects, and there are indications of still further expansion.

The need for community action is perhaps even greater in the development of dairying than it is in pork production on these projects. Cooperation is needed in securing improved stock, in the local transportation of milk and cream, and often in manufacturing as well as in marketing; in fact, these functions can not be worked out satisfactorily without cooperation. The small farms, the newness of conditions, and the distances to market all result in a need for community interest. Necessity is developing a strong appreciation of these facts and the cooperative spirit on the reclamation projects is growing rapidly, among dairy farmers particularly.

THE SHEEP INDUSTRY.

The production of sheep has not been an important feature of irrigation farming. Feed crops grown on irrigated lands have been used extensively in finishing stock produced on the range and in wintering range ewes, but the breeding of sheep and year-long feeding on irrigated lands has not been extensive.

It is to be expected that finishing range sheep and wintering ewes will continue to be important on these lands, but the practice is not without its disadvantages. One drawback is the uncertainty of the market for the finished product. This, together with the high prices usually demanded for the feeder stock, makes winter feeding rather hazardous. Under favorable conditions, however, the farmer who feeds range sheep secures not only a direct profit from his feeding operations, but also a large quantity of manure, through the use of which his crop yields may be markedly increased.

The conditions on several of the reclamation projects are specially favorable for the production of sheep on the farms. Sheep not only furnish a profitable method of disposing of some of the leading crop products, but they are particularly useful in utilizing certain crop by-products and in eradicating weeds. The material left in the grain fields, beet tops, the aftermath in hay fields, and the plant growth in fence rows and on ditch banks can be utilized profitably by sheep. A promising practice for many of the irrigated farms is to graze sheep on irrigated pastures. A pasture which will carry 2 cows to the acre will support 6 to 10 ewes and their lambs until the lambs are ready for market and still produce sufficient feed to carry the ewes through the season. By these means the irrigation farmer on many of the projects can keep from 20 to 100 breeding ewes with profit, the number depending on the size of his land holdings and the grouping of industries on his farm. Ordinarily there is much to be gained by developing pure-bred flocks as soon as practicable.

On certain of the projects which are adjacent to satisfactory grazing lands on the open range or in the National Forests a limited number of irrigation farmers can engage in sheep production on a larger scale. Small groups of farmers, each owning a few hundred sheep, can sometimes arrange to use the range cooperatively and to winter their flocks on individual farms. In this way the flocks may be carried through the summer at relatively low cost and be used profitably in the autumn and winter to consume forage and grain crops and by-products on the farm.

The problems of marketing the wool and mutton produced by the flocks, particularly the small ones, can be solved best by cooperation among the farmers. The same is true of many of the problems of efficient management. Such things as breeding, shearing, and dipping offer many opportunities for advantageous cooperation. Frequently much can be gained by cooperation between the small sheep growers and the large range sheep producers. The latter sometimes will contract for years in advance to purchase from the former all the pure-bred ram lambs produced on the small farms. Thus, a profitable market for half the offspring of the small flocks may be assured in advance, to the benefit of everybody concerned.

If good use is made of the opportunities for cooperation, both among the small farmers and between them and the extensive range sheepmen, there are but few projects where sheep production can not be made a lucrative part of the activities of the irrigated farm. Already there are some successful sheep-growing enterprises on the projects, but the full possibilities can not be realized until community attention is focused upon the industry.

BEEF PRODUCTION.

Like the sheep industry, beef production on the irrigated lands has been confined to the winter feeding and finishing of range stock. Aside from this, the development of an extensive beef-cattle industry on the reclamation projects depends primarily on the availability of cheap summer range. Doubtless there will be some instances of specialized beef production, based largely on the breeding of high-class pure-bred stock, in which the animals will be kept on the farms throughout the year. Except in such instances it is unlikely that the year-long feeding of beef cattle on these small farms will be found as profitable as the feeding of dairy cattle, hogs, and sheep.

Some of the projects are located near grazing areas which are not fully stocked or on which readjustments can be made which will provide range for stock owned by irrigation Where the grazing of these areas is properly controlled and efficiently managed, as in the National Forests, or where arrangements can be made to assure undisturbed occupation and use, there are opportunities for beef production. The proper utilization of such grazing areas would add materially to the crop-disposal possibilities of the adjacent irrigated lands.

Because of the small size of the beef herds which can be fed on these farms, successful summer grazing on the adjacent range lands requires some kind of cooperation. This may consist simply of hiring a herder who, for a fixed charge per head, will handle the stock during the grazing season; or more formal grazing associations may be organized. These associations are growing in number and efficiency on several of the projects and it seems likely that they will continue to increase. The activities of the grazing associations may include the hiring of a salaried herder; the furnishing of salt; systematic efforts to prevent the loss of stock from diseases, poisonous plants, and predatory animals; the furnishing of well-bred bulls; negotiations with the Forest Service and other agencies regarding the allotment and management of grazing areas; and provision for live-stock insurance. It is through increased cooperation, particularly in range utilization, that the beef industry on these projects is likely to reach its best development.

THE GROUPING OF INDUSTRIES.

In the preceding discussion of the different agricultural industries which rank as important on reclamation projects, only incidental reference has been made to their relations to each other either on the individual farm or in the community. These relations are matters of the greatest importance. There are very few situations where a farm or a community survives, still less achieves success and prosperity, through the exclusive development of a single industry. The requirements of crop rotation, the efficient use of labor, and the insurance of some source of income are the potent factors that make a diversification of industries imperative.

The number of industries which it is possible to carry on in any irrigated region is much larger than the number it is usually desirable to have. This enables the farmer to select from among the available industries a few which suit his fancy and appeal to his judgment.

Much of the possibility of success in farming depends upon the proper selection and grouping of major industries. This is a problem that usually can not be settled in advance of practical experience. It is not enough to decide merely to have a diversity of industries. Each should be considered not only as to its own possibilities under the natural conditions, but also in relation to the others with which it is to be associated. If possible, the selection should be such that each will be profitable in itself, but it is sometimes worth while to carry on one industry which yields little or no direct profit because of its indirect benefit to others in the group.

In new regions far from market the farmer should also be influenced in his selection of industries by the opinions or desires of his neighbors. It has been repeatedly pointed out that community cooperation is often essential to success in these irrigated districts, and such cooperation often may be extended to the selection of the kinds of crops or the kinds of live stock that ought to be used.

The important point that needs to be kept in mind is that the problem of the proper selection of industries merits serious consideration. A farmer should not embark upon an industry merely because it is momentarily attractive or because someone else has succeeded with it. He should canvass the whole situation thoroughly and test each industry from the following points of view:

- (1) Is it adapted to local conditions of climate and soil and to the location of the project with respect to transportation and marketing?
- (2) Can it be fitted in with the others that are being considered, so as to permit the effective distribution of labor throughout the year?
- (3) Does it fit in with the others to occupy the available land and either benefit them or utilize to advantage their effects?
- (4) Is it one that may be accepted generally in the community and thus permit such cooperation as is needful for success?

(5) Are the products subject to violent market fluctuations resulting from sudden scarcity or oversupply, so that special persistence is necessary to secure stabilization?

A careful consideration of these questions may determine the measure of success which will follow the farmer's selection of industries.

IMPORTANCE OF STABILIZING INDUSTRIES.

The proper establishment of any of these agricultural industries under the multiplicity of new and strange conditions may require years of time. The new settlers can not reasonably expect to develop in one or two years an efficiency or a reputation which will enable them to compete successfully with older communities. A period of pioneering is inevitable and readjustments are to be expected; but such readjustments should come about gradually and should be in the direction of constructive development.

Substantial prosperity requires that some of the industries in which the settlers engage be stabilized; that plans for their establishment be projected years in advance, just as the bona fide settler projects the plans for the establishment of his home. Periods of depression or adversity must be endured, and ideals of efficiency must be pursued constantly. Frequent and radical changes from one industry to another, stimulated among speculative settlers by market fluctuations, lead to inefficiency and failure. On the other hand, intelligent conservative practices, vigorously and constantly prosecuted, develop high industrial efficiency and thus promote general prosperity in these communities.

The agricultural commodities produced on reclamation projects must be shipped to distant markets. In order to sell to best advantage, these products must be well known in the market and come to be depended upon by the consuming public or the manufacturer. Much of the efficiency of marketing depends upon the establishment and maintenance of recognized grades or standards of the product. Such standards can be established and their recognition secured only by continued effort. These facts have an important bearing and should be considered seriously in connection with any proposal to establish a new industry on a reclamation project.

THE PLACE OF IRRIGATION FARMING IN WESTERN AGRICULTURE.

An unfortunate tendency that has been noticeable in the development of irrigation farming in the West has been to disregard its economic relation to the other agricultural enterprises of that region. The vast areas of laud which surround the irrigated sections have long been important to the country as a whole because of their production of breadstuffs and meat. While the areas available for the production of wheat by dry farming and the range lands used for the support of live stock have been almost completely occupied by these industries, greatly increased production in both lines is still possible. These arid lands are certain to become increasingly important in meeting the requirements of the national food supply. Their possibilities have been by no means realized.

Grain production by dry farming and live-stock production on the ranges are subject to severe vicissitudes because of the periodical fluctuations in climatic conditions. The setbacks resulting from adverse seasons often cripple the farmers and stockmen to such an extent that they can not take advantage of the more favorable seasons that follow. The proper development of irrigation farming may be expected to aid in surmounting such difficulties, to the benefit of all concerned.

The irrigated lands that enjoy conditions favoring the high production of forage crops may properly become important as centers of stock feeding, not only in finishing stock but in wintering range stock and in carrying the animals through protracted periods of drought. Such enterprises not only furnish an economical means of utilizing the crops of the irrigated land, but also provide an outlet for some of the grain from adjacent dry farms.

The irrigation farmer who is confronted with the problem of marketing his crop products would do well to consider the possibilities that lie at hand in the way of cooperating with his neighbors on the dry farms and on the ranges. They, like himself, are subject to serious economic stresses. Some of these may be relieved through a better understanding of the situation and by making gradually such readjustments as are possible.

Irrigation farming has been the subject of extravagant exploitation, as well as the cause of severe disappointments. As a matter of fact, it ought to be regarded merely as one of the ways of making a home and a living and not primarily as a means of making money. Irrigated lands may be expected to support prosperous communities wherever industry and intelligence are devoted to the work. In some respects irrigation farming is probably less hazardous than some other agricultural enterprises, but success can be assured only by diligent and persistent endeavor.

THE DASHEEN; ITS USES AND CULTURE.

By Robert A. Young.

Botanical Assistant, Office of Foreign Seed and Plant Introduction, Burcau of Plant Industry.

INTRODUCTION.

ANYONE who has traveled much in the Tropics or the Orient, and especially one who has visited the Hawaiian Islands, can hardly have failed to make the acquaintance of the taro. Even those who have become well acquainted with it and learned really to like it, however, probably have not thought of the possibility of its successful introduction as a food crop into the United States. But such a thing has already come to pass, and a variety of the taro known as the Trinidad dasheen, from the island of Trinidad, West Indies, is now becoming established as a factor in the agriculture of the South.

There has been a growing need in the Southern States for more crops similar in character to the potato, to supplement the supply of that great staple food plant. The dasheen seems largely to meet this need. The comparative difficulty of growing more than one good crop of potatoes a year, the further difficulty of successful storage by small growers or dealers, and the fact that northern markets consume a large portion of the crop at good prices make the price of potatoes always high except in cities that are reached by water from the North when the supply is abundant there.

Dasheens for home use can be grown at small expense by most farmers in the South, and by many can be grown for local markets at prices no higher than for potatoes. Since the Trinidad dasheen contains about 50 per cent more protein and 50 per cent more starch and sugars than the potato, dasheens at equal prices would really be a cheaper food. This crop is adapted for cultivation in rich, moist, well-drained soils and matures in October and November. It requires at least seven months to reach full maturity.

Although the dasheen was introduced into the United States from the West Indies, it is believed to have come originally from China. This belief obtains partly because the name dasheen appears to be a corruption of the French phrase "de la Chine," meaning "from China," and partly because other varieties, very closely allied to it, have been found in southern China.

DESCRIPTION OF THE DASHEEN.

The Trinidad dasheen is an especially fine variety of a particular type of the taro. As will be seen from the leaves, it bears a strong resemblance to the ordinary elephant-ear plant. The two are closely related, though the elephant-ear "tuber" makes very poor eating in comparison with the dasheen.

Each hill of dasheens usually contains one or two large, central corms, besides a considerable number of lateral cormels, commonly called tubers. In rare cases there may be as many as three to five of the large corms in one hill. The corms of the Trinidad variety when grown in the right kind of soil are of at least as good quality as the tubers, and sometimes better. In texture and flavor the dasheen may be described as being between the chestnut and the potato.

ECONOMIC IMPORTANCE OF THE DASHEEN AND OTHER TAROS.

The taro, including the type recognized here as the dasheen, is one of the important food plants in most of the warm regions of the world. The culture of the crop is probably developed to a higher degree in the Hawaiian Islands than elsewhere. It is grown as an upland crop in certain parts of the islands, but much more extensively under irrigation. As an irrigated crop it is usually grown in patches from one-eighth to one-fourth acre in size, each plat being inclosed with dikes and being at a different level, so that the water runs from one to the other. The movement of the water is slow but continuous. The plants do not grow so tall as when grown in rich soil that is only moist. The season required for maturing a crop varies from 8 to 15 months, depending on the variety.

¹ Certain varieties of taros resemble the Trinidad dasheen, especially in the character of the tuberous part of the plant. These varieties constitute a distinct type of taro and are referred to here as dasheens. Where the dasheen is mentioned in this article the Trinidad variety is always to be understood.



P11820FS

Fig. I.—Taro Fields near Honolulu, with Diamond Head Crater in the Background.

The dasheen is a fine-flavored variety of the taro, a root vegetable grown extensively in Hawaii and widely in other warm regions of the world. Taro fields are flooded, while the dasheen grows without irrigation in the Southern States.



FIG. 2.-DASHEEN PLANTS AT BROOKSVILLE, FLA.

15814FS


Hills as they appear at the time of harvest, early in November, 7½ months after planting. One of these hills produced 26 pounds of corms and tubers. A good average yield, however, in rich soil is from 6 to 8 pounds per hill, or 360 to 475 bushels per acre.



Fig. 3.—A 4-Acre Field of the Trinidad Dasheen.

PLICISES


Plants as they appeared early in October at the United States Plant Introduction Field Station, Brooksville, Fla. This field of dasheens is a little more than 6 months old. The dasheen was first introduced into this country from the island of Trinidad, West Indies, in 1905.



P19477FS

FIG. I.-A TYPICAL CORM OF THE TRINIDAD DASHEEN.

The cooked dasheen, in texture and flavor, is between the chestnut and the potato. The dasheen contains about half again as much protein and half again as much starch as the potato, and is consequently much drier. The corm here shown weighed 2½ pounds. The rings around the corm are the leaf scars, and the large light spots on the lower half are the scars formed by breaking off the side tubers. Some corms are more nearly spherical and others are more elongate, depending upon the soil and weather conditions and the length of the season.



010:10:50

Fig. 2.—TWENTY-THREE POUNDS OF DASHEENS, THE PRODUCT OF A SINGLE HILL.


In the center are five marketable corms, having a total weight of 113 pounds. Most hills, however, produce only one or two large corms each. At the left are eight first-grade tubers, which weighed 23 pounds, making a total of 114 pounds of first-grade marketable dasheens. In the pile of tubers on the right some are of size and shape good enough to be classed as second-grade for market. The remainder are suitable for home table use, for seed, or for stock feed.



D11884ES

FIG. I.—A HAWAIIAN POUNDING POI, NEAR LIHUE, ISLAND OF KAUAI, HAWAII.


Poi, the famous Hawaiian dish made from the taro, of which the dasheen is a selected variety, is an easily digested fermented food used often by Americans in Hawaii as a breakfast dish. It was formerly all made by this method, the taro being first cooked by steaming by means of heated stones in a pit.



P19787A-FS

FIG. 2.—A BED OF FORCED AND BLANCHED DASHEEN SHOOTS, FROM WHICH THE COVERING HAS JUST BEEN REMOVED.


In forcing and blanching dasheen shoots in the North, corms weighing 2 to 4 pounds are planted in a bed of moist, very sandy soil, with bottom heat, and the bed tightly inclosed above with boards or other material, to exclude light. The shoots are delicate in flavor and texture, the flavor suggesting that of mushrooms.



158G0FS

FIG. I.—A CASSEROLE OF SLICED DASHEEN, BUTTERED, WHICH WILL BE READY FOR SCALLOPING AFTER THE ADDITION OF MILK.

Dasheen corms or tubers are pared raw and sliced with a fluted vegetable slicer. The cooking of this dish requires only a little more than half as long as scalloped potatoes. When well prepared it is one of the most satisfactory dishes made from the dasheen. Plain slices instead of latticework may be used.



P19422F

Fig. 2.—Stuffed Dasheen in the "Half Shell," for Individual Service.

In preparing stuffed dasheens, the corm is cut from top to base and baked; the contents are then removed, seasoned, and returned to the half shells.




FIG. I .- DASHEEN CRISPS.

Raw dasheens are pared and sliced with a fluted slicer and fried slowly to a light brown in deep fat. For certain purposes this is one of the very best ways in which the dasheen can be prepared. They will often remain crisp for a week or more, if not exposed continuously to the air.




FIG. 2.—ROLLS MADE FROM WHEAT FLOUR IN COMBINATION WITH BOILED DASHEEN.

Bread made in this way is similar to that made with boiled potato in that it keeps moist longer than when flour alone is used. The bread is sometimes a little darker because of the dasheen, but the flavor is in no way impaired. One part of dasheen to two or three parts of flour gives excellent results.




FIG. I.-DASHEEN CORMELS OR "TUBERS."

P19478FS


Tubers of the grade here shown are referred to as first-grade tubers and are about twothirds natural size. With many of smaller size or irregular shape, they grow clustered around one or more large corms. Under proper soil conditions they are of excellent quality and command a much better price than the smaller and irregularly shaped ones.



P15827FS

Fig. 2.—Two Barrels of Dasheens Ready for Covering and Shipping.

They are usually covered with burlap. The holes near the top and similar ones near the bottom are for ventilation. The barrel at the right contains corms and that at the left selected tubers. When dasheens are well grown there is usually little difference in flavor and texture between the corms and tubers, though the corms are a little more mealy and many persons prefer them. The railroads have placed the dasheen on the same basis as the potato in freight classification, which makes it possible to ship dasheens in barrel lots to many northern points at a very moderate expense for transportation.



P8960FS

FIG. 3.—AN II-POUND HILL OF DASHEEN CORMS AND TUBERS, WITH SOIL AND ROOTS REMOVED, IN ACTUAL POSITION OF GROWTH.

The taro is eaten in Hawaii boiled or baked, like potatoes, or in the form of poi. It is as poi that it is eaten most largely. In making poi the taro is theroughly cooked, by steaming or boiling, and peeled. With the addition of a little water it is then reduced, either by pounding with a stone pestle or pounder, the old method, or by grinding with a medern mill, to a sticky mass. The pounding process includes the wetting of the empty hand in a vessel of water, kept at the side, at each fall of the pounder and moistening the lower surface of the pestle as it is lifted for the next stroke. When the paste, or poi, has become perfectly smooth from the pounding, it is usually put into a covered receptacle for a day or so, in order to ferment. Poi made by the modern process is fermented in the same manner. The old method is still in use to a limited extent.

The taro is credited, wherever grown, with being more easily digested than most other starch foods, and poi is held to be the most easily digested form in which it can be prepared. Poi, however, is a dish that does not appeal strongly to most persons unaccustomed to it, and its use has not spread among other peoples. The expected increase in the use of the dasheen, and perhaps other taros, will be as a vegetable, or in the form of flour for use in combination with wheat or other flours in baking.

In many countries where the taro is cultivated, because of the inferiority of the varieties grown and the poor methods of cooking it, the vegetable is esteemed but little by Europeans and Americans. In parts of China, according to Mr. Frank N. Meyer, Agricultural Explorer for the Department of Agriculture, the taro is in the class of luxuries, and the very poor can rarely afford to eat it. In Japan, where it is classed among the so-called imos, it is said to be used by all classes of people, often being cooked with fish.

The taros and the yautias (another group of edible "aroids," as the plants of the arum family are called) are grown widely in tropical America and constitute a rather important part of the food supply of the native peoples. Dasheens, under the name "malanga," are brought from Cuba to Tampa, Fla., for the Latin-American people of that city.

For two centuries at least, from time to time, individuals have brought into the Carolinas and grown there on a small scale inferior varieties of the taro. Even now occasional patches of a rather strong flavored taro, known as the tanier, or tanya, are met with in the South Atlantic States.

A very inferior kind of taro, somewhat similar to the tanier just mentioned, is grown in the eastern Mediterranean region, especially in Egypt, where it is called "qolqas." It appears to be eaten only by the laboring classes. It has been imported into the United States, apparently for consumption by the oriental population in some of our eastern cities, but this market is now supplied by dasheens from the Southern States. Taros are also shipped to America from China and are sold in Chinese shops as "China potatoes."

INTRODUCTION OF THE DASHEEN.

Until the investigation of the aroid root crops was begun by the Department of Agriculture a few years ago, it does not appear that any serious attempts were ever made to grow them outside of tropical or subtropical regions except in Japan and China. As a preliminary part of this investigational work, there was assembled, first by Mr. O. W. Barrett, at the Porto Rico Agricultural Experiment Station, and later at Washington, D. C., the largest collection of varieties of these plants ever brought together. They were collected from every quarter of the globe where grown. From field tests made of these varieties in South Carolina and Florida it was found that the Trinidad dasheen, taking into account its adaptability to the climate and its food qualities, was especially well suited for culture and use in this country.

The propagation and testing work with the dasheen since 1911 has been carried on by the department principally at its Plant Introduction Field Station at Brooksville, Fla. A large number of people in the South, especially in the Southeast, are now growing the dasheen for home use, stock feed, and market.

USES OF THE DASHEEN.

It is not intended that the dasheen shall displace either the potato or the sweet potato in any market. A greater variety of starchy vegetables is needed, however, and the dasheen has been welcomed by many as an addition to the small list

of those foods now in use in the United States. But for the present, at least, outside of the regions where grown it is not to be looked upon as a cheap food; the shipments are not yet large enough to bring the prices to the level which they may reach later. In the South, however, where the dasheen is grown it is expected that it will eventually come to be used extensively, partly as a matter of economy, and especially during the long season when potatoes have to be shipped from the North.

Most persons when eating the dasheen naturally think of comparing it with the potato. Many say they like it better; others equally well; and some not so well. However individual opinions may differ as to the relative merits of the two vegetables, a sufficiently large number of persons who have tried the dasheen have been so favorably impressed that there seems to be no question of its ultimate popularity as a table vegetable.

Dasheens, as well as other taros, are reputed to be more easily digested than many other starch foods. This ease of digestion has not been scientifically demonstrated, so far as is known, but the belief is current and doubtless has some basis in fact. The extremely small size of the taro starch grain, one of the smallest known in food plants, may possibly have some connection with its digestibility.

PREPARATION FOR THE TABLE.

Dasheens are suitable for use in the same manner and in quite as many ways as potatoes, with slight modifications, which are necessary in some cases on account of the differences in the texture of the two vegetables. Some housewives or cooks fail to get the best results, or fail completely, with dasheens at first, wholly from lack of care in following the directions for cooking and serving. It should be remembered that in order to give a new vegetable a fair trial every detail regarding its preparation for the table should be carefully followed. One common mistake is to bake or boil the dasheens too long; another is to cook them before the rest of the meal is prepared and so keep them standing for some time before they are served. Baked or boiled potatoes that are kept standing lose in palatability, and the dasheen loses quite as much if not served promptly. Dasheens do

not require quite so long a time to cook as potatoes of the same size, and it is important to remember this, especially in boiling or baking them.

There is an almost endless variety of ways in which dasheens can be prepared for the table. A number of recipes have been worked out carefully and a few of these will be referred to here.

Baking is the most satisfactory method, in general, of cooking either large or small dasheens. Large ones (corms) are usually first parboiled for 10 to 20 minutes, in order to reduce the time necessary for baking and so avoid the possibility of charring the outside. A moderately hot oven is required. If the dasheens are well scrubbed, to remove the fibrous part of the skin, and the baking is properly done, a soft crust is formed, which is very delicious. Large dasheens may be served in the "half shell" if desired, the corms usually being cut in half before baking. They are made still more attractive by placing a lump of butter in a hole scooped out of the center of the cut surface. The halves of corms that are small enough can be served as individual portions and the larger ones used for several persons.

The interior of a well-grown dasheen is usually mealy when baked or boiled, though often more firm than a potato. It is sometimes of cream color, but more often it is grayish white or tinged with violet. The same seasoning is used as for potatoes, but on account of the comparative dryness of the dasheen more butter or gravy is generally needed. Too much importance can not be given to serving baked or boiled dasheens promptly after they are cooked.

Dasheens mashed like potatoes are likely to be too sticky to be attractive, but when put through a potato ricer after boiling or baking they make a most satisfactory dish. A ricer stronger than the ordinary ones on the market is desirable for the dasheen, because of its firm texture.

Scalloped dasheen made with either latticework or plain slices is a most satisfactory dish where a large company of persons is to be served and where the dish must of necessity stand for a time. The addition of a few slices of onion will bring out the dasheen flavor.

Stuffed dasheens, especially the large corms, are exceedingly attractive and when properly seasoned are as good as

they look. The stuffed halves may be served one to a person or one for several persons, according to the size of the corm.

Dasheen crisps, made from raw dasheen with a fluted vegetable slicer and fried in deep fat, are declared by some epicures to be the most delicious of all dasheen dishes. The delicate nutty flavor of the dasheen is accentuated by this method of preparation. While these crisps are better when freshly made, they often keep their crispness for several days, depending on the amount of moisture in the air.

As a filling for fowl and other meats the dasheen can hardly be surpassed. Served au gratin, that is, cooked with grated cheese, it is equal to any similar dish. It makes a delicious salad and may be French fried or German fried, like potatoes. It can also be used boiled in making bread, as potatoes are used by many housewives, and with the same results.

DASHEEN FLOUR.

A very good flour has been made from dasheens. The corms and large tubers are pared and either sliced or shredded and then dried and ground in a flour mill. As the dasheen does not appear to contain gluten, the flour can not be used alone in baking, but must be used in combination with wheat or rye flour. Excellent bread, muffins, biscuits, crullers, griddlecakes, soups, and various other products are made by using dasheen flour in part. A proportion of one-fourth or one-third of dasheen flour is generally used.

DASHEEN SHOOTS.

A secondary use of the dasheen is the forcing of the large corms for their shoots. These shoots are more tender than asparagus and have a delicate flavor not unlike that of mushrooms. They are forced in the dark in order to blanch them. The slight acridity which the blanched shoots contain is destroyed by the following methods of cooking:

(1) Cut the blanched shoots into 2-inch lengths, pour on an abuniance of boiling water, add salt, and boil for 12 minutes; drain, pour on enough cold milk ² so that the shoots will be completely covered

¹A circular fully describing the forcing, blanching, and cooking of dasheen shoots will be sent without charge upon request to the U.S. Department of Agriculture. Washington, D. C.

²The change from hot water to cold milk or water when the shoots are nearly done is to keep them from becoming too soft.

when it boils, season with salt, and boil for 5 minutes; drain, season with butter, and serve on toast or plain. It is necessary to add a little butter to the milk in boiling if skim milk is used. Cream sauce may be used in serving if desired.

(2) Instead of boiling in milk, after draining off the first water add a little piece of butter or bacon¹ and then cover the shoots with cold water, season with salt, and boil for 5 minutes. Drain and serve.

DASHEENS AS STOCK FEED.

Although extensive feeding experiments with the dasheen have not yet been made, as a stock feed it is probably equal in value to the potato, sweet potato, or cassava. For this purpose, however, as with potatoes and sweet potatoes, dasheens will, in general, be used only incidentally, as in cases of overproduction or of dasheens unsuited in size or quality for market. They seem, in the raw state, to be more palatable to stock than potatoes and, while doubtless less palatable than sweet potatoes, they contain a higher proportion of protein to starch and sugars than sweet potatoes. Both cattle and hogs eat them with relish after getting the taste, and pigs 8 months old have been fattened for the market in a month by turning them in the autumn into a patch of dasheens.

CULTURE OF THE DASHEEN.

PLANTING.

Dasheens are adapted for commercial culture only in the Southern States. They require a frostless season of at least seven months, with plenty of moisture, to fully mature a good crop. For a large crop of good quality the dasheen must be grown in a moist but well-drained rich sandy loam. The addition soon after planting of a fertilizer containing 8 to 12 per cent of potash, even in good soil, as a rule has a beneficial effect on the crop. A large proportion of either clay or muck in the soil produces strong-flavored or tough dasheens, which often are quite unfit for table use. However, those grown in muck soil yield heavily and are reported to be entirely satisfactory for stock feed.

Planting is done in February in southern Florida and as late as the early part of April in South Carolina. Whole

 $^{^{\}mbox{\scriptsize 1}}$ The butter fat of the milk, or the bacon fat, appears to assist in destroying the acridity.

tubers are used and are planted singly, 2 to 3 inches deep. Tubers weighing 3 to 5 ounces each are better than smaller ones for planting, although the character of the soil and the amount of moisture present are much more important factors than the size of the tubers.

In rich soil about 12 square feet is allowed for each plant, the spacing being 4 by 3 or $3\frac{1}{2}$ by $3\frac{1}{2}$ feet. This permits horse cultivation with the ordinary farm implements.

Recently the dasheen has been found to be subject to the common root-knot¹ disease of the South, which attacks many cultivated plants and weeds. The effect of the disease is to reduce the yield of dasheens. The spread of root-knot in dasheen culture is largely controlled by reserving for seed the tubers from selected, healthy plants only and planting in land that is free from infection.

HARVESTING.

The digging of dasheens for home use can usually begin in the middle of September and the main crop be harvested at any time after the last of October. The digging can be done with a spade, or when the area is large enough to warrant it the plants can be turned over with a plow. When the dasheens are to be stored or shipped, the soil is shaken from the clumps as soon as possible after digging. The clumps are then left on the surface of the ground in the field for two to four days to dry. The tops and feeding roots are then broken from the corms and tubers.

In localities where autumn frosts are severe, harvesting should be done before they occur, as the corms and tubers are likely to be injured if exposed to frost after digging.

STORAGE.

When dasheens have dried sufficiently in the field and are stored, free from soil, in a covered but well-ventilated place, they usually keep well. It is better not to store them in large piles, but to spread them out so that the air can circulate rather freely among them. There are several rots² that are likely to attack dasheens in storage, or even while

¹Byars, L. P. A nematode disease of the dasheen and its control by hot-water treatment. Phytopathology, vol. 7, No. 1, January, 1917.

² Harter, L. L. Storage-rots of economic aroids. Jour. Agric. Research, U. S. Dept. of Agriculture, vol. 6, No. 15, July 10, 1916, pp. 549-572.

on the ground, if the dasheens are left lying in the field too long after digging or otherwise are improperly handled in harvesting or storing.

The fibrous covering of dasheens in the field seems to enable them to withstand for a short time temperatures several degrees below freezing before digging, but a temperature in storage even as low as 41° F., if prolonged for several weeks, has been shown to be very injurious to them. The results of experiments indicate that where the storage temperature can be controlled, temperatures in the neighborhood of 50° F. are better than lower or much higher ones.

SHIPPING.

The dasheen is a good shipper, and as the railroads of the country have cooperated with the department so far as to place the new vegetable on the same footing as the potato in freight classification, shipment in barrel lots to most eastern and northern points is entirely practicable. The same protection against cold should be given dasheens in transit as is given potatoes.

The department is glad, so far as possible, to direct intending purchasers of dasheens to the most convenient commercial sources of supply.

CONCLUSION.

The dasheen is a recently introduced root crop, well adapted for culture in the Southern States. It is very similar to the potato in its food characteristics, but contains a higher percentage of nutritive material than that vegetable, owing to its lower water content. The flavor is delicately nutty. The crop matures in the autumn, when potatoes have to be shipped from the North, and is a good keeper. There seems to be no reason to doubt, therefore, that in time it will become firmly established in southern agriculture and be a welcome addition also to the limited list of starchy vegetables at present found on northern markets. Dasheens are easily shipped and the freight rates are no higher than for potatoes. The successful establishment of the dasheen industry means a new and valuable food crop for the Nation as a whole and at the same time an additional source of income for the South.

AN EXPERIMENT IN COMMUNITY DAIRYING.

By R. R. Welch,

Dairy Division, Bureau of Animal Industry.

OUTLINE OF THE WORK.

COMMUNITY development in dairying was undertaken by the United States Department of by the United States Department of Agriculture in the typical small-creamery community at Algona, Iowa, in September, 1910, to determine the practicability of employing a skilled instructor to assist in the development of successful dairy farming. Algona was chosen because it was a representative small-creamery community where little attention was given to real dairy farming and because of its stability, due to the fact that 65 per cent of the patrons lived on farms which they owned. Algona is in Kossuth County and has 3,500 inhabitants. The land in that region is naturally fertile. The farms vary in size from 20 to 200 acres, the average being about 160 acres. Most of the farmers were engaged in grain farming and stock raising, dairying being only a side line. When the experiment was started there were 44 farmers who, throughout the previous year, had regularly patronized the creamery, and 20 others who were patrons for only a short time in the summer.

Fifty of the herds contributing milk or cream to the creamery were divided as follows according to breed: Purebred Shorthorn 3, grade Shorthorn 33, purebred Red Polled 2, grade Red Polled 4, grade Guernsey 3, grade Jersey 2, purebred Holstein, Angus, and scrub, 1 each. The average number of cows in each herd was approximately 12. Forty pure-bred bulls were in service—3 Guernsey and 3 Jersey; the remainder were beef breeds.

The farmers in the community had grown and fed beef cattle for many years, and were not accustomed to feeding for milk production. Little clover hay was grown, and the feeds available were unsatisfactory for the production of milk. Timothy and bluegrass were in general use for sum-

mer pasture. Cows were put on pasture too early in the spring, and turned into the cornfields after the corn had been picked in the fall. On most farms they were allowed to remain in the fields of standing stalks until late in the winter. Only seven silos were found in the community, and little corn fodder was saved. Few farmers were interested in improving their cattle along dairy lines, and none kept dairy-production records.

THE FIELD MAN.

The Algona development project has been constantly in charge of a field man. He was furnished with a horse and buggy, which enabled him to make personal visits to all patrons of the creamery. His first work was to create an interest in dairying, and especially in better dairy methods. He assisted farmers in culling out the low producers from their herds, helped them select better bulls, drew plans for new dairy barns, assisted in remodeling old ones, helped lay concrete floors, and advised concerning the proper lighting and ventilation of dairy barns and the construction of silos. In all this work economy and efficiency received equal attention.

Under his direction the farmers began feeding for large and economical production, they kept individual production records, and many eliminated all animals that reacted to the tuberculin test. They reduced the expense of raising calves by shifting them earlier from whole milk to skim milk, used stanchions to save labor in feeding, and utilized suitable feeds to insure maximum growth. Through his influence the barns and yards were kept clean and sanitary, and the milk utensils were properly sterilized. Milking was done under sanitary conditions, the milk properly separated, and the cream immediately cooled and kept cool until delivered at the creamery.

These changes added little either to labor or expense, but practically did away with the delivery of sour cream at the creamery and resulted in better prices for butterfat. By constantly watching production costs and by working earnestly for cleaner dairy products and better prices, the farmers soon brought dairying in that community to a more profitable basis.

SPECIAL MEETINGS, PICNICS, AND CAMPS.

During the winter months special dairy meetings were held in the town or at a farm home. At each meeting a dairy problem was discussed and an effort made to get at the real facts. For instance, one meeting was designated as a "silo special." In this case invitations were sent to other creamery communities in the county. As a result, many silos were constructed in the community. Special meetings were also held for the study of dairy cattle, alfalfa, cowtesting associations, and various other dairy subjects. After each meeting the field men followed up the work by personal visits to the farms.

Farmers' picnics were held several times during the summer months, usually on some patron's farm where the best dairy methods could be observed. The farmers, their wives, and children went to the meeting in the forenoon and carried picnic dinners. During the forenoon the farmers inspected the buildings, live stock, and crops. In the afternoon, speakers from the State agricultural college and from the force of the State dairy and food commission were present. Local farmers also took part in the program and discussion, and the women and children assisted with music, readings, and recitations.

To interest the boys in dairying, and through them to influence their parents to adopt better methods, two encampments were held. Twenty-seven boys attended the first and a larger number the second. Tents were erected on a camping ground on the bank of a stream near one of the bestequipped dairy farms in that section. The boys prepared their meals, and did all other necessary work in connection with the maintenance of the camp. Baseball, swimming, and boating furnished amusement. At certain hours each day the boys visited the dairy farm and received instruction in the selection of dairy cattle; the feeding, care, and management of dairy stock; and the proper care of milk and cream. They studied the arrangement of the dairy barn, its light, ventilation, and sanitation, and noted the cleanliness of everything about the milk house. Opportunity was given to study the construction of the silo and to note the quality and condition of the silage. The boys learned to operate the Babcock tester and the cream separator. They

saw the cows milked properly, and watched the weighing and recording of each cow's milk. The ideas of modern dairying acquired during the encampment were instrumental in influencing the boys' parents to make improvements in every line of dairy-farm management.

One winter a school of agriculture and domestic science was held in Algona, the instructors being furnished by the extension department of the Iowa State College of Agriculture. The course in agriculture included dairying, stock judging, and corn judging; and the course in domestic science consisted of lessons in cooking and sewing. From 4 to 5 o'clock each afternoon the schoolboys had work in judging corn and cattle, and the girls were instructed in cooking and sewing.

THE CREAMERY BUTTERMAKER.

The buttermaker of the Algona creamery worked in close cooperation with the field man, and assisted greatly along all lines of community development in dairying. His advice was especially helpful in dairy-herd improvement and in getting the farmers to adopt better methods of caring for milk and cream. He made many improvements in the creamery and greatly increased its efficiency. The average overrun for the year previous to the beginning of the study was 16.3 per cent, while that for 1915 was nearly 23 per cent. Better sanitary conditions on the farms and in the creamery improved the quality of the butter, and the better product brought better prices. A system of grading cream was established, and a premium paid for sweet cream. This gave the farmers more money with which to extend and improve their dairies. The modern methods established in the creamery attracted the attention of buttermakers in other creameries and influenced them to make many improvements. During the last year of the work a butter-scoring contest, open to all the buttermakers of the State, was held at Algona.

On January 10, 1914, the assistant State dairy and food commissioner of Iowa inspected and scored the Algona creamery for the purpose of determining whether the creamery should be granted the right to use the State butter trade-mark (fig. 6). To obtain this right a creamery must score 93 or better. The Algona creamery passed the test with a score of 99.




Fig. 1.—The Old Creamery at Algona, Iowa, which was Used for a Few Years After the Experiment in Community Development Began.




FIG. 2.—THE NEW MODERN SANITARY CREAMERY AT ALGONA, IOWA, WHICH REPLACED THE CREAMERY ILLUSTRATED ABOVE.

FAR-REACHING EFFECTS OF THE WORK.

The development of the community experiment brought about the organization of a county buttermakers' association to encourage the extension of the work throughout the county and into other counties. A cow-testing association, organized in 1913, is assisting in determining which dairy animals should be disposed of, and is raising the average production and profit from year to year. A Holstein breeders' association was organized to promote the interests of that breed, and similar associations will be formed in the near future to look after the interests of other dairy breeds. The

influence and support of the creamery board of directors was of much assistance. The members of the board were always prompt in making improvements in the creamery on the recommendation of the field man, and the board's influence was a potent factor in promoting better dairy methods throughout the community. A whitewash pump was provided, to be lent



Fig. 6.—Butter trade-mark.

to patrons. This encouraged the farmers to improve the appearance and cleanliness of the interior of their barns.

The local press gave much publicity to the dairy movement. One of the papers published a dairy column each week, using material written by the field man. A part of the column was devoted to local dairy-farm news, and occasionally the good results accomplished on some particular farm were emphasized. The papers also advertised dairy meetings and reported the work accomplished.

PROFITABLENESS OF THE WORK.

At the end of the five-year period a complete survey of the community was made to determine the results accomplished.

The following table shows net profits due to increased production per cow and to improvement in the quality of cream.

	Increased net income from larger and more economical production of butteriat.	Increased net income due to better quality of butter manufactured.	Total net pro t to patrons.
1911		\$2,000	\$2,000
1912	\$2,694	2,309	5,003
1913	3,965	2,422	6,387
1914	6, 435	2,641	9,076
1915	6,956	2,687	9,643
	20,050	, .	32,169
Salary and	expenses of fie	eld man for 5	
years	11,196		
Net prof	ìt above salary	and expenses	
of fierd	20,973		

Sources of increased profits to creamery patrons.

During the 30-day period ended March 15, 1916, the cowtesting association records showed that there were 32 cows which gave more than 40 pounds of butterfat each, the highest being 71 pounds. The work of the cow-testing association, by eliminating low producers, added much to the value of every herd tested. The net financial gain through dairy-herd improvement due to selection, breeding, and feeding can not be closely estimated, but it is doubtless greater than the net gain from dairy products as itemized above.

As an example of the cash value of cow-testing records, the local auctioneer estimated that one farmer sold 19 head of dairy cattle at an average price from \$10 to \$12 a head more than he otherwise would have received.

CAUSES OF INCREASED PROFITS.

As the work progressed unprofitable cows were eliminated, better bulls were obtained, and up-to-date feeding methods were adopted. In order to reduce the cost of milk production much attention was given to the growing of such feeds as clover, alfalfa, and silage corn. During the five-year period the number of silos was increased from 7 to 44, or

more than 600 per cent. Many herds that had been without shelter even in the coldest winter weather, and that had been compelled to gather a large part of their feed in the cornfields, are now kept in comfortable barns and fed good rations, economically balanced. The water supply for dairy cows had previously been furnished in an open tank which in midwinter was often covered with several inches of ice, but now in cold winter weather tank heaters are in use on a large percentage of the farms.

In January, 1913, in competition with associations from 14 States, the Kossuth County Buttermakers' Association took the gold and silver medals for butter made from gathered cream, and during the same year the Algona buttermaker won several first prizes, among which was highest score at the National Dairy Show. This, in a way, illustrates the improved dairy conditions on the farms. Before the development work began, 90 per cent of the cream was delivered in a sour condition, but during 1915, 89.4 per cent of all the cream received at the creamery was sweet, and the remainder, though sour, was of good quality. By following the advice of the field man, all improvements were made at little cost, and the net profits were very large in comparison to increased cost of production.

CONTINUANCE OF THE MOVEMENT.

Even without assistance, it seems certain that the Algona community will continue the development already started. Members of the cow-testing association and of the Holstein breeders' association are much interested in the continuation of the dairy movement. Since the beginning of this project the county-agent movement has met with great success in all parts of the country, and it is believed that community development in dairying can be carried on with advantage in close cooperation with, and perhaps under the direction of, county agricultural agents.

WHAT HAPPENED TO THE OLD CREAMERY.

The old creamery at Algona was on land owned by a railroad, close to the stockyards, in an out-of-the-way place which was far from sanitary, and the machinery was in need of repair. Financial conditions were such that the old building had to be used until the development work improved the financial condition of the organization and permitted the construction of a new building. During this period every effort was made to keep the old building and equipment neat and clean. The results showed that much was accomplished in spite of adverse conditions.

The old creamery was discarded in 1914, and a modern brick-and-tile building was erected on the main street in the business section of the town. The general plan of this building was designed by the Dairy Division of the Bureau of Animal Industry and embodies the latest ideas on convenient and sanitary arrangement. Many creamery boards of directors from various parts of the State already have visited the creamery with the idea of incorporating the improvements in new creamery buildings soon to be erected in their own communities.

BETTER FARM HOMES.

As financial prosperity increased, living conditions among the farmers became more comfortable. When the work began, modern conveniences in farm homes were not common. At the end of the five-year period 18 patrons used furnace heat in their dwellings, 16 had gaslight in their homes, 4 had small electric-light plants, and 21 homes were equipped with baths and running water. The special dairy meetings, farmers' picnics, and boys' encampments developed a community spirit which greatly improved social conditions. The financial gain is the one most readily measured, but it is only a small part of the total results that came from this experiment in community development in dairying.

SUPPRESSION OF THE GIPSY AND BROWN-TAIL MOTHS AND ITS VALUE TO STATES NOT INFESTED.

By A. F. Burgess,

In Charge of Gipsy Moth and Brown-tail Moth Investigations, Bureau of Entomology.

Mass., which was destined to cause enormous expense and trouble in that community and throughout the neighboring States. About 1869, Prof. Leopold Trouvelot, a French naturalist who was a resident of Medford, introduced a few egg clusters of the gipsy moth for the purpose of conducting experiments on silk culture. During the course of the experiments some of the caterpillars escaped. Realizing that the insect was a serious pest in Europe, he made a careful search on the trees and in the woodland nearby for the purpose of destroying any that could be found. He also notified the Department of Agriculture at Washington. None of the insects which had escaped could be found, but as no injury resulted during the next few years, it was thought that the matter was not of great importance.

About 20 years later the neighborhood was invaded by swarms of caterpillars which were supposed by most of the residents to be a native species that had become unusually abundant. A study of the matter developed the fact that the insect which was defoliating the trees was the notorious gipsy moth of Europe and that it had become firmly established in the locality in which it had originally escaped and throughout the immediate surroundings. Its slow increase seemingly was remarkable, but this has been accounted for by the facts that the wood and brush land in the neighborhood was burned over every few years by forest fires, that insectivorous birds and other natural enemies were at that time abundant in the neighborhood, and that the destruction of a few caterpillars when the species was very rare would result in holding down the increase for a number of years.

The city of Medford and the State of Massachusetts soon interested themselves in a campaign to destroy this insect. It had become so abundant in many places during the early nineties that the trees in the residential sections were de-

foliated completely during early summer, and the caterpillars swarmed into houses, making themselves a general nuisance throughout the community. In some sections it was impossible to rent property on account of the abundance of the caterpillars, and real estate values declined rapidly. For 10 years a desperate battle was carried on by the State of Massachusetts to exterminate the insect, and during that period it was found to occur in greater or less numbers throughout 30 towns and cities, principally toward the north and west of Boston. This work reduced the infestations to such an extent that many citizens who, during the first part of the period, had been seriously annoyed by the pest, or had suffered severe loss from it, came to the conclusion that because it was seldom seen the work was unnecessary and no harm would result if measures for its control were discontinued.

In 1897 another foreign pest, namely, the brown-tail moth of Europe, was discovered in Somerville, Mass., and the effort to bring this insect under control added to the State's financial burdens. The caterpillars of this moth are provided with hairs which cause severe itching and urtication when coming in contact with the human skin, producing an eruption which is known by those who have experienced the trouble as the "brown-tail rash." Thus, while the gipsy-moth caterpillars were a nuisance on account of their large size and disagreeable appearance, the presence of caterpillars of the brown-tail moth in large numbers was actually unbearable on account of the poisoning which resulted to the residents.

Enough pressure was brought to bear, however, in the fall of 1899 to cause the discontinuance of State appropriations for the control of these insects. The residents soon found that this policy did not work as anticipated, for both insects increased at an alarming rate, and in the course of three or four years the infestation had become so bad that many citizens were forced to attempt control measures. The work which was done was not carried on in a systematic manner, and while a few exerted every effort to protect their property from the depredations of these insects and to keep their trees free from the caterpillars, many totally neglected to attend to the work, and the result was a general clamor for a systematic and thorough effort to abate the nuisance. During this period many acres of woodland became infested seriously and in the years which followed thousands of acres

were defoliated during the early summer. Matters became so serious in 1905 that work was resumed by the Commonwealth of Massachusetts, but the law was framed in such a way that not only the State but the towns and cities and the owners of property were required to give financial support to the undertaking.

During the period when no work was being carried on by the State of Massachusetts the insects spread to Rhode Island, New Hampshire, and Maine, making the problem far more serious than before. In 1906 funds were appropriated by Congress to prevent the spread of these insects, and since that time Federal work for this purpose has been continued. It is true that both insects have spread over a much larger area since this work began, but that was to be expected, owing to the necessity of properly organizing the work and developing new and better methods for handling the problem on a scale unprecedented for insect control.

The gipsy moth and the brown-tail moth occur in greater or less numbers in all the New England States. The dispersion of the brown-tail moth covers a larger area than that of the gipsy moth, because both sexes of the brown-tail fly freely and, this being the case, it is very difficult to prevent their spread. These white moths are attracted to strong light, particularly electric arc lights, and about the 10th of July of each year they can usually be found in badly infested regions on poles, trees, or buildings near these lights. The extent to which they spread at this time depends largely on the temperature and the direction and velocity of the wind. These moths have been taken on the Nantucket Shoals lightship, which is 42 nautical miles from Nantucket, the nearest land, and as the infestation of that island by this insect is very slight it is probable that the moths came from a much greater distance. Frequent reports have been received from captains of sailing vessels that swarms of these moths have been encountered from 75 to 100 miles out at sea, although there is a possibility that there may have been a mistake in identifying the insect. These facts indicate that the possibility of rapid spread, so far as this insect is concerned, is very great, provided high temperature and favorable winds occur when the moths are flying. Fortunately, the prevailing winds in New England during early July are from a southerly or southwesterly direction, which tends to bring about a general spread of the insect toward the seacoast instead of inland.

The female moths deposit egg masses on the underside of the leaves of apple, pear, oak, cherry, rose, and numerous other trees and plants. The caterpillars hatch about the middle of August and feed for about a month. The eggs are usually laid on the leaves on the terminal twigs and the small caterpillars draw a number of these together to form a web, in which they remain during the winter. In the spring, as soon as the buds begin to expand, the caterpillars emerge from the webs and feed on the buds and developing leaves. They become full grown about the middle of June and spin cocoons either singly or in masses, from which the moths emerge during the first part of July. The large caterpillars, which are provided with many long hairs, are particularly poisonous.

The male and female gipsy moths differ in color, the former being chocolate brown, while the latter is light cream color, having wings marked with black. This insect is in the moth stage during early July, but, fortunately, the female moths are unable to fly on account of the size and weight of their bodies, so that their natural spread is not as rapid as is that of the brown-tail moth. Clusters containing 400 or more eggs are deposited by the females on trees or, in fact, on any material which furnishes a somewhat sheltered location. These clusters are about an inch long, oval in form, and are covered with yellowish hair from the body of the female. As the eggs do not hatch until the following spring, there is ample opportunity for the insect to be spread in the egg stage during the fall and winter if lumber, plant products, or other material upon which they are deposited is shipped to outside points. The caterpillars hatch late in April or early in May, depending on the season, and feed on the leaves which are beginning to expand. They continue to feed and develop until about the first of July, when pupation takes place, the moths emerging a week or more later.

During the first work which was done for the purpose of controlling the gipsy moth, a study was made of the manner in which this insect was spread. It was determined that while the female did not cause spread, since it was impossible for her to fly, egg clusters were frequently transported

from place to place on shipments of lumber and other material, and that in cases where heavy infestations occurred the caterpillars might be carried a considerable distance on vehicles. It is a common habit of the larvæ, if they are disturbed, to spin silken threads which are attached to the trees and in this way lower themselves to the ground. Since the gipsy-moth campaign first began, an unprecedented development in means of rapid transportation has taken place. At first and for several years motor vehicles were practically unknown, but for the last few years the increase in this mode of transportation has been enormous. It has been found. however, as a result of much work and many experiments, that if the roadways are kept clear from heavy infestation the number of caterpillars distributed by motor vehicles is very small. A number of years ago the results of the scouting work, which consists of examining roadways, orchards, and wooded areas for infestation, indicated that many colonies were present the occurrence of which could not be explained by any known means of spread. Woodland infestations were found in places that were infrequently visited by men or animals. This led to a thorough study and a long series of experiments which proved conclusively that the small caterpillars, immediately after hatching, may be blown long distances by the wind. It has been proved that spread often occurs for a distance of from 12 to 20 miles in this way. These facts would seem to make the prevention of spread of the insect hopeless, if not impossible. But the same factors, namely, temperature and wind direction, which have brought about the greatest drift of infestation by the brown-tail moth toward the seacoast, are equally effective in connection with the spread of small gipsy-moth caterpillars. During the period when these minute larvæ can be blown by the wind it is necessary for the temperature to range from 60° F. upward, the higher temperature increasing the activity of the insect. This comparatively high temperature must be accompanied by strong winds if spread for any great distance is to result, and when the combination of high temperature and strong wind occurs in New England in the month of May the wind usually blows from the south or southwest. Variations in this general rule occur, depending on how far the locality is removed from the seaboard, and these facts are taken into consideration in carrying on field work against this insect.

The task which has fallen to the Bureau of Entomology in connection with gipsy-moth control has been to use every effort possible to prevent the spread of the insect and to reduce the damage resulting therefrom. It has been necessary to carry through many extensive experiments in order to secure information for use in the field operations, and the experimental work has formed the basis and groundwork for the application of field methods. Prior to 1905 no effort was made to introduce the parasites and natural enemies of the gipsy moth or the brown-tail moth. A popular theory exists that in its native home every insect is held within reasonable bounds by parasites or natural enemies, and that each insect has some one species of parasite or natural enemy which is responsible for its control. When this natural check fails, either on account of attack by its own enemies or for other reasons, the original host will, for a time, become noxious. The problem of utilizing the natural enemies of the gipsy moth and the brown-tail moth appeared somewhat complicated, but the difficulties were not realized until after the work was well under way. It soon became apparent that neither of these pests was controlled by a single species of parasite in its native home. Through the efforts of Dr. L. O. Howard, Chief of the Bureau of Entomology, acting in cooperation with the State of Massachusetts and many foreign entomologists, as well as numerous agents employed by the bureau, a large number, approximately 30 species, of parasites and natural enemies of the gipsy moth and browntail moth have been collected and shipped to the Gipsy Moth Laboratory at Melrose Highlands, Mass. Shipments of this sort have been received from most of the countries of Europe and from Japan. The result has been that 7 or 8 species have become established in the infested area and are helping to solve the problem.

It has developed, however, that in Europe, at any rate, the ravages of the gipsy moth are partially controlled by several factors in addition to the work of the parasites. A wilt disease which attacks the caterpillars and causes heavy mortality among them is present not only there but

in this country, and is a powerful agent in curtailing the increase of the species. The character of the food plants is also of great importance. The tree growth of the infested region has been classified according to its adaptability as food for the gipsy moth. It has been found that practically all coniferous growth, if grown in solid stands, fails to support this insect; that ash is not subject to attack, and that maple and hickory are seldom injured to any great extent.

An effort is being made to encourage the growth in woodlands of the tree species just mentioned, and to discourage the growth and planting of cak, willow, and poplar, which are favored foods. Unfortunately the greater part of the infested area abounds in oak growth which, for the most part, is of poor quality and has a very low merchantable value. This fact discourages greatly the elimination of favored food plants in the infested area. Nevertheless some progress has been made in eliminating favored food plants in the heavily infested areas. Thinning work is being carried on by the Bureau of Entomology in the isolated colonies near the borders of infestation also, but in addition it has been necessary to treat the egg clusters found in these areas and to reduce the caterpillars by the application of sticky bands to the trees and by thorough spraying in order promptly to prevent further spread. The importation and colonization of natural enemies has served to reduce the infestation in the many localities in the worst infested sections. These factors are bringing about a gradual reduction in the main supply of the insect which, in case they were not employed, would serve as a stock for further distribution of the pest. Every effort is being made to prevent long-distance spread of both insects by carriage on products shipped to points outside the infested area. The territory infested is under quarantine by the Federal-Horticultural Board and all products likely to carry the insect out of the infested area are inspected before they are allowed to be moved. The border territory is thoroughly inspected and the gross infestation in this region is being gradually reduced. It is inevitable that new colonies will be found from time to time outside the region now known to be infested, but substantial progress is being made in preventing any widespread dispersion of the insect.


Each State has its own organization which is attempting to reduce the infestation within its borders, and much effective work has been accomplished as a result. The work of the Bureau of Entomology is so ordered as to avoid duplication and prevent conflict with that carried on by the State authorities, and as these matters have been arranged in advance, little difficulty in this respect has been experienced.

The work which is being carried on in New England to prevent the spread of these insects is of the utmost importance to other States. It has been well said that "an ounce of prevention is worth a pound of cure," and this can be no better demonstrated than in the experience which Massachusetts has had with the gipsy moth. During the time when an attempt was made by the State to exterminate the insects in the nineties, the largest amount of money expended by the State in any one year was \$200,000, and there is good reason to suppose that if this work had been continued the annual expenditure at the present time would have been materially decreased. The year after the work was resumed and thoroughly organized, an expenditure of nearly onehalf million dollars was necessary, and the amount expended annually during most of the years since that time has been even greater. This was paid by State appropriation and by contributions required by law from infested towns and cities and from the owners of infested property. While recently the expenditure has been reduced somewhat, over a half million dollars is the yearly expenditure in Massachusetts at the present time, the money being raised by the same method.

The New England States are carrying the greater part of the burden of moth infestation because from them come mainly the funds for control work and they are suffering from the injury caused by the insects, but the money appropriated by the Federal Government, while assisting these States in some measure, is also providing insurance to the uninfested States, and that at a very low rate.


To illustrate the necessary expenditure by towns and cities in the infested area in order properly to control the gipsy moth, a few examples are cited. These are all taken from towns and cities in Massachusetts, where the infestation has been rather heavy during the last few years. The information in regard to population is based on the United

meet was entered to be



THE GIPSY MOTH (PORTHETRIA DISPAR).

Upper left, male moth with wings folded; just below this, female moth with wings spread; just below this, male moth with wings spread; lower left, female moth, enlarged; top center, male pupa at left, female pupa at right; center, larva; on branch, newly formed pupa; on branch, just below this, larva ready to pupate; on branch, left side, pupæ; on branch, center, egg cluster; on branch, at bottom, female moth depositing egg cluster. All slightly reduced except figure at lower left. (From Howard and Fiske.)



THE BROWN-TAIL MOTH (EUPROCTIS CHRYSORRHOEA).

Upper left, hibernating web; just below this, small larvæ feeding at left, larger larva at right; just below this, female moth depositing eggs at left, egg mass at right; lower left, egg mass with eggs exposed; top center, male pupa at left, female pupa at right; upper right, cocoon incased in leaves; lower right, male moth above, female moth below. All slightly reduced. (From Howard and Fiske.)




Fig. 1.—Woodland Completely Defoliated by Gipsy-Moth Caterpillars.





FIG. 2.—APPLE ORCHARD COMPLETELY DEFOLIATED BY BROWN-TAIL MOTH CATERPILLARS.



BROWN-TAIL MOTHS ON ELECTRIC ARC-LIGHT POLES.




Fig. I.—MIXED DECIDUOUS AND CONIFEROUS WOODLAND BEFORE THINNING.




FIG. 2.—Same Woodland After Favored Food Plants had been Removed.



GIPSY-MOTH CATERPILLARS ON TREE TRUNK BENEATH STICKY BAND.




FIG. I.-MOTOR TRUCK SPRAYER IN OPERATION.



FIG. 2.—PAVING BLOCKS INFESTED WITH GIPSY-MOTH EGG CLUSTERS.



States census of 1910, while that on valuation is the record of the local authorities for the year 1915.

A town having an area of 16 square miles, a population of 559, and an assessed valuation of \$465,513, is badly infested with the gipsy moth. In 1915 the expenditures made by the town, together with those made by property owners, amounted to \$312.84, which was at the rate of 67 cents per \$1,000 valuation, or 52 cents per capita. In addition to this expenditure, State aid to the amount of \$1,322.80 was received.

A town having an area of 19 square miles, a population of 829, a valuation of \$736,945, and about as heavily infested as the preceding, made similar expenditures of \$968.31, which was at the rate of \$1.31 per \$1,000 valuation, or \$1.17 per capita. In addition to this, State aid was received to the amount of \$2.207.90.

In a third town, having an area of 7 square miles, a population of 7,090, and a valuation of \$6,067,430, there was expended \$3,898.83, which amounted to 64 cents per \$1,000 valuation, or 55 cents per capita. In addition to this, \$1,081.32 was received from the State. This town is a manufacturing community, rather thickly settled, with only a small area of woodland, and not as heavily infested as those previously mentioned.

A fourth town, containing 26 square miles, having a population of 6,681 and a valuation of \$9,318,035, expended \$4,447.14 on moth work, which was at the rate of 47 cents per \$1,000 valuation, or 67 cents per capita. In addition to this, \$407.08 was received from the State. This town is residential and has many large estates and some excellent farms, and was generally infested by the gipsy moth.

A city of 32 square miles, having a population of 145,986 and a valuation of \$179,198,586, expended \$17,190.77, which was at the rate of 9 cents per \$1,000 valuation, or 12 cents per capita; \$726.93 was received from the State. This city was not as badly infested by the gipsy moth as the towns which have been mentioned previously, but the brown-tail moth infestation was more severe.

For convenience in making comparisons, a summary of the foregoing information covering four towns and one city is given in the following table:

Expenditures	for	the	control	of	the	gip	sy	moth	and	brown-tail	moth
in	ce	rtain	towns	and	l cit	ies	in	Massa	chus	etts.	

	Area		Town and tu				
Assessed valuation.	in square miles.	Popula- tion.	Amount.	Per \$1,000 valua- tion.	Per capita.	Additional State aid.	
\$465,513	16	559	\$312,84	\$0,67	\$0,52	\$1,322.80	
736,945	19	829	968.31	1.31	1, 17	2,207.90	
6,067,430	7	7,090	3,898.83	. 64	. 55	1,081.52	
9,318,055	26	6,681	4,447.14	. 47	. 67	407.08	
179,198,586	32	145,986	17,190.77	.09	.12	726.93	
	1						

The foregoing figures indicate in a general way the expenditures that are likely to be necessary in towns and cities in uninfested States, in case the gipsy moth becomes established. It shows conclusively the amount of protection which other sections of the country are receiving as a result of the gipsy-moth work which is being done in New England. A large part of the funds expended by towns and cities has been used for the protection of shade and ornamental trees, it having been found impossible to carry on extensive work in woodlands, owing to the extreme cost of these operations.

The beauty and attractiveness of most cities and residential sections depend on the trees. These not only make the region attractive and a desirable place to live, but also add money value to the property. American cities are coming more and more to realize the importance and value of shade trees, and any step that can be taken for their protection or to prevent injury from insects is most desirable.

To prevent the introduction of serious pests into a region where they are unknown is far more important than to expend large sums of money in an attempt to bring about their control after they have been introduced and have successfully established themselves. This is precisely the work which is being attempted in New England on the gipsymoth problem, and a record of expenditures from a few localities which may be considered as average samples indicates the benefit that other parts of the United States are deriving from this important work.

PROGRESS IN HANDLING THE WOOL CLIP: DEVELOPMENT IN THE WEST.

By F. R. MARSHALL,

Animal Husbandry Division, Bureau of Animal Industry.

seasons has been marked by high prices which have stimulated progress in breeding for both wool and mutton and by the introduction of more businesslike methods of handling the wool clip. For 36 years prior to the season of 1915 woolg: owers and not undertaken to grade their wools before slipment. During 1916, however, about 7,000,000 pounds of wool was graded and baled at the time of shearing. This amount included 81 clips, representing approximately 870,000 sheep. The work was done mainly in sheds constructed or remodeled in 1915 or 1916. Although these changes in methods of handling and selling wool have been confined to three far Western States, the innovations are applicable over the range-sheep territory.

Woolgrowers of Carbon and Sweetwater Counties, Wyo., have been particularly active. A new shearing shed modeled after the Australian plan, with a capacity for 3,000 sheep daily, was erected in 1915 in Sweetwater County. Another was remodeled to include the main features of Australian sheds. In 1916 two new sheds were erected in Carbon County and one in Sweetwater County and two others were remodeled. Special facilities were provided in all of these sheds to permit systematic handling of fleeces. The clips were graded and shipped in bales, ready for final sale without the usual further handling undergone by most clips in the dealers' warehouses before sale to manufacturers is attempted. One clip had been graded and baled in Montana in 1914. Other clips were prepared in this way in that State and in Nevada in 1915 and 1916.

THE NEW SHEARING SHEDS.

Concerning the best methods and amount of labor which should be expended upon the fleeces in preparing them for shipment from the ranch, there has been discussion and uncertainty. The advantages of the new sheds, however, have been recognized by all sheepmen visiting them, and the only hindrance to the erection of sheds in large numbers lies in their cost. This is especially a hindrance in cases, very common in the woolgrowing territory, in which the sheep owner is without assurance as to the length of time he can retain the range he is using.

The new sheds furnish more commodious pens for holding a supply of sheep ready for the shearers. They are elevated from 4 to 6 feet above the ground to allow discharging the shorn sheep back underneath the holding pen, thus removing the necessity of their crossing the board upon which the shearing is done. This results in fewer steps being taken by the shearers and less interference by sheep and shearers with the men or boys passing up and down the board in carrying the fleeces to the wool room. The arrangement to permit discharging the shorn sheep at the same side of the board as it entered is the first essential of a well-planned shed. It is secured by setting the shed on posts from 4 to 6 feet long. The sheep enter at an incline at one end of the holding pens.

After shearing, the sheep is put down the inclined chute as shown in figure 7 which leads to the ground below the holding pens. The pens from which the shearer catches his sheep are single, 8 feet by 5 feet 6 inches in size. This removes the opportunity for choice of sheep that exists when there are two shearers to a pen. The shafting that drives the shearing machines is arranged for attachment of gears each 5 feet 6 inches, thus requiring shearers to work at that distance from each other.

Double doors, each with double springs, render it easy for the shearer to get his sheep from the pen to the shearing floor. After shearing, the sheep are passed down the incline, the opening of which is in the same wall and at one side of the door to the pen. They then pass to the separate counting-out pens outside the shed, where each shearer's work can be examined and tallies correctly kept.

The holding pens, alley, and catch pens shown in the plan will hold at one time 30 sheep for each shearer. This allows the sheep to remain inside for a sufficient length of time to cause the amount of sweating that is needed to make the wool cut easily. This entire space is floored with 2 by 3 inch boards laid on edge, with §-inch space between, which insures complete cleanliness even for sheep that may lie down.

The space below the floor in the plan will hold 500 sheep and is used either to keep a supply of dry unshorn sheep or for sheltering newly shorn sheep during storms or cold weather. Dry shelter for the first night after shearing has




Fig. 7.—Floor plan of shearing shed. This plan includes the features of Australian sheds.

prevented many losses that otherwise would have occurred when shearing was done early in the season.

The arrangement of these sheds reduces the handling of the sheep to the minimum, thereby preventing injury and loss, particularly in ewes shorn before lambing. The im-

proved working conditions render it more practicable to secure good shearing and humane treatment of the sheep by the shearers and penners.

PREPARING THE WOOL.

The improved facilities do not necessitate any change in the methods of handling the wool after shearing. In all of the new or remodeled sheds the plan of grading the wool and shipping in bales has been followed. Clips amounting to 5,000,000 pounds were prepared according to a plan favored by the National Wool Warehouse and Storage Company, a cooperative concern located in Chicago and controlled by western woolgrowers, the business of which is restricted to selling on commission the wools shipped by stockholders. In the sheds where this plan was followed in 1916 the fleeces were carried from the shearing floor and thrown upon tables in a way to cause them to lie fully spread out. The tops of these tables were made of rollers 11 inches in diameter. with sufficient space between to allow loose, heavy pieces or dirt to reach the floor. The dung tags were removed, each fleece was rolled up separately, and passed to a competent grader, who placed it in some one of a set of bins near by, these being of sufficient number to keep separate all the grades made. The latter were those commonly in use in the American wool trade, as follows:

Fine and Fine Medium Staple.
Fine and Fine Medium Clothing.
Half Blood Staple.
Half Blood Clothing.
§ Blood.
§ Blood.
Low Quarter Blood.
Braid.
Tags.

The belly wool remained with the fleeces in these sheds. The bales were marked to show the grade, weight, and name or brand of the growers of the wool.

In four other sheds 118,800 sheep were shorn, yielding 983,700 pounds of wool. In these cases the plan of handling the wool was that followed in Australia and advocated by persons who have since formed an association incorporated. as the "American Wool Improvement Association." Accord-

ing to this plan the belly wool was separated from the fleece by the shearer and all bellies from the same kind of sheep baled together. The fleeces were thrown spread out upon the wool tables, and before being rolled up were "skirted." This consisted in removing some of the wool from the edges of the fleece as it came to the table without the belly wool. In crossbied sheep and in some Merino sheep the britch or lower thigh wool is materially coarser than the body of the fleece, and when left in appears as a different quality and may serve to lower the value of the better wool. Skirting is practiced in Australia partly because of burrs in the lower parts of the fleece.

Instead of using the American system of grading in these sheds, the fleeces were classed according to the terms used in the Australian trade. These were: AA Combing, A Combing, AA Comeback, A Comeback, AA Halfbred, A Halfbred, AA 3/4 bred, A Clothing, B Clothing, 1st pieces, 2d pieces, Bellies, Locks, Black, Stained pieces, and Tags. The finest wool was classed as combing or clothing, the other main classes ordinarily comprising fleeces from sheep carrying part of other than Merino blood. The 3/4-bred class corresponds to the American 1/4-blood. The 1st, 2d, and stained pieces were from the parts skirted off, and the locks largely from underneath the wool tables.

In both American and Australian practice a fleece is assigned to some one grade on the basis of what it is, regardless of the blood lines of the sheep producing it. The first-cross progeny of a Lincoln and a Merino might be supposed to produce a fleece which in fineness would be "half blood" or "half bred" in Australian terms. As a matter of fact not more than half the fleeces from sheep so bred will fall into either of those grades. The terms that have come into use in both countries stand for well-understood qualities, and the fact that they are really largely misnomers, if correspondence with the breeding of the sheep is considered, is of no practical importance. There seems to be no real advantage to be obtained from the introduction of a new set of terms in ranch grading of wools.

The AA and A divisions of each class were made on the basis of difference in shrinkage and character of wools of the same length and fineness. This subdivision is a logical one and is practicable with large clips or with good facilities

for selling in small lots. Such facilities do not exist at present in United States wool markets. However, the cooperative warehouse company previously mentioned follows the plan of combining smaller lots of similar wools from a number of consigned clips, and after their sale makes the returns to each owner on the basis of the price for the combined lot. This practice also is followed by some concerns doing a part commission business, and in resale of mixed clips bought for speculation.

In neither set of sheds were fleeces tied before baling. When epened in the East the wools had lost nothing by baling and made a good appearance.

ADVANTAGES OF GRADING AT THE RANCH.

All of the woolgrowers who had their clips graded at home in 1915 did so again in 1916. Although some of them had in other years received reports of the warehouse grading of their clips, the lesson was by no means so valuable as that learned from seeing the work done at shearing time. Many growers realized for the first time the great amount of clothing wool they were producing and realized as well the variety of grades of wool that came from sheep supposedly of uniform character but in the breeding of which they had not adhered to a distinct standard of fleece in the selection of rams. The amount and value of wool from flocks bred on consistent systematic lines appeared in sharp contrast to the returns from the other and more numerous flocks representing no studied plan or system of breeding.

Those growers who are qualified to appraise their own wools fairly on the basis of examination and correct reading of market reports derive a selling advantage from grading at home. When the fleeces are sacked as they run the proportion of each grade of wool can be estimated only. No opportunity is offered to examine a pile of fleeces of one grade, and the attempt to place a fair value upon the clip results largely in guesswork. Too often the reported selling price of other wools of supposedly similar type is taken as a basis of determining value. The new plan makes it possible for the flockmaster who studies his wool to appraise his clip closely for guidance when considering offers received at home as against consignment for sale at eastern points.




FIG. I.—TYPE OF SHELTER FREQUENTLY USED FOR SHEARING SHEEP ON WESTERN RANGES.




Fig. 2.—The "Pioneer" Australian Style Shearing Shed Near Bitter Creek, Wyo.




Fig. I.—Sheep Entering Sweating Pens of a Remodeled Shearing Shed at Bitter Creek, Wyo.




Fig. 2.—Loading Baled Wool at the "Pioneer" Shearing Shed, Bitter Creek, Wyo.



Fig. I.—Wool Buyers Inspecting Clip Offered for Sale on the "Sealed Bid" Plan.




Fig. 2.—Baled Wool at Wamsutter, Wyo., Ready for Loading on Cars.




FIG. 1.




FIG. 2.

Interior Views of Educational Wool Car Run through Western States, 1916, by the Bureau of Animal Industry in Cooperation with Agricultural Colleges.

The new plan of preparing clips for market involves material expense, however, although this is in part offset by the lower freight rate on baled wools. Where the tags only are removed from the fleeces the rolling, grading, and baling require 5 more hands for a shed shearing 2,000 sheep daily than are needed for sacking the fleeces directly from the shearing board. Some sheep raisers assert that this expenditure is fully offset by the information gained as to the lines upon which their flocks should be bred and handled to secure wool of the maximum value.

SELLING RANCH-GRADED WOOL.

In 1915 a part of the home-graded wools was offered for sale at the sheds on the sealed-bid plan. Of the several buyers in attendance one or two represented eastern mills and the others represented concerns that buy wools for speculation. No sales resulted. Some entire clips of graded wools were sold privately at one price for the entire weight. The majority were consigned to eastern houses and sold at various times through the remainder of the year.

In 1916 the graded wools were mainly consigned to Chicago, Boston, and Philadelphia houses. Sales were made by the "interlotting" plan of combining lots of similar grade and value from various clips so as to make an offering of sufficient size to sell advantageously.

In neither season could it be said that a line was obtained upon the manufacturers' financial appreciation of the new system. To do this it would be necessary to sell publicly, in a single day and on an active market, fully similar wools prepared on the old and new lines.

Some manufacturers have expressed themselves as well pleased with the condition and preparation of the wools, but are very conservative in committing themselves as to any extra price. From the manufacturers' standpoint the new plan does not differ materially in effect from the old system under which he buys large lines graded from several clips in the dealer's warehouse. The selling agents reported strong objections to "overclassing," that is, the making of a larger number of grades than required by the principal commercial differences of the types of wool which the clip contains.

Aside from the material advantages of knowing the actual grading of his clip and seeing the work done, the woolgrower can expect added returns to equal or overbalance his extra expense only by securing wider competition for his clip. This can not reasonably be expected under the plan of selling the clip at home and as a whole. It can be secured by consignment to concerns receiving large amounts of wools similarly prepared. This allows them to interlot satisfactorily and insures mill buyers of a large and steady supply of such wools. Only by the more general use of such a system can growers secure wider competition for the purchase of their wools.

The consignment plan does not eliminate the middleman, but gets the wool from the range to the mill on the basis of commission charges rather than of intermediate speculation. Such commission selling houses need financial arrangements for making advances to consignors pending the sale of their clips. Mills can never absorb the country's clip in a few months. Commission agents, like dealers, must therefore offer their stocks as the market justifies, and consignors must trust the judgment of their agents in this regard.

Such selling arrangements might be established in cities in the producing States. Growers might be more willing to consign to home concerns, but considerable difficulty would arise in attempting to establish free and steady selling so far from the points of consumption. If growers do not care to deal with commission concerns at eastern points, or will not cooperate in the establishment and patronage of houses of their own, they can not expect wider competition for their wools.

No wool-handling warehouses as yet have taken advantage of the provisions of the new warehouse act. The negotiability of receipts issued by Government-licensed warehouses will facilitate the financing of such enterprises, and the fact of Government supervision may be expected to secure the confidence of prospective patrons.

ADAPTABILITY OF THE WYOMING PLAN TO OTHER STATES.

Improved methods of preparing wools for market have been adopted first in Wyoming, as a result of the progressiveness of the woolgrowers. In the particular counties prominent in the movement greater security as to tenure of range has resulted from cooperative lease and purchase of railroad lands unsuitable for settlement. The individual ownership of sheep is large. Thus it has been feasible to make a greater outlay in shed construction than is likely to be made in other sections. The essential features of these sheds, however, can be embodied in smaller structures, and where feed and water conditions permit, two or more owners might cooperate in the erection of a suitable shed and employment of necessary hands and graders.

The first season's operations present some difficulty in the training of boys to carry and roll the fleeces. An experienced man who understands this part of the work and who knows how to direct the labor available can have it working smoothly in a few days. Greater difficulty is likely to be experienced in securing competent graders. The men who do this work at the warehouses are competent for this work but need supervision. In the months in which the shearing is done it is generally possible to engage some of these men. but it is necessary to offer them the grading of a number of clips to compensate for the expense of travel and time lost in going from one shed to another or through the shearing being interfered with by bad weather. This consideration suggests the cooperation of a number of owners in the employment of graders and in the arrangement of shearing dates.

OTHER FORWARD STEPS.

During 1916 the counties of Otsego and Essex in New York State, through their farm bureaus, marketed their wools on the pooling basis. In Otsego County the plan had been introduced in 1915 and 20.000 pounds were handled that year. The sale was made at an advance of 4½ cents per pound over the prices offered at the same time by the local dealers, who commonly buy at a uniform rate for resale to larger operators. In these cases no extra advantage in price was received by those who brought in the highest quality of wool. However, no really inferior wools were received. As larger quantities are received it will become practicable to do the grading needed to secure justice to all members.

In Louisiana 300,000 pounds of wool were pooled and sold in 1916 as a result of the efforts of the representative of the United States Office of Markets and Rural Organization and the extension service of the agricultural college.

During the first four months of 1916 the Animal Husbandry Division of the Bureau of Animal Industry cooperated with four western agricultural colleges in educational work concerning the growing and handling of wools. A car was fitted with material to explain the relation of shrink, grade, character, etc., to the value of wool. Fleeces of each of the common grades were shown, along with live sheep carrying the same grade of fleece. The exhibit attracted a great deal of attention and was visited by over 6,000 sheepmen and other interested persons in Wyoming, Utah, Montana, and Idaho.

BUSINESS ESSENTIALS FOR COOPERATIVE FRUIT AND VEGETABLE CANNERIES.

By W. H. KERR,

Investigator in Market Business Practice, Office of Markets and Rural Organization.

PRODUCERS in many sections of the United States have dreamed of wealth secured from a cooperative cannery which would make use of their surplus products unmarketable in the fresh state, and they have thrown away thousands of dollars in the organization and operation of plants which never should have been started. The canning of fruit and vegetables on a large scale is a manufacturing business that requires special skill and experience, and into which many elements enter that are not present in other types of cooperative enterprise in agriculture. Many canneries have been promoted for the purpose of selling machinery, creating salaried positions, or booming real estate, and still others for the purpose of unloading upon the farmers an enterprise which has been a failure as a private business. In most cases, cooperation in the canning of agricultural products on a commercial scale in the United States has been a failure. That cooperative canneries really handle a very small portion of the total business is shown by the fact that of approximately \$158,000,000 worth of canned and dried fruits and vegetables marketed in 1914, they sold only \$3,500,000 worth.

Nevertheless, a few successful cooperative fruit and vegetable canneries stand above the large number of failures as evidence that this business, if properly founded and conducted, can be made a success, and that it has a legitimate place in an efficient scheme of marketing perishable products. Practically all of the cooperative canneries in the United States are found in the Pacific Northwest and California, the annual business of these organizations ranging from as low as \$50,000 to as high as \$1,500,000 for a single cannery.

¹ In cooperation with the Oregon Agricultural College, the Office of Markets and Rural Organization made a survey of the canning industry of the Pacific Northwest. In addition, the office investigated cooperative canning plants in California and other sections of the United States. From these studies the business essentials for success and the reasons for failure in the cooperative canning industry in the United States were ascertained.

NOT A BY-PRODUCTS BUSINESS.

It should be borne in mind that the canning business is by no means a by-product enterprise and that an institution built up primarily for the handling of culls and lower-grade fruit and vegetable products is not likely to be successful. Experience demonstrates that higher grades bring the better prices and are more profitable, and that large quantities of the first grades are essential in moving lower grades. Many canneries have failed because they were organized wholly to utilize that portion of the fruit crop that could not be sold on the market in its fresh state on account of its deteriorated condition or low grade. The use of such fruit results in an inferior quality of canned goods which is not readily salable and may be liable to seizure under the Federal and various State pure-food laws.

IMPORTANCE OF A SUITABLE LOCATION.

The places at which canneries can succeed are relatively Therefore, one of the first steps in considering the advisability of organizing a canning business should be a complete survey of the field to ascertain whether the conditions warrant the inauguration of the enterprise. A sufficient quantity of a suitable number of products is essential. for to be successful financially a cannery should be operated as continuously throughout the year as possible, thus avoiding loss in having idle machinery and in "steaming up" for a small pack. There are exceptions, however, as in the case of specialty canneries, where a single product, like beans, peas, corn, tomatoes, or certain other fruits and vegetables. is handled extensively. In such cases a large volume of business is done and the canneries are kept running at full capacity during the season in which the product is harvested. In the case of some fruit canneries, from one to two weeks may elapse between products, during which time high-salaried help and machinery are idle.

The most successful cooperative canneries now in operation put up or pack a wide variety of products over a long period, some starting with strawberries in May and continuing until December with late vegetables. By utilizing the various products as they mature, the operating period may be extended to about six and one-half months. While some products handled will barely pay the expense of canning and a fair return to the producer, it is economical to use them to keep the plant in operation throughout the season.

The cannery should be located as near as possible to the production center of the commodities which are to be used. This is essential, as in most cases the product must be delivered to the cannery with little delay after it is harvested. Canned goods, especially small fruits and vegetables, should be of superior quality, since inferior grades usually are a drug on the market. In addition to growing fruits and vegetables of superior quality, the quantity must be sufficient to allow such a volume of business that the overhead expenses will represent a small unit cost per case. Some canneries are successful when only 300,000 pounds of raw material are handled annually, but a cannery which puts up a variety of fruit and vegetable products usually can not receive a price that will allow a fair return to the grower if the output is less than this.

Since labor is an important item and in some instances is difficult to secure, it should have serious consideration at the outset. Canneries generally should be located near some center of population where it is possible to secure at a reasonable price the necessary pickers and cannery help to supplement those drawn from the community itself.

In many farmers cooperative canneries the skilled help used in the manufacturing departments is made up of the sons and daughters of the farmer owners. Such a practice assists in the accumulation of "spending money" for the members of the farmer's family and gives to the cannery reliable and skilled help year after year. In some of the cannery sections berry-picking time is looked upon as vacation time, and many families in the Pacific Northwest and California look forward to it with delight. Families from the near-by cities, especially the women and children, move into the berry fields and spend from two to six weeks working as pickers. They derive a fair compensation and have an excellent outing. One cannery employs as many as 15,000 pickers in a season, and in these berry fields excellent accommodations and camping facilities are provided. The various forms of amusements, such as "merry-gorounds" and "cane racks," which are located near the

center of the fields, turn the evenings into a continual festival.

The sanitary conditions surrounding the cannery should be the best; the plant should be located so that there are good drainage and circulation of air, and no contaminating surroundings, such as slaughterhouses, garbage plants, and dumps. A plentiful supply of good water is necessary, and in order to be sure of the quality a chemical analysis should be made.

The roads should be good enough to provide transportation for products from the fields to the cannery with as little difficulty and jarring as possible. Spring wagons should be used for carrying highly perishable products, and the hauling should be done in the early morning or late evening in order to avoid the heat of the day.

Proximity to markets is frequently an important factor in deciding the location of a cannery, as freight charges play a large part in determining the final net price received by the cannery for its products. Wherever possible, a location should be chosen which affords ready access to local shipping facilities, bearing in mind always, however, the question of rates to marketing centers.

FINANCING CANNERY OPERATIONS.

Managers of several cooperative canneries give as their greatest handicap the lack of sufficient capital. Since the canning business is a manufacturing enterprise, it requires a much larger capital than the average cooperative undertaking. A few organizations have started with as little as \$5,000 or \$6,000 paid-in capital, when only few products were handled and business was being done on a small scale. To be successful, the association should have sufficient paid-in capital to make the plant and equipment practically free of debt at the time the first canning season opens.

Considerable money is necessary to meet operating expenses before the final returns from canned goods are received, which is often as long as 18 months, or more in some cases, after the raw material has been delivered. This delay necessitates a liberal fund for making advances to the grower at the time of the delivery of the raw material. Such advances range from 35 to 65 per cent of the estimated

value of the produce. If the plant is free from debt, usually sufficient money can be secured from banks to finance the early season's operations, while during the latter part of the season additional money can be secured on warehouse receipts on the canned goods. Some of the larger canneries have as much as \$200,000 worth of canned goods in their warehouses at one time, necessitating a proportionately large surplus fund and good credit to finance the business during the canning season. As an instance of good credit, a western farmers' cannery recently purchased a trainload of sugar for the year's operation, securing from one bank a loan of \$85,000 to finance the deal. Such operations show clearly that farmers' organizations can secure credit and can be run on a strictly business basis if properly managed and supported.

Too often a member of a cooperative association feels that the organization is a thing apart from himself. Where possible, it is desirable that he be connected with the institution financially, either by membership fee or through the purchase of stock. The issuance of memberships under \$25 should be discouraged. The member who has sufficient produce to make him interested in the cannery should be willing to invest at least \$100 in a membership or take stock in the organization to this amount. If financially interested in the business, he can ill afford to allow the undertaking to fail.

PURCHASING THE PLANT AND EQUIPMENT.

In several instances farmers' organizations have purchased at a bargain the canning plant and equipment of private enterprises which have failed, and they have made a success of the business. On the other hand, a number of plants not suitable for farmers' canneries have been sold to cooperative companies, and time, money, and energy have been wasted in their operation. On this account the advice of some one well qualified to pass on the worth and suitability of the buildings and equipments should be secured when the purchase of an equipped plant is being considered.

When constructing a new plant provision should be made for adding to it from time to time. By using the unit plan of construction, additions can be made without necessitating an entire overhauling of the old unit, or the impairing of the operating efficiency. The cannery business has reached a stage which makes possible definite standards for plant efficiency.

Before constructing a cannery, plans should be secured from experienced engineers or cannery men. The floor plans and the machinery required will vary according to products handled. The mistake often is made of building a large plant and equipping it with unnecessary machinery. The best machines on the market should be purchased, but only as they are needed. Improvement is being made yearly in canning processes and machinery, and therefore advice from expert cannery men and processors should be secured before equipping the plant. The statements made by those desiring to sell machines or by others personally interested in promoting the enterprise should not be relied upon exclusively.

THE MANAGER.

Of all cooperative agricultural enterprises few require conservative, sound, keen business judgment to a greater extent than a cooperative cannery. Without a manager of the right kind, failure is almost inevitable. In many of the successful canneries the manager will be found to be some leader who is willing to make certain sacrifices, and to contribute his energy and ability to the organization at a comparatively small salary. The success of cooperative organizations often is due to the efforts of one individual, or a few individuals, who, being public spirited and having the interests of the community sufficiently at heart, contribute their efforts and make sacrifices, if necessary, for the purpose of advancing and improving the enterprise.

Dependence should not be placed wholly on local talent, however, in securing a manager. It probably will be necessary to pay an experienced man a salary which may seem high. If the association is not willing to pay for experience, the farmers frequently must gain this experience for themselves by several years of deficits, and frequently at a proportionately higher cost than that required in obtaining expert services. The danger in the learning-by-experience plan is that in the majority of cases, before the necessary knowledge is gained, the cannery has become but an unpleasant memory.

The manager should be familiar with manufacturing processes and organization and should have a knowledge of the methods of cost accounting as applied to a manufacturing business. He also should be an efficient salesman, as the sales end of the business is of great importance. Each year competition becomes keener, and ability in salesmanship becomes as necessary to success as quality of product. the size of the organization warrants, it may be advisable to have a separate sales manager, who is familiar with the problems of the trade and is able economically and efficiently to market the output of the factory. The general manager also should be capable of handling men, and be one in whom the farmers will have confidence. As in any other cooperative enterprise, if there is not complete unity and confidence in the management a farmers' cannery lacks the necessary stability and cohesion for success.

In the small cannery, the general manager should be the processor also, while in the larger canneries the general manager should have a processor as his assistant. The mistake often is made of depending at first on local, inexperienced talent for processing. The processor should have had practical experience in the particular line of canning business in which he is to be engaged. Superficially considered, a good salary for a processor may seem an excessive expenditure, but the spoiling of the pack of one or two days because it is improperly put up would probably cover the cost of the best processor obtainable. Processing is an exacting business and not every one knows how properly to prepare the raw material for the can, or how to handle it after it is in the can, so that it will reach the consumer's table in proper condition.

SUPPORT REQUIRED OF THE GROWERS.

The nature of the farmer's business makes him an individualist, and the same difficulties are encountered in the operation of the cooperative cannery as in other lines of cooperative enterprise. The cooperative cannery must be conducted along sound business lines; sentiment and "gentlemen's agreements" have bankrupted many farmers' organizations. An equitable yet binding contract should be made between the grower and his organization. A regular supply

of the right varieties and kinds of produce is necessary in order that a sufficient volume of business be had to operate the cannery. Therefore, the contract, if possible, should run for a period of years, and should specify the products and the varieties to be grown. In some of the successful canneries a few big growers have formed the nucleus of the enterprise, furnishing sufficient capital and produce to insure the necessary volume of business each year, regardless of the support given by the community generally.

Wherever the business is large enough to justify the expense, a field man should be secured to work among the farmer members, helping them to solve their difficulties, hearing their grievances, and explaining the principles and advantages of the association. Such work should include instruction as to varieties to be planted, care of the growing crops, and harvesting methods. Personal contact between the management and the grower members will help to keep the members loyal, since they will be in close touch with the business and, therefore, will take a keener interest in its affairs.

NEED OF A LIBERAL BUDGET.

Estimates for each year's expenditures should be made up in budget form as accurately and in as much detail as possible. The estimate of the amount of produce to be received and the possible returns from these goods in the canned state should be very conservative. Many failures have resulted because expenditures were made on an estimate which was far in excess of the actual business transacted.

For the first year's operation, the costs of putting up the different packs, the overhead expenses, etc., should be secured from similar canneries operating under like circumstances and should be used as a basis in making estimates. The season's run never can be foretold definitely, and it is not easy to retrench after the season has been well begun. The actual overhead expenses should be cut to the lowest possible point consistent with successful conduct. The overhead and direct expenses should be estimated in the budget and apportioned on a unit basis. During the operating season the budget should be checked up frequently and such changes made as are shown to be necessary.

Early in the season price quotations must be prepared, based on the unit-cost estimate. The latter, therefore, should be as accurate as possible. A large part of the output of most of the canneries is contracted for early in the season and sometimes long before any of the produce is delivered to the cannery. The basis of these contracts varies with different commodities and sections of the country. Peas, for example, may be paid for on the vine, by the pound or by the ton, either shelled or in the pod. Quotations at the cannery for different varieties of produce, therefore, are not comparable one section with another unless similar bases of payment are used. This explains in large measure the seemingly wide diversity in prices paid for like products in different localities.

METHODS OF KEEPING ACCOUNTS.

The cannery must maintain a modern system of cost records, so that all items of expense shall be charged properly to each case of finished goods. A separate account should be kept for each commodity packed in the different-sized cans, showing the various grades, and in the case of sirup goods the various degrees.

Accurate, itemized, direct-labor costs for work done on a piece basis should be kept. Most of the farmers' canneries pay for the preparing, stemming, and washing of raw material at so much per crate or box, and the filling of cans at so much per dozen. Much help is used which must be paid by the hour, such as machine operators, engineers, truckers, etc. Time records should be kept of this work and the cost of each activity properly apportioned to the day's pack.

The superintendent should make out daily reports showing the number of cans packed, quantities of fruits or vegetables used in the pack, material used, direct labor chargeable to the pack, and other operations. In the office a cost ledger and stock record can be used to assemble the different items and the cost of the finished goods, together with the number of cases carried to a finished-goods account for each commodity.

In addition to such a tabulated statement of the cost and quantity of each grade of commodity packed in the different-

sized cans, a complete record of sales and sales costs should be kept up to date. There is thus available at all times a perpetual inventory of "spot stock" (canned goods) on hand, the cost of making and selling each kind of finished product, and the prices realized for each grade or class. Such information is imperative to the proper operation of a cannery.¹

SIDE LINES.

Some canneries which handle large quantities of berries conduct a fresh-fruit shipping department in connection with their other business. When the fresh-goods market is profitable all berries of shipping quality are sold fresh. The sound fruit is sent to distant markets, ripe fruit to near-by markets, and fruit ready for immediate use goes into the cannery. At times when markets are not favorable all the fruit is canned and held until it can be sold at fair prices. Where the berries in the locality are of a superior quality, such an arrangement forms an ideal combination. One cooperative cannery association has shipped as many as 21 refrigerator cars of fresh red raspberries in one express train, at the same time operating two large canneries.

Several of the cooperative canneries in the Pacific Northwest also operate evaporators in which prunes, loganberries, apples, and a few raspberries are evaporated. Other canneries have vinegar plants, some of which have failed because of lack of knowledge or because of carelessness on the part of the managers. The use of green, dirty, or rotten stock, instead of carefully selected, high-quality, sound fruit is not uncommon, and in such cases good vinegar can not be manufactured. Many cider-vinegar plants have failed because of their inability to compete in the markets with graindistilled vinegar. However, there is generally a good market in the surrounding territory for small quantities of a good grade of cider vinegar. Such enterprises as these, however, have started on a small scale and have been developed gradually, each advance being based on past experience.

¹ The Office of Markets and Rural Organization of the U.S. Department of Agriculture has a uniform system of accounts for fruit and vegetable canneries which is available on request from canneries or persons contemplating the organization of a cannery.

MEETING MARKET DEMANDS.

It is necessary for the manager to keep in close touch with market demands, marketing conditions, trade preferences, and improvements in the canning business in order that he may be able to market the products of the cannery to the best possible advantage. There are various preferences in the different canned-goods markets, which should be studied carefully before the markets are entered. The trade demands that certain products be put up in certain degrees of sirup, cans of various sizes, etc., and the successful cannery must conform to these demands.

The cost of produce, cans, packing, and freight is as great on a water-packed product as on the best sirup grade, the only additional cost of the latter being that of the sugar which enters into the process. Since goods of the higher grades usually bring far better average returns to the producer than those of the lower grades, farmers' canneries always should strive to increase their production of the best grades.

A few of the canneries successfully put up jellies, preserves, and high-grade products in glass. Others prepare berries for soda-fountain use by what is known as the cold-process method, and make sirups and other necessary fruit supplies for the fountain trade. Such business, if properly handled by an expert processor who can prepare the products in the best form possible, is a paying feature. In many cases fruit juices are placed in cans during the canning season and made up into jellies and jams, soda-fountain sirups, and similar products during the winter. This practice provides almost continuous employment for some of the skilled labor.

During the packing rigid inspection should be maintained in order that a product of uniform grade may be put up, and samples should be taken of each day's pack. Each shipment should be sampled before being sent out, and the sample tested in order to avoid any loss from inferior or spoiled goods which could not be detected from the outside, but which could be ascertained by opening the container. At all times the ultimate consumer should be kept in mind, as no cannery business can endure which does not please the final purchaser of its products.

The cannery must be in a position to furnish the trade regularly with the same products year after year. It is not possible to keep proper connections and retain the business which it has taken some time to build up if but a short supply is available one year and a comparatively large pack is put up the next. The best business that a cannery can cater to is that which will purchase certain uantities and kinds of different products year after year.

A large portion of the pack must be sold or future delivery, and, as jobbers insist that the goods be forthcoming, it is evident that great care must be exercised in estimating the pack in order to prevent an oversale. It is not unlikely that a number of cars will be sold as early as April for September or October delivery. Sales of mixed cars may be made, which it will take from June to November to get together if the order contains early products, such as strawberries, and fall products, such as squash or pears. Such sales necessitate large warehouse facilities.

FINDING A MARKET.

It is usual to market the products of the cannery through the regular organized and recognized trade channels for canned goods. The home trade or near-by trade should be canvassed thoroughly, as this business is much more profitable and satisfactory than that handled in more distant markets. Several canneries have attempted a special feature in marketing by putting up a miscellaneous assortment of canned goods to be sold directly to the consumer, but this has not met with any degree of success. In one State a large number of the cooperative canneries have formed an association and appointed a joint agent, who is a canned-goods broker, to handle their output. There is great need for greater cooperation among farmers' canneries in the standardization of packs, as well as in the formation of a uniform sales policy or central sales agency as far as the law permits.

The buyer or broker should be furnished with plenty of samples of everything packed and kept well acquainted with the varieties, grades, and quality of all products. Samples which are used for this purpose should be put up in the best possible form and should represent accurately the quality of the goods manufactured, both for the purpose of making sales and for the protection of the cannery in matters of rejections and adjustments.

Printed price catalogues should be prepared by the manager of the cannery and furnished to all jobbers, brokers, and others who are in the market for canned goods. the various factors entering into the determination of quotations should be considered very carefully—the actual cost of production, prevailing wholesale prices, condition of the market, probable output in other localities, and such other local factors as may be of influence. As conditions change throughout the season, quotations should be revised accordingly. The retail prices at which the goods probably will be sold also should be kept in mind in making quotations and fixing upon the grades which will be pushed. Specialization on the higher grades and higher-priced products will probably result in a greater return and larger profit to the cannery, since it is the general experience that high grades bring the best net returns to the producer.

By taking advantage of the experiences of others through many failures and by following closely the methods of successful organizations, farmers should succeed in the business of cooperative canning and find a ready market for their products.

THE EFFECT OF HOME DEMONSTRATION WORK ON THE COMMUNITY AND THE COUNTY IN THE SOUTH.

By Bradford Knapp, Chief, and Miss Mary E. Creswell. Assistant in Charge of Home Demonstration Work, Office of Extension Work in the South, States Relations Service.

THE home demonstration work for women and girls, which is the complement of the farm demonstration work conducted by the men county agents, is now being carried on extensively throughout the South. This work began in 1910 with the girls' canning clubs, and led by gradual and logical steps into the present very broad and comprehensive work with both individuals and groups. In the fall of 1916 home demonstration work was in progress in 420 counties in the Southern States. The principal feature of the work is the lessons being taught by actual demonstrations in and around the home by the women and girls under the instruction of the women county agents.

One of the objects of the work is to develop a skill that shall result in economic independence of girls and women in the country. Their home has many functions not performed by the city home. It is a producing as well as a consuming center. Its contribution to the income of the farmer, especially in saving the waste and expense of conducting farming operations, often measures the difference between profitable farming and unprofitable farming. The skill and business ability of farm housewives and children are a notable contribution to the economic resources of the farm. In many cases incomes must be increased before standards of living can be raised or progressive community enterprises fostered. Proceeding upon this basis, the work in the South has added materially to the wealth, health, and happiness of country people.

HARRISON COUNTY, MISS.

Nine miles east of Wiggins, in Harrison County, Miss., the woman county agent has organized a home demonstration club. This club of country women, with the counsel and ad-

vice of the agent, decided to conduct their work by departments, such as canning, poultry, health, food, and home conveniences. Each department has a chairwoman, and the members are enrolled in the department in which they wish to work. Meetings are held semimonthly, each meeting being conducted by one department. Programs are so outlined that the topics will be beneficial and seasonable. For example, canning and preserving was taken up in summer; poultry raising was discussed actively during the fall and winter; while preparation of foods was studied in utilizing canning and poultry products. Home conveniences were so popular that they were made at all times of the year. The poultry department has its manager, who grades, tests, and ships the eggs brought in by club members each week and handles the business of selling and remitting to the members for the products sold. All of the work is carried out through practical demonstration in the homes. The success of the work under this plan of organization has proved so satisfactory that it has been extended to other communities and clubs in Harrison County.

These community clubs comprised both women and girls and have taken as one of their principal lines of work the equipment of home-science rooms in country schools. They have gone before the board of trustees and secured the building of additional rooms for the schoolhouses, while the equipment has been furnished by contributions from the skilled workmen of the community, both men and women, and by merchants of the towns. Thus these schools have been made real centers of community interest.

SAMPSON COUNTY, N. C.

A community in Sampson County, N. C., furnishes an excellent object lesson on the manner in which this work begins and progresses. In 1914 nine girls organized a canning club and were instructed by the home demonstration agent. A little later a women's club was organized among the mothers of the canning-club members to cooperate with them in canning for home and market. The success of this undertaking aroused a great deal of interest, and soon there was talk of a community organization. A picnic was held in the

late summer, and a community club of both men and women was organized with a definite program along six lines, namely, social activity, education, agriculture, morality, sanitation, and home life. In these enterprises the community had the assistance of many public forces in the State interested in community development, such as the State extension service, through which the State department of agriculture. State agricultural college, and the United States Department of Agriculture were cooperating in the employment of county men and women agents, the State board of health, State department of education, farmers' unions, and other forces. The community organization made it easy to secure the services of these agencies. The State board of health made a complete survey of the sanitary conditions of the community. Diseases were eradicated in a number of cases, and sanitary conveniences were installed in every one of the 115 homes. During the school term following this service not a single case of contagious or preventable disease occurred. A special campaign was conducted against flies by screening homes and destroying breeding places.

In December this same community held a fair in Sampson County, the exhibits including farm and garden products, live stock, poultry, household products, and school work. During a "community service week" a sand and clay road was built from the village to the schoolhouse, which is the center of the community. Work in other sections of Sampson County has been taken up along the same lines, with the assistance of both the county agent and the home demonstration agent.

BRYAN COUNTY, OKLA.

In Bryan County, Okla., 65 women, under the guidance of the home demonstration agent, have entered the work in home dairying and poultry raising. They have purchased thermometers, square butter molds, and barrel churns, have made iceless refrigerators or cooling devices to keep butter and cream at the proper temperature, and in some instances have purchased separators. In every case the quality of the butter sold has been so improved under the instruction that a higher price has been obtained. Those who have been rais-

ing poultry have cooperated in the rearing of pure-bred fowls and in selling infertile eggs on the market. They have realized prices in advance of the ordinary market prices.

WALTON COUNTY, FLA.

Through the marketing of some samples of preserved figs from Florida, the State agent received a request to place an order for 5,000 jars of preserved figs uniformly packed and of high quality. The order was turned over to the canningclub girls of Walton County. The home demonstration agent of that county assisted in selecting the girls who had shown sufficient skill to undertake the work. Two girls in one community who had been at work for 3 years agreed to supply a thousand jars each. Another girl, assisted by her mother, undertook to produce another thousand, and two women of the neighborhood who had been working under the instruction of the home demonstration agent agreed to can the remaining 2,000 jars. Jars were purchased cooperatively, saving in cost and freight. To start the work the agent demonstrated the proper making and packing of these preserves at each of the homes selected. Each contributing member purchased a saccharimeter in order to produce sirup of uniform density, and painstaking care was exercised in gathering figs that were in good condition and in selecting those of uniform size. The result was a cooperative venture involving skill and organization in the community, and giving good returns to those engaged.

ETOWAH COUNTY, ALA.

Ruth Anderson, of Etowah County, Ala., in her second year of club work, had an excellent plat of one-tenth of an acre of beans and tomatoes. She is the second girl in a family of 11, and takes a great interest in her club work. The family home was small, dark, and crowded, and somewhat unattractive. One day a carpenter friend of her father saw her one-tenth acre and said he wished he had time to plant a garden. She told him she would furnish vegetables in exchange for some of his time. Thinking she was joking, he began to figure how many beans it would take to build a house, but Ruth told him about her canner, and he saw then

that she was in earnest. After a while a bargain was made by which the carpenter agreed to begin work on the remodeling of the house if Ruth would furnish him with fresh and canned vegetables for the season. The other members of the family were soon interested in this undertaking and worked willingly to contribute their share to its success. When the house was partly finished Ruth won a canningclub prize given by a hardware merchant in Gadsden, the county seat. Silverware was offered her, but, intent upon completing the new house, she asked the merchant how much a front door of glass would cost, and learned that she could get the door, side lights, and windows for the price of the silverware. In this way Ruth brought light and joy to her family with her windows and door. To-day they live in a pretty bungalow that she helped to build with her gardening and canning work. At the age of 14, in the second year of her work, Ruth put up 700 cans of tomatoes and 750 cans of beans.

During the last 4 years the girls in the clubs in Etowah County put up 172,555 cans, the approximate value of which is \$29,400. They have secured the cooperation of the Gadsden Chamber of Commerce and all the products not needed for home use have been marketed. The county has produced more than twice this amount of canned products as a direct result of the information disseminated through these girls. At the close of the summer season of 1916 every club girl in this county planted a winter garden, insuring a continuance of her earnings and contribution to the family diet during the winter.

HAMILTON COUNTY, TENN.


Hamilton County, Tenn., is the county in which Chattanooga is located. Chattanooga is a large manufacturing and railroad center. This county had a population of 89,267 in 1910. The last census shows that there are only 1,623 farms in the county, averaging 75 acres per farm, of which 41 acres per farm is classified as improved land. Values are somewhat above the average for the State. Only 47 per cent of the land of the county is in farms; 55 per cent of the land in farms is scheduled as improved land.

This county has had a woman engaged as home demonstration agent for the last four years. A prominent business man in Chattanooga, who has watched the progress of this work very closely since its beginning, states that before it was undertaken practically nothing had been done to arouse the interest of the young people in country life or home improvement. No community leadership existed, nor were there any organizations for girls and women in the rural districts. In April, 1912, an agent was employed. At first, interest was very slight. Practically no demand for the work came from rural people.

Canning clubs were organized at the four typical rural centers of the county. Very few seemed to be interested in completing the work the first year, but a canning demonstration at the University of Chattanooga at the close of the summer school did much to stimulate the interest in club work. A number of leading educators of the county and State gave talks at this time to the club members and teachers, indorsing the work and its objects. Six of the most skillful girls were taken to the State fair and entered a canning contest. They won distinction by packing and processing 80 three-pound cans of tomatoes in less than an hour. They also won a number of prizes.


In 1913 the county home demonstration agent was employed again and she was hired for the full 12 months. She devoted the summer to giving instruction and supervising demonstrations in gardening and canning carried on by the girls in practically every community in the county. Many varieties of fruits and vegetables besides tomatoes were put up. That year for the first time the parents began to appreciate the advantages, both educational and economic, of having their girls and boys trained in club work.

It was found that many rural housekeepers in the county used preservatives in canning. In fact, every case of glass jars sold by merchants in the county at that time generally had inclosed a package of "canning powders." The girls in the canning club were taught, in the presence of their mothers, to follow implicitly the instructions regarding sterilizing and processing and not to use preservatives. This was done as much for the mothers as for the girls. The re-




CANNING CLUB DAY AT THE UNIVERSITY OF CHATTANOOGA.

A helpful gathering in Hamilton County, Tenn.



Before improvement.



After improvement.

YELLOW CANNAS AND OTHER PLANTS USED BY CANNING CLUB GIRL TO BEAUTIFY UNSIGHTLY FENCE.




FIG. I.-RUTH'S HOME BEFORE IMPROVEMENT.



FIG. 2.-RUTH'S HOME AFTER IMPROVEMENT.

sult proved to the mothers that chemical preservatives were not necessary for successful canning.

The social side of the club activities attracted much attention. Many of the girls had read of clubs but never thought they would be able to join. To the girls, vacation time had always been dreaded as a time full of work with no play and no companionship. The club meetings during vacation furnished a much-needed opportunity for social intercourse. In the beginning it was noticed that the few girls attending demonstrations for instruction brought their lunches and retired singly to eat them. Now, there is always a bountiful dinner spread, temptingly prepared and arranged, of which everyone is invited to partake. These all-day "picnics" or "canning parties" are very popular during the summer.

A little later poultry-club work was taken up. In this the girls were taught the proper feeding, raising, and handling of poultry, and the proper care and marketing of eggs.

In 1916 the entire county was organized, with an enrollment of over 200 girls in canning clubs and 280 members in the poultry clubs. The gardening season was a very disastrous one. The club girls, however, were among the few who were able to produce fresh vegetables, and they sold all they produced at advanced prices, on account of the condition of the market. While canning was done for home use very little commercial canning was carried on because of the price of fresh products. The reports of the girls show that they produced 104.639 pounds of tomatoes and canned 15,800 containers of fruits and vegetables. The total value of these products is estimated at \$6,070.97.

All of these girls are regularly organized into clubs holding meetings at stated intervals throughout the year. In each of the rural schools of the county one teacher is in charge of the clubs and assists at meetings as local leader. In addition to canning they have carried on work in sewing, breadmaking, use of fireless cookers, and the like. The mothers of the girls have been active cooperators and assist in all of the meetings. In 1916 uniform caps and aprons for use in public demonstrations were made by 100 girls and uniform dresses by 15 advanced members.

In this work close cooperation has been received from many sources. During January, 1916, four short courses were

held at the rural high schools of the county and the results of these short courses could be traced in remote districts. Another commendable instance of cooperation is that given by the summer school at the University of Chattanooga, where the Annual Canning Club Day is an established event, the last one having been attended by more than 200 girls. The program for this day includes reports from every club president in the county, singing club songs, and talks by some of the leading educators, and the girls give public demonstrations of their skill in the work. The day also has many social features.

The Chattanooga Clearing House Association, through the influence of prominent women of the city, presented an automobile for the use of the woman home demonstration agent in the county. Not only does this car solve the problem of transportation, thereby making for greater efficiency on the part of the agent, but it also enables the girls and women in various parts of the county to accompany the county agent to club meetings and other gatherings.

Through the girls' work just outlined the way was paved for the rapid development of demonstration work for women. The first approach to the work for women was made by visits to the homes for the instruction of the daughters. The first instruction to the women was mainly incidental to the girls' work, but much of this incidental work was of very great importance. The earliest demonstrations made by the women in their homes under the instructions of the home demonstration agent were in practical everyday cookery, stress being laid upon varied diet. The use of homemade fireless cookers was taught, and assistance was given in making simple sanitary improvements in the home and in selecting proper wearing apparel and household furnishings.

Ten rural women's clubs have been organized, each holding meetings every two weeks. Women who formerly seldom left their homes now attend these meetings regularly. A keener interest is manifested among them in the affairs of the home and community, and the pleasure and benefit derived from intercourse with others is evident. Six of these ten rural women's clubs are affiliated with a county organization, giving helpful intercourse between the women of the rural districts and the women of the city. The county agent meets

regularly in turn with all these clubs A uniform constitution and by-laws is used, but very little stress is laid on parliamentary law. The programs vary according to the plans and desires of the local members, but those sent out by the extension division of the University of Tennessee, representing that institution and the Department of Agriculture, are followed as closely as possible. The meetings are held in the country school buildings and at some of the homes. materials for demonstrations usually are provided by the women themselves, who have an opportunity to express their preference as to the foods prepared. Lessons in serving and in the use of household conveniences are always in demand. A program which is always welcome includes the study of wearing apparel. To illustrate a lesson in wearing apparel the county agent borrows from some of the leading department stores of the city articles of wearing apparel for women, girls, and young children. By this means good taste, appropriateness, and the value of durability in the selection of garments are taught.

At some of the meetings members have been called upon to give demonstrations of the things they do best. There are 100 farm women members of the 10 clubs. Under the guidance of the county agent 35 of these women have made, in their own homes, all of the demonstrations outlined, including bread making, meat cookery, vegetable cookery, and canning, and have adopted these as a part of their daily and vearly tasks. The number of labor-saving and sanitary improvements in the home which have been made and installed include 40 fireless cookers, 4 iceless refrigerators, 150 fly traps, 40 homes screened against flies and mosquitoes, 15 porches screened, 15 more convenient ironing boards, 6 wheel trays for the saving of steps from the kitchen to the dining room, 3 homemade shower baths, 4 kitchen cabinets, 10 water systems, 3 dumb waiters, and a number of stools and other devices in the kitchen to enable the women to sit while they work. In addition to these homemade devices the following were purchased: Ten fireless cookers, 4 kitchen cabinets, 40 kerosene stoves, 25 gasoline irons, 15 canning outfits, 15 incubators, 10 brooders, and a number of home lighting devices.

Annually the East Tennessee Farmers' Conference is held at Knexville at the College of Agriculture, which is very largely attended. In recent years it has had a woman's section. During the first year of the work for women in Hamilton County it was difficult to persuade any of the women and girls to attend this meeting. The last convention had a 50 per cent increase in the attendance of women, many of whom represented their clubs as delegates, while others provided their own expenses.

Perhaps one of the most commendable achievements is the operation of the market booth in the market house at Chattanooga. The influence of the county home demonstration agent materially aided in the establishment of the central market house by the city commissioners. On account of this fact and through the influence of many prominent women, the city commissioners gave a stall for the canning-club girls and their mothers. Recently a larger booth was provided, a canning outfit installed, and a gas stove fitted up for use in filling orders for baked fowl, jellies, fruit butters, etc. The club women of Chattanooga have given excellent cooperation in this venture. At present this exchange is running very smoothly, with a club girl in charge. Her percentage collected on sales in one week recently amounted to \$18.40. The women are charged 15 per cent and the girls 10 per cent for the handling of their products. This percentage goes to those who spend their time in operating the booth. The sign above the stall is very attractive, and the girl in charge wears a simple white waist and the uniform cap and apron with the symbol of the club embroidered on it. Two girls are occupied in the work on Saturdays. Homemade articles of food are sold exclusively. These include bread, beaten biscuit, candy, cakes, and 4-H brand canned products. Before the establishment of this booth the disposal of canned goods was a problem. Now, no matter what the crop may be, the canned goods are sold locally at advanced prices. Many girls with unusual skill have customers who come in and purchase only articles made by these girls. During the holiday season holly wreaths and hand-crocheted articles are sold. Orders are also taken for handmade rugs, woven, braided, or crocheted.

The Girls' Canning Club Exchange has remarkable cooperation from other stall keepers in the market house, and the market master himself acts as sponsor for the club stall and renders every assistance in his power. The home demonstration agent visits the booth from time to time and gives suggestions and help in the successful management of the venture.

The effect of this work upon the women and girls of Hamilton County and upon the rural life itself is greater than this brief outline can indicate. The home demonstration work has become a permanent part of the educational activities of the county and has the cooperation of the city school system, county superintendent, rural-school teachers, federation of women's clubs, county and city public officials, and the men, women, and children who make up the farming population of the county.

ANSON COUNTY, N. C.

Anson County lies along the Yadkin River, on the southern boundary of North Carolina, in the Piedmont section, east and south of Charlotte. The last census showed that there were 3,332 farms, of which one-half were operated by white farmers. The average size of farms is 87 acres, of which 34.9 acres is improved land. Eighty-one per cent of the area of the county is in farms. The county may be considered one of the better counties of North Carolina. The percentage of farms operated by tenants is 63.6 per cent.

In 1913 a woman agent was employed for the first time, and a small canning club of 26 rural girls was organized. Fifteen of these girls are still at work as leaders in their communities. At four rural centers the girls gave "parties" to raise the money for the purchase of their canning-club outfits. The canning outfits purchased were used cooperatively either at the homes or at the schools. An excellent spirit of cooperation was manifested in the early stages of the work by such examples as follow: At one place one of the girls had no way of bringing her tomatoes to the place chosen for the canning demonstration. The other girls took turns in going after them, and one of the neighboring farmers did all of her plowing free of cost. On a number of

occasions when club members were ill and unable to attend meetings the other members did the work for the disabled ones and canned their vegetables for them.

During the early history of the work it was difficult to get sufficient cans to supply the girls. The county superintendent of schoools worked actively with the home demonstration agent, and the second year the club members purchased all their cans cooperatively, resulting in an order for a carload containing 35,000 cans. In 1916 the business men entered into this cooperation and 70,000 cans were ordered for use in the county.

In 1916 in the girls' work there was an enrollment of 154 girls in the various clubs. Accurate reports were obtained from 130 of these, showing the production of 40,036 pounds of tomatoes, 31,794 pounds of beans, and 800 pounds of peppers. These girls put up 42,069 containers of products from their gardens and nearly 6,000 additional containers from the products of the farm and orchard, usually allowed to go to waste. They learned sewing and dressmaking by making their caps and aprons, and a few of them made uniform dresses.

The work has assisted in bringing about a spirit of mutual helpfulness that has had a good influence on the homes and the communities. It has broken down barriers existing between families because of differences in education, social standing, and wealth. It has caused the girls and mothers who have had better chances to reach out and help their less fortunate neighbors.

In the fall of 1915 a meeting was held on the front porch of one of the homes in Rocky River community. The home demonstration agent called the meeting by writing to her canning-club members, requesting them to ask their mothers and neighbors to come to the meeting and bring a few jars of products canned during the summer. There were 38 women present. The products brought furnished an introductory topic. The home demonstration agent talked to them about canning and preserving, and led from that to a talk about what might be done for the general improvement of their school building and grounds, and also regarding the development of pride of the people of their community.

Those present were urged to hold a general meeting for this purpose. They said that such a meeting had never been held in their school, and they were afraid that it would not amount to anything. However, two weeks later they held a meeting which resulted in the raising of \$56. From this small beginning grew the movement which added a new room to the building, painted it inside and out, got additional funds for a library, and seeded the lawn in grass. Now they have an excellent two-teacher school. In the summer of 1916 they planted an acre in cotton and a border of flowers around the school building. They have a community club, holding regular meetings, and an excellent community fair.

Anson County now has 11 community clubs, in some of which both men and women are members. They have given special thought to the improvement of school buildings and grounds, better roads, campaigns against flies and other insects, study of foods, and social life for old and young. Such an organized community can better command the services of the county agent, the home demonstration agent, and the specialists of the extension division, as well as the officers of the State department of education and the Public Health Service.

In many of these clubs dairy work has been taken up, especially by getting the assistance of the dairy specialists from the extension division at Raleigh, who give illustrated lectures and special lessons in butter making, equipment used, etc. These lessons are given in the homes, resulting in great improvement in the home butter making. One woman reports that two years ago she used to send her butter to town in a tin bucket and received 15 cents per pound for it; now she sells all she can make for 30 cents per pound, put up in 1-pound prints.

Canning for market and home use appeals very strongly to these country women, and the proceeds of their sales have assisted them in the improvement of their homes. Poultry raising is also very popular, and there are 150 poultry-club members in the county. A recent report from four women shows that the income from poultry, eggs, and butter amounted in one year to \$119, \$160, \$183, and \$227, respectively.

The frequent holding of meetings and demonstrations in the homes has had a beneficial influence upon the home life itself. Better utensils for cooking have been purchased, and there has been a marked improvement in labor-saving devices and in the general quality of work done.

This county has one cooperative butter-selling association. During the winter turkeys and chickens are sold cooperatively at 2 cents per pound above the market price. Eggs are sold on the local market, because the price is excellent.

Such standards of quality and uniformity have been established in the home canning as to insure the sale of all the products put up by the women and girls.

This again is but a brief outline of some of the things accomplished in a single county. The people of Anson County are living under better conditions and the farm women realize the need and importance of more conveniences, especially labor-saving devices for the home. The skill and experience acquired by the women and girls have qualified them to earn more money on the farm and to contribute materially to the farm income. The relation of food to better health and more efficient work is more clearly understood. The sentiment for better education of the children has been greatly stimulated and better social conditions exist. The women feel that each contributes to the success and pleasure of the monthly meetings, annual picnics, and community fairs. The farm women of Anson County are developing into a community of interest and a high type of rural life.

DARLINGTON COUNTY, S. C.

Darlington County is located in the northeastern part of South Carelina. In 1910 it had a population of 36,027, and there were 4,207 farms in the county, according to the last census, 27.5 per cent of which are managed by the owners and 72 per cent by tenants. Among the white farmers about half are owners and half tenants. The large majority of the negro farmers are tenants. This is distinctly one of the better counties of the State, having a large production of very excellent cotton.

A home demonstration agent has been employed in the county for four years. As is usual in the counties of the

South, the work began with the girls in gardening and canning, gradually extending and broadening its influence and service to the mothers. Excellent results were obtained among the girls in gardening, canning, poultry work, and bread making. While the women were much interested, active demonstrations with them were not begun until the spring of 1915.

At present, however, 19 rural women's clubs hold regular meetings and have a total enrollment of 457 members, which is practically equal to one-half of the white owner farmers of the county. These women have carried out, under the instruction of the home demonstration agent, in their homes, during the past year, 190 demonstrations in bread making, 140 special demonstrations in meat cooking, 225 demonstrations in jelly making, 175 demonstrations in the cooking of vegetables, and 250 demonstrations in canning; 87 fireless cookers, 145 iceless refrigerators, and 160 flytraps have been made or installed: 70 houses have been screened against flies and mosquitoes, 11 wheel trays built, 12 convenient ironing boards constructed, and 3 waterworks systems installed. addition to these things, the following have been purchased: Six barrel churns, 8 washing machines, 13 bread mixers, and 3 wheel travs.

Through the girls' work the interest in gardening in the county has increased rapidly. Winter gardens now contain cabbages, turnips, lettuce, onions, beets, carrots, kale, spinach, and collards. Formerly not only were winter gardens rarely to be found, but as a rule they contained only collards. During the winter of 1916–17, 101 winter-garden demonstrations were conducted by the girls and women under the advice of the home demonstration agent. Many hotbeds have been built at schoolhouses under the supervision of the agent. The plants from these are sold and the proceeds used in improving the schools, as by painting the schoolhouses, buying sanitary drinking fountains, building septic tanks, etc. A number of the women and girls are raising winter vegetables for sale in the near-by towns.

The raising of pure-bred poultry for market, better methods of cooking and serving food, home conveniences, school lunches, proper diet for the family, care of milk, making

butter and cottage cheese, etc., have been lines that have attracted much attention and have increased the quantity and quality of these products used in the homes. The women also have been interested in the curing of hams and bacon for home use, and good methods have been introduced. In improvement of home grounds and the planting of flowers, trees, shrubs, and vines considerable work has been done.

Here again the social side of country life has been deeply touched, manifesting itself in many social gatherings and community fairs. In fact, Darlington County now enjoys one of the largest organizations for the work in any county in the South. Demonstration work has developed so rapidly and demands have been so insistent that, through the activities of the county people themselves, funds have been supplied for the employment of an assistant to the county home demonstration agent, both women being employed for 12 months in the year.

COMMENT.

It is difficult to present the results of a work which comes into such intimate contact with the home life. An attempt has been made to describe what is being done rather than to lay down any principles or policies to be pursued in the work. The activities described are typical of the home demonstration work now being conducted in the 15 Southern States, and is fairly comparable with that more recently started in the 33 Northern and Western States.

The State colleges of agriculture and the United States Department of Agriculture are cooperating in the work both in the North and in the South. Of the budget for home economics extension work for all of the 48 States for the fiscal year ending June 30, 1917, amounting to \$778,177, \$574,584 are being expended by the Southern States through the extension divisions of the colleges. In each of these States there are many commendable results of individual, community, and county effort, from which these few examples have been selected for presentation.

COOPERATIVE WORK FOR ERADICATING CITRUS CANKER.

By Karl F. Kellerman, Associate Chief, Bureau of Plant Industry.

INTRODUCTION OF THE DISEASE.

POR a little more than two years the Federal Government and the Gulf States have been engaged in a joint campaign for the purpose of eradicating from the United States the disease of citrus fruit and trees called citrus canker. This undertaking is unique in character in that it is the first instance of the use of Federal funds appropriated specifically for the eradication of a plant disease. It is of overwhelming importance to the citrus industry, because citrus canker has been recognized as the most contagious of all known plant diseases and the most destructive of commercial values.

The origin of the disease is obscure. It appears probable that it is native in Chosen (Korea) or in south China and that from China it has been carried to Japan during rather recent years, but there appears to be no doubt that it has been introduced into this country direct from Japan. The first observation regarding a plant disease which presumably was citrus canker is with reference to nursery stock introduced into Texas in 1911. It is not improbable that earlier shipments of nursery stock were infected, and it is certain that many later shipments of Citrus trifoliata orange seedlings from Japan, both into Texas and into other Gulf States, were infected.

DISEASE CHARACTERISTICS AND EARLY CONTROL EFFORTS.


Citrus canker is primarily a leaf-spot and fruit-spot, although it also affects twigs and even old bark and wood. In its early stages, however, it resembles the sour-scab of citrus trees, a troublesome but not an especially serious disease that is widely prevalent in the South. Until late in the year 1913 plant pathologists and nurserymen did not clearly distinguish between these two diseases, and, therefore, prior to its recognition and the determination of its serious character, the shipment of infected nursery stock was probably taking place throughout the southern areas where citrus culture was being extended.

During the seasons of 1913 and 1914 special efforts were made by State nursery inspectors, by nurserymen, and by citrus growers to check the spread of the disease by complete defoliation of infected stock followed by immediate and thorough spraying with strong Bordeaux mixture and by painting visible infections with Bordeaux paste. treatments were ineffectual, however, and citrus growers in sowheastern Florida became so concerned over the rapid and destructive spread of citrus canker and the failure of the methods usually employed for controlling plant diseases that they originated the plan of spraying infected trees with burning oil, thus completely destroying them. Eradication work of this character was undertaken immediately and financed almost entirely by private subscriptions, but the disease appeared to be gaining upon the forces attempting to control it. Recognizing that a severe epidemic menaced the citrus industry and that neither the citrus industry nor the States concerned were prepared to deal promptly and adequately with this emergency, on December 4, 1915, the Secretary of Agriculture suggested for consideration by the Congress the desirability of the immediate appropriation of sufficient funds to cooperate during the winter and spring with State officials, organizations of growers, and individuals to continue the eradication campaign under way in Florida and to organize similar inspection and eradication campaigns in the other States believed to harbor citrus canker. As a further protection, under date of December 10, 1914, the Secretary of Agriculture promulgated a quarantine, effective January 1, 1915, that prevents the introduction into the United States from all foreign countries of citrus nursery stock, including buds, scions, and seeds.


An immediate and rapid inspection of the Gulf region by an agent of the Federal Horticultural Board of the Department of Agriculture, supplemented by reports from State officials, indicated the occurrence of infected citrus trees in more or less widely separated and sharply defined localities from southeastern Florida to southern Texas.

The cooperative work of inspecting citrus groves and nurseries and destroying infected trees was begun in Florida immediately upon the approval of the urgent deficiency act


¹ The urgent deficiency act approved Jan. 25, 1915, provided \$35,000 for this purpose.




CITRUS-CANKER INFECTIONS ON THE LEAVES, YOUNG WOOD, AND FRUIT OF GRAPEFRUIT.



CITRUS-CANKER INFECTIONS OF THE LIGHT-BROWN, SPONGY, RAISED CHARACTER FOUND CHIEFLY IN WARM MOIST WEATHER, SHOWING THE MORE FLATTENED DARK SPOTS FREQUENTLY FOUND DURING THE WINTER OR COOL, DRY WEATHER.



UPPER SURFACE OF PORTION OF GRAPEFRUIT LEAF ENLARGED 2½
DIAMETERS TO SHOW PROJECTING CHARACTER OF CITRUS-CANKER
INFECTIONS.



Lower Surface of Portion of Grapefruit Leaf Enlarged $2\frac{1}{2}$ Diameters to Show Character of Citrus-Canker Infections.

of January 25, 1915, and shortly afterwards cooperative agreements for similar work were made with Alabama. Texas, Louisiana, and Mississippi.

Meantime the disease has been critically studied both in the laboratories of the Department of Agriculture and the State experiment stations, and its cause, though twice erroneously reported to be a fungus, has been definitely proved to be a bacillus new to science, which is apparently unable to infect plants other than the species of the genus Citrus or its close relatives. This new bacillus has been named Pseudomonas citri. The spots, or cankers, occurring on leaves, twigs, or fruit are not especially difficult to recognize. As shown in Plates LIX and LX, the cankers may vary from less than one-eighth to about one-fourth of an inch in diameter, and they may occur on green fruit (especially of lemon, grapefruit, and orange), on the bark (especially of young twigs), and upon leaves. By far the greater number of cases are found at first affecting only the leaves. The spots are reddish brown, raised slightly above the level of the healthy surface, and frequently are surrounded by a rather indistinct narrow yellowish zone. Leaves are especially characteristic, for, as shown in Plates LXI and LXII, the spots go clear through the leaf and are almost equally prominent on the upper and lower surfaces. They may be slightly mottled, and usually the older spots at least have broken through the thin outer layer or epidermis of the leaf. Before breaking through the leaf surface the cankers are smooth and almost waxy, but they afterwards have a corky appearance.

DRASTIC CONTROL MEASURES NECESSARY.

If spots or cankers fitting this description are found in any citrus grove, the owner of the property should at once take all possible precautions to avoid spreading the disease, lest it prove to be citrus canker. He should prohibit all visiting to that or adjacent groves, stop all cultivating or other work, and should send for a State specialist to definitely determine the disease. If this is not possible, a few infected leaves may be picked off, wrapped in paper, sealed

¹ Aid may be requested from Wilmon Newell, Plant Commissioner, Gainesville, Fla.; G. C. Starcher, State Horticulturist, Auburn. Ala.; R. W. Harned, State Entomologist, Agricultural College, Miss.; E. Lee Worsham, State Entomologist, Atlanta, Ga.; J. B. Barrett, State Entomologist, Agricultural Experiment Station, Baton Rouge, La.; Ed. L. Ayers, Chief Nursery Inspector, Houston, Tex.

in a heavy envelope, and forwarded to State authorities or to the United States Department of Agriculture. After picking these infected leaves, the owner should thoroughly wash his hands in a disinfecting solution.

If a tree is found to be actually infected with citrus canker the wisest course to pursue is to burn it at once. Although this treatment is extremely severe, it is the only one which has been found practicable and effective in checking the spread of the disease. This method of eradication, first used in Florida in the autumn of 1914, has been adopted throughout the entire region where citrus canker has been found, and additional safeguards not at first recognized as necessary are now employed.

THOROUGH DISINFECTION PRACTICED.

Inspectors for citrus canker are required to wear suits similar to the overalls worn by thrashing crews or by garage mechanics, completely covering their usual clothes. Leggins and canvas hats are also required. These must be completely and thoroughly disinfected in a 1 to 1,000 solution of bichlorid of mercury before entering citrus properties and upon leaving citrus properties, and at the same time the inspectors must thoroughly disinfect their shoes, hands, and faces. The inspectors are instructed to avoid touching any citrus trees when inspecting them, though if it becomes necessary to move a limb in order to thoroughly inspect a tree, this can be done with especial precautions to avoid as far as possible the chances of spreading contagion from diseased spots as yet not visible to the naked eye. All apparatus taken into citrus groves, such as oil cans and special pumps for spraying oil or formalin, etc., must be thoroughly sprayed with disinfectants before being taken from the orchard. Upon finding infected trees, the ground under the tree should be sprayed thoroughly with a 5 per cent solution of formalin, and especially in properties where grove trees are of considerable size the spraying with a 1 per cent formalin solution of all apparently healthy trees adjacent to infected trees which are to be destroyed is advised.

These precautions are more extreme than have been found necessary in fighting any other plant disease, yet they are necessary on account of the extreme infectiousness or contagiousness of citrus canker; and partly because of this the success of the campaign for the eradication of citrus canker may be expected to establish a new era in preventive and control work in dealing with plant diseases.

THE SPREAD OF THE DISEASE.

There have been periods during which it has been impossible to continue work in all States because of occasional lack of funds. As a whole, however, the campaign has been practically continuous up to the present time, and the distribution of the disease is not greatly different from what an experienced pathologist should have been able to predict from the circumstantial evidence more than a year ago. Knowing that infected nursery stock had been shipped into Texas in 1911, that suspected stock from Japan had at subsequent periods been shipped into other States, and that citrus stock exposed to infection in nurseries in each of the States concerned had been distributed, it is obvious that the disease must have been widely spread throughout the citrus-growing territory. As might have been expected, therefore, the more and more thorough inspections of the southern citrus territory showed that citrus canker was more widely distributed than the preliminary observations had indicated. Severe tropical storms during the two past seasons, in addition to the usual means of spreading the contagion, considerably increased the number of properties infected. Even at the worst, however, but a very small fraction of the citrus properties of the South have been infected, and those in California have escaped completely. Furthermore, the infected properties usually can be cleansed of the disease before many trees are lost.

The grapefruit, the orange, the lime, and the lemon are so readily infected with citrus canker that it does not appear probable that any method except that of complete destruction of all infected trees will serve to check the disease in any locality. With other varieties of citrus, and especially Satsuma oranges, it appears probable that the burning off of diseased leaves and branches, immediately followed by thorough spraying with strong disinfecting solutions, may arrest the spread of the disease, and careful

¹ Since the autumn of 1914 three Federal appropriations have been made for cooperative work for the eradication of citrus canker: \$35,000 in the urgent deficiency act of Jan. 25, 1915; \$300,000 in the urgent deficiency act of Feb. 28, 1916; and \$250,000 in the agricultural appropriation act of Aug. 11, 1916. The State contributions, being often personal and local in their nature, are not all cases completely recorded, but they are estimated to be \$3,500 from Alabama, \$300,000 from Florida, \$2,000 from Georgia, \$30,000 from Louisiana, and \$11,000 from Texas; a grand total, from all sources, of \$931,500.

and extensive tests of this modified plan are now under way. Even with Satsuma oranges it appears that the disease is almost uncontrollable if infected orange, grapefruit, or trifoliate orange plants are near by. Satsuma trees, on the other hand, frequently show the disease so slightly at first that the injuries are almost indistinguishable. Because of these facts, it is becoming obvious that in regions where citrus canker is appearing the attempt to grow these different varieties of citrus plants on the same property or even in the same general locality seriously jeopardizes the success of either variety.

ERADICATION CONTINGENT UPON CONTINUED EFFICIENT WORK.

The progress of the inspection and eradication work has been sufficiently encouraging during the past two seasons to give rise to the confident expectation of completely eradicating citrus canker from this country, provided effective work may be maintained constantly for a period of at least two or three years longer. All or practically all of the infected and suspected areas are known, and though it is impossible to find at once all dormant or undeveloped cases of canker, even in groves or nurseries where occasional diseased trees are found and burned, the number of infected trees appearing from month to month is decreasing, and the total number of infected trees during the past season was smaller than during the season before, especially in the commercially important orange and grapefruit regions.

The cost of conducting work of this character is very heavy; but, in view of the magnitude of the industry involved, the total sums expended to the present time represent but a small fraction of 1 per cent of the capitalized values that are threatened, and the continuation of the work appears to be both essential and well justified.

There remains always the hope that some less drastic method of combating citrus canker may be discovered, and therefore experiments are under way in different portions of the South carefully to test different methods of spraying and other treatments; it should at least be possible to develop spraying as an auxiliary method to a point where losses of trees from secondary infections may be negligible instead of forming as they now do a very considerable part of the loss caused by the spread of citrus canker.

THE PRACTICAL USE OF THE INSECT ENEMIES OF INJURIOUS INSECTS.

By L. O. Howard,
Entomologist and Chief, Bureau of Entomology.

INTRODUCTORY.

A MONG the many things which the Department of Agriculture has done for agriculture and horticulture in the United States, very few have been as spectacular and as immediately beneficial as the introduction of the Australian ladybird, or lady-beetle, from Australia in the eighties to destroy the white, fluted, or cottony-cushion scale, which at that time threatened the absolute extinction of the orange and lemon growing industry in California. The immediate and extraordinary success of this experiment attracted attention all over the civilized world, and, although it was followed by very many impractical and unsuccessful experiments of a similar nature, remains as the initial success in much beneficial work which since then has been carried on both in this country and in others.

The whole story of this work, and of later efforts of the same kind, has been told at length in Bulletin 91 of the Bureau of Entomology, published in 1911, but a competent résumé has never appeared in the Yearbook, and the retelling of it in more summary form will possibly prove of general interest.

THE AUSTRALIAN LADYBIRD AND THE FLUTED SCALE.

In the early seventies of the past century there appeared upon certain acacia trees at Menlo Park, Cal., a scale insect, which rapidly increased and spread from tree to tree, attacking apples, figs, quinces, pomegranates, roses, and many other trees and plants, but seeming to prefer orange and lemon trees. This insect, which came to be known as the white scale, or fluted scale, or the Icerya (from its scientific name), was an insignificant creature in itself, resembling a small bit of fluted white wax a little more than a fourth of

an inch in length. But when the scales had once taken possession of a tree they swarmed over it until the bark was hidden; they sucked its sap through their minute beaks until the plant became so feeble that the leaves and young fruit dropped off, a black smut fungus crept over the young twigs, and the weakened tree gradually died.

THREATENED EXTINCTION OF THE CALIFORNIA CITRUS INDUSTRY.

In this way orchard after orchard of oranges, worth a thousand dollars or more an acre, was utterly destroyed, the best fruit-growing sections of the State were invaded, and ruin stared the fruit growers in the face. This spread was rather gradual, extending through a series of years, and it was not until 1886 that it was so serious as to attract national attention.

In this year (1886) an investigation was begun by the Department of Agriculture. Two agents of the Division of Entomology, Messrs. D. W. Coquillett and Albert Koebele, were sent to California to study the problem of remedies. In the course of a year the complete life history of the insect had been worked out and a number of washes had been discovered that, applied to the trees in the form of a spray, would kill a large proportion of the pests at comparatively slight expense (say from one-half to one-third of a cent per gallon). It was soon found, however, that the average fruit grower would not take the trouble to spray his trees, largely from the fact that he had experimented for some years with inferior washes and quack mixtures and from his lack of success had become disgusted with the idea of using liquid compounds; something easier, something more radical, was necessary in his disheartened condition.

IMPORTATION OF THE AUSTRALIAN LADYBIRD AND ITS SPECTACU-LAR SUCCESS.

Meantime, after much sifting of evidence and much correspondence with naturalists in many parts of the world, it was decided by Prof. C. V. Riley, at that time Chief of the Division of Entomology of the Department of Agriculture, that the white scale was a native of Australia and had been brought over to California accidentally upon Australian

plants. In the same way it was found to have reached South Africa and New Zealand, in both of which countries it had gradually increased and had become almost as great a pest as in California. In Australia, however, it did not seem to be abundant and was not known as a pest, which was assumed to be evidence of the fact that Australia was the native home of the species, and that there must exist there some natural check to its increase. It therefore became important to send a trained man to Australia to investigate this promising feature.

It happened at that time that the appropriation bill for the Department of Agriculture prohibited foreign travel, but it also happened that some appropriations had been made to the Department of State to provide for an exhibit from the United States which was to be held at an international exposition at Melbourne. So by arrangements with the Department of State and the United States commissioner to the Melbourne Exposition, Mr. Frank McCoppin of San Francisco, it was planned to send an expert assistant from the Division of Entomology to Australia to study the conditions of the fluted scale in regard to parasites and other natural enemies, his expenses being paid from exposition funds. Mr. Albert Koebele was chosen for this work. order to justify this expenditure from exposition funds, the Department of Agriculture sent another agent, the late Prof. F. M. Webster, to prepare a report for the commission on the agricultural features of the international exposition.

Koebele proved to be an excellent choice. He was a skilled collector and the best man who could have been selected for this work. He at once found that Prof. Riley's supposition was correct—there existed in Australia small flies which laid their eggs in the fluted scales, and these eggs hatched into grubs which devoured the pests. He also found a remarkable little ladybird, a small, reddish-brown, convex beetle which breeds with marvelous rapidity and which, with voracious appetite and at the same time with discriminating taste, devours scale after scale, but eats fluted scales only and does not destroy other insects. This beneficial creature, now known as the Australian ladybird, or the Vedalia (fig. 8), was at once collected in large numbers, together with several other insects found doing the

same work. Many hundreds of living specimens, with plenty of food, were packed in tin boxes and placed on ice in the ice box of the steamer at Sydney. They were carried carefully to California, where they were liberated upon orange trees already inclosed in gauze by Mr. Coquillett at Los Angeles.

The results more than justified the most sanguine expectations. The ladybirds reached Los Angeles alive, and, with appetites sharpened by the long ocean voyage, immediately fell upon the scales and devoured them one after another




Fig. 8.—The Australian ladybird (Novius cardinalis), an imported enemy of the fluted scale: a, Ladybird larvæ feeding on adult female scale and its egg sac; b, pupa of ladybird; c, adult ladybird; d, orange twig, showing scales and ladybirds. a-c, Enlarged; d, natural size. (Marlatt.)

without rest. Their hunger temporarily satisfied, they began to lay eggs. These eggs hatched in a few days into active grublike creatures the larvæ of the beetles - and these grubs proved as voracious as their parents: they devoured the scales right and left, and in less than a month transformed into beetles. And so the work of extermination went on. Each female

beetle laid on an average 300 eggs, and each of these eggs hatched into a hungry larva. Suppose that one-half of these larvæ produced female beetles, a simple calculation will show that in 5 months a single ladybird became the ancestor of 75 billions of other ladybirds, each capable of destroying very many scale insects.

Is it any wonder, then, that the fluted scale soon began to disappear? Is it any wonder that orchard after orchard was entirely freed from the pest, until in the course of less than 5 years hardly an Icerya was to be found in California? In fact, in less than a year from the time when the first of

these hungry Australians was liberated from its box in Los Angeles the orange trees were once more in bloom and were resuming their old-time verdure. The Icerya had practically become a thing of the past.

The general effect of this extraordinary California success on the horticultural world at large was striking, but not wholly beneficial. Many enthusiasts, headed by certain Californians, concluded that it was no longer necessary to use insecticidal mixtures and that all that was necessary in order to eradicate any insect pest of horticulture or of agriculture was to send to Australia for its natural enemy. In fact, it is safe to say in a general way that, by blinding people to other and immediate measures of control, this success retarded the general warfare against injurious insects in the State of California.

The fact that the Vedalia preys only upon the fluted scale. and perhaps upon some very closely allied forms, was disregarded, and it was supposed by many fruit growers that it would destroy any scale insect. Therefore the people in Florida, whose orange groves were suffering from the long scale and the purple scale, sent to California for specimens of the Vedalia to rid their trees of these other scale pests. Their correspondents in California sent them specimens of the beetle in a box with a supply of the fluted scale for food. When they arrived in Florida the entire contents of the box were placed in an orange grove. The result was that the beneficial insects died and the fluted scale gained a foothold in Florida, a State in which it had never before been seen. It bred rapidly and spread to a considerable extent for some vears and did an appreciable amount of damage before it was finally subdued.

On the other hand, the work of this predatory beetle in other parts of the world has been of the same successful character as that in California, wherever it has been introduced for the purpose of destroying the fluted scale or another species of the same genus. It was introduced into New Zealand, into South Africa, into Portugal, into the Hawaiian Islands, Italy, Syria, Egypt, and recently into the south of France, everywhere reducing the fluted scale from alarming numbers to practically none. In no case does it appear absolutely to have exterminated the fluted scale;

always a few are left, which sometimes multiply so as to necessitate a reintroduction of the Vedalia.

WHY THE AUSTRALIAN LADYBIRD WAS SUCCESSFUL.

It thus appears that in this ladybird beetle we have an almost perfect remedy against the fluted scale. There have been no failures in its introduction to any one of the different countries to which it has been carried. Its success has been more perfect than that of any other beneficial insect which has so far been tried in this international work, that which comes nearest to it being the introduction of the parasites of the cane leafhoppers into Hawaii, which will be referred to later. There are good reasons for this—rea-




Fig. 9.—The sugar-cane leafhopper (Perkinsiella saccharicida): Adult female. Much enlarged. (Kirkaldy.)

sons which do not hold in the relations of many other beneficial insects to their hosts. In the first place, the Vedalia is active, crawls rapidly about in the larval state. and flies rapidly as an adult beetle. whereas the fluted scale is fixed to the plant, does not fly, and crawls very slowly when first hatched and later not at all. In the second place, the Vedalia is a rapid breeder and has at least two generations during the time in which a single generation of the scale insect is being developed. In the third place, it feeds upon the eggs of the scale insect;

and in the fourth place, it seems to have no enemies of its own; and this is a very strange fact, since other ladybird beetles are destroyed by several species of parasites.

IMPORTATION OF BENEFICIAL PARASITIC INSECTS INTO HAWAII.

PARASITES OF THE SUGAR-CANE LEAFHOPPER.

We have just referred to the Hawaiian work in the introduction of parasites. About 1902 a leafhopper (fig. 9) was found upon the sugar cane in Hawaii. It appears to have been introduced with seed from Australia about 1898. It spread rapidly, and in 1903 damaged the crop to the extent

of \$3,000,000. An expert was sent that year to the United States to look for parasites. The next year this expert and another went to Australia, collected more than 100 species of parasites of leafhoppers, and, though failing with their first consignment, sent in cold storage, were successful with later shipments. The parasites reached Honolulu alive, were reared in confinement, and liberated in the cane fields. The year 1905 showed enormous loss from the leafhopper on many plantations. In 1906 certain of the parasites (see fig. 10) began to multiply very rapidly.

In 1907 one very large plantation, whose crop had dropped from 10,954 tons in 1904 to 1,620 tons in 1905 and to 826 tons




Fig. 10.—Paranagrus optabilis, a parasite of the sugar-cane leafhopper: Adult, highly magnified. (Perkins.)

in 1906, made the next year 11,630 tons, almost entirely as the result of the parasite introduction. In August, 1915, the writer visited Hawaii and found that the situation with regard to the sugar-cane leafhopper was almost perfect. The canes were not damaged in any respect so far as could be seen. The leafhoppers were still present, but in insignificant numbers. Where they had laid their eggs, these were almost invariably parasitized by one of the introduced parasites. There is, it is true, an occasional reappearance of the leafhoppers in numbers, following the destruction of the parasites by trash-burning, and, at the time of this visit, on one

large plantation on the island of Hawaii 10,000 acres were so badly infested that a yield of only one-half a normal crop was expected. But such recrudescences as this are, and probably will be, fugitive.

A PARASITE OF THE SUGAR-CANE WEEVIL BORER.

Other results almost as valuable have been accomplished in Hawaii by the introduction of a fly which is a parasite of the sugar-cane weevil borer (fig. 11), an insect which tun-




Fig. 11.—The sugar-cane weevil borer (Rhabdocnemis obscurus): Adult weevil, from above; profile view of head and beak at left. Much enlarged. (Original.).

nels the canes and greatly reduces the crop. This parasitic fly was found in British New Guinea by Mr. F. Muir, an expert of the Sugar Planters' Association, and after much hardship and one failure it was successfully established in Hawaii with extraordinarily beneficial results.

This Hawaiian experience was described by Representative Mann in a speech made before Congress April 22, 1916, with the introductory remark, "I am going to narrate, very briefly, a fairy story"; but it was a true fairy story.

REASONS FOR THE SUCCESS OF THE HAWAIIAN WORK.

Here, again, there were good reasons for the striking success. The remote position of Hawaii and the simplicity of its native fauna—practically all of its pests having been introduced by commerce without their regular natural enemies and multiplying enormously on account of the very few native parasitic or predatory insects—account in part for the success, since in just the same way when natural enemies of imported pests are introduced they meet not only an absence of insects such as secondary parasites or native predatory species, but also find themselves in an equable climate permitting continuous breeding all the year round. As has been pointed out, the keen struggle for existence between the different native forms of insect life which is seen in continental lands is absent in these islands, and with introduced species the extreme simplicity of environment which they find is enormously favorable to their multiplication.

CONDITIONS UNDER WHICH THE PROBLEM IS SIMPLE AND EASY.

It follows, then, that with certain accidentally imported insects, nonfliers and attached to the same spot through practically their whole life, the introduction of active and more rapidly developing predators or parasites may reasonably be expected to be effective.

It follows, also, that injurious insects accidentally imported into such isolated islands as Hawaii in the north Tropics, which from their isolation have a very simple fauna, may be kept in check with some degree of certainty and with some degree of rapidity by the introduction, from their original home, of the parasites and natural enemies which there may have kept them in check.

WHY THE PROBLEM IS USUALLY COMPLEX AND DIFFICULT.

But with other kinds of injurious insects which have what is called a complete metamorphosis, and which may exist in the egg stage, in a crawling larval stage, in a quiescent pupal stage, and as a flying adult, and which in their native homes are parasitized by whole series of species of parasites, some attacking them in one stage and some in another, and still others in a third, it is not such a simple thing to introduce and acclimatize the parasites necessary to reconstitute the normal environment.

Moreover, in a great continental country like the United States, with its very old assemblage of insect forms of infinite variety, with its remarkable variations in climate, in altitude, in rainfall, we again have a much more complicated problem.

The original claim of the Californians, that you have only to send abroad for the parasite of any injurious insect to bring about its subjugation, is thus obviously erroneous. No trained entomologist would for a moment consider such a problem a simple one, except under conditions such as those described.

Hence it follows that with almost every accidentally introduced insect pest the problem of bringing in its natural enemies from its native home possesses very many factors which must be considered, and these factors differ with almost each kind of insect concerned. It is unwise and most unpromising to attempt heterogeneous and miscellaneous importations of parasites without careful study of the host insect on its home ground and in its natural environment throughout the whole range of its existence and a similar biological study of its parasites and natural enemies under such conditions.

IMPORTATION OF PARASITES OF THE GIPSY MOTH AND THE BROWN-TAIL MOTH.

Take the case of the gipsy moth and the brown-tail moth in New England, for example. Here we had two pests well known in Europe (the gipsy moth also being known in Japan) which had become accidentally established in New . England and which multiplied and spread alarmingly. In their native homes entomologists had studied these insects in a way for many years. Many of their native parasites and other natural enemies had been recorded. It was well known that in ordinary years in their native homes 90 per cent of all that hatched were destroyed by these parasites and natural enemies. Hence, after the first effort to exter-

minate these insects before their spread had covered very many square miles had failed, owing to the stopping of appropriations by the State of Massachusetts, and the insects had again multiplied and spread over an area of nearly 4,000 square miles, it was considered to be a most promising operation to bring over from Europe and from Japan as many larvæ and pupæ of these insects as possible, with the certainty that a large percentage of them would contain parasites which, liberated upon American soil, would attack the gipsy-moth and brown-tail-moth larvæ and pupæ devastating the orchards and forests of New England. This was done, and by the wholesale, but with the distinct understanding that immediate beneficial results upon a noticeably gratifying scale could not be expected.

In varying numbers and with varying methods, the European and Japanese parasites of these two insects were imported every year from 1905 to 1913, further actual importation work being then interrupted by the great war. More than 30 species were imported during this time, and a number of the most important ones have been acclimatized and are rapidly spreading, and are at the present writing doing excellent work and in many localities destroying more than 50 per cent of the injurious insects. More than 18,000,000 individuals of the parasites have been colonized in parts of the infested area.

But this great experiment, extending over 11 years, has necessarily comprehended the methodical experimental study of all of the factors which affect the attempted acclimatization of species in a new environment, many of the characteristics of which are opposed to such naturalization. It has been, in the freely translated words of Dr. Paul Marchal, the eminent French biologist, "a gigantic biological analysis and synthesis bearing upon all the elements which constitute the harmonic groupings of plant-feeding insects, their predators, parasites, and hyperparasites—the taking apart piece by piece of the whole system, and its partial reconstruction in a new environment, forcing it to give the greatest possible stress to the elements most favorable to man and reducing to the minimum those which oppose their action."

DIFFICULTIES ENCOUNTERED IN THE WORK.

To indicate in a faint way some of the difficulties encountered and some of the fluctuations of hope and the contrary which came about from time to time, it will be only necessary to cite the experience with two of the imported species.

There exists in Japan an egg parasite of the gipsy moth, now known as the Schedius (fig. 12). The first specimens of this insect were reared from Japanese gipsy-moth eggs sent to this country in 1908, and others issued in April, 1909. They bred rapidly, laying their eggs in American gipsy-moth eggs (see fig. 13) brought into the laboratory,




Fig. 12.—Schedius kuranac, an egg parasite of the gipsy moth introduced from Japan: Adult female. Greatly enlarged. (Author's illustration.)

and on through the summer at the rate of one generation a month. By the first of the following year 1,000,000 individuals were present in the rearing cages in the field laboratory, and the following March the parasitized eggs were divided into 100 lots, each of which contained approximately 10,000 parasites, and were put out in colonies, while a large quantity of parasitized eggs remained and were placed in cold storage awaiting the appearance of fresh eggs of the gipsy moth in the latter part of the summer. This hope was vain, however, and when the eggs were taken from cold storage not a single living specimen remained. By the end

of 1910 hopes of the survival of the species in the field were almost abandoned, but in spite of this the insect has finally accommodated itself to New England conditions and is breeding rapidly and spreading slowly from points where it succeeded in maintaining itself, and now exists by millions in regions infested with the gipsy moth.

Quite different was the experience with one of the European parasites, the *Parexorista cheloniae* (fig. 14), a species which exists also in America but which here does not seem to parasitize the brown-tail moth larva because it is apparently without defense against the poisonous barbed hairs of this caterpillar. On the other hand, in Europe this para-

site is represented by a race, apparently identical with the American race, but which has become adapted to the brown-tail moth physiologically and there parasitizes it with impunity. Attempts were made, therefore, to introduce the European form. It was brought over and colonized by the thousands. In the following year numerous brown-tail moth caterpillars were found to have been parasitized by it, and great hopes were aroused. The year after, however, the condition of affairs was completely changed; the caterpillars were absolutely free from attack. Then the curious discovery



Fig. 13.—Egg masses of the gipsy moth. Enlarged. (Kirkland.)

was made that the imported European race and its first generation of descendants had hybridized with the American race and that the offspring had lost the immunization against the brown-tail moth poison. It therefore appeared that all efforts to acclimatize the European race would be useless, since, however great the number of individuals imported, the race would be absorbed by the American form. Possibly the American race may eventually acquire immunity, but, with the abundance of other food, this would be an enormously slow process.

GENERAL RESULTS ACHIEVED.

On the whole, the work has been very successful, and has helped in bringing about infinitely better conditions in New England so far as these pests are concerned, and, while it is practically certain that both gipsy moth and brown-tail moth will gradually spread westward, it is equally sure that the imported natural enemies will go with them, and that none of the long-continued disastrous outbreaks which we saw in Massachusetts in the years prior to 1905 will occur farther west.




Fig. 14.—Parexorista cheloniae, a parasite of the brown-tail moth. Greatly enlarged. (Original.)

From all this it will appear that the practical handling of the natural enemies of injurious insects on the whole is by no means a simple rule-of-thumb operation. With a few species it can be done easily and with very perfect results; with other imported species it is a very complicated operation and will produce results which are palliative to a large degree, but by no means overwhelming in their effect.

INTRODUCTION OF THE PARASITE OF THE MULBERRY SCALE INTO ITALY.

Since the initial success with the Australian ladybird, literally hundreds of similar attempts have been made in

different parts of the world. Some have met with a certain amount of success; others have been absolute failures. One of the most successful ones which may be mentioned incidentally is the importation from America and Japan into Italy of a minute parasite of the Diaspis scale insect which threatened the entire extinction of the mulberry trees and consequently of the silk industry in Italy. This little parasite (fig. 15), imported by Prof. Antonio Berlese, of Florence, and carefully reared and distributed, has brought about the approximate extinction of the scale insect throughout a large part of Italy. Here again, however, we had a fixed scale




Fig. 15.—The parasite *Prospattella berlesei* laying its eggs in a mulberry scale. Highly magnified. (Redrawn from Berlese.)

absolutely at the mercy of its imported natural enemy, which, at the same time, breeds naturally with greater rapidity than the scale insect.

OUTLOOK FOR THE BIOLOGICAL METHOD OF FIGHTING INSECTS.

There will be a very considerable development of this method of warfare against injurious insects in the future. It should be termed "the biological method of fighting insects," and, looking at the problem in a broad way, so far as this country is concerned, when we consider that more than one-half of our principal crop pests have been accidentally imported from other countries, there seems no reason why a systematic study of a very large number of parasitic and predatory insects native to the countries from which these pests were accidentally imported should not be made with a view of ultimate importation of all of them

into the United States. In fact, since there exist all over the world beneficial insects, many of which can undoubtedly be acclimatized here, and some of which will undoubtedly prove of value to American agriculture, carefully planned work should be begun looking to the ultimate increase of our insect population by the addition of as many of these beneficial forms as possible.

Of course this would mean a very great amount of careful biological study in the countries of origin by men specially trained in this sort of work, if results of value are to be obtained. Strikingly beneficial results could not be expected speedily and, in fact, we might not be able for many years to estimate the benefits derived from such a service; but it seems clear that we should have in this country as many of these surely beneficial forms as can be acclimatized.

STALLION LEGISLATION AND THE HORSE-BREEDING INDUSTRY.

By Charles C. Glenn,

Animal Husbandry Division, Bureau of Animal Industry.

PROGRESS in horse breeding has not kept pace with the progress made in many other agricultural lines. One of the principal causes of this condition has been the too general use of stallions lacking in quality and breeding and the failure on the part of owners of mares to appreciate fully the value of the sound, pure-bred sire of desirable conformation. The most successful horse breeders use such sires only, and they also give particular attention to the selection of mares, as unsound mares of poor conformation and breeding, as well as inferior stallions, are a hindrance to progress in horse breeding.

It is a deplorable fact that hundreds of farmers and mare owners have patronized the inferior stallion. They have failed to appreciate that a higher fee paid for the service of the sound, pure-bred stallion will be more than offset by the higher price received when the resulting colt is sold. Nor have they considered the fact that it costs as much to raise a mongrel as it does a high-grade or pure-bred.

Many States have aided the farmers by enacting legislation regulating the public service of stallions and jacks, with the prospect that there will be an ultimate improvement in the horses in the entire country. Farmers and mare owners can benefit themselves and add greatly to the efficiency of these laws by insisting on breeding their mares only to such stallions as will improve, rather than degrade, their stock.

REQUIREMENTS OF STALLION LEGISLATION.

In the State of Wisconsin a law regulating the public service of stallions and jacks became effective on January 1, 1906. Since that time 20 additional States have enacted legislation of a similar character. These States are: California, Colorado, Idaho, Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Montana, Nebraska, New Jersey, New York, North Dakota, Oklahoma, Oregon, Pennsylvania, South Dakota, Utah, and Washington.

Wisconsin and a number of other States have amended their original laws, the object being to make them more effective and to give clearer classifications regarding licenses. Under the provisions of these laws certain standards and conditions must be met before a stallion or jack is permitted to stand for public service. These conditions vary somewhat. In some States certain diseases and unsoundnesses disqualify a stallion or jack for public service; in others, the stallion or jack is permitted to stand, but any unsoundness must be mentioned on the license certificate as well as on all posters, circulars, etc., used by the owner for advertising purposes.

The laws in most of the States require every stallion or jack claimed by the owner to be purebred to be registered in a studbook published by a society recognized by the State as authentic and reliable. Before a license is issued the certificate of registration and pedigree issued by one of these recognized societies, with an application for license and an affidavit certifying to the condition as regards soundness, must be presented to the State board or commission. All stallions and jacks for which such a certificate of registration from one of the recognized societies can not be produced are, if other conditions have been met, licensed as grade, crossbred, nonstandard-bred, mongrel, etc., and sound or unsound, according to the provisions of the law in the particular State.

Detailed information regarding these laws may be secured by addressing the officials in charge, whose names and addresses appear at the end of this article.

The figures shown in the several tables were compiled from reports furnished by the secretaries of the various stallion registration boards. These reports are not issued all at the same time of year, and the information given is taken from the last reports received.

Number of stallions, by breeds and classes, in 18 States.

	Total stallions and jacks.			1,631	843	8,690		9,875	5,735	1,886	3,951	1,201		172	က်				989	1,219	3,042	59,548
			Total jacks	295	54		1, 161	822				11	1,157	∞	1~	_		12		101	35	3,995
	Jacks.	*s:	Jaci beretzizernU	181	20		536	589				23	1,061	9	58	100	63	9		:23	19	2,811
		Registered Jacks.		H	*Ji		628	233				6	96	લ	17	24	ç	- 67	-	- 81	16	1,184
		Mongrel stallions. Total stallions.		1,336	288	8,690		9,053	5,735	1,886	3,951	1, 190	5,065	164	2,967	1,188	2,190	1,978	289	1,118	3,007	4, 547 55, 553
				350		-	946		1,151	275		:	:	:	757	232		461			345	
		·st	Crossbred stallion	CN	1	CV	±0	:	:	;	:	:	:	-	:	C3	:			:	70	17
			Grade stallions.	272	432	3, 185	1,276	2,686	1,360	398	1,898	423	2,213	7.0	809	284	1,153	300	63	534	805	18,066
			Total pure-bred stallions.	712	357	5,503	2,707	6,367	3, 224	1,213	2,053	292	2,852	F8	1,602	670	1,037	1,217	219	584	1,755	6 32, 923 18, 066 17
5			Welsh pony.	:	:	2	_:	:	:	_:	:	:	_:	:		- :	:		:	:		
1			Shetland pony.	:	-	55	19	53	10	:	471		_	_	:	က	r.o	7	:	:	÷	158
2		ions.	Thoroughbred.	=	-	6		9	00	\div	:		ro	77	:	rO	14	~	6	-:	-:	1 1
James of the company of the company			Standard-bred.	109	27	974	444	624	416	172	142	33	233	31	8.4	72	211	43	17	:	276	3,91487
	,,		Saddle.	6	:	20		83		:		00	0	:	:	4	10	07	ග	:	23	167
3	Stallions		Могgзл.		2	65	11	55	25	000	প্ত	4	4		က	10	10	1-			22	249
			Наскпеу.	· **	C)	37	6	18	6	r-	r.	:	4	m	က	8	22	П	-	e .	9	134
6		Pure-bred stallions	German Coach.	27	491	111	48	54	37	13		9		က	14	31		∞	C/I	16	19	477
		red	Гтепсь Соась.	7	C4	31	-	18	18	-	11	œ	8	:		ග	00	_	****	9	17	142
		ģ	Cleveland Bay.	:	;	~	-	77	9	-;	:	:	:	:	:	2	p-4	:	-;	:	:	719
		Pur	Arsbian.	69	:	_:	_:_	_:_	:	_:		:	:	:	:	:	:	:	_:	:	77	1 1
			Suffolk.	:	67	류			22	62	~	<u>:</u>	3	Ξ.	2		<u>:</u>	3	ಣ	3	-	19
0			Shire.	22	23	454	101	y.O	88	46	52	19	273	:	161	55	99		R	93	46	2, 164 61
			Percheron.	336	204	2,855			2,038	664	1,244	488	1,586	21	1,037	312	518	752	104	318	1,052	2,05517,986
-			French draft.	35	18	267	105	516	83	36	126	51	270	-	86	22	31	97	6.	31	90	2,055
			Clydesdale.	18	11	173	73	332	38	69	93	24	85	න			ន	59	Ä	13	F.2	1, 272
			Belgian draft.	101	20	397	011	944	201	196	326	75	330	C/3	202	92	121	187	31	100	166	4,1521,272
-		Date.			15, 1915	1, 1915	31, 1915	;	1, 1915	1, 1915	15, 1916	31, 1915	1, 1914	1915	31, 1915	1,1915	31, 1915	1, 1915	1915	1, 1914	1, 1915	
		31, 1915	. 15,	, Î		0	٦,	 Î`	15,	뗥	-		31,	ا .								
		July	Nov.	July	Dec.	:	Oct.	Sept.	Apr.	Dec.	July					July		July	July			
-		State.			Idaho	Illinois	Indiana	Тоwа	Kansas	Michigan	Minnesota	Montana	Nebraska	New Jersey	North Dakota	Oregon	Pennsylvania	South Dakota	Utah	Washington	Wisconsin	Total

292

The table on the preceding page shows the number of purebred stallions by breeds and the grades, crossbreds, and mongrels, as well as the registered and unregistered jacks, for those States from which these data were obtainable, the exceptions being Colorado, New York, and Oklahoma. No figures were received from Oklahoma, and those from Colorado give only the total number of licenses issued. Reference to these is made below. The law in New York became effective January 1, 1917. In some States a separate license is issued for nonstandard-bred stallions, and all these have been shown with the grades. This table shows the great popularity of the draft breeds, among which the Percheron




Fig. 16.—States in white have laws regulating the public service of stallions and jacks.

stands far in the lead, followed by the Belgian, Shire, French Draft, Clydesdale, and Suffolk in the order named. Of the light breeds the standard-bred stands practically alone.

In the two following tables, showing comparisons and percentages, only stallions have been considered. From the latest data received, 55,553 stallions are found to have been licensed for public service in all States having stallion license laws, excepting Colorado, New York, and Oklahoma. Of this number, 32,923, or 59 per cent, are pure-bred; 18,066, or 33 per cent, are grade; and 4,564, or 8 per cent, are cross-

bred and mongrel. Colorado reports only the total number of licenses issued, which was 1,430, jacks being included. Allowing a reasonable estimate for the number of jacks in this State, 56,000 stallions, in round numbers, are licensed for public service in all of these States, not including Oklahoma and New York. The distribution of the 55,553 stallions is given in the annexed table, with the percentage each class bears to the total number of stallions licensed.

Distribution of classes of stallions by States.

Gt-t-	Pure-	bred.	Gra	ide.	Crossbi	Total	
State.	Number.	Per cent of total.	Number.	Per cent of total.	Number.	Per cent of total.	stallions.
California	712	53	272	21	352	26	1,336
Idaho	357	45	432	55			789
Illinois	5,503	63	3, 185	37	2		8,690
Indiana	2,707	54	1,276	26	981	20	4,964
Iowa	6,367	70	2,686	30			9,053
Kansas	3,224	56	1,360	24	1,151	20	5,735
Michigan	1,213	64	398	21	275	15	1,886
Minnesota	2,053	52	1,898	48			3,951
Montana	767	64	423	36			1,190
Nebraska	2,852	56	2, 213	. 44			5,065
New Jersey	84	51	79	49	1		164
North Dakota	1,602	54	608	20	757	26	2,967
Oregon	670	56	284	24	234	20	1,188
Pennsylvania	1,037	47	1,153	53			2, 190
South Dakota	1,217	62	300	15	461	23	1,978
Utah	219	78	63	22		· · · · · · · · · · · ·	282
Washington	584	52	534	48			1,118
Wisconsin	1,755	58	902	30	350	12	3,007
Total	32,923	59	18,066	33	4,564	. 8	55,553

ELIMINATION OF THE INFERIOR STALLION.

As has been indicated, prior to the enactment of these laws, stallions with every kind of breeding and affected with various diseases and unsoundnesses were standing for public service. The result was the production of a class of horses for which there was no demand.

It is well known that stallions of impure breeding lack the prepotency of the pure-bred and fail to stamp their offspring with breed characteristics and often even individual merit. While it happens frequently that the size of the service fee, instead of the quality of the stallion, is the governing factor in deciding to what stallion a mare shall be bred, a lack of consideration, or knowledge, in the matters of soundness, breeding, and registration has been the cause for much of the patronage secured by the inferior stallion. Again, through misrepresentation on the part of some stallion owners many farmers have been deceived as to the true condition and breeding of a stallion. It is an almost invariable principle that like begets like, and breeders should not countenance the use of, nor support, sires lacking in those essentials necessary for the production of high-class horses.

It is not to be expected, however, that the unsound, inferior stallion will be eliminated quickly from breeding operations in this country. While it is generally agreed that their use should be stopped, the process of elimination must necessarily be gradual. There is, however, sufficient evidence that the demand for sound, pure-bred, registered sires is becoming more active. Among reasons for this may be mentioned the enactment of stallion legislation, which has caused all public service stallions to stand under their true colors as to breeding and soundness: the opportunity these laws give the farmer and mare owner to know exactly what a stallion is before either purchasing or breeding his mares; the publication of bulletins by the State agricultural colleges and experiment stations dealing with the problems of breeding, selection of sires, etc., and the assistance given by the officials in charge of the enforcement of the stallion license laws. Some of these State boards conduct bureaus of information, through which breeders may learn where desirable stallions of the various breeds may be safely purchased.

THE EFFECT OF STALLION LEGISLATION.

Perhaps the first and most important result of these laws is that they have made it possible for every farmer and mare owner to know exactly what a stallion is before breeding his mares, because stallion owners are compelled to represent their animals for just what they are.

They afford protection against false pedigrees and altered or forged certificates of registration, and benefit the owners of sound, pure-bred sires because they discourage the use of unsound, grade, and mongrel stallions. The State authorities have found that hundreds of stallions that had been sold at high prices were either recorded in some unrecognized association or had been sold on altered certificates issued originally by reputable societies, the animals for which they had been issued having either died or been castrated, and thus there was created a practice of substitution that reached extensive proportions. These stallion laws now prevent a continuance of this practice when they are properly enforced.

The reports from the various State boards show that greater interest is being taken by farmers and mare owners in raising the standard of horses in their communities. A few instances will serve to show the beneficial effect resulting from this legislation.

In Idaho it has been found that many stallions brought into the State have been rejected and then shipped out to be sold elsewhere, that dealers are becoming more careful in their selection of stallions to be disposed of, and large numbers of breeders are buying pure-bred mares.

The report of the Illinois Stallion Registration Board for 1915 states that since the previous report 70 licensed stallions have been castrated and 146 sold to other States.

In Indiana the first year the law was in force 180 cases were found where certificates had been issued by societies not recognized by the law. Fortunately, however, in a number of instances the animals were found eligible to registration in recognized societies and pure-bred licenses eventually granted.

In 1909, prior to the enactment of the law, in the State of Kansas, over 2,000 grade and scrub stallions were advertised as pure-bred, while in 1915 not one such animal was so advertised.

In North Dakota the number of pure-bred stallions licensed has increased almost 50 per cent during the last 5 years, regardless of the fact that in the same period 242 stallions of pure breeding were refused licenses on account of unsoundness.

During the year 1915 in the State of Pennsylvania licenses were issued to 2,190 stallions, of which only 53 were reported as unsound.

In Wisconsin it is stated that horses are gradually improving in breeding, soundness, and quality. In 1906 the percent-

age of grade and scrub stallions licensed represented 60 per cent and the pure-breds 40 per cent, while in 1915 the grades and scrubs represented 42 per cent and the pure-breds had increased to 58 per cent.

A comparison with the year 1907, however, shows that from that time until 1915 the grades and scrubs have decreased from 65 per cent to 42 per cent, while the pure-breds have increased from 35 per cent to 58 per cent. These latter figures are considered more accurate in showing the results of the law, for the reason that all owners did not enroll their horses the first year.

Per cent of stallions in the several classes at dates of earliest and latest reports.

			- Larcor				
State and date.	Per cent pure- bred.	ent cent bred		State and date.	Per cent pure-bred.	Per cent grade.	Per cent cross-bred and mon-grel.
California:]	New Jersey:			
July 30, 1912			Nov. 1, 1909				
July 31, 1915	53	21	26	1915	51	53 49	
Idaho:						10	
Dec. 1, 1910	40	60		North Dakota:			
· Nov. 15, 1915	45	55		Dec. 31, 1910	43	57	
Illinois:		00		1915	54	20	26
Oct. 1, 1910	55	45		Oregon:			
July 1, 1915	63	37		May 20, 1912	58	245	17
Indiana:	00	٠.		Nov. 1, 1915	56	24	20
1914	53	27	20				
1915	54	26	20	Pennsylvania:			
Iowa:	0.7	20	20	1908	33	6'1	
Jan. 1, 1913	70	30		Dec. 31,1915	47	58	
1915	70	30		South Dakota:			
Kansas:	10	50		Sept. 1, 1916	52	16	32
Oct. 1, 1910	41	59		uly 1, 1915	62	15	23
1915	56	24	2ί	Utan:			
Minnesota:	30	24	20	June 30, 1909	75	27	
Apr. 1, 1908	39	61		1915	70 78	27 22	
Apr. 15, 1916	52	48			15	22	
Montana:	02	40		Washington:			
·	0.1	00		July 1, 1912	53	20	
Nov. 1, 1910 Dec. 31, 1915	61	39		1914	52	40	
Nebraska:	64	36					
	,,,			Wisconsin:		_	
July 1, 1912	49	51	•••••	Nov. 1, 1906	40	60	
1914	56	44		July 1, 1915	58	30	12

The figures given in the table above show the percentage of increase or decrease in pure-breds and grades and mon-




Fig. I.—AN UNSOUND MONGREL STALLION.

One patronized because of the cheap service fee. Now retired from service.




FIG. 2.—A GRADE TROTTING-BREED STALLION UNFIT FOR BREEDING PURPOSES.

Courtesy of Wisconsin Experiment Station.




FIG. I.—ANOTHER ILLUSTRATION OF AN UNSOUND GRADE STALLION.

Lack of patronage finally caused him to be retired from service. Courtesy of Wisconsin Experiment Station.




Fig. 2.—A GRADE PERCHERON STALLION THAT SERVED 80 MARES IN ONE SEASON.

His colts were raised at practically the same cost as pure-bred colts could have been reared. Courtesy of Wisconsin Experiment Station.




FIG. I.—GOOD TYPE OF TROTTING-BRED STALLION.

A sound horse and a safe sire for farmers desiring to breed horses of general purpose type.





Fig. 2.—Character, Soundness, and Good Conformation.



KEEP ONLY THE BEST MARES AND BREED THEM TO SOUND, PURE-BRED STALLIONS OF THE SAME BREED.

grels, the first report received from each State being compared with the last report received, with the exception of Iowa. The original law in this State became effective March 30, 1907, but as owners of grade stallions were not required to secure certificates of soundness until 1912 the figures for the latter year have been used for the purpose of comparison. In 1908 there were 4.491 pure-bred licenses issued. Therefore, the increase in the number of pure-breds in 1915 over 1908 is 42 per cent. In connection with this table it is explained that in some States the original laws did not provide for mongrel licenses, while the amended laws include this classification. It is proper, therefore, to assume that many stallions were licensed as grades under the original acts, although in reality nothing more than scrubs. Thus the percentage of grades and mongrels licensed in those States, as shown by the last reports, should be added together in order that a proper comparison may be made with the first reports, which did not call for mongrel licenses.

In Oregon, in 1915, while the figures show a slight decrease in the percentage of pure-breds and an increase in the percentage of grades and mongrels, the report shows 54 more pure-bred licenses issued than in 1914, and 22 less mongrels, there being a change of but one in the number of grades. This indicates that breeders are becoming better acquainted with the purpose of the law and that pure-bred stallions are taking their rightful place as the sires of Oregon's horses.

In Washington the number of pure-bred stallions licensed in 1914 increased 154, or 36 per cent, over the number in 1912, while the grades increased 227, or about 74 per cent. This seems to indicate that when the law became effective not all owners of grade stallions applied for licenses, and the further probability that leniency was shown in enforcing the law the first year.

However, the general increase in pure-breds and decrease in grades and mongrels is an indication that there is a gradual but continued improvement in the quality of stallions being used in these States. It indicates also that breeders are becoming more particular and better informed in the matters of soundness, breeding, and registration, and that owners of stallions who at first were, in some instances, inclined to oppose, are now aiding in the enforcement of the provisions of the laws.

It would be interesting to know just what is becoming of the unsound, grade, and mongrel stallions. It is indicated in the reports from the various States that as the patronage of these inferior sires decreases they are either castrated or shipped out, in most cases undoubtedly into States which have no law compelling them to stand under their true condition as to soundness and breeding, and where it is possible for them to continue their destructive influence upon the horse industry.

It is in these States that breeders should exercise the greatest caution before deciding to which stallion they will breed their mares. They should demand of the stallion owner that they be permitted to examine the certificate of registration and pedigree in order to learn whether the animal is properly registered in a reliable studbook, also whether the age, color, and description agree with the stallion whose service is being considered and whether the certificate has been altered or tampered with in any way. If the certificate has been changed or does not agree with the stallion, it is evident that something is wrong, and it will be much wiser to refuse the service of the stallion than to accept it, pay the fee, and run the risk of getting a nondescript foal, expensive to raise and for which there will be a poor market. It is imperative, therefore, that the breeders in these States should be protected. With no legislation governing the sale or public service of stallions, such States undoubtedly will receive unsound, grade, and nondescript horseflesh driven out of States that have properly and wisely safeguarded the interests of their horse breeders and farmers by enacting stallion legislation.

If a breeder is not familiar with pedigrees and registration societies, he should consult the State stallion registration board or his State agricultural college, giving all facts regarding the stallion whose service is being considered. In this way much information may be secured that will be of value in the future when the question of breeding comes up.

For the convenience and information of those interested, a list of the various State stallion registration boards or commissions follows, with the names and addresses of the officials in charge, to whom all inquiries regarding the various State laws should be addressed:

California, Charles W. Paine, secretary, Stallion Registration Board, Sacramento.

Colorado, E. McCrillis, secretary, State Board of Stock Inspection Commissioners, Denver.

Idaho, H. G. Bodle, State veterinarian, Live Stock Sanitary Board, Boise.

Illinois, B. M. Davison, secretary, Stallion Registration Board, Spring-field.

Indiana, H. E. McCartney, secretary, Stallion Enrollment Board, La Fayette.

Iowa, A. R. Corey, secretary. Stallion Registration Division, Department of Agriculture, Des Moines.

Kansas, C. W. McCampbell, secretary, State Live Stock Registry Board, Manhattan.

Michigan, Judson Black, secretary, State Veterinary Board, Richmond. Minnesota, J. S. Montgomery, assistant secretary, Stallion Registration Board, University Farm, St. Paul.

Montana, C. N. Arnett, secretary, Stallion Registration Board, Bozeman.

Nebraska, J. S. Anderson, secretary, Live Stock Sanitary Board, Lincoln.

New Jersey, F. C. Minkler, secretary, Live Stock Commission, New Brunswick.

New York, commissioner of agriculture, Albany.

North Dakota, E. J. Thompson, secretary, Stallion Registration Board, Agricultural College.

Oklahoma, W. L. Fowler, secretary, Oklahoma Live Stock Registry Board, Stillwater.

Oregon. Carl N. Kennedy, secretary, Stallion Registration Board, Corvallis.

Pennsylvania, Live Stock Sanitary Board, Harrisburg.

South Dakota, A. E. Beaumont, secretary, Live Stock Sanitary Board, Pierre.

Utah, W. E. Carroll, secretary, State Board of Horse Commissioners, Logan.

Washington, H. T. Graves, acting commissioner of agriculture, Olympia.

Wisconsin, A. S. Alexander, Department of Horse Breeding, University of Wisconsin, Madison.

A national association has been formed which is composed of representatives of the foregoing boards. The name of this organization is the National Association of Stallion Registration Boards, of which Prof. J. S. Montgomery is the secretary, with office at University Farm, St. Paul, Minn.

IMPORTANCE OF DEVELOPING OUR NATURAL RESOURCES OF POTASH.

By Frederick W. Brown,

Assistant in Charge Investigation of Fertilizer Resources,

Bureau of Soils.

GERMANY'S monopoly of the potash trade in time of peace and the abrupt cessation of all shipments with the beginning of hostilities in Europe emphasize the urgency of immediate development of American sources of one of the most valuable of chemical fertilizers. Within the last 70 years there has been a rapid development in the use of chemicals-nitrogen, phosphorus, and potassium-for inducing increased crop yields. Before the war there were 100 companies mining potash in Germany. More than 90 per cent of their enormous product was used for agricultural purposes. German producers of potash are combined in a syndicate under supervision of the Government. The Government fixes the minimum price for which it may be sold and limits the quantity that may be exported. In recent years the United States has taken one-fifth of the entire output of the German mines and one-half of all allowed to be exported. In 1913 this country bought about 1,000,000 tons, nearly all of which was used for fertilizer purposes. In common with the rest of the world, the United States has been dependent upon Germany; to what extent is shown by the fact that in December, 1913, muriate of potash sold here for \$39 a ton and was quoted at \$500 in December, 1915, with only small lots available.

Before the development of the German mines in the early seventies of the last century potash was derived largely from seaweed and by leaching wood ashes, and the supply, necessarily limited, was principally consumed in the arts. With the development of the German supply, however, the use of potash as a fertilizer ingredient has increased steadily.

There is no question of the general value of commercial fertilizers in farm practice. The farmer who wisely and systematically applies commercial fertilizer to his fields will raise larger and better crops than his neighbor who, with similar conditions of soil, climate, and rotations, and equal industry applied to cultivation, does not use fertilizers. This statement applies with the same force to the rich soils of the Mississippi Valley as to the soils of the eastern cotton States or of New England. Moreover, an analysis of the fertilizer investigations carried on by experiment stations in this country and abroad brings out the significant fact that, generally speaking, the use of a complete fertilizer—that is, one containing all three elements—gives larger returns than the use of one containing either one or two of the fertilizer ingredients.

An ample supply of potash has therefore in the last half century become an agricultural necessity. This is particularly true of certain large sections of this country where the soils are of such a character that profitable crops can be raised only when liberal applications of fertilizing ingredients are added, or where special crops are grown under a system of intensive agriculture. Throughout the cotton States, the tobacco-growing regions, the trucking sections of the Atlantic States, and in citrus-fruit and potato-growing regions the heavy application of commercial fertilizers, including potash, is now a recognized agricultural practice. With these conditions existing, it becomes evident that an adequate and reliable supply of potash has become necessary if American agriculture is to advance to meet the growing needs of increasing population.

Up to the stoppage of all shipments the German supply of potash has been adequate, but these mines are not inexhaustible, and a time will come when Germany will see the need of conserving her diminishing supply of this agricultural necessity for the use of her own farmers. When this time comes, either another source must have been found or American agriculture must suffer.

In recent years a number of possible sources of American potash have been brought to public attention. For convenience of treatment here they may be grouped into three classes—trade wastes, natural deposits, and kelp.

There are a number of industries in this country handling materials from which potash may be recovered as a byproduct. Until recently little effort has been made to effect

'such recovery, and large amounts of potash have been allowed to escape into the air or to run off with waste waters.

CEMENT MANUFACTURE.

One of the more important sources of potash from such trade wastes occurs in connection with the cement industry. Throughout the country exist deposits of feldspar and other silicates containing potash. This potash, however, is in an insoluble form, and the containing rock must undergo treatment before the potash is liberated in a form to be taken up by the soil water and used by plants.

It seems unlikely that any process will be developed which will make it commercially profitable to treat the rock for the potash alone and discard the residue. The Bureau of Soils pointed out, however, some years ago, that the potash-containing silicates might be used in the cement industry and the potash saved as a by-product. It has been demonstrated in recent years that this procedure is entirely practicable through the installation of electrical precipitators in the flues of cement mills. One company has had this installation in operation for several years, and several other large mills are installing apparatus for the same purpose. In this process the combined insoluble potash contained in the clav used in cement manufacture is released and rendered soluble under the high temperature of the cement kiln and passes off with the dust in the stack, where it is caught and thrown down by electric precipitators. A large percentage of the potash contained in the raw mix is recovered in this way; and while the initial installation of the precipitators is somewhat expensive, the cost of operation is very small. If, therefore, the raw mix going into the cement kilns contains a sufficient percentage of potash, the process, even under normal conditions in the potash market, will pay an excellent return on the investment.

It may be of interest to state that the process was perfected with the object of abating the nuisance caused by the escape of fumes and dust from a cement mill and the consequent injury to citrus groves at Riverside, Cal. Cement mills so situated that the fumes and dust from their stacks constitute a nuisance to surrounding property may find it advisable to install the apparatus, even though the returns

from the potash collected would not of themselves justify the expenditure.

Since 85,914,907 barrels of cement were produced in this country in 1915, this appears at present a very promising source of a domestic supply of potash.

BLAST FURNACES.

Similarly there is the possibility of a large supply of potash as a by-product of blast-furnace operations. Blast-furnace gas contains varying percentages of potash. In ordinary practice this gas is cleaned by passing it through dust catchers and washers and is then available for use in the stoves for heating the air used in the blast and under steam boilers. Recent practice has found a further use for the gas in operating gas engines, but for this purpose it must be further cleaned by passing it through secondary washers.

At present a small proportion of the potash which escapes from blast furnaces is collected in the stoves and boilers, but the greater part is lost in the wash waters or escapes from the flues. Moreover, the presence of potash fumes remaining in the gas as it comes from the primary washers is probably responsible for the condition so troublesome to furnace operators known as "smoky gas."

An experiment recently conducted by one of the largest steel mills of the country has shown that this necessary operation of cleaning the gas can be accomplished more satisfactorily and probably more economically by means of electrical precipitation than by the methods now used. In addition to furnishing a more effective cleaning of the gas, such an installation would recover practically all the potash.

This appears to be an important potential source of potash, as the aggregate amount now volatilized and lost in the blast furnaces of the country is very large. Efforts are now being made by the Bureau of Soils to determine this amount with some degree of accuracy.

WOOL WASTES.

Among the impurities contained in wool as it comes from the sheep, which must be removed before the wool can be used by the spinner, is a material called "suint." This really




FIG. I.—FRONT VIEW OF HARVESTER CUTTING KELP, SHOWING CONVEYER.




Fig. 2.-Kelp Harvester, Showing General Construction.




FIG. 3.-BARGE OF HARVESTED KELP.

is the dried sweat of the sheep. It is soluble in water, and consists principally of potash salts. In addition to suint, crude wool also contains grease, and any process for recovering potash from wool must include the recovery of the grease also to be commercially profitable. Wool grease is used for dressing leather and for lubricating purposes, and is also the source of the very valuable lanolin compounds used in pharmaceutical preparations.

Probably the best method of wool scouring is called the "solvent process," and recovers the grease and suint separately. The wool is treated with a volatile solvent (gasoline, naphtha, or carbon disulphide) which removes the grease, and is then washed in warm water to extract the suint. The solution of wool grease then is distilled, in which operation the solvent passes off and is recovered for further use, and the grease is left as a residue. The solution of suint is evaporated and calcined for its potash.

In 1914 about 290,000,000 pounds of raw wool were produced in this country, and about 220,000,000 pounds were imported.

The potash content will average about 4½ per cent of the weight of the crude wool, so that approximately 11,500 tons of potash might have been recovered from the wool scoured in the United States in that year. The Bureau of Soils is investigating the problem of extracting potash from wool in the hope of demonstrating its commercial feasibility.

WOOD WASTES.

The wood-using industries of the country produce a large amount of sawdust annually, and much of this is used as fuel in the furnaces of the plants. It is probable that much of the wood ashes so produced is now used for fertilizer purposes and to this extent serves as a source of potash. So much as is not so used should be, or should be leached for the recovery of potash salts. Wood ashes vary widely in their potash content, this variation being dependent on the species and on the part of the tree from which the wood is taken. It is impracticable, therefore, to estimate the amount of potash which might be derived from this source, but that it would come to several thousand tons is certain.

Many farmers use wood for fuel, and anyone so situated has at hand a source of potash which should be carefully saved. While the amount so secured by an individual necessarily will be small, in the aggregate a considerable saving would result. If home mixing of fertilizers is practiced, wood ashes should not be mixed with other ingredients, but should be applied to the soil separately, as the lime in the ashes has a tendency to liberate the nitrogen in certain other fertilizer constituents if mixed with them.

NATURAL DEPOSITS.

So far the extensive investigations of the Bureau of Soils and the Geological Survey have not disclosed any deposit of potash salts in this country comparable in extent or commercial importance with the German deposits. Such sources of potash salts as have come to light are confined to the desert basins of the West and are very small in extent. While some of these may become of local importance, the total potash which can reasonably be expected from them is too small to affect the situation beyond a limited area contiguous to the mines. It is, however, always possible that borings put down for water, oil, gas, or for any purpose may disclose the existence of such salts. This is true particularly in regions where rock-salt deposits are known to exist. It is highly desirable, therefore, that persons engaged in boring operations have this possibility always in mind and carefully examine all material brought up by the drill. Bureau of Soils of the Department of Agriculture will analyze, free of charge, any samples of this kind which may be submitted.

NEBRASKA CARBONATE LAKES.

In western Nebraska there are a number of small lakes or ponds whose waters contain considerable quantities of potassium carbonate. These lakes are now being worked, and carbonate of potash containing about 28 per cent K₂O is being marketed. The public statement was recently made by the American representative of the German syndicate that these Nebraska lakes were furnishing about half the potash now being produced in the country.

In working these lakes, brine is pumped to the mill, where it is evaporated down to wet salts in vacuum pans. These

wet salts are then passed through rotary driers, and are ready for shipment.

While the size of these lakes precludes the possibility of their ever furnishing a large supply of potash, it is to be hoped that the operators will succeed in perfecting their processes so as to be able to continue production upon a return to normal conditions.

ALUNITE.

In the south-central part of Utah, near Marysvale, there is a large deposit of the mineral alunite, an aluminum-potassium sulphate, from which potassium sulphate and alumina may be extracted after roasting at moderate temperatures. The technical difficulties of extraction are not serious, and in time alunite should become a valuable source of potash for the country. That the mines can be worked commercially for the potash alone is doubtful, however. The deposits occur in mountainous country, necessitating the construction of expensive tramways to bring the ore to the mill, and, once extracted, the potash salts must be carried east by rail, entailing heavy freight costs. Therefore a market must be found for the alumina as well as the potash.

Under the abnormal conditions brought about by the European war two companies have entered this field, and sulphate of potash from alunite actually has been shipped. It is doubtful if these companies could continue operating on their present systems under normal conditions and with potash selling at the figures quoted before the war. That many millions of tons of potash may be derived from this source, however, when the problems now confronting the operators have been solved, seems reasonably certain.

SEARLES LAKE.

A brine deposit in the Desert Basin area probably will prove of some importance as a commercial source of potash. This is the so-called Searles Lake, in California, a body of mud and crystalline salt, some 12 square miles in area and of undetermined depth. Beneath the surface are saline muds and sands saturated with brine which contains 7 per cent of potash. Recently it was announced that the persons claiming title to the property would proceed at once to ex-

ploit it commercially. So far, however, potash from this source has not been produced in any quantity. That Searles Lake brine ultimately will prove a valuable source of soluble potash seems highly probable. It has been estimated that it will furnish at least 4,000,000 tons of potassium chloride, and probably considerably more.

GREAT SALT LAKE.

The waters of Great Salt Lake and other natural brine bodies contain potash in small proportions. No method has been devised by which the potash may be recovered at a price which will permit competition with German salts. It is possible that such a method may be discovered, however, in which event a source of potash will be opened large enough to supply this country's needs for many years.

KELP.

Along the Pacific coast of North America, from Magdalena Bay, in Lower California, to the Shumagin Islands of the Alaskan Peninsula, are found beds of giant kelp of several species. These huge sea plants, sometimes growing to a length of 100 feet, contain a surprising amount of potash salts. Dried kelp of the most important species will run from 25 to 30 per cent of potassium chloride. At present these Pacific kelps appear to be one of the most hopeful sources of an adequate supply of potash for the country's needs. The realization of this hope is, however, like most new enterprises, beset with difficulties.

The beds are located close inshore, almost all of them being, in fact, within the 3-mile limit. The kelp is harvested by cutting the upright stem from 3 to 6 feet below the surface, which secures not only that portion but also the much larger portion which floats on the surface of the water. The wet kelp contains from 85 to 93 per cent of water. This must be removed. The plants are nonfibrous and of a gummy, gelatinous nature, making it difficult, if not impossible, to extract the water by pressure.

Several methods have been suggested for treating these kelps on a commercial scale with a view to their utilization for fertilizer purposes. The simplest is to dry and grind the material and market this ground product for direct application to the soil or for mixing in commercial fertilizers. The drying can be accomplished in rotary driers such as are used for treating garbage and fish refuse, and the dried, ground kelp contains 25 per cent potassium chloride, 2 per cent nitrogen, and organic matter of value for improving the physical condition of many soils by the formation of humus. In addition, it possesses excellent mechanical properties for fertilizer-mixing purposes.

If the kelp grew on the eastern seapoard, close to the regions of large fertilizer demand, this method of treatment probably would be the most economical and satisfactory. Unfortunately, however, the kelp occurs on one side of the country and fertilizers are most extensively used on the other; and while the dried, ground kelp will have the benefit of water rates of transportation via the Panama Canal, about three-fourths of the material so transported consists of practically valueless matter, and the freight charges probably would prove too heavy an item to permit this method of utilization in the face of competition with German importations. Investigations are now being made in the hope of transplanting the Pacific kelps to the Atlantic coast. this should be accomplished and the plants established in extensive beds, dried, ground kelp undoubtedly would become an important factor in the fertilizer situation.

Another process which is now being used is to burn the dried kelp and market the ash for its potash content. By this process the valuable nitrogen content is volatilized and lost, and a small part of the potash content is similarly destroyed. The heat produced in the combustion is also wasted. In addition, freight charges must be paid on worthless ash, and it is admitted by the companies now using the process that unless further economies are introduced the costs are too great for successful operation under normal conditions.

The process which seems most likely to succeed in commercial practice is to distill the dried kelp in retorts constructed on the general principle of the by-product coke oven. This results in a charred residue, containing all the potash salts, which may then be recovered by leaching and evaporation. In the process of distillation the nitrogen in the kelp is driven off and recovered in the form of ammonia; combustible gas is evolved in considerable quantities and is available for use as fuel in the retorts and under the evaporating vats, and charcoal and tarry products are recovered,

which may be sold or used as fuel. Iodine and some other by-products also may be recovered.

It is probable that some such method of extraction which will conserve and use the heat units evolved in the reaction and save the by-products will prove necessary in the end to make the recovery of potash from kelp a profitable industry under normal conditions.

Since the beginning of the war and the stoppage of German potash shipments several large and responsible companies have erected plants on the southern California coast for the treatment of kelp. These companies are producing either dried, ground kelp, which at present prices for potash can be shipped East at a profit despite the long freight haul, or kelp ash, which results from burning the dried kelp. One of the companies is using a fermentation process and producing acetone for munition purposes, as well as high-grade potash salts.

However, with the development and demonstration of an economical method of extraction, an American potash industry should grow up on the Pacific coast which will furnish from these giant kelps a supply of high-grade potash salts adequate for all our needs. The Bureau of Soils is at present erecting an experimental plant at Summerland, Cal., to determine the best methods of extraction. Since most of the beds lie within the 3-mile limit. State legislation by the States of California, Oregon, and Washington, and Federal legislation as regards Alaska, is needed to provide protection against reckless and indiscriminate cutting and to furnish leasing regulations under which the private investor who desires to erect a plant for treating kelp may be assured of a supply of raw material free from encroachment by competitors. Efforts are now being made to secure action of this kind by the legislatures of the States interested and by the Federal Congress.

It will be seen from the foregoing that there are in this country a number of important sources of potash salts, and that, owing to the conditions brought on by the European war, these sources are in a way to be developed on a scale which offers hope that the American farmer and manufacturer may, in the not distant future, be made independent of foreign monopoly for supplies of potash.

COOPERATIVE BULL ASSOCIATIONS.

By Joel G. Winkjer, Dairy Division, Bureau of Animal Industry.

WHAT THE COOPERATIVE BULL ASSOCIATION IS.

COOPERATIVE bull associations are formed by farmers for the joint ownership, use, and exchange of high-class, pure-bred bulls. In addition they may encourage careful selections of cows and calves, introduce better methods of feeding, help their members market dairy stock and dairy products, intelligently fight contagious diseases of cattle, and in other ways assist in lifting the dairy business to a higher level. Incidentally, the educational value of such an organization is great.

CONSERVATIVE BUT STEADY GROWTH.

Cooperative bull associations have existed in Denmark since 1874, and in 1906 the number there had grown to 1,095, with a total membership of 26,200, owning 1,369 dairy bulls. In the United States the first cooperative bull association of which record exists was organized in 1908 by the Michigan Agricultural College. On July 1, 1916, there were 32 active bull associations in this country, with a total membership of 650, owning about 120 pure-bred bulls. The following tabulation shows the gradual but constant growth of bull associations in the United States up to the present.

Statement showing growth of cooperative bull associations in the United States to July 1, 1916.

State.	1908	1909	1910	1911	1912	1913	1914	19151	1916
Michigan	1	4	7	6	10	15	15	14	14
Minnesota		1	1	1	1	2	2	2	3
North Dakota					1	2	1	1	1
Maryland					1	1	1	1	1
Vermont							1	1	1
Wisconsin	1	í	1	ł	i .	1	1	1	1
Connecticut			í		l			1	1
Maine				 .				1	1
Oregon									1
Oklahoma									1
Iowa.			1		j	i	i	1 !	1
South Carolina									3
Massachusetts				i .	ŀ	1	1	1	1
North Carolina									1
Illinois									1
Total	1	5	8	7	13	20	21	22	32

¹ In the 22 associations there were 540 members owning 3,600 cows and 90 bulls.

The history of the cooperative bull association shows that it is especially adapted to small herds where a valuable bull for each herd would constitute too large a percentage of the total investment. Thus the organization enables even the owners of small herds to unite in the purchase of one good bull and each to own a share in a registered sire of high quality. Though still in its infancy, the cooperative bull association movement promises eventually to become a very great factor in the improvement of our dairy cattle.

BETTER AND FEWER BULLS.

The typical cooperative bull association, as organized in this country, is composed of 15 to 30 farmers, and jointly owns 5 bulls, divides its territory into 5 "breeding blocks," and assigns 1 bull to each block. As many as 50 or 60 cows may belong to the farmers in each block, and the bull in the block should be kept on a farm conveniently situated. The blocks are numbered from 1 to 5, and to prevent inbreeding each bull is moved to the next block every 2 years. If all the bulls live, and if all are kept until each has made one complete circuit, no new bulls need be purchased for 10 years. In this way, by paying only a small part of the purchase price of one bull, each member of the association has the use of good pure-bred bulls for many years. Ordinarily the purchase price and the expense of supporting the bulls are distributed among the members of the association according to the number of cows owned by each.

A concrete example of a successful association is the Cooperative Holstein Bull Association at Roland, Iowa (fig. 17), which is composed of 16 farmers and is organized into 5 blocks. The farms are so situated that the bulls are at no great distance from the farm of any member. Before the association was formed each farmer had an average investment of \$92 in a scrub bull. These bulls were disposed of when the association was formed and 5 pure-bred bulls were bought at \$240 each, or an average of \$75 for each member. A larger membership would reduce expenses still further. As in other associations, the Roland farmers united in the use of one breed and selected good bulls of that breed.

An advanced step which has not yet been taken by any association is the purchase of an exceptionally good bull to

mate with the best cows in the herds of every block. Such a plan for improvement of the better cows of the herd is applicable to pure-bred herds as well as grade herds. For the pure-bred herd the cooperative bull association undoubtedly will do as much as for the grade herd, because it




Fig. 17.—Map showing location of members of the Roland Cooperative Bull Association.

enables the breeders of any class of stock to buy better bulls than they otherwise could afford. In case the association is large and composed of well-to-do breeders of pure-bred cattle, bulls of the highest class for use with all the cows are within its reach financially.

LOW COST.

That the need of the introduction of pure-bred bulls is urgent in many parts of the country is apparent from the facts brought out by a study made by the Department of Agriculture of 8 districts in the States of Iowa, Minnesota, and Massachusetts, in which there were no associations. In this survey information was obtained regarding 1,219 farmers, owning 817 bulls, whose average value was \$76. Had the owners of those cheap bulls been properly organized, the same investment would have purchased the necessary bulls of an average value of \$283. On those farms nearly four times as many bulls were used as would have been required under proper organization. The farmers were therefore feeding four bulls when they should have been feeding only one.

Data from one of the first associations organized under the direction of the Department of Agriculture illustrate this very well. Before the association was formed the bulls in use had an average market value of \$85. The average price paid by the association for registered bulls was \$240. Price does not always correspond to value, yet, as the bulls were carefully selected, the price in this case is doubtless a fair index of true worth. In this association each farmer's investment for a share in a good registered bull was \$10 less than his former investment in an animal of inferior breeding and doubtful merit.

Actual first-cost figures from other cooperative bull associations are even more encouraging. In fact, the figures given show the highest association cost reported. In one association having more than 100 members the original cost to each member was only \$23. The members already have had the use of good pure-bred bulls for 4 years and probably will have their use 6 years longer without other additional cost than maintenance. At an average investment of less than \$25 a member, another association with more than 50 members has had the use of good pure-bred bulls for more than 7 years, with prospects of being able to use them for 3 or 4 years more.

QUICK RETURNS ON INVESTMENT.

One hundred and fifty farmers in Maryland, Michigan, and Minnesota, when questioned regarding the value of cooperative bull associations, estimated that the use of sires belonging to the organization increased the value of the off-

spring in the first generation from 30 to 80 per cent, with an average of 65 per cent. Usually in business transactions in which there is a probability of great gain there is a possibility of heavy loss, but in the bull associations the chances of profit are good, with little probability of loss. It is true that some associations have disbanded, but no case in which any member has actually lost on his investment has been reported, even when the association continued in existence for only a short time. The investment is so small and the chance for herd improvement so great that the net returns greatly exceed the small original investment.

LINE BREEDING.

The association that is composed of five or six breeding blocks should keep and use all its good bulls as long as they are fit for service. Advancing the bull to the next block at the end of two years does not eliminate him, but makes it possible to avoid inbreeding. Line breeding, on the other hand, is a common and a very good practice, and the bull association offers exceptional opportunities for conducting that kind of breeding. In an association composed of breeders of pure-bred dairy cattle, carefully selected bulls produced in one block may be used in other blocks and the organization may thus continue indefinitely without purchasing bulls from outside sources, if such a plan seems most advisable. The same practice may be followed when a number of first-class registered cows are owned by members of any association. The cooperative bull association therefore offers an excellent opportunity for intelligent, long-continued line breeding. Skillful mating, when combined with careful selection of the best animals, makes very great improvement possible.

ELIMINATION OF THE SCRUB.

The value of the use of pure-bred sires and the need for elimination of the scrubs is shown in the accompanying illustrations. The cattle shown in Plate LXIX, figure 1, were owned by a farmer at the time he joined the association. He has better cattle now. Plate LXVIII shows pictures of scrub bulls. Every farmer will recognize the type, and certainly no farmer cares to breed his cows to such scrubs. A


bull similar to the one shown in Plate LXIX, figure 1, was sold for \$8 when a year old. The hide alone of a good year-ling bull should easily bring half as much. The bull association eliminates the scrub bull and economically substitutes such bulls as the one shown in Plate LXX, figure 2.


COMMUNITY BREEDING ENCOURAGED.

Ten years ago a farmer in northern Wisconsin began to breed Guernseys in a Holstein district. Now he has a fine herd, and wonders why buyers never come his way. He is discovering that when buyers want Guernseys they naturally go to a Guernsey district. As a rule the breeders of purebred cattle already have learned this lesson. The principle is as true of grades as of registered stock, but many owners of grade cattle seem to have overlooked it. All dairy breeds are sometimes found in the same neighborhood, and even on the same farm several dairy breeds and all possible combinations of them are seen. Perhaps one year a Holstein bull is used, the next year a Jersey, and occasionally a bull of no particular breeding. In a grade herd recently studied there were Holsteins, Guernseys, Jerseys, and Shorthorns, and every possible cross and mixture of those breeds. The owner admits his cattle do not sell to advantage, and the reason is not hard to find. The bull association encourages the keeping of only one breed on the farms of its members, and the establishment of that breed in the community.

THE POWER OF HEREDITY.

In all bull-association work the power of heredity is recognized. This power is illustrated by the pictures of a high-class Guernsey bull, his dam, and his daughter. Since like tends to beget like in production as well as in appearance, there is little danger that the pure-bred bull whose ancestors for several generations were first-class individuals will inherit or transmit the qualities of some inferior remote ancestor. If he is well-formed, strong, and healthy he will almost certainly increase, in one generation, the income of the scrub or low-grade herd out of all proportion to his cost. In fact, the time may come when it will be possible to eliminate all bulls except those whose dams are in the advanced





Types of Scrub Bulls that Fortunately are Becoming Less Common.




Fig. 1.—Cattle Owned by a Farmer Before Joining a Cooperative Bull Association.




FIG. 2.-AN ASSOCIATION BULL.



FIG. I.—DAM OF BULL SHOWN IN FIGURE 2. Year's record: 14,633 pounds of milk; 714 pounds of butterfat.




FIG. 2.-A WELL-BRED BULL.




FIG. 3.—DAUGHTER OF BULL SHOWN IN FIGURE 2. Year's record: 18,458 pounds of milk; 906 pounds of butterfat.

A WELL-BRED BULL, HIS DAM, AND HIS DAUGHTER.

registry. If the best bulls in the world were used to their full capacity in pure-bred herds, and if only good pure-bred bulls were used in the ordinary dairy herds, the income from the dairy business could be vastly increased.

IMPROVEMENT DUE TO SIRE.

Few organizations have been in operation long enough for the producing daughters of an association bull to be compared with their dams. The following figures received from an association at New Windsor, Md., show the improvement due to the sire:

Average butterfat production of daughters of association bulls compared with that of their dams.

Bull No. 1 (7 producing daughters):	Pounds.
Dams	208. 3
Daughters	270.5
Each daughter excelled her dam.	
Bull No. 2 (7 producing daughters):	
Dams	22 6. 4
Daughters	281.6
Five of the daughters excelled their dams.	
Bull No. 3 (2 producing daughters):	
Dams	254.0
Daughters	369.5
Each daughter excelled her dam.	

At the price of 30 cents a pound for butterfat the 7 daughters of bull No. 1 will earn in 4 years' time \$500 more than their dams. It is only when the lifetime-production records of all his daughters are computed and compared with those of their dams that the full value of the bull's services to one generation can be known. In addition to this, his influence on the herd will be noticeable for many generations. This illustrates the great value of a good bull. The damage done by an inferior bull may be equally great. No other argument should be necessary in urging that every association be particularly careful in selecting bulls.

Pure-bred bulls are not all equally valuable. The daughters of some are much inferior to their dams, while the daughters of others greatly excel their dams. The bull should always be superior to the best cows in the herd. Cows should be well bred and carefully selected, but asso-

ciation bulls should be even better bred than the cows and still more carefully selected. All bulls used should be from advanced-registry dams having a butterfat record of not less than 400 pounds and from high-producing ancestors.

NOT MONEY ALONE.

The educational value of a cooperative bull association doubtless exceeds the net cash returns, for, as a rule, all members of the association become greatly interested in the improvement of their dairy herds. They study live-stock pedigrees, individual conformation, and production records. They hold meetings at which dairy problems of all kinds are discussed. Even boys take an added interest in the farm, and especially in the dairy herd. At Esmond, N. Dak., the association held a cattle show in July, 1916. Cows, bulls, and young stock were exhibited. The show was held in connection with a three-day chautauqua, and it was estimated that 5.000 people visited the show and the chautauqua. Great interest centered about the boys' stockjudging contest, which was one of the features of the occasion. The educational value of such work can hardly be overestimated.

At Washington, Mich., the work of the bull association led to an annual five days' agricultural school in winter and an annual summer picnic. At the picnics small cash prizes are given for the best heifers exhibited. This association consists of 22 members who invested \$25 each, for which they have already had the use of good pure-bred bulls for 6 years.

NO SERIOUS WEAKNESS.

There appears to be no fundamental weakness in cooperative bull associations. Instead of spreading abortion, tuberculosis, or other communicable disease, the results so far seem to indicate the reverse. For example, the Roland, Iowa, association will not allow any one of its members to get the benefits of the association until his herd has been tested for tuberculosis and all reactors eliminated. One farmer who did not dispose of the reactors after the tuberculin test was applied was refused the use of bulls until he complied with the rules of the association. The educational work of

each association makes the members alert to prevent the introduction and spread of disease of any kind. The well-managed bull association requires that the cattle of each member shall be tested for tuberculosis and takes every known precaution to prevent the introduction of infectious abortion.

HOW TO ORGANIZE.

When a number of neighboring farmers, interested in the same breed, desire to organize a cooperative bull association. they should have a meeting, elect a temporary chairman and secretary, enter into a free and general discussion of the entire subject, and then decide upon the advisability of forming a permanent organization. A high point of efficiency is reached when there are five breeding blocks and approximately 60 cows in each block. Some successful organizations, however, have a smaller number of blocks and as few as 35 cows to the block. The greatest care should be taken in selecting bulls, as inferior bulls will completely defeat the purpose of the organization. Some farmer, centrally located. should be selected to take care of the bull, and each farmer should pay his share of the purchase price. In addition, each farmer pays his share of all other expenses, including the support of the bull; his share of these expenses should not exceed \$10 to \$15 annually.

It is greatly to the advantage of a cooperative association that it be incorporated. This facilitates the transaction of business, equitably distributes responsibility, and gives the organization greater prestige in the community. In order to avoid mistakes in organization and operation, including selection of bulls, the association should early communicate with the local county agricultural agent, the State agricultural college, or the Dairy Division of the United States Department of Agriculture.

FARM TENANTRY IN THE UNITED STATES.

By W. J. Spillman and E. A. Goldenweiser Office of Farm Management.

THE problems relating to tenant farming have received comparatively little attention in this country until very recent years, because of the fact that desirable public lands were still available and the man who wanted to farm could acquire ownership for a nominal sum. Under such conditions no very large proportion of farmers were willing to become tenants. Even where tenant farming had become established the terms were generally very favorable to the tenant. In many regions where now the prevailing custom is for the tenant to give half the crop, the usual custom a generation ago was to give a third. But with the virtual exhaustion of the public domain, so far as highly desirable farm land is concerned, tenant farming began to increase and discussions of the problems connected with this type of farm operation appeared in the agricultural press in ever-increasing That a certain percentage of tenant farms should exist where public lands can no longer be had practically for the taking is natural and inevitable.

Tenantry is one of the normal steps by which young men with limited capital become farm owners. In general, every farm will change ownership at least once each generation, and a very great number do so several times during the average business life of the ordinary man. The percentage of changes in farm ownership that occur through inheritance is surprisingly small, as will be shown presently. An additional small percentage of farms are purchased with capital derived from other industries. The remaining farms must in some way be more or less completely recapitalized once each generation; that is, must be made to pay for themselves, either wholly or in part.

As a rough indication of the proportion of American farms which must thus be recapitalized once in a lifetime, or, in other words, must be made to pay for themselves either partly or wholly, the following data may be cited. Studies made by Mr. H. H. Clark, of the Office of Farm Management, in three townships in Sedgwick County. Kans., show that 5.9 per cent of the present owners acquired their farms through inheritance; 13.7 per cent are farming land obtained under the homestead act: the remaining 80.4 per cent bought the farms they now own, three-fourths of them on deferred payments averaging 44 per cent of the total purchase price, the other fourth paving cash in full. In most of these latter cases the purchase money was obtained from the sale of other farms. A few cases represent capital taken from other industries. The conditions under which approximately 60 per cent of these farms were purchased require that, in order that full ownership may be acquired during the life of the present occupant, each of the farms must provide not only a living for the family upon it and interest on indebtedness, but an additional income that will enable the average purchaser during his occupancy to put aside 44 per cent of the purchase price.

Similar studies in five townships in a rich agricultural county in Illinois gave the following results: 15.5 per cent of the present farm owners obtained their farms by inheritance; 69 per cent of them bought on deferred payments, the average mortgage given at the time of purchase representing 63 per cent of the purchase price; the remaining 15.5 per cent paid cash in full at the time of purchase. In this case 69 per cent of the farms, in order that their present owners may during their occupancy obtain full title free from debt, must produce a living for the farm family, interest on the mortgage, and permit a saving of 63 per cent of the total purchase price.

HOW RECAPITALIZATION IS EFFECTED.

In the studies above referred to the complete history of each farm owner was obtained so far as possible. In the great majority of cases these men began either as hired men or worked on the home farm for several years after arriving at maturity. In this way they obtained sufficient capital to become tenants.¹ After a few years as tenants they were

¹ In the case of young men who stay on the home farm, the usual course is for the father, when the son marries, to establish him in business as a tenant. It is understood that in this discussion the stage of "hired man" includes young men who stay on the home farm some years after reaching maturity.

able to save enough to make a first payment on a farm, giving a mortgage for the balance. In the majority of cases these mortgages are slowly canceled, leaving the farmer, at an advanced period of his life, a full owner.

Where this process of acquiring ownership proceeds in a normal manner, it is evident that a considerable proportion of the farmers operating at any particular time must be tenants; and the presence of tenant farming under such conditions represents a normal, healthful condition of agriculture. Not only that, but there will be a considerable proportion of mortgaged farms; and in so far as existing mortgages represent progress from tenantry to ownership, they indicate a healthful condition of agricultural affairs.

Figure 18 shows the percentage of mortgaged farms, with the average amount of the mortgage per farm, for each State in the Union. With some notable exceptions, the higher percentages of mortgaged farms are found in those sections of the country where agriculture is in a flourishing condition and where the gradual process of acquiring ownership is making normal progress. The scope of this article does not permit consideration of the exceptional cases to which reference has just been made.

TENANT FARMING A STEP TOWARD OWNERSHIP.

That in a general way tenant farming •represents a step toward ownership is shown clearly in figure 19. This figure, based upon census statistics, shows that 76 per cent of farmers under 25 years of age are tenants. In the next age group, representing farmers from 25 to 34 years of age, the percentage of tenantry falls to, 55. In the succeeding groups the percentage falls with each 10-year advance in age to 37, 27, 21, and 15. It may be assumed that these older men represent, in the main, those who have been unable to lay by enough to acquire ownership. But these figures indicate that by far the greater proportion of the young men who start out as tenants succeed in becoming owners. Figure 19 shows that aside from some of the Western States, where settlement is still in progress, and some of the Southern States, where the situation is complicated by the census classification of "croppers" as tenants, similar conditions prevail in all sections of the country.

Figure 20 shows that for the last two census periods there has been, in general, a decrease in the percentage of tenantry among farmers of advanced years. In the North, in the last

MORTGAGED FARMS PER CENT OF ALL FARMS 1910								
AVERAGE MORTGAGE PER FARM 4000 3000 2000 1000 DOLLARS								
4.048	IOWA	5 8						
2,116	WISCONSIN	51.4						
2,493	NORTH DAKOTA	509						
1,826	NEW JERSEY	49.6						
1,107	MICHIGAN	482						
156655 1,025	VERMONT	46.9						
1.864	MINNESOTA	46.3						
1,758	MISSOURI	46.3						
2,326	KANSAS	448						
1,556	NEW YORK	43.7						
1,114	OKLAHOMA	435						
1,309	CONNECTICUT	432						
2,802	MASSACHUSETTS CALIFORNIA	40 9						
3,154	NEBRASKA	394						
3,135	ILLINOIS	39.2						
1,433	INDIANA	38.8						
2.897	SOUTH DAKOTA	382						
1.518	DELAWARE	37.2						
1,457	MARYLAND	36.5						
2.017	WASHINGTON	341						
2,060	OREGON	33.7						
1,715	UNITED STATES	33.6						
1.917	IDAHO	334						
1,584	TEXAS	33.3						
586	MISSISSIPPI	329						
1,368	PENNSYLVANIA	31.1						
1,355	RHODE ISLAND	2 9.6						
1,491	ОНІО	28.9						
538 538 845	ALABAMA MAINE	26.9						
2.508	COLORADO	26.4						
842	NEW HAMPSHIRE	25.6						
903	SOUTH CAROLINA	240						
1,294	UTAH	229 2277722777						
540	ARKANSAS	2 4						
2,692	MONTANA	21.1						
2,749	WYOMING	197 2232324						
906	KENTUCKY	196						
794	GEORGIA	190						
1,190	LOUISIANA	19.0						
517	NORTH CAROLINA	185						
2,805	DIST OF COLUMBIA							
727 4.738	NEVADA	167						
4.738	VIRGINIA	160						
652	FLORIDA	148						
2,772	ARIZONA	129 -						
710	WEST VIRGINIA	12 6						
	NEW MEXICO	5.4						

Fig. 18.—Average mortgage perform and percentage of farms mortgaged, by States. (Census of 1919.)

census period, there has been a decrease in percentage of tenantry for every age group except the first, the increase for the entire period being due to the number of young men under 25 years of age who have passed from the status of farm laborer to that of tenant. It is to be presumed that a large proportion of these will ultimately become owners. In




Fig. 19.—Percentage of tenants among formers, by age groups, in the United States and in selected + no. 1 with of 1910.)

the South there has been a decrease of tenantry for the age groups over 45 years. In the case of men younger than this there has been an increase. In the West there was a marked decrease in the percentage of tenantry in every age group during the last census period. Taking the country as a whole, the only notable increase in tenantry for any age group was for the men under 25 years.




Fig. 20 —Percentage of tenants among formers by age groups, in the United States and in the three grand $\phi: \phi: \phi: \phi = \text{last three consus periods}.$

It seems to be fairly clear, therefore, that recent increase in tenant farming in this country in the main represents a healthful condition. Young men who formerly homesteaded land must now pursue a different course in acquiring a footing on the land. Increasing numbers of them are becoming tenants.

Figure 21 shows that during the period from 1890 to 1900 there was a more marked increase in the percentage of




Fig. 21.—Percentage of tenant farmers in the United States and in the times grand divisions for the last four census periods, and of white and colored farmers in the South for the last two census periods.


tenantry than during any other recent census period, and this applies to all sections of the country. This was the period when the exhaustion of the public domain began to make itself felt and when a large number of men began to pursue the more normal course, outlined above, in be-

coming farm owners. This diagram also shows that during the last census period the only marked increase in the percentage of tenant farms in any of the grand divisions of the country was among the white farmers of the South, though, as will be seen later, there are localities in each of these grand divisions that present exceptions to this statement. Whether there was a similar increase in real tenant farming among the colored farmers can not be determined from census data for the reason that many of the colored farm laborers of the South receive part of the crop in lieu of wages. Such laborers are known locally as "croppers." They furnish no working capital, but are classed as tenants in the census data. A change from cropper to share tenant is similar to a change from hired laborer to tenant in other parts of the country. There is reason to believe that there was such an advance in the South from the stage of cropper to that of share tenant, this representing a real advance in the condition of these laborers—a step toward ownership.

The division of the country into grand divisions, as just intimated, does not fully represent the actual state of affairs in the various agricultural regions. This is better represented in figure 22, where the percentage of tenant farms for each of the last four censuses is given by States. On the map in figure 22, States having a larger percentage of tenantry in 1910 than in 1900 are shaded. It will be seen that the regions in which the percentage of tenantry did not increase are three in number: First, the Northeastern States, extending south to Virginia and west to Michigan; second, two States in the Mississippi Valley; third, four of the eight mountain States and the three Pacific Coast States. In all the remaining States the percentage of tenantry increased.


The conditions in the last-named group of States are easily explained. There was an increase in the actual number of tenant farms in each of these States, but on account of the settlement of new land and the breaking up of large tracts into small farms in some of them, the number of farms operated by owners increased at a much higher ratio, facts which are well brought out in figures 23 and 24. The percentage of tenant farms therefore decreased while the number increased, because the number of farms operated by owners increased even more rapidly. Thus in Colorado the number

of farms operated by owners increased 97.6 per cent, while the number operated by tenants increased 50.3 per cent. Conditions were similar in each of the seven States in question.




In the State of Missouri there was a slight decrease in the total number of farms, both those operated by owners and those operated by tenants, while in the State of Louisiana there was a slight decrease in the number of tenants

because of the conditions arising from the general spread of the boll weevil over the cotton fields in that State during the last census period. Perhaps a similar change may be




shown in some of the other cotton-producing States at the next census, though this by no means necessarily follows.

As a partial explanation of the decrease in the percentage of tenantry in the northeastern States, attention is called to the facts shown in figure 25. If a line be drawn separating those States in the Northeast in which the average increase in the price of farm land during the last census period was less than 60 per cent from the States in which it was greater



than this, it will, with few exceptions, divide the States in which the percentage of tenantry decreased from those in which it increased, the percentage of tenantry having decreased where the price of land increased least. The excep-

tions are Ohio, where the increase in the price of farm land was almost exactly 60 per cent, but where tenantry increased slightly, Virginia and West Virginia, in which States land increased more than 60 per cent in value, while ten-



antry decreased, and Maine, where tenantry decreased, while the price of farm land increased 75 per cent. This increase in the price of farm land in the State of Maine is due to marked development of certain types of intensive farm-

ing, which of itself does not necessarily have any effect upon the percentage of tenantry. The general conclusion seems justified, therefore, that where land is increasing rapidly in value, unless other factors have a preponderating influence, there is a tendency for the percentage of tenantry to increase, while where land is increasing slowly in value the percentage of tenantry does not tend to increase.

It is not known what a normal percentage of tenantry would be under conditions where the major portion of farm owners pass through the various stages of hired man, tenant, owner with mortgage, and owner free from debt. There are reasons for assuming, however, that in some parts of the country the percentage of tenantry is below this normal, while in other parts it is above. Some of these reasons are given in what follows.

FACTORS THAT REDUCE THE NORMAL PERCENTAGE OF TENANTRY.

AVAILABILITY OF PUBLIC LANDS.

Until about 1890 public lands to be had almost for the taking were available to practically all who wanted them. Under such conditions the proportion of tenants would naturally be smaller than normal, because of the ease of acquiring ownership in land. Rather than suffer the inconveniences of tenant farming men would go west and homestead land. Statistics show that the percentage of tenant farming in this country was very low at the time when settlement of desirable new lands was in rapid progress. (See fig. 22.)

SMALLNESS OF FARMS AND LOW PRODUCTIVITY OF LANDS.

Tenant farming does not prevail generally in regions where the farms are very small or the productivity of the soil low, except in regions where the problem is complicated by the plantation system of farming. A large proportion of tenant farms become such because their owners have grown old and have no one to take charge of the farm. If the farm is not large enough or productive enough to make the income from the rent sufficient to support the farmer in retirement, the tendency for the aging owner to retain the operation of the farm is strong. This undoubtedly is one of the causes of the

decrease in the percentage of tenantry in the northeastern States, for in these States farms are generally much below the average for the country in size. Another factor that probably has operated in this case is the fact that the type of farming undergoing most rapid development in the northeastern States, namely, vegetable growing, does not lend itself readily to a tenant system. Attention has already been called to the fact, illustrated in figure 25, that the price of farm land increased only slightly in this section of the country during the last census period. This fact, together with the smallness of the average farm, makes it possible, in many cases, for the farm laborer to omit the tenant stage in his progress toward ownership. It also makes it possible for men having a small capital saved in other industries to become owners. All these factors doubtless have operated in causing the decrease in the percentage of tenantry in the northeastern States.

FACTORS THAT INCREASE THE PERCENTAGE OF TENANTRY.

SIZE OF FARM AND PRODUCTIVENESS OF LAND.

Where a farm is large enough or productive enough to give a rental income sufficient for the support of a family, there is a strong tendency, as the farmer grows old, for him to turn the farm over to a tenant, unless he happens to have sons who can assume the management. The accompanying table gives some of the evidence on which this conclusion is based. The counties of four States-Pennsylvania, Ohio, Illinois, and South Carolina—are arranged in four groups of equal numbers, the first consisting of these counties having the largest average value of farm products per acre and the last of those counties having the smallest, the second and third groups being intermediate. The last column of the table shows the percentage of tenant farmers in each of the four groups. In every case it will be observed that the percentage of tenantry decreases as the average acre value of farm products decreases. In previous publications of the Office of Farm Management it has been shown that the percentage of tenantry decreases also as the size of the farm decreases for farms in the same geographic region. This comparison does not hold between distinct sections of the country. But in general the percentage of tenantry is

higher on the large farms of the Middle West than on the small farms of the Northeast. The high percentage of tenantry in the cotton-growing States is due to other causes (partly to the inclusion of "croppers" with tenants).

States and groups of counties. ¹	A verage value of farm products, per acre.	Per cent tenants of all farmers.	States and groups of counties.1	A verage value of farm products, per acre.	Per cent tenants of all farmers.
Pennsylvania:			Illinois:		
First group	812 55	50.1	First group	14.71	31.9
Second group	9.98	45.5	Second group	8 17	22.7
Third group	8.03	38.9	Third group	6.29	18
Fourth group	5.77	29.6	Fourth group	4 79	14.4
Ohio:			South Carolina:		
First group	12.83	34.5	First group	13.18	69.3
Second group	10.39	33.3	Second group	10.14	67.4
Third group	8.51	26.8	Third group	8.05	66. 1
Fourth group	5. 47	18	Fourth group	5 58	43.1

¹ The counties in each State were arranged in descending order of value of farm products per acre, and then divided into four groups, each having an equal number of counties. The average value of products per acre and the average percentage of tenantry was calculated for each group.

INCREASE IN MARKET VALUE OF LAND.

Attention has already been called to the fact that tenantry is increasing in those sections of the country where the market value of land is increasing most rapidly, with certain notable exceptions, which have already been explained. Where the value of farm land is high a longer time is required for the tenant to accumulate the capital necessary for making a first payment on a farm than where it is low. Where the value of land is increasing there is a tendency to capitalize the annual rate of increase in the price at which the land is held. Where this condition exists it becomes exceedingly difficult for the man who buys a farm on deferred payments to succeed. He must not only make the farm. produce a living for himself and family, but he must make it pay interest on a capitalization based partly on rental value and partly on annual increase in value, in addition to saving enough to cancel the mortgage. As this matter is somewhat difficult to make clear, it may be well to give an illustration.

In a farm-management survey in Ellis County, Tex., the average price at which the land was held was \$139 per acre. The rental income from this land amounted to 3.7 per cent of this valuation. The current rate of interest on borrowed capital in this section averages about 8 per cent. because of the very marked advantages in land ownership, those owning land are usually content to accept a smaller income on their capital. They are justified in this because of the great security of the investment and the numerous other advantages that arise from land ownership. If we assume that 5 per cent is a satisfactory income for realestate investments in this region, while the rental income is only 3.7 per cent, then the price of the land includes capitalization of annual increase in value amounting to 1.3 per cent. That is, the farmer who buys this land at the average price of \$139 per acre looks to rent for 3.7 per cent income on his investment and to annual increase in value for 1.3 per cent income. If we assume that the income on real estate should be 8 per cent, while the rental income is only 3.7 per cent, then there should be an annual increase in value of 4.3 per cent to justify the present market price. Taking the census valuations of farm land in Ellis County for 1880 and 1910, there has been during this 30-year period an actual annual increase of 5.9 per cent. It would appear, therefore, that the present price of the land does not fully capitalize the present annual rate of income. This is as it should be, for there is no prospect that this rate of increase can continue indefinitely. Now, the tenant who makes a first payment on a piece of land must make the farm earn enough in addition to his living to pay interest on the deferred payments, and where the price of land is higher than its true rental value the interest which he has to pay is greater than the rent which a tenant must pay. This fact deters tenants from attempting to become owners. Hence we find that, in general, in those sections of the country where the land is increasing rapidly in value the percentage of tenantry is considerably above the normal.

It should be stated here that where land is increasing rapidly in value, some men without sufficient capital to pay for an entire farm make a first payment with the object of holding the land a few years in order to get the benefit of increase in value and then sell. In so far as this practice prevails, it tends to decrease the percentage of tenantry; but the number who thus buy land speculatively is small in comparison with those who remain tenants because the rate of increase is capitalized in the price they are compelled to pay for a farm.

CAPITALIZATION OF THE ADVANTAGES OF LAND OWNERSHIP.

It has already been pointed out that the safety of investments in land and the other advantages that arise from land ownership lead men to purchase land at prices which make it necessary for them to accept a low rate of income on their investment. In other words, the price at which agricultural land is held, especially in those sections of the country where farming is most profitable, are greatly in excess of their actual rental value when capitalized at current rates of interest. For reasons given under the previous heading, this makes it difficult for a tenant to acquire ownership. because on his deferred payments he must pay a rate of interest considerably higher than the rate which land owners are willing to accept on their investment. The price he pays for land represents capitalization on the basis of a secure and otherwise preferred investment, while the rate which he must pay for money—that is, the rate of interest he must pay on his deferred payments—is the current rate for the use of borrowed capital.

ADVANTAGE OF TENANTRY FOR BEGINNERS WITH SMALL CAPITAL.

The scope of this paper does not permit a discussion of the desirability or undesirability of tenant farming from the standpoint of its effect upon citizenship or on the general welfare. It deals rather with the forces that control the percentage of tenantry in different regions and under different conditions. We shall now consider some of the factors that influence the individual.

HIGHER RATES OF INCOME ON WORKING CAPITAL THAN ON FIXED.

As has already been said, landowners are willing to accept a relatively low rate of income on their investment. But there is no reason for such low rate of income on the working capital used in farming. Farm-management surveys have shown a decided difference in the rates of income on these two classes of property. This is brought out in the following table:

Rate of interest on investment.

Received by—	Average.	Georgia.	Indiana.	Illinois.	Iowa.	Arizona.	Texas.
Owner operators	6. 5	8. 0	4.7	5.5	4.7	8. 6	5. 9
Landlords	4. 3	7. 3	3.5	3.6	3.2	4. 9	3. 5

In the case of operators who own the land they farm the investment consists of land and of working capital, while the return received by landlords is almost entirely based on an investment in land. The rate of interest in the case of owners is determined by subtracting from the net income of the operator the estimated value of his own labor and dividing the balance by the total investment; in the case of landlords the net rent received is divided by the investment.

It appears from the table that the owner operators receive an average return of 6.5 per cent, while the landlords receive only 4.3 per cent. The difference in favor of the operators is found in every State included in the table and indicates that an investment in real estate alone brings a lower relative return than a mixed investment in land and working capital. This difference may represent in part the owner's returns for his personal managerial ability, but it is certain that a considerable portion of the difference is due to the fact that a secure and otherwise preferred investment in land commands a lower rate of interest than a less secure investment in working capital. Thus it is seen that for the man with small capital there is considerable advantage in farming on the tenant basis. For a man with a large amount to invest the situation is different, partly because his funds, if invested entirely in working capital, may necessitate a larger farm than he is capable of managing to advantage and partly because, if he has enough money to buy a good-sized farm that yields a good living, other considerations besides the rate of interest on the investment enter into the problem.

While the higher rate of income from working capital as compared with real estate results in higher returns on investment for tenants than for owners, the investment of owners is much larger, on the average, than that of tenants. Hence in the surveys made in the six States included in the above comparison the income received by tenants, above the wages of their labor, the use of the house, and the food and fuel supplied directly by the farm, was only \$627, as compared with \$1,430 for owners.

FARM INCOME OF OWNERS AND TENANTS WITH SIMILAR CAPITAL.

Closely related to the facts just stated is the additional fact that the net income of tenants with small capital is much greater than that of owners with the same amount of capital. This is shown in the accompanying table, which gives the farm incomes of owners and tenants in Gloucester County, N. J., grouped according to the capital of the farm operator and illustrating a condition that is found in practically all the Department's farm-management surveys.

Comparative incomes of owners and tenants with equal capital, Gloucester County, N. J.

		Owners.		Tenants.			
Amount of capital.	Number of farms.	Average size of farm.	A verage farm income.	Number of farms.	Average size of farm.	Average farm income.	
\$1,000 and less	None.			11	42.9	\$567	
\$1,001-\$2,000.	None.			28	77.0	675	
2,001-3,000.	None.			25	113.2	897	
3,001-5,000.	24	40.1	\$291	11	103.0	1,727	
5,001-7,000.	34	59.0	752	2	175.5	2,240	
7,001-9,000.	30	65.6	992	1	200.0	5,123	
9,001-11,000.	22	79.4	1,340	None.			
11,001-14,000.	31	105.7	1,689	None.			
14,001-17,000.	12	101.2	2,711	None.			
Over \$17,000	9	148.8	3,202	None.			
All farms	162	77. 2	1,269	78	91.5	976	

It will be noticed that in the groups of farmers having less than \$3,000 capital every farmer is a tenant. Even those with less than \$1,000 capital are making incomes that permit a fair standard of living, while those with \$2,000 to \$3,000 capital have incomes that permit considerable saving, especially if the farmer and his family are frugal, because each of these

farmers has, in addition to the income shown in the table, all that the farm furnishes toward the family living, including milk, butter, poultry, eggs, fruits, vegetables, and often fuel. In the next group, having from \$3,000 to \$5,000 capital, there are 35 farmers. Twenty-four of these are owners of farms averaging about 40 acres in size. The remaining 11 have remained tenants and are operating farms about two and a half times as large as owners with the same capital. Their average farm income is about six times as great as that of the corresponding owners. In the higher groups the number of tenants is so small that the averages do not mean much. It is significant, however, that the two tenants amongst the 36 farmers in the group having from \$5,000 to \$7,000 of capital make incomes about three times as large as do the owners. The one tenant in the next group makes about five times as much as the average of his 30 compeers. In the groups having more capital than this all the farmers are owners.

It may seem strange that where farmers can make so much more money as tenants than they can as owners there should be such a strong tendency toward ownership. The table shows that just as soon as the average income is sufficient to permit anything like a satisfactory standard of living the majority of tenants become owners, thus sacrificing perhaps two-thirds of their income. The amount they thus sacrifice shows what the average farmer considers the advantages of ownership to be worth. It is not necessary to discuss these advantages here; most of them are obvious.

There is, however, another reason why so few tenants with large capital are found. A large amount of capital, all invested as working capital, suffices for the operation of a very large business, exceeding, in fact, the managerial ability of many farmers. It is only within the limits of his managerial ability that it is wise for the farmer with considerable capital to remain a tenant rather than pass into the owner class.


There are two reasons for the greater incomes made by tenants as compared with owners having the same amount of capital. One is the higher rate of income on working capital as compared with fixed capital represented by real estate, already discussed. Another reason even more impor-

tant is the fact that with a given amount of capital invested entirely as working capital, the operator can manage a very much larger area of land, and other things being approximately equal, the farmer's income is usually roughly proportional to the magnitude of the business he conducts. Note in the preceding table that in the group of farmers having from \$3,000 to \$5,000 capital, the size of the 11 farms operated by tenants is about two and a half times that of the 24 farms operated by owners. In the next two groups the tenant farms are about three times as large as the owner farms.

In this connection the average size of tenant farms as compared with owner farms is of interest. Data concerning this point are given in figure 26, which shows graphically both the area of improved land and the total farm area for the average farm operated by its owner and the average tenant farm in selected States. It will be seen that outside of the cottonbelt States, in nearly every case the average tenant farm is larger than the average owner farm. The exceptions are easily explained. They are Nebraska, Kansas, Colorado, Utah. and Missouri. In these States most of the tenant farms are in those sections of the State where the farms are relatively small. If the comparison could be made between the tenant farms in these States and the owner farms in the same localities, there is no question that the average tenant farm would be shown to be larger than the average owner farm. Where the conditions are such that the farm laborer can in a few vears save enough money or establish sufficient credit to provide the necessary working capital for a farm of considerable size, the tenant usually selects a farm as large as he can manage with the working capital available. If he undertakes tenant farming on a smaller farm the results frequently are disastrous. Not only that, but the majority of farms offered to tenants average larger in size than those not thus made available, for the reason that the rental income from the large farm will best support the retired owner.

The conditions shown in the cotton States, among both white and colored farmers, involve considerations which it is not within the prevince of this paper to discuss. It is seen, however, that in all these States the average tenant farm is smaller than the average owner farm, and this is

true whatever the race of the farmer. This is due in part to the inclusion of "croppers" with tenants in the census figures. As elsewhere explained, the cropper is a hired



laborer who receives a share of the crop in lieu of wages. The small average acreage tended by croppers makes tenant farms smaller in the cotton States than they would be if the

term "tenant" were limited to classes comparable with tenants in other sections. Another reason why the average tenant farm of the cotton States is so small lies in the fact that the area of cotton a family can manage is limited by the amount that can be picked in season, and on good land this is a very small area.

PRINCIPAL DEFECTS OF THE AMERICAN SYSTEM OF TENANT FARMING.

The serious defect of our system of tenantry is the lack of suitable provisions for maintaining the fertility of the soil. There are two general causes for this condition. In the first place, tenant farming is more or less new in many localities, and the problem of arranging a lease contract that will provide against loss of fertility has not been generally solved, though it has been worked out in numerous individual instances and quite generally in some localities. In the second place, a striking feature of the system of tenant farming which prevails in this country is the short average length of tenure. The following table shows that for the United States as a whole, at the last census, one-third of the tenant farmers had been on their present farms less than 1 year: 17 per cent of them were in their second year on the same farm; about 30 per cent had been on the same farm for from 2 to 5 years, 12 per cent for from 5 to 10 years, and less than 8 per cent for more than 10 years. The longest average tenure is shown for colored tenants in the South; the next longest for tenants in the northern States. The shortest average tenure is shown for white tenants in the South. This is partly accounted for by the fact that tenantry amongst the white farmers in the South is increasing more rapidly than anywhere else in the country. One of the reasons for this increase is the gradual replacement of colored by white tenants in many sections.

Length of tenure on tenant farms in the United States.

[From census of 1910.]

	Tenants having been on same form each specific number of years (per cent).				
Type of tenure and years on farm.	United States.	The North.	The West.	The South.	
				White.	Colored
All tenants:					
Less than 1 year	33. ∗	27.6	33.0	42.1	28.8
1 year but less than 2 years	17.1	17.8	18.5	18.0	15.0
2 years but less than 5 years	29, 6	30, 5	31.8	26, 9	32.0
5 years but less than 10 years	12.0	14.7	11.0	8, 4	13. 7
10 years and over	7.9	9.4	5. 7	4.6	10. 5
Cash tenants:					
Less than 1 year	26.1	25, 8	31.4	34, 8	18.9
1 year but less than 2 years	16.0	17.4	18.3	17.6	13. 1
2 years but less than 5 years	31.9	30.8	32. 2	30.0	34. 6
5 years but less than 10 years	15.0	15, 6	11.7	11.0	18.1
10 years and over	11.0	10.4	6, 4	6. 6	15. 3
Share tenants:					
Less than 1 year	37.3	28.6	34. 7	44. 0	36.2
1 year but less than 2 years	17.8	18.1	18.8	18. 2	16. 5
2 years but less than 5 years	28.4	30.3	31. 2	25.8	30.1
5 years but less than 10 years	10.4	14.2	10.3	7. 5	10.4
10 years and over	6.1	8.8	5.0	3.9	6.8
Average years on same farm:					
All tenants	3.0	3.4	2. 6	2. 2	3. 6
Cash tenants	3 8	3.7	2.8	2, 8	4.8
Share tenants	2.6	3.3	2.5	2.0	2. 7
	1	- 1			

It will be noted that the average tenure among cash tenants is everywhere longer than it is among share tenants. For the United States as a whole the average length of time the average cash tenants have been on the farms they are now operating is 3.8 years, while for share tenants it is 2.6 years. The cash tenant makes, on the average, a larger income than the share tenant and is not so soon discouraged by the frequent reduction in yield caused by the methods ordinarily employed in tenant farming. This is true in spite of the fact that the average crop yields on share-tenant farms usually are larger than on cash-tenant farms, the difference being more than made up by the smaller amount of rent paid by cash tenants.

REASON FOR SHORT TENURES.

In sections where systems of farming prevail that rapidly burn the humus out of the soil and where in consequence crop yields have become low, the farm income of the average tenant farmer is low. This makes him dissatisfied with his condition, and he naturally hopes by changing from one farm to another to better himself. For similar reasons the landlord is inclined to change tenants, hoping by the change to secure a better tenant. These two facts taken together account in part for the very short tenures which are so prevalent in this country.

The remedy for this condition is not a simple one, nor is there any panacea for it. In general, however, the remedy involves a course of procedure that will result in better incomes for the tenant. This, of course, will mean also greater profits to the owners of the land. Except in dairy regions, where it is customary for the landlord to furnish half the productive live stock, tenant farms are, in general, not so well stocked as owner farms. This is partly due to the general lack of capital on the part of tenant farmers and partly to the lack of permanence of tenure; but it is also due in part to lack of information on the part of both landlord and tenant as to the conditions of leasing on live-stock farms that would make the agreement equitable to both parties concerned. In sections where tenant farming has long been established, more especially in those regions where live-stock farming prevails, this problem has largely been worked out in practice. But new farms are continually passing from owner operation to tenant operation, thus bringing about the relation of landlord and tenant between people who lack information on the subject of lease contracts.

THE LEASE CONTRACT.

It is therefore clear that the big problem to-day in connection with tenant farming in the United States is that of the details of the lease contract. The Office of Farm Management regards this as one of the outstanding problems in farm economics in this country and is devoting serious study to it. A study is being made of the details of agreements between landlord and tenant on farms of all sizes and types

in all parts of the country where tenant farming is well developed. These studies have shown that a few fundamental principles govern in all such cases. The laborer is entitled to his wage; the owner of property is entitled to interest on his investment and to sufficient income to replace worn-out equipment. We have already seen that land, because of the unique stability of the investment, commands a low rate of income. On the other hand, working capital is entitled to a high rate of income—just how high it is not yet possible to say with any degree of certainty. It is believed, however, that these studies will ultimately reveal what is a fair and equitable division of the proceeds of the farm between labor, fixed capital, and working capital for all the more important types of farming and for farms of different sizes in all parts of the country.

It does not necessarily follow from what has been said above concerning short tenures in this country that lease contracts should cover long periods of years. The essential thing is that they should provide a system of farming that will build up the fertility of the land. This may be accomplished under lease contracts made for short periods. It has been found in the investigations of the Office of Farm Management that in some of the localities in which tenant farming has prevailed for a considerable period tenants contracting only from year to year remain on the farm longer on the average than those who contract for longer periods. Very long lease contracts are hardly practicable, except under conditions of permanent tenure. In this country, where so large a proportion of tenants merely represent a step in the progress toward ownership, the period of the lease must, and should, be shorter, on the average, than in countries where practically all the land is farmed by tenants.

SEWAGE DISPOSAL ON THE FARM.

By GEORGE M. WARREN,

Hydraulic Engineer, Office of Public Roads and Rural Engineering.

POPULAR indifference to the effective disposal of sewage has existed so long and so universally that only within comparatively recent years has it been realized that this waste product of human life is poison and must be kept from the food and drink of man. From the specific germs or poisons that may be carried in sewage at any time there may result typhoid fever, tuberculosis, hookworm disease, cholera, dysentery, diarrhea, or other dangerous ailments, and it is not improbable that certain obscure maladies may be traced eventually to the poisonous effects of drainage from human waste. The poison is invisible to the naked eye and it may be carried by many agencies and by devious routes and be unsuspectingly received into the human body. Infection may come from the swirling dust of the railway roadbed, from personal or indirect contact with transitory or chronic carriers of disease, from green truck grown in gardens fertilized with night soil or sewage, from food prepared or touched by unclean hands or visited by flies and vermin, from milk handled by sickly and careless dairymen, or milk cans and utensils washed with polluted water from wells, springs, brooks, and lakes receiving the surface wash or the underground drainage from sewage-polluted soil, and from many other sources.

Typhoid fever is peculiarly a rural disease, and a few examples clearly indicating the responsibilities and the duties of people who live in the country are cited herewith. The accounts are condensed from reports by the Massachusetts State Board of Health and the health commissioner of Virginia.

In September and October, 1899, 63 cases of typhoid fever, resulting in 5 deaths, occurred at the Northampton (Mass.) insane hospital. This epidemic was conclusively traced to celery, which was eaten freely late in August and which was grown and banked in a plot that

had been fertilized in the late winter or early spring with the solid residue and scrapings from a sewage filter bed situated on the hospital grounds.

In November and December, 1900, 7 cases of typhoid fever at Waltham (Mass.) were, with little doubt, caused by infected milk from a farm where the sewage in a cesspool containing the discharges of a person sick with the disease in August was dipped out and spread upon the ground by the same man who afterward milked the cows.

In 1909, 60 persons spending Labor Day at a country hotel in Worcester County, Mass., were infected from the milk handled by a table maid who was coming down with typhoid fever.

In 1915, typhoid fever in a home at Brookneal, Va., was caused by the accidental entry of sewage into a drilled well following the choking and flooding of the house sewer with rain water. Within 14 days 5 of the 8 children were stricken and the eldest, a girl of 20 years, died 3 weeks later.

Early in June. 1915, a case of typhoid fever developed in the upper one of about 25 humble mountain homes situated along a small brook in Washington County, Va. Probably few of the houses had privies, and water was obtained from several small springs close to the edge of the brook. On July 3, 15 cases of typhoid fever had developed in 8 different families down the ravine, and it is probable that the spread of the disease was due in large degree to the pollution of the springs from the lack of care in handling the discharges of patients higher up the run.

Not to dispose of sewage promptly invites nuisance, but not to dispose of sewage cleanly and completely invites disease. It is not enough that human filth is taken 50, 75, 100, or 150 feet away from a well or spring, or that it is taken merely to lower ground. Given loose or open subsoil, seamy ledge, or long-continued pollution of one plot of ground, the zone of contamination is likely to extend and readily may reach quite distant wells, especially at such times as wellwaters are lowered by drought or heavy pumping. Whatever the system of sewage disposal, it should be entirely and widely separated from the water supply, and, if possible, the surface of the sewage in any privy, leaky vault, or cesspool should be lower than the lowest water in any near-by well. The practice of applying human excreta or sewage to land upon which are grown truck crops, especially celery, lettuce, radishes, cucumbers, tomatoes, melons, and other vegetables consumed raw by man, constitutes a serious menace to health and should be discontinued.

SEWAGE AND SEWERS DEFINED.

Under average conditions the daily waste of an adult human is about 1½ to 2 quarts of foul matter consisting largely of undigested or partially digested foods and saline excretions. With these wastes there may be mixed refuse liquids and many substances entering into the economy of the household, such as grease, milk, bits of food, fruits, vegetables, paper, rags, etc. This refuse product constitutes sewage and the underground pipe which conveys it is a sewer. Since sewers carry foul matter, they should be watertight, and this feature of their construction distinguishes them from drains or removers of relatively pure surface or ground water.

NATURE OF SEWAGE.

Sewage, then, is water containing small amounts of mineral, vegetable, and animal matter, dissolved and undissolved. It contains enormous numbers and many species of very minute living organisms or bacteria and dead organic matter. For the most part, the living organisms are, so far as known, not only harmless, but are of the utmost importance in the processes of nature. They may be termed tiny scavengers which multiply with great rapidity, their useful work being the converting of dead organic wastes into liquids and gases, decomposing the dissolved organic matter, and oxidizing and nitrifying the organic residues.

HOW SEWAGE DECOMPOSES.

If a bottle of fresh sewage be kept in a warm room changes occur in the appearance and nature of the liquid. At first it is light in appearance and its odor is slight. It is well supplied with free oxygen, since this gas, dissolved from the atmosphere, is always found in natural waters. In a short time the solids in the sewage separate mechanically according to their relative weights, sediment collects at the bottom, and a greasy film covers the surface. Later, the solids tend to break apart, the sewage grows darker, and the odor becomes more offensive. There is an increase in the amount of ammonia and a decrease in free oxygen, and when the former is at its maximum and the latter is exhausted,

the sewage is said to be stale. Beyond this stage the process becomes a putrefying one. Bacterial life probably secures minute quantities of oxygen from the breaking up of organic substances, and, as compounds containing nitrogen are decomposed, various foul-smelling gases are liberated. Sewage in this condition is known as septic sewage. Eventually the liquid in the bottle clears, its color fades appreciably, the odor disappears, and a dark-brown, insoluble, earth-like substance remains as a deposit. Complete reduction of this deposit requires a long period of time, perhaps many years. Within any ordinary limits there still remains more or less organic residue which rots very slowly, but which, if given sufficient time, may be reduced to mineral substances and so become suitable for plant food.

The changes above described are wholly natural and are analogous to what always takes place when animal or vegetable matter decays: The process is affected vitally by environment. For example, bacterial activities may be checked or destroyed by violent agitation, extremes of heat or cold, strong light, or chemicals.

PRACTICAL UTILITIES FOR VARIOUS CONDITIONS.

PIT PRIVY.

Upon thousands of small farms there is no privy whatever and excretions are deposited carelessly about the premises. Such practice should not be countenanced in any community. In order to suggest a fairly effective remedy for such conditions and to impress upon the mind fundamental and farreaching principles, use will be made of a very familiar, though homely, illustration which is furnished by the house cat. The cat instinctively selects warm, loose soil wherein to deposit and bury her excretions. What of value can we gather from the example?

- (1) The site selected is well drained. Were it otherwise the soil would be cold and wet.
- (2) The site is not shut in, but is open to the purifying influences of sunlight and air.
- (3) The excretions are deposited in loose topsoil permeated with air and teeming with low forms of both plant and animal life. These natural agencies disintegrate the waste organic matter and reduce it to inorganic substances beneficial to the soil and suitable for plant food.

(4) The excretions are covered promptly. Hence they are not visited by flies, are not likely to be washed over the surface by rains, and suggest nothing offensive to sight or other senses.

A privy which realizes some of the features and principles mentioned above is shown in figure 27. This is a portable affair not unlike the "sentry boxes" used upon con-




Fig. 27.—Portable pit privy, for use where land is abundant and cheap, but unless handled with judgment can not be regarded as safe.

struction work, and is suitable for localities where land is abundant and cheap. Its main purpose is to secure, at minimum cost and with least attention, a fixed place for the deposit of excretions where the filth can not be tracked by man, spread by animals, reached by flies, nor washed by rain. The privy is light and inexpensive and is placed over a hole or

pit in the ground. When the pit becomes one-half or twothirds full, the privy can be lifted readily by the handles and carried by two persons to a new location. The pits should be shallow, preferably not over 3 feet in depth, and never should be located on ground of which the surface or strata slope toward a well, spring, or other source of domestic water supply, nor should they, except under very favorable slope and soil conditions, be nearer a well than 300 feet. Since dryness in the pit is desirable, the site should be raised slightly, either naturally or artificially, and 10 or 12 inches of earth should be banked and compacted against all sides to shed rain water. The banking also serves to exclude flies. If the soil is sandy or gravelly, the pit should be sheeted roughly with boards or palisades to prevent caving; or, if preferred, a 3-foot length of 15 or 18 inch sewer pipe may be used. This makes a good lining, and, as it is raised and cleaned when the privy is moved, such sheeting is permanent. The prive should be boarded closely, and should be provided preferably with screened openings for ventilation and light. The whole seat should be easily removable or hinged, as this permits cleaning and washing the underside of the seat and facilitates the destruction of spiders and other insects which thrive in dark, unclean places, especially in warm climates. A little loose, absorbent soil should be added daily to the accumulation in the pit, and when a pit is abandoned it should be filled immediately with dry earth and mounded to shed water.

A pit privy, even if moved often, can not be regarded as either safe or desirable. The great danger is that accumulations of waste may overtax the purifying resources of the soil and the leachings reach wells or springs. Slope of the ground is not a guaranty of safety, but, as previously stated, the great safeguard lies in locating the privy a long distance from the water supply or having it actually lower than the water level of the latter.

SANITARY PRIVY.

The next step in the evolution of sewage disposal is the sanitary privy, which, as its name implies, is one productive of clean conditions and surroundings. Its construction must be such that it is practically impossible for filth or

germs to be spread above ground, to escape by percolation underground, or to be accessible to flies, vermin, or rodents. Furthermore, it must be cared for in a cleanly manner, else it ceases to be sanitary. To secure these desirable ends, the sanitarians of many States and countries have devised numerous types of tight-receptacle privy. Considering the small cost and the proved value of some of these types, it is a sad commentary that so few are seen on American farms.

The receptacle or container for a sanitary privy may be small, such, for example, as a galvanized-iron pail, bucket. or garbage can, to be removed from time to time by hand; it may be large, as a barrel or a metal tank, either fixed or mounted for moving; or it may be a stationary metal or masonry tank or vault. The essential requirement in the receptacle is permanent water-tightness to prevent pollution of soils and wells. An exception to this rule is that class of privy in which the liquids drain through perforations in the bottom of the receptacle and are removed to a safe distance in a tight drain or sewer or are collected in a second water-tight container. Wooden pails or boxes, which warp and leak, never should be used. Where a vault is used, it should be shallow to facilitate emptying or cleaning. Moreover, if the receptacle should leak, it is better that the escape of liquid should be in the top soil, where bacterial life is most abundant. Sanitary privies are further classified. according to the method used in treating the excretions, as "dry earth," "chemical," or "liquefying."

DRY-EARTH PRIVY.

A simple out-door privy of the dry-earth type is shown in figure 28. It is 4 feet square, center to center of supporting posts, and no stock heavier than 2 by 4 inches is used in construction. The sills are secured to concrete, cedar, chestnut, osage orange, or other durable posts set about 3 feet in the ground. The boarding should be tight, so as to exclude flies and insects, and the windows and vents should be screened. Provision should be made also for the free play of air under and about the structure as shown in the drawing. The receptacle is a galvanized-iron garbage can costing about 75 cents. It fits very closely under the seat, held in position by

two cleats nailed to the floor. Heavy brown-paper bags for lining the can may be had at slight cost. The use of these bags helps to keep the can clean and facilitates emptying it. Painting with black asphaltum serves a similar purpose and protects the can from rust. The can should be emptied frequently and the contents buried 1 to 2 feet below the ground surface at a point remote from wells or springs.




FIG. 28.—Outdoor, dry-earth, removable-container privy. Durable construction, well ventilated, and screened. With proper care is sanitary and unobjectionable.

Wherever infectious intestinal disease exists, the contents of the can should be destroyed by burning or be made sterile by boiling or by complete incorporation with strong chemical reagents before it is buried. Even if disease is not manifest, burning or sterilizing of all waste of this description is a safe, sanitary precaution. It is human nature to take chances, however, and such practice is not common among any except sanitation enthusiasts.

Figure 29 shows an indoor dry-earth closet, with a brick vault, which was constructed in 1817 upon a farm at Westboro, Mass. This vault was built beneath the northeast rear




Fig. 29.—Indoor dry-earth, tight masonry vault privy, constructed in 1817 and in use nearly 100 years. Note the water-tight and shallow vault and its convenience.

corner of a small raised ell which was partitioned so as to give a hired man's bedroom, a woodshed, a small tool room, and passageways to a rear outer door and to the closet. The vault was 6 feet long by 5 feet wide, and the bottom was 1


foot below the surface of the ground. The brickwork was laid in mortar, and that part below the ground surface was plastered on the inside. The outside of the vault was exposed to light and air on all four sides. Across the long side of the vault, in the rear, was a door swinging upward, through which the night soil was removed about twice each year, usually in the spring and fall, and hauled to a near-by field, where it was deposited in a furrow just ahead of the plow. Through this door it was easy to clean out the vault or to sprinkle loose, dry loam or wood ashes over fresh excreta without carrying dirt and dust into the house or causing dust to settle upon the seat.

It is an interesting fact that this closet was situated only about 30 feet from a dug well with a dry rubble lining. For almost 100 years both closet and well were in daily use, but as far as the senses could determine, the high quality of the well water never deteriorated. No member of the household ever suffered from an intestinal disease, nor did any visitor, so far as is known, ever contract such disease at this home. Although there were practically no renewals or repairs during this long period, when last seen the original seat, which always was kept painted, showed no signs of decay. This example serves to shown that a reasonably well planned utility, if properly cared for, will prove a sound investment. Modern methods would call for a concrete vault of guaranteed water-tightness, proper ventilation and screening, and hinging the seat. Otherwise, the method of construction need not be changed materially.

CHEMICAL CLOSET.

The second type of sanitary privy, in which the excretions are received directly into a water-tight receptacle containing liquid chemical disinfectant, is meeting with considerable favor upon farms and in country schools and railroad stations. Such privies are known by various trade names. One is a chemical tank closet in which the container or receptacle is large and irremovable. A simple type of chemical closet is shown in figure 30, with the essential features indicated in the notations. These closets, with vent pipe and appurtenances ready for setting up, retail for from \$18.50 upward. Com-

mercial disinfectants cost from \$1.50 to \$2 per gallon. Such closets are compact, simple, of good appearance, and easy to install or move. But their efficiency depends largely on the manner of installation and handling. To insure complete



A-Noteright steer metal container.
B-Cabinet, metal or wood.
C-Seat ring, aluminum or wood.
D-S'or 4" ventilating pipe extending.
18" above roof or to chimney flue.
E-4 or 5'small inferholes.

Fig. 30.—Chemical closet.

sterilization, the chemical must be strongly disinfectant and must permeate every particle of the waste matter. Strong draft through the vent pipe and prevention of low temperatures in the container also are very essential.

LIQUEFYING CLOSET.

The third type of sanitary privy, known as the liquefying or septic closet, makes use of bacterial action as an aid to disposal. The excretions are deposited in a tight receptacle




Fig. 31.—Outdoor liquefying closet. Tank is two lengths of sewer pipe connected in water-tight manner, and effluent is allowed to dribble in porous top soil or beds of coarse material. Back of house and seat may be swung up out of the way when removing solids from bottom of tank.

containing water, where fermentation and decomposition reduce a large part of the organic solids to liquid and gaseous forms. In the process of liquefaction much of the liquid

evaporates and the gases diffuse so that the volume of sewage is reduced materially. More or less insoluble and undigested residue, known as sludge, gradually accumulates at the bottom of the receptacle, which, from time to time, must be cleaned out. But handling the partially clarified liquid and the sludge involves much less labor than would be needed to handle the fresh sewage.

Liquefying closets were used in Baltimore and other eastern cities for many years and gave fair satisfaction. The receptacle sometimes was a tight brick vault, but more frequently a large barrel or hogshead with one end nearly flush with the ground. Over this was mounted the seat, sometimes with iron bars beneath to prevent accident to small children, and the whole inclosed by a small frame house. The tank usually was bailed or pumped out two or three times a year.

Upon farms where there is abundant space and when slope, soil, and drainage conditions are favorable, the effluent from liquefying closets may be distributed and aerated by means of drain tile laid in top soil or in shallow beds filled with cinders, coke, gravel, or stone. This distributing tile, although receiving liquid which may appear light colored and inoffensive but still is sewage, never should be laid in the vicinity of a well or spring. Figure 31 shows a simple one-chamber liquefying closet with shallow distribution in a stone-filled trench.

OBJECTIONS TO PRIVIES.

All the methods of sewage disposal heretofore described are open to the following objections:

- (1) They do not care for kitchen slops and the liquid wastes incident to a pressure water system. These, even if not as dangerous to health as human excreta, may create serious nuisance.
- (2) They retain filth for a long period of time. Hence the liability of offensive odors.
- (3) They require, for really satisfactory results, more personal attention and care than people generally are willing to give to such matters.

By far the most satisfactory method yet devised of caring for sewage calls for a supply of water under pressure and the flushing away of the wastes as soon as created through a water-tight sewer to an appropriate location, there to undergo treatment. The importance of these two prime utilities, namely, a supply of water under pressure and an adequate system of caring for sewage, can not be impressed too strongly upon every farmer who desires to promote the health and comfort of his household.

CESSPOOLS.

Where farms have running water, an open or leaching cesspool is the most common method of disposing of the sewage. Ordinarily, cesspools are circular excavations in the ground, lined or walled with stone or brick laid without mortar. They vary from 5 to 10 feet in diameter and from 7 to 12 feet in depth. Sometimes the top is arched like a jug and is capped at the ground surface by a cover of wood or iron. At other times the walls are carried straight up, boards or planks laid across in lieu of a cover, and the entire structure hidden by means of a hedge or shrubbery.

Soil and drainage conditions vary so much that it is impossible to standardize cesspool dimensions. Eighty cubic feet may be taken as a minimum capacity. In certain arid sections, where porous material and the water table are deep, cesspools 4 feet in diameter have been dug from 20 to 60 feet in depth. Contract costs of these deep cesspools, including stone for lining, run about \$1.75 per vertical foot.

Cesspools of the kinds above described are open to these serious objections:

- (1) Unless located in porous, well-drained soil, stagnation is likely to occur, and failure of the liquid to seep away may result in overflow on the surface of the ground and the creation of a nuisance and a menace.
- (2) They retain a mass of filth in a decomposing condition deep in the ground, where it is but slightly affected by the bacteria and air of the soil. The seepage in its movement through the ground may be strained, but there can be no assurance that the foul liquid, with little or no improvement in its condition, may not pass into the ground water and thus pollute wells and springs situated long distances away in the direction of underground flow.

For the purpose of avoiding soil and ground-water pollution, cesspools have been made water-tight like some types of tight-receptacle privy. Upon the farm, however, there is little to recommend them, for the reason that facilities for removing and disposing of the contents in a clean manner are lacking usually. Despite the objections stated above, there may be isolated farm homes so situated that some soil pollution may be permissible. In certain instances sewage may be taken in a water-tight sewer to a leaching cesspool, provided that it is located far below buildings and well, and likewise remote from neighbors' dwellings and water supplies.

Figure 32 shows a septic cesspool, which combines the principles of the liquefying closet and the leaching cesspool. With this type the solids are retained for liquefaction in the central chamber, while the partially clarified effluent escapes through the coarse, filtering medium into the subsoil. Tests of the soil water adjacent to cesspools of this type show that little reliance should be placed upon its capabilities of purifying sewage. However, since grease and other solids do not readily get into and clog the pores of the adjacent ground, this cesspool, under average soil conditions, is likely to remain free-seeping and unchoked. Still better results may be had if, instead of allowing the effluent to escape deep in the ground, it is given shallow subsurface distribution, as illustrated in figure 31. In this way not only is the area of percolation extended, but aeration and partial purification of the sewage are obtained.

PLUMBING.

Figure 32 also shows an effective, yet inexpensive, arrangement of soil and waste pipes for a two-story farmhouse, together with the connecting house sewer and the rain-water leader. Rain or other clean water conductors should be disconnected from sewers and should discharge into dry wells or a watercourse. The house sewer is 4-inch cast-iron soil pipe laid with a minimum fall of 2 feet per 100 feet and with the joints leaded and calked. Close to the cesspool an air inlet and inspection hole is provided. A 4-inch tee is turned upward and a 4-inch cast-iron riser inserted, while a 4-inch perforated plug closes the bell end of the riser. No running trap is placed on the house sewer, thus allowing free movement of air throughout the sewer and soil stack. The fixtures are located reasonably close to the soil stack.

362

the waste pipes are ample and are fitted with drum or other nonsiphoning traps, and back vents are omitted, as experi-




Fig. 32.—House waste pipes and septic cesspool. A cesspool should be employed only when it can be located far below and far away from any well or other source of domestic water supply.

ments indicate that the danger of transmission of disease from sewer air is slight.

SEPTIC TANK.

There is much evidence to show that a tight, well-built, underground septic tank, so called, with shallow distribution of the effluent in porous soil, generally is the safest and least troublesome method of treating sewage upon the farm, while at the same time more or less of the irrigating and manurial value of the sewage is realized.

The antecedents of the septic tank were known in Europe more than 50 years ago. Between 1876 and 1893 a number of closed tanks with submerged inlet and outlet, and all embodying the principle of storage of sewage and liquefaction of the solids, were built in Massachusetts, New Jersey, Marviland, and Canada. In the past 20 years great advance has been made, and many plants, large and small, have been built. Much remains to be learned, but it is now certain that many of the early claims for the septic process were extravagant. There is nothing magical about a septic tank, and citizens should not trust implicitly in the name. greater or less degree the changes described under the caption "How Sewage Decomposes," and referred to in connection with liquefying closets and cesspools, take place in septic tanks. The liquid escaping from a septic tank is assuredly not "spring water," nor is it harmless. It may contain, since the process involves intensive growths, even more bacteria than the raw sewage. As to the effects upon the growth and virulence of disease germs, little is known definitely. If disease germs be present, many of their number, along with other bacteria, may pass through with the flow or may be enmeshed in the settling solids and there survive a long time. Hence, so far as the danger of transmitting disease is concerned, septic sewage is not improved materially over crude sewage, and the farmer should safeguard wells and springs from the seepage or the discharges from a septic tank with no less certainty than from that of liquefying closets and cesspools.

In all sewage tanks a considerable portion of the solid matter, especially if the sewage contains much grease, floats on the liquid as a scum, the heavier solids settle to form sludge, while other finely divided solids and matter in a state of emulsion neither float nor subside. If the sludge is held in the bottom of the tank to be converted into liquids and gases, virtually to rot, the tank is called a septic tank and the process is known as septicization. Just how far this process may be carried to obtain the maximum sanitary benefit with the least nuisance and cost is still open to question. As previously stated, septic sewage implies offensive putrefaction. Not only is this objectionable as to odors, but numerous examples indicate that sewage reduced to the septic condition, or even highly staled, is less effectively purified, whether subjected to artificial filtration or to the natural filtration of the soil, than is moderately stale sewage. Aeration of a septic effluent seems to aid in its purification, but aeration lowers the temperature of the sewage and may result in the spread of objectionable odors or disease.

From what has preceded it is seen that the septic tank is not a complete method of sewage treatment. With the general run of small septic tanks, it probably is close to the facts to say that of all the solid matter in the crude sewage one-third is reduced to liquids and gas, one-third remains in the tank and one-third escapes with the effluent.

Every septic tank installation is a problem by itself. As a suit is fashioned to the size and needs of an individual, so should the design of a septic tank and the after disposition of the effluent be decided upon, with full consideration for the size of the family, the amount of water used, the location of property lines, buildings, wells, and drainage outlets, the slope of the land, and the character of the soil and subsoil. The designer, builder, or user of small septic tanks should bear in mind the following practical suggestions:

- (1) The location should be reasonably distant from the dwelling and several hundred feet from a well or spring.
- (2) The tank should be absolutely water-tight. Excellent results come from the use of concrete mixed in the proportions 1:2:4. Effective methods of waterproofing are described in United States Department of Agriculture Bulletin No. 230, entitled "Oil-Mixed Portland Cement Concrete."
- (3) The tank should be 1 to 2 feet underground to secure uniformity of temperature and warmth in winter. In order to secure fall where slopes are flat, both tank and house sewer may be raised and embanked with earth.

- (4) The tank should be covered tightly for the reason stated in (3), and also to guard against the spread of odors, the transmission of disease germs by flies, and accidents to children.
- (5) Rain-water leaders and all surface or ground-water drains should be disconnected from sewerage systems.
- (6) A plant for all-year-round use, whether discharging the effluent upon or beneath the ground surface or into an artificial filter, should have two chambers—one to secure settlement and septicization of the solids, and the other to secure periodic discharge of the effluent by the use of an automatic sewage siphon having no moving mechanical parts. The first chamber is known as the settling chamber, the second as the dosing, or siphon, chamber.
- (7) The settling chamber should have a capacity below the flow line of about 24 hours' flow of sewage. Since sludge and scum accumulations soon replace the available liquid capacity, the calculated depth should be increased 25 per cent. Depth appears to be a more important dimension than either length or width. Widths may run from 2 to 4 feet inside. Length and depth may be equal and run from 5 to 7 feet inside. With liberal usage of a good, potable water under pressure, it is advisable to estimate on a basis of 40 gallons per capita for 24 hours. The inlet and outlet should be submerged about 2 feet below the surface of the liquid in the tank, though, with very little grease in the sewage, shallower submergence is permissible. Current breakers and baffle walls check velocities, diffuse the flow, and mitigate the evils of stagnation in the liquid and roiling of the sludge.
- (8) The dosing chamber generally should have a dosing capacity equal to the flow of sewage for at least 8 hours. A longer dosing interval is preferable in close soils.
- (9) The area for treatment of the clarified liquid should have moderate slope and deep and thorough drainage, and sunlight and air should have free access. Preferably, the soil should be sandy, gravelly, or loamy, but an impervious clay soil may be opened up and aerated by deep subsoiling, the use of dynamite, underdrainage, or the construction of trenches or beds filled with gravel, cinders, or stone. The distribution area preferably should be kept in grass, because

this is a safe crop and its water requirement is high. If properly handled, effluent discharged upon the surface may be well purified eventually, but in the vicinity of dwellings there may be annoyance from odors, and there is also the liability of the spread of disease germs through flies and other agencies. Surface discharge never should be nearer a dwelling or well than 300 feet, and there should be a properly spaced outlet for each 30 gallons of siphon dose.

Of the various methods of disposing of the liquid effluent, the subsurface discharge is preferable. Distribution should be through lines or runs composed of vitrified or hardburned drain tile or second-quality sewer pipe. Four-inch size is preferred for this purpose, although 3 or 5 inch pipe may be used. The tile should be laid in runs of 60 feet or less in length, and in trenches 10 to 18 inches deep. To prevent flooding at the lower ends the tile should be laid upon very flat grades and short runs should be level. should be laid with slightly open joints in an earthenware gutter or along a continuous track composed of two strips of furring or two bricks placed lengthwise at the low side of the pipe at each joint. The top and sides of the joint should be covered with earthenware caps or encircled with narrow strips of tarred paper or burlap to exclude dirt. The more coarse material, such as broken stone or brick, gravel, slag, coke, or cinders, placed beneath, on the sides, and immediately over the tile, the better will be the drainage and aeration. It is advantageous also to have the ends of the runs turn up and be vented above the surface of the ground. Sufficient tile should be used so that the capacity of the system will about equal the siphon discharge. In sizable installation it is preferable to have the distribution tile in two units with a switch between, so that one field may rest and become aerated while the other is in use. Where this is done it is well to alternate the switch weekly or oftener if the beds show signs of flooding. Frost usually gives little trouble in subsurface distribution, but in exposed areas where the winters are severe the tile may be laid slightly deeper or the ground may be covered with hay, straw, or leaves weighted down.

(10) Open, artificial filters of sand, coke, or stone usually have proved disappointing upon the farm. If properly de-

signed and operated, however, they are capable of splendid results. Usually they are neglected or the sewage is improperly applied, with the result that sand filters clog and the coarse-grained filters pass what is practically raw sewage. Moreover, there is likely to be annoyance from odors, and there is always the possibility of disease germs being carried by flies where sewage or sludge is exposed.

- (11) If a septic tank is for use a part of the year only, as at a summer home, the siphon and siphon chamber may be omitted and the effluent may be allowed to dribble away through subsurface tile, as already explained. In such cases the joints should be very close; in fact, the tile may best be butted if good distribution is to be obtained.
- (12) The siphon also may be omitted if the discharge is made into a running stream, but sewage never should be turned into any watercourse if any proper method of disposal is possible. Such practice endangers water supplies down the stream, and unless the velocity of the stream is good and its average flow at least forty times the volume of sewage discharged, serious nuisance may be created in the vicinity.
- (13) There is nothing better for a house sewer, especially where the vicinity of a well must be passed, than cast-iron soil pipe with leaded, calked joints. This construction gives a permanently water-tight and root-proof sewer. Upon the farm, however, it is customary to use vitrified clay or shale pipe, and where this is used, 5-inch pipe, because of its straightness and smoothness and its lesser liability to obstruction, is preferred to the 4-inch size. In no case should the inside diameter of a sewer be less than 4 inches. joints of a vitrified-pipe sewer may be closed with a strand of grouted oakum and good cement mortar, but as cemented joints usually are made up they leak sewage and may not keep out rootlets which by their growth frequently cause obstruction to the flow. Much better results are obtained where the joints are poured with molten sulphur and very fine sand or some flexible jointing compound. Whatever the size of the pipe and the method of closing the joints, the trouble from stoppages will be very much less if the sewer is made absolutely straight both for line and grade and the interior of the joints left clean and smooth.

- (14) No chemicals should be used in a septic tank, except that occasionally, after cleaning out a tank, a deodorant may be used as necessary.
- (15) Some attention must be given to every plant to insure success. Unusual or excessive foulness should be investigated. Garbage, rags, newspaper, and other solids not readily soluble in water should be kept out of sewers and sewage tanks.

Figure 33 shows, in plan and elevation, the general features of a simple septic tank installed for a small village home





Fig. 33—Septic-tank installation for private house. Below: General plan of premises and distribution area. Above: Profile of sewer and tank. Note that house sewer past well is cast-iron pipe with leaded and calked joints.

for five or six persons. The disposal area should be farther from the well, but the location is fixed by the limits of the lot. Figure 34 shows the details of the tank. This plant was built complete in Maryland for \$102.85. The cost was distributed as follows:

Excavation	\$7.50
Materials and supplies, delivered	46.60
Siphon, including freight	15. 75
Construction, labor	28, 00
Supervision	5.00
Total	102, 85



Total cost of installation, \$102.85. Fig. 34,--Details of septic tank (see also fig. 33) to accommodate five or six persons.

370

Figures 35 and 36 show the details of the general layout of a more elaborate septic-tank installation for a rural home housing 18 to 20 people.

CONCLUSION.

It has been the purpose of this paper to present the essential features of a number of sanitary utilities adapted to widely differing rural needs and conditions, and also to familiarize the reader with the fundamentals and the vital




Fig. 35.—Details of septic tank (see also fig. 36) equipped with siphon to discharge sewage about twice a day to distribution area, and with sludge discharge pipe from bottom of tank to facilitate cleaning. Tank accommodates 18 to 20 people.

importance of sewage treatment. Each installation, no matter how small, should be based upon the best possible information and understanding, and calls for the exercise of considerable judgment to subserve the ends of health, cleanliness, convenience, permanence, and economy. Of these several factors the sanitary features unquestionably are of first importance, but every installation should be as convenient and as permanent as can be afforded.


There is general belief that the benefits of good plumbing and sewer systems cost little in the city, but are almost pro-

hibitive in the country. That this belief is erroneous is shown clearly by a study of data upon the cost of sewerage systems in various cities, sewer assessments, and comparative values of city and farm properties. For illustration, the city of Newton, Mass., and the State of Iowa afford an interesting comparison. Newton is a well-ordered and highly improved residential city, and about 80 per cent of its population is served by a modern system of separate sewers. About one-third of the cost of this system is assessed on the lands abutting and about two-thirds borne by the issuance of bonds which are retired ultimately from the general tax levy. Iowa is a leading agricultural State and 95 per cent of its area is farm land. In the accompanying table the population of Newton is for the year 1905, while the valuation and sewer statistics include the year 1907. The statistics for Iowa are from the 1910 census and exclude all cities.

Population, valuation of private property, and sewer data, Newton, Mass., and farms of Iowa.

	Newton, Mass.	Iowa farms.
Population.	36,827	1,544,717
Homes or farms, number	6,525	217,044
Valuation:		
Total	567,743,335	\$3,745,860,544
Per capita		
Per home	\$10,382	\$17, 259
Sewer mains:		
Length in miles	104	
Cost		
Assessments		1
House connections, length in miles	69	
Houses connected, number		
Average sewer assessment, based on houses connected		
Average tax levy for retirement of sewer bonds, based on total	-	
number of houses	\$184	
Average cost of house connections.		
Average total cost for sewers and house connections	\$355	

From this table it is reasonable to assume that if the average home in Newton, including personal estate, represents a valuation of \$10,382 and pays \$355 for sewers outside the cellar wall, then the average farm in Iowa, representing as it does a valuation of \$17,259, certainly is justified in ex-



and garden and removal of the sewage to a lower and safer location in the pasture, where the treatment is subsurface distribution aided by a series of filter wells about 4 feet deep filled with coarse gravel. FIG. 36.-Layout of a sewage-disposal plant for a rural house containing 18 to 20 people. Note abandonment of old cesspool near the well

pending the comparatively small amount that ordinarily would be required for adequate sewage disposal on the farm. It is true that because of the superior credit of a municipality, of the issuance of bonds running for long terms and bearing low rates of interest, and of the apportionment of sewer assessments over a series of years, the city dweller may have his burden distributed over a considerable period of time. On the other hand, the farmer should not lose sight of the fact that the costs in the city, as in the country, must ultimately be paid, and that deferred payments on sewer assessments seldom bear interest at a less rate than 5 per cent. Moreover, sewer work can be done more cheaply in the country than in the city.

THE STABLE-MANURE BUSINESS OF BIG CITIES.

By C. C. FLETCHER,

Scientist, Investigation of Fertilizer Resources, Bureau of Soils.

FROM New York City alone more than half a million tons of stable manure are shipped to truckers and farmers each year. If for the tonnage of New York City the values of 0.5 per cent nitrogen, 0.25 per cent phosphoric acid, and 0.5 per cent potash be given, there will be available from the stables of this one city 2,500 tons of nitrogen, 1,250 tons of phosphoric acid, and 2,500 tons of potash. Translating this into other terms, the nitrogen is equal to approximately 16,000 tons of nitrate of soda, the phosphoric acid to 8,000 tons of acid phosphate, and the potash to 5,000 tons of sulphate of potash. In all the big cities of the East the collecting and shipping of stable manure is now an established business, conducted by well-organized companies, with agents in smaller places who retail to the The aggregate tonnage reaches a very large figure. Much of this business represents a clear saving, because at times quantities of manure have been thrown away, not being considered of sufficient value to justify the payment of freight charges. Now, however, stable manure is a recognized article of commerce and brings prices ranging from \$1 a ton or less to as much as \$3, with freight charges added. To the trucker especially the business is a benefit, as it enables him to obtain at a reasonable price a fertilizer which is of great value in the production of his crops.

SHIPMENT.

Although a great part of the manure from cities and towns is used on the truck farms in their immediate vicinity, yet from New York City some of it is shipped by rail to points in Connecticut, New Jersey, and Pennsylvania and by boat to the Norfolk trucking region. Occasional shipments have been sent even to Maine and Florida.

In many instances the zones of shipment overlap. Thus New York manure is used in the Philadelphia suburbs, and there is a region between New York and Boston where manure is used from both cities. In the trucking region between Baltimore and Washington manure is shipped from both cities, although Baltimore has more of the trade. In Norfolk dealers collect manure on their own account, act as agents for New York concerns, and, in addition, buy manure from stockyards, especially the Richmond stockyards.

As proper disposal of the manure produced in city stables is a sanitary necessity, it must be collected regularly and frequently—practically every day. Many towns, also, particularly in New England, where at times carloads of manure have been left standing on sidings in the main streets, have adopted regulations to govern the handling of such material.

In all cities some of the manure is taken directly from the stable to the farm, under private arrangements, in vehicles of all sorts, from one-horse carts to 5-ton trucks, two-horse wagons predominating. For hauls of more than 20 miles, where the roads are good, trucks are of especial service. Many interurban electric roads now are shipping manure. The manure companies, however, usually ship either by railroad or by boat. The railroad cars used hold from 20 to 50 tons each, averaging about 30 tons. On inland waterways and in protected waters, such as Long Island Sound, open barges are satisfactory, but in open water, as in the haul from New York to Norfolk, the manure is stored beneath the deck. Open barges usually carry from 200 to 500 tons and closed barges as much as 1,200 tons.

GRADING.

Manure companies sometimes divide the fresh manure into two grades, depending on the amount of bedding material included. The standard bedding is straw, but shavings, sawdust, peat moss, and peanut hulls are used sometimes. Straw is better fertilizer material than the other kinds of bedding, except perhaps peat moss, and manure containing straw brings higher prices than where other materials are used. The poorer stables often furnish the best manure, because of greater economy in the use of bedding, and be-

More than 60,000 tons may be seen at one time. Steam pumps turn the leachings back upon the piles to facilitate rotting. STEAM CRANES UNLOADING MANURE FROM NEW YORK CITY AT A STORAGE POINT IN NEW JERSEY.

cause of the drying and re-use of the straw, which increases the amount of urine absorbed by it. In some of the best private stables so much straw is used that the manure is valued chiefly as mulching material.

STORING AND TREATING.

In the summer, when farmers are too busy to haul manure and the prices are low, many manure companies store their supply at points convenient to shipping facilities, but away from centers of population, and sell it later as rotted manure. One large New York company has a storage plant and private railroad vard near Monmouth Junction, N. J., where immense stacks of manure are accumulated in the slack sea-More than 60,000 tons are reported on hand at one time. It is handled by steam cranes. Rotting of the stored manure is facilitated by pumping the leachings back upon the piles by means of a steam pump. Part of the manure is dried, ground, and bagged in an up-to-date manufacturing plant and is sold as pulverized stock manure, competing on the market with ordinary mixed commercial fertilizer. This is a more concentrated product than the bulky fresh manure and may be used economically by farmers at greater distances.

QUALITY.

Manure will deteriorate if not properly handled unless preservatives are added, but its low value does not warrant much expenditure for preservation. The addition of acid phosphate, for example, increases the fertilizing value of the manure and lessens the loss of nitrogen, but buyers usually are not willing to pay for the increased value. Adding water in proper quantities also will prevent loss through fermentation, but this may lead to abuses, as the product is sold by weight.

Few products have a value low enough for profitable use in adulterating manure, and although the writer has seen tannery waste, street sweepings, and sawdust used for the purpose, the practice is probably not common. New York City manure has an especially good reputation in this respect, as the street sweepings are collected separately and disposed of by the city. Where possible, however, it is advisable for the farmer himself to see his cars or barges loaded.

Street sweepings, though considered an adulterant when sold with mature, often can be obtained cheaply enough to justify their purchase. They are valuable principally for the manure they contain, but are extremely variable. When taken from highways over which there is much automobile traffic they may contain sufficient mineral oil to render their agricultural use dangerous.

SUPPLY.

The supply of manure is dependent upon the number of horses in use in cities. In some cases the number is decreasing, though the decrease appears to be slow, and in some cities horses have increased. Opinions differ greatly as to the permanence of the city manure supply, but for some time at least it probably will be an important source of fertility for the trucking districts. As it is safe to count 5 tons of manure per horse per year, the possible quantity of manure from a city may be calculated roughly if the number of horses is known.

BENEFITS.

Ordinarily it is not advisable for the general farmer to buy manure from the city if he can produce it on his farm, as his crops, owing to their lower acreage value, will not stand as high an outlay for fertilizers as will the truck crops. The railroads usually make so low a rate on manure that there is probably little direct profit in handling it. The increase in crops following its use, however, makes more tonnage of crops to be moved and also a more prosperous agricultural community with more buying power. As to truckers, there seems to be little doubt that those who are using large amounts of manure are the ones who are usually successful. While manure can be bought ordinarily at from \$1 per ton or less to around \$3 f. o. b., it has been known in special instances to return a profit when costing \$5 spread on the truck field or in the cold frame.

The question is often asked as to whether it is advisable to use stable manure or commercial fertilizer. In most cases it is better to use both, but in case of doubt stable manure should be used, as it adds to the soil not only potash, nitrogen, and phosphoric acid, but also beneficial bacteria and humus. In

cases where manure can be obtained at a reasonable price, it should find a use on a great number of farms. In estimating its agricultural value a number of factors must be considered. The chemical constituents in it may be worth only a given amount, but the effect of the manure in improving the texture of the soil often may amount to a great deal more than the value of the chemicals it contains. Also, it must be remembered that the results are more lasting than is the case with most of the other soil amendments. At the present time the cost of manure in general is below its agricultural value. In fact, one of the reasons for the increased cost of stable manure is a greater general appreciation of this fact.

Land near a big city sometimes may be bought cheaply and built up by the generous use of stable manure. If good farming is practiced, there is a fair chance of success by this method. The author has seen land appreciate in value more than 300 per cent in 5 years by the use of city stable manure, while at the same time giving a consistent profit in crops grown. And if these profits are made by the use of manure purchased in the large city markets at upward of \$1 per ton, how much greater profits are to be made by the use of similar material in many places where it may be obtained for the expense of hauling.

Where sufficient manure is not obtainable, it is possible to mix the manure secured with several times its volume of peat or muck and thus secure a compost which has a value almost equal to that of manure itself. This is increased in value by the addition of acid phosphate.

DESTROYING RODENT PESTS ON THE FARM.

By David E. Lantz,
Assistant Biologist, Bureau of Biological Survey.

INTRODUCTORY.

THE tiller of the soil has enemies on all sides, eager to take toll of his crops. Frost, drought, hail, wind, rust, and mold assail him unexpectedly, while a constant warfare against him is carried on by insects and other animal pests. Rodents are among the most persistent and aggressive of his animal enemies, and against them he is often more helpless even than against insect pests, because he has had less instruction as to their habits and the means of fighting them. To assist him by giving short accounts of the more important rodents that injure farm, ranch, and orchard, together with brief practical directions for destroying the pests, is the purpose of this article.

Unfortunately, it is impossible to separate animals into two great classes, putting into one the species that are injurious on the farm or elsewhere and into the other those that are beneficial. A species may be desirable in one situation and objectionable in another or its useful and harmful activities may be so blended that it can not be placed in either class. Other species that do no actual damage to man's interests may be without beneficial habits or economic value. While these statements are true of all classes of animals, they apply with special force to rodents, an order of mammals often regarded as wholly noxious.

The rodents of North and Middle America include about 1,350 forms, that is, species and geographic races recognized by naturalists. These belong to 77 distinct groups called genera, 44 of which have representatives north of Mexico. These 44 groups include about 750 forms that inhabit the United States and Canada. Many of them live in deserts, mountains, and swamps and rarely come in contact with cultivated crops. These, therefore, can not be classed as injurious; and, indeed, many of them are beneficial to the soil, as they stir it up and fit it for future agricultural uses. A few rodents feed largely upon insects and help to keep a check upon the hordes of grasshoppers and similar pests. Certain of the rodents, too, as the beaver and the muskrat, have

a decided economic value as fur bearers; while others, as the rabbits and the tree squirrels, afford sport in hunting and are useful as human food.

The noxiousness of rodents depends, therefore, largely upon the locality in which they live and upon their relation to man and his interests. All are chiefly vegetarian in diet and by reason of their rapid reproduction are capable of becoming pests; but it is only when they are actively injurious that means of control are needed. The right of animals to live when they are harmless must always be conceded.

Probably no term applied to animals has been so generally misused as the word "vermin." Originally restricted to small creeping animals, wormlike in their movements, and especially to insects, the term has been broadened by English gamekeepers to include all enemies of ground game. Usage now sometimes applies the term to all animals that are supposed to be either harmful or useless. Writers on game protection are often vehement in their condemnation of "vermin," forgetting that what may be so considered by one person may from the standpoint of another be highly useful. The interests of the sportsman or gamekeeper often run counter to those of his farmer neighbor, and they frequently clash on such matters as rabbit protection and the enforcement of trespass laws. A better understanding of the habits of birds and mammals, especially of their food and the interrelation of species that prey and are preyed upon, will greatly restrict the number of animals that may properly be called "vermin." Under natural conditions few can rightly be so designated; but man has interfered with nature until he has disturbed its balance. He has introduced artificial conditions and so changed the environments of animals that some have prospered while others have been driven out. The species that have been most favored by man's activities are, unfortunately, those that have been most harmful to his interests. As a result he must now make warfare upon foes that were once inoffensive.

HARMFUL NATIVE RODENTS.

Only four of the many forms of wild rodents found within the United States have been introduced; the others are indigenous to the country. Native rodents include among harmful kinds the short-tailed field mice, white-footed mice, cotton rats, kangaroo rats, pocket gophers, ground squirrels, prairie-dogs, woodchucks, and rabbits. A few others occasionally do slight damage to crops or other property.

SHORT-TAILED FIELD MICE.

Several groups, or genera, of short-tailed field mice occur in the United States and Canada, but only two of them have, by reason of their abundance in cultivated regions, become serious pests. These are commonly known as meadow mice ¹ and pine mice.²

Meadow mice are widely distributed, inhabiting most parts of the Northern Hemisphere. Their invasion and ravages of crops in France, Hungary, Greece, England, Scotland, and elsewhere are matters of history. In the United States we have many species, but, fortunately, have thus far had no widespread plagues of the animals like those that have occurred abroad. However, there have been many local outbreaks, notably that of 1907-8 in the Humboldt Valley, Nevada, where much of the alfalfa crop was utterly ruined. Fortunately, few of our species come in contact with farm operations, but these few sometimes multiply enormously and inflict heavy damage by attacking and girdling fruit trees and by destroying other crops. Their presence is indicated by their many surface trails under dead grass, weeds, or other trash. The animals usually avoid open spaces, where they are exposed to such enemies as hawks and owls, birds which make these mice the chief part of their diet.

Depredations by meadow mice may be greatly lessened and serious outbreaks prevented by clean cultivation, the elimination of old fence rows, and the prompt burning of dead weeds and other trash.

Pine mice, like moles, burrow underground, where their tunnels are similar in extent and intricacy to the surface runways of meadow mice; but as their natural habitat is the woods, they come less frequently in contact with farm crops. Their most serious depredations are in orchards, although they often do serious damage in lawns and plantations ad-

¹ Genus Microtus.

joining woodlands by eating bulbs and gnawing the roots of shrubbery. In such situations they frequently also destroy potatoes, peanuts, and newly planted seeds of truck crops. Their concealed operations permit them to do much harm before their presence is suspected. For this reason, also, they are less often the victims of birds of prey.

Ordinary mouse traps of the guillotine type, baited with rolled oats and set in runways of either meadow or pine mice, will free a small area of the animals; but for large areas or for operations against considerable numbers of these mice, poisons are recommended.

For poisoning meadow mice on large areas the following methods are recommended:

Dry-grain formula.—Mix thoroughly 1 ounce powdered strychnine (alkaloid), 1 ounce powdered bicarbonate of soda, and \(\frac{1}{5} \) ounce (or less) of saccharine. Put the mixture in a tin pepperbox and sift it gradually over 50 pounds of crushed wheat or 40 pounds of crushed oats in a metal tub, mixing the grain constantly so that the poison will be evenly distributed. Dry mixing has the advantage that the grain may be kept any length of time without fermentation. If it is desired to moisten the grain to facilitate thorough mixing, it will be well to use a thin starch paste (as described below, but without strychnine) before applying the poison. The starch soon hardens and fermentation is not likely to follow.

If crushed oats or wheat can not be obtained, whole oats may be used, but they should be of good quality. As mice hull the oats before eating them it is desirable to have the poison penetrate the kernels. A very thin starch paste is recommended as a medium for applying poison to the grain. Prepare as follows:

Wet-grain formula.—Dissolve 1 ounce of strychnine (sulphate) in 2 quarts of boiling water. Dissolve 2 tablespoonfuls of laundry starch in ½ pint of cold water. Add the starch to the strychnine solution and boil for a few minutes until the starch is clear. Pour the hot starch over 1 bushel of oats in a metal tub and stir thoroughly. Let the grain stand overnight to absorb the poison.

The poisoned grain prepared by either of the above formulas is to be distributed over the infested area, not more than a teaspoonful at a place, care being taken to put it in mouse runs and at the entrances of burrows. To avoid destroying birds it should whenever possible be placed under such shelters as piles of weeds, straw, brush, or other litter, or under boards. Small drain tiles 13 inches in diameter have some-

times been used to advantage to hold poisoned grain, but old tin cans with the edges bent nearly together will serve the same purpose.

Chopped alfalfa hay poisoned with strychnine was successfully used to destroy meadow mice in Nevada during the serious outbreak of the animals in 1907-8. One ounce of strychnine (sulphate) dissolved in 2 gallons of hot water was found sufficient to poison 30 pounds of chopped alfalfa previously moistened with water. This bait, distributed in small quantities at a place, was very effective against the mice and did not endanger birds.

For poisoning mice in small areas, as lawns, gardens, seed beds, vegetable pits, and the like, a convenient bait may be prepared from ordinary rolled oats, as follows:

For small oreas.—Dissolve & ounce of strychnine in 1 pint of boiling water and pour it over as much oatmeal (about 2 pounds) as it will wet. Mix until all the grain is moistened. Put it out, a teaspoonful at a place, under shelter of weed and brush piles or wide boards.

The poisoned oatmeal is adapted for killing either meadow or pine mice, but for the latter, sweet potatoes, prepared as follows, have proved even more effective:

Potato formulo.—Cut sweet potatoes into pieces about as large as good-sized grapes. Place in a metal pan or tub and wet with water. Drain off the water and with a tin pepperbox slowly sift over them powdered strychnine (alkaloid preferred), stirring constantly so that the poison is evenly distributed. An ounce of strychnine should poison a bushel of the cut bait.

The bait, whether of grain or pieces of potato, may be dropped into the pine mouse tunnels through the natural openings or through holes made with pieces of broom handle or other stick. Bird life will not be endangered by these baits.

WHITE-FOOTED MICE.

White-footed mice, or deer mice, are of many species and are present in almost all parts of the country. They live in fields and woods, and while they feed on grain to some extent they rarely are present on cultivated lands in sufficient numbers to do serious harm. Occasionally they invade greenhouses or hotbeds and destroy seeds or sprouting

¹ Genus Peromyscus.

plants. In the seed beds of nurserymen and especially in those of the forester who tries to grow conifers they often do much injury. They are, in fact, the most serious pests known to the conifer nurseries of the Forest Service.

In ordinary places white-footed mice may be readily poisoned by the methods recommended for meadow and pine mice. Unfortunately, the seed of the pine is the favorite food of those animals and where it is planted in abundance they refuse to take grain baits. Crushed pine seeds poisoned with strychnine by the "wet-grain formula," given above, has proved effective in such places. Preliminary poisoning of these mice on areas to be seeded to pine is highly recommended. For seed beds, poisoning on surrounding areas two or three times a year will usually prevent the approach of mice and give immunity to the planted seeds.

COTTON RATS.

In parts of the Southern States a large native mouse or rat. commonly known as the cotton rat, often becomes a field pest. Of some 28 known forms of this animal, 7 occur north of Mexico, in Texas, New Mexico, Arizona, Oklahoma, and southern Kansas and along the Gulf coast from Louisiana to Florida.

Cotton rats damage growing crops to some extent, but are especially destructive to grain in shocks. In many of their habits they are similar to meadow mice and they multiply fully as fast. They chiefly inhabit weedy borders and areas covered with old grass, where they are sheltered from enemies. They do not often attack the bark of trees, but, being larger than meadow mice, they are capable of destroying much more grain in a short time. They destroy melons and other truck crops and have been a serious pest to date growers in Arizona.

Cotton rats are easily poisoned by the same methods recommended for destroying meadow mice.

KANGAROO RATS.

Fifty-nine known species and races of kangaroo rats, belonging to three groups, inhabit North America, and 45 of them occur north of Mexico. Two groups 2 are widely distributed in the West; they differ in anatomical characters,

¹ Genus Sigmodon.

but are much alike in general appearance and habits. The third group includes three species and one race of very small animals, all of which are rather restricted in range and of slight economic importance. Kangaroo rats are gentle, easily tamed, and make sprightly and interesting pets. They live mostly in deserts, sagebrush country, and sandy places and are harmless until pioneer agriculture is pushed into these regions. They feed to some extent on green vegetation, but mainly on seeds. As they do not hibernate they lay up large stores of winter food in their burrows. They are gregarious, but being nocturnal in their activities they are seldom seen by day.

In the sand-hill and sagebrush country of the West there is much complaint of destruction of pioneer crops by kangaroo rats. The areas first cultivated are usually small, and the animals sometimes destroy an entire crop. Where corn is planted they take all the seed, securing not only temporary food, but storing in their caches large quantities for future use. They are destructive to other grains also and dig up newly planted melon and other seeds. Vegetable gardening is an impossibility where kangaroo rats are abundant. The choice is between making warfare on and destroying the animals or abandoning cultivation. nately, they take poisoned grain readily and are easily trapped with baits of grain. The poison recommended for prairie-dogs is well adapted to destroy kangaroo rats. Trapping with guillotine traps, although successful, is usually too slow to be practicable.

In some instances farmers in the sandhills of the West prevent depredations by kangaroo rats and succeed in growing crops of corn by stirring the seed in hot water in which there has been mixed enough coal tar to coat the grain slightly. A large spoonful of coal tar to a gallon of boiling water is used. When the mixture has cooled somewhat the corn may be stirred in and allowed to remain several minutes without danger to germination.

POCKET GOPHERS.

Pouched rats, commonly called pocket gophers, are among the most serious of rodent pests in most of the States west of

¹ Genus Microdipodops.

the Mississippi River. They occur also in parts of Georgia, Alabama, and Florida, in the greater part of Illinois, and in southern Wisconsin. Outside the United States they are abundant southward in many parts of Mexico and Central America, and northward in northwestern Canada to Winnipeg and the Saskatchewan Valley.

Nine groups, or genera, of pocket gophers are recognized, but only three of them occur north of Mexico. Two of these have a very wide distribution. They include many species and varieties, all nearly similar in habits and alike destructive. Many forms inhabit mountains and deserts, where they do not injure agriculture. Others, however, live in the richest alluvial soils, where they are destructive to all crops.

Pocket gophers do harm in many ways. They eat growing grain and cover much of it with soil. They cause loss of hay in digging burrows, by throwing up mounds which prevent close mowing. These mounds also injure much machinery. Their burrows admit surface water and aid it to wash out deep gullies on sloping land. By piercing dams and embankments the tunnels cause costly breaks. The animals ruin gardens and injure field crops. Besides all this they kill trees in orchards and forest plantings by gnawing off the roots.

Two practical methods of killing pocket gophers are always possible—trapping and poisoning. The first method is slow, but very effective on small areas or where but few pocket gophers are present; the other is the better plan on large fields and for cooperative work on adjacent farms.

While the ordinary steel trap may be used successfully for pocket gophers, much better results can be obtained with the special traps for these animals commonly on the market. In irrigated districts, where water is available, flooding the land will drive out the animals, and they may be killed by men and dogs. Fumigation of the burrows with carbon bisulphide or with sulphur smoke, while often recommended as a means of destroying pocket gophers, has been found extremely uncertain and costly.

Poison for pocket gophers.—To poison pocket gophers, cut sweet potatoes or parsnips into pieces whose largest diameter is less than an

¹ Geomys and Thomomys.

inch. Wash and drain 4 quarts of the cut baits. Flace in a metal pan, and from a pepperbox slowly sift over the dampened baits $\frac{1}{2}$ ounce of powdered strychnine (alkaloid) and one-tenth as much saccharine (well shaken together or ground together in a mortar), stirring it to distribute the poison evenly.


Tunnels of pocket gophers, which are usually from 3 to 8 inches below the surface of the ground, may be readily located by means of a probe. Any blacksmith can make one by affixing a metal point to a shovel or spade handle and

attaching an iron foot rest about 15 or 16 inches above the point. By forcing this instrument into the soil near the pocket-gopher workings or a foot or two back of fresh mounds, one can feel the open tunnel as the point breaks into it. The hole may be enlarged and its sides made firm by pressing the soil laterally with the probe. A bait or two should be dropped into the tunnel and the probe hole covered. Care should be taken to place the baits in the main tunnels rather than in the short laterals leading to mounds. Different forms of probes have been used success-

forms of probes have been used successfully by the Biological Survey in its demonstration work. Two of the better kinds are illustrated in figure 37.

GROUND SQUIRRELS.

More than 50 species and races of ground squirrels, or spermophiles, inhabit the United States and Canada, and some of them are so numerous in agricultural regions as to be a constant menace to crops. The spermophiles comprise a group



of long, slender animals, of grayish or grayish-brown color—sometimes mottled or striped—and with a medium or long tail, usually less bushy than that of the larger of the tree squirrels. These ground squirrels are often, but wrongly, called "gophers" and are locally named "digger" squirrels and "picket pins." They inhabit mainly open plains, mountain valleys, and borders of wet meadows, but are found also in open places in the forests and sometimes high up the

slopes of mountains. They dig numerous deep burrows and are very destructive to nearly all crops, eating both the growing plants and the ripe or ripening grain. In irrigated districts the animals burrow in embankments and levees and are almost as troublesome as pocket gophers.

Among the largest and most destructive of these animals is the California, or "digger," ground squirrel. It is gray in color and has a long, rather bushy tail. It occurs in the Southwest and West from western Texas to California and Oregen. In parts of California the race known as the Beechev ground squirrel is especially abundant and menaces not only crops and irrigation ditches, but also human life, in that it is a known carrier of bubonic plague. About a dozen cases of this disease among human beings have been traced directly to this squirrel and a large number of the animals collected by the United States Public Health Service have been found infected. The Health Service, in cooperation with State authorities, has succeeded in establishing south and east of San Francisco, in the counties that were the center of infection, a wide zone now comparatively free from squirrels. The United States Department of Agriculture, through the Biological Survey, has exterminated most of the squirrels in the National Forests that lie near the plague-infected counties. It is probable that all immediate danger of an outbreak of human plague by infection from ground squirrels has passed.

Another large and destructive species is the Columbian ground squirrel.² It occurs within the United States in parts of Montana, Idaho, eastern Washington, and eastern Oregon. While it inhabits chiefly the river valleys, it has been taken in Montana on mountains near timber line. Where grain is grown in the narrow valleys and in the important wheat districts of eastern Washington this species is extremely injurious. Early attempts to destroy it by poison proved unsuccessful, because the animal is able to resist much larger doses of strychnine than are needed to kill other ground squirrels.

A destructive and widely distributed species is the Richardson ground squirrel.³ In its larger form it is found in

¹ Citellus grammurus grammurus and closely related races.

² Citellus columbianus.

³ Citellus richardsoni richardsoni and Citellus richardsoni elegans.

much of Montana, the Dakotas, and northward far into Canada. A somewhat smaller race (elegans) is found in Wyoming, northern Colorado, and eastern Idaho. This spermophile is very destructive to crops, especially to grain, and within its range warfare against it is absolutely necessary to successful farming.

The striped ground squirrel,¹ the Franklin ground squirrel,² and some other species, which are less gregarious and seldom occur in great numbers in any locality, are less destructive than any of the three groups named. Other species are nearly as injurious as those described. The animals have been dealt with in three groups, because slightly different formulas for poisoning each of them have been worked out by field investigators of the Biological Survey. The formula for the Richardson ground squirrel is adapted for all the species except the Columbian and the California forms.

Poison for Columbian ground squirrels.—Mix 1 ounce of powdered strychnine (alkaloid). 1 ounce of powdered bicarbonate of soda, 1 teaspoonful of saccharine, and ½ pound of dry powdered laundry starch, and stir with enough cold water to make a smooth, creamy paste. Apply to 12 quarts of good, clean oats in a metal tub or other vessel and stir thoroughly to distribute the poison evenly. When the poisoned grain is dry, scatter it along squirrel trails or on hard soil on the surface near the squirrel burrows. A quart of the grain should make 40 to 50 baits, and if properly distributed stock will not be endangered by this quantity.

Poison for Richardson ground squirrels.—Mix 1 tablespoonful of laundry starch in ½ teacup of cold water, and stir it into ½ pint of boiling water to make it a thin, clear mucilage. Mix 1 ounce of powdered strychnine with 1 ounce of powdered bicarbonate of soda, and stir the mixture into the hot starch, making a smooth, creamy paste free from lumps. Stir in ½ pint of heavy corn sirup and 1 tablespoonful of glycerine, and, finally, 1 scant teaspoonful of saccharine. Apply to 20 quarts of oats, and mix thoroughly to coat every kernel. Each quart of the poisoned grain should make 40 to 60 baits. Distribute in same manner as stated for poisoning Columbian ground squirrels.

Poison for California, or "digger," ground squirrels.—Prepare by same formula as for Richardson ground squirrel, but use 16 quarts of clean barley instead of oats. Distribute as for poisoning Columbian ground squirrels.

These poisons may be used at any time of the year when the squirrels are active. The Biological Survey has had ex-

¹ Citellus tridecemlineatus.

cellent results with them, even in midsummer. Trapping is too slow a process to use effectively against large colonies of ground squirrels.

PRAIRIE-DOGS.

The marmot, or prairie-dog, of the Great Plains needs kitle description. It is widely distributed on the plains east of the Rocky Mountains, from northern Mexico almost to the Canadian border. Several other forms occupy the mountain valleys and parks westward. All live in thickly populated colonies, or "towns," and subsist on vegetation. They often take fully half the pasturage on the ranges and greatly reduce the carrying capacity for live stock. Several western States have attempted to provide for the extermination of prairie-dogs through legislative enactments; and in some of them, notably Kansas, the pest has greatly decreased. Within the National Forests settlers have complained of inability to cope with the animals, because their lands when freed from prairie-dogs are reinfested from the surrounding Government lands. For this reason and for range improvement the Department of Agriculture has undertaken systematic extermination work within the Forests and has already succeeded in freeing large areas of these animals.

Trapping is too slow a method for exterminating prairiedogs and fumigation is too expensive. As in the case of ground squirrels, strychnine has proved to be the most satisfactory poison. Oats of the best quality obtainable should be used as bait. It has been found that prairie-dogs take this grain readily, even when green food is abundant. Wheat is well adapted for winter poisoning, and in the South, where heavy oats are rarely obtainable, mile or feterita is an excellent substitute.

Poison for prairie-dogs.—Mix thoroughly 1 ounce of powdered strychnine (alkaloid) and 1 ounce of common baking soda (bicarbonate). Dissolve 1 heaping tablespoonful of dry laundry starch in a little cold water and add it to $\frac{3}{4}$ pint of boiling water. Boil and stir until a thin, clear paste is formed. Slowly sift the mixture of strychnine and soda into the starch paste, stirring constantly to form a smooth, creamy mass. Add $\frac{1}{4}$ pint of heavy corn sirup and 1 tablespoonful of glycerine, and stir. Add $\frac{1}{10}$ ounce of saccharine, and again stir thoroughly. Pour this mixture while still hot over 13 quarts of clean oats and mix until all the grain is coated.

¹ Cynomys ludovicianus,



FIG. I.-MOUNTAIN BEAVER (APLODONTIA).

315902



B15917

Fig. 2.—Badger (Taxidea taxus), Useful in Destroying Noxious Rodents.







Fig. 3.—Kangaroo Rat (Perodipus richardsoni), Adult, One Day after Capture.


BEISM








(I) MEADOW MOUSE CAUGHT IN GUILLOTINE TRAP. (2, 3) TYPES OF SPECIAL POCKET-GOPHER TRAPS.



B11148

FIG. I.—BREAK IN IRRIGATION DITCH (LATERAL) CAUSED BY BURROWS OF CALIFORNIA GROUND SQUIRREL. SIX ACRES OF ALFALFA RUINED.



B914

FIG. 2.—CORNFIELD RUINED BY COLUMBIAN GROUND SQUIRRELS.



Fig. I.—Erosion Following the Destruction of Grass by Prairie Dogs.





FIG. 2.-Mound of California Ground Squirrel in Oats Field.



In some parts of the West the county agricultural agents have devoted time to organizing rabbit drives with good results. In Crook County, Oreg., for instance, organized community rabbit drives last spring netted about 6,000 rabbits at Millican, 8,000 at Hampton, and 10,000 at Rivers, and the Work was continued successfully throughout the summer.

It alkaloid strychnine is not available, the sulphate may be used, either powdered or in crystals, but it is necessary to vary the formula. Dissolve the strychnine in the boiling water before adding the cold starch. After the poisoned starch paste is clear, stir in the soda very slowly. Afterwards add the sirup, glycerine, and saccharine as in the above directions and mix with the grain.

For mixing small quantities an ordinary metal washtub is convenient. For large quantities a tight, smooth box may be used, and the mixing done with a hoe or spade.

Each quart of the prepared grain is sufficient to treat about 50 prairie-dog burrows. Scatter the grain on clean, hard ground near the mounds or burrows, never on loose soil or in the holes. With reasonable care, cattle, sheep, or other live stock on the range will not be endangered.

This poisen is effective at any season when prairie-dogs are active, but, on the whole, early spring or a time of drought, when green food is scarce, is preferred for poison operations. In the South, or wherever the animals do not hibernate, winter poisoning is recommended. The cost of complete extermination of the animals, including labor, need not exceed 4 or 5 cents an acre.

WOODCHUCKS.

The woodchuck, or ground hog, is the largest of our marmots. The common woodchuck inhabits eastern North America from northern Georgia and middle Alabama northward, including the greater part of Canada. In the United States it ranges westward to Arkansas, eastern Kansas, and eastern Minnesota. In Canada it is found as far north as Great Slave Lake and westward to the base of the Rocky Mountains. Another species of woodchuck 2 inhabits the higher country of the Black Hills, Rocky Mountains, Sierra Nevada, Cascades, and other ranges in the West. mountain form seldom comes in contact with agriculture. but the eastern species frequently damages garden vegetables, clover, and other crops. Also, its burrows and mounds interfere with mowing and other farm operations. In some States the animal is regarded as so obnoxious that local bounties are paid for destroying it.

Woodchucks, while somewhat gregarious, seldom occur in large colonies, and may, therefore, be kept in check by shoot-

¹ Marmota monax monax and several geographic races.

² Marmota flaviventris flaviventris and nearly a dozen races.

ing or trapping. They may be poisoned by strychnine inserted in pieces of sweet apple, carrot, or sweet potato. The animals are often destroyed in their burrows by fumigation with carbon bisulphide or by the discharge of blasting powder.

To destroy woodchucks with carbon bisulphide, saturate a wad of cotton or waste with about 1½ ounces of the liquid. Place the cotton well inside the woodchuck burrow and close the opening with a piece of sod, well stamped down. If there are two or more entrances to a burrow, all but one should be tightly closed before fumigation.

RABBITS.

The smaller forms of rabbits, known generally as cottontails, are useful animals and become objectionable only when too numerous in the vicinity of orchards or nurseries. The same is true of the larger snowshoe rabbits. The jack rabbits of the West are of less value for human food, and, by reason of their abundance in newly settled regions, often interfere greatly with crops and the growing of orchard and other trees.

Jack rabbits are not protected in any of the States, but are everywhere regarded as a pest. They afford considerable sport in coursing with fleet greyhounds, but at times they become so abundant and destructive that entire communities unite to kill them by the organized hunt or drive. A large area is surrounded and the animals are driven toward some central point, where a wire corral has been built, into which, with the help of wing barriers, thousands of rabbits are driven and then slaughtered. When these hunts take place in cold weather the rabbits are usually shipped to large cities, where the carcasses are either sold to canning establishments or distributed to public charities.

Many of the States which have a close season for cottontail or other native rabbits permit landowners at any time to protect property from the depredations of the animals. Usually, however, close hunting and trapping in the open season afford ample protection, and only in exceptional cases is it necessary to resort to other measures for relief.

¹ Genus Sylvilagus.

Except where deep snows fall, orchards or other crops on small areas may be protected by the use of rabbit-proof fencing. Individual trees may be safeguarded by metal or wooden protectors attached to the trunks. In Idaho a poisoned wash of strychnine, glycerine, and starch proved effective to save trees from jack rabbits, and the method is recommended for trial in any locality where conditions warrant its use. The wash is prepared as follows:

Poison wash.—Dissolve 1 ounce of strychnine (sulphate) in 3 quarts of boiling water. Dissolve ½ pound of laundry starch in 1 pint of cold water, stirring thoroughly. Pour the starch into the vessel containing the strychnine and boil the mixture a short time until the starch is clear. Add 6 ounces of glycerine and stir. When the paste is cool enough apply to tree trunks with a paint brush.

The mixture adheres well and forms a thin coating. If rabbits attack the tree they will be killed before it is seriously injured. The wash should not be used if live stock, especially young cattle, have access to the orchard.

For poisoning jack rabbits in winter the following formula is recommended:

Poison baits.—Good cats. 12 quarts; powdered strychnine, 1 ounce; laundry starch, 1 tablespoonful; soda (bicarbonate). 1 ounce; saccharine. \(\frac{1}{5} \) ounce: water, 1 quart. Prepare as directed for mixing prainie-dog poison. Not over a tablespoonful of the poisoned grain should be used in a single bait, and this should be scattered considerably. A little alfalfa hay may be used to attract rabbits to the grain. The poison is especially effective when snow covers the ground.

Partly ripened or ripe heads of barley or wheat soaked in a sweetened solution of strychnine or coated with the starchstrychnine paste just described have also proved effective baits for rabbits, but care must be exercised in using them, as they are likely to be eaten by live stock.

OTHER NATIVE RODENTS.

Other native rodents that occasionally damage crops or other property are the muskrat, mountain beaver, woodrats, tree squirrels, chipmunks, and perhaps some species of native mice not already mentioned. Muskrats are valuable fur animals and should not be destroyed unless they are doing material damage not otherwise preventable. They are

easily trapped or may be poisoned by feeding them pieces of carrot, sweet apple, or sweet potato in which strychnine has been placed.

Mountain beavers in the United States are restricted to the coastal region of Washington, Oregon, and California, and to the Sierra Nevada in the last-named State. Their habitat does not often bring them in contact with agriculture, but in western Washington considerable complaint of their depredations on crops, particularly small fruits, has been made. The animals may readily be poisoned with apples in which strychnine has been placed.

Squirrels, chipmunks, and native mice not previously mentioned rarely do serious damage. If any become troublesome locally, shooting, trapping, or the poisons herein recommended for other rodents will prove a satisfactory means of relief.

INTRODUCED RODENTS.

The house mouse and three kinds of rats are the only rodent pests in North America not native to the country. They are our most injurious rodents, however, and probably inflict greater losses than do all the native species combined.

House mice are easily trapped or poisoned, but poison is not suited for use in occupied dwellings. Traps, however, are sufficiently effective for clearing the premises of these pests. The ordinary small guillotine traps are recommended. They should be set as lightly as possible and baited with oatmeal (rolled oats). A few grains should be placed on the trigger pan and a little more in the vicinity and close to the trap. Persistent trapping will soon clear an ordinary dwelling of mice.

Rats are much more suspicious than mice and are rather hard to trap or poison. Either method of destroying them may be made effective by making inaccessible all food other than the baits used. The importance of rat-proofing buildings in extensive operations against these pests should not be overlooked; and much loss may be prevented by rat-proofing all containers of stored grains and food products. No one kind of poison can be relied upon to be effective under every circumstance. In general, poisons can not be used in occupied dwellings without disagreeable results, for no poison will prevent decomposition of dead bodies of rats. Inside of

residences, therefore, traps must be the main reliance. Simple traps of the guillotine type are recommended as best. Baits should be varied to suit local conditions—in meat markets grains are recommended, and where grain is stored meat and fish are more effective.

Some cats and some dogs are useful against rats, but the well-fed and pampered feline or canine will refuse to hunt them. Ferrets are of no use in rat catching unless handled by an experienced person helped by trained dogs. Rat viruses seldom prove satisfactory, and in occupied premises are open to the same objections that hold against poisons; besides, they are much more expensive.

Under most circumstances the best results in ridding premises of rats may be obtained by the use of a sufficient number of ordinary guillotine traps. Oatmeal is recommended for bait, but fish, bacon, sausage, and even pastry or cheese are sometimes useful as alternatives. Traps should be set lightly and all food other than baits covered or made inaccessible. Traps may be placed in runs, behind furniture or boards leaned against the walls, or at the entrances to rat holes. As they are often sprung when rats run over them, they need not always be baited. It is needless to say that in order to succeed, the trapper must take an interest in his work and attend closely to every detail.

RELATION OF CARNIVOROUS ANIMALS TO RODENTS.

Most carnivorous or flesh-eating animals feed extensively on the rodent pests of the farm. Coyotes, foxes, wildcats, badgers, skunks, minks, and other flesh-eating mammals are among the most potent agents in preventing an undue increase of mice, ground squirrels, pocket gophers, and the like; and much of the damage now done by rodents is due to the unceasing warfare that has been waged against carnivorous animals. These have been hunted, not only for their valuable pelts, but because they are considered the enemies of domestic animals and game. The fact that many of them destroy far more noxious rodents than they do useful animals has often been forgotten, and, in the name of game protection, legislatures have sometimes proscribed by bounties species that do far more good than harm. As a matter of fact many of our fur animals are an asset to the country,

equally as valuable as our game, and experience has often proved that their destruction is no real help to game conservation.

Birds of prev, including eagles, hawks, and owls, may be included in the list of flesh-eating animals that on the whole are more useful than harmful, because their chief economic function is to destroy noxious rodents. A few species of hawks that feed mainly on small birds should be considered noxious, but this should not lead to warfare against hawks as a class. In almost every instance of depredations on poultry by either bird or mammal, the individual and not the species is the offender. Punishment should, therefore, be directed against the individual. It is within the law in many States for the farmer to kill an animal that destroys his property; but it is unjust to carry on an offensive campaign against all hawks or all minks because one has been a marauder on poultry. The payment of money from the public treasury in a general warfare against certain hawks or owls is especially open to danger, in that the public does not distinguish between species, and the useful ones are most likely to be destroyed.

Snakes also are extremely useful in controlling the numbers of rodents. That very few snakes are venomous is too often forgotten, and all species are wantonly destroyed. People throughout the country should acquaint themselves with the habits of snakes and learn the folly of killing them; while farmers, especially, should do all in their power to protect the harmless kinds.

COOPERATION IN CONTROLLING RODENTS.

Any farmer may by care and industry free his own premises of harmful rodents, but he is helpless to prevent an early recurrence of the trouble unless he can secure the active cooperation of his neighbors. Only by unity of effort can an entire county or township be freed of any kind of rodent that may inflict losses on crops or other property. By combining to hire labor and purchase poison the cost of treatment may be materially reduced, and when permanance of results is considered there can be no question of the economy of such cooperation. It is urged, therefore, that wherever possible the destruction of rodent pests be made a community undertaking.

THE PRESENT STATUS OF THE SUGAR-BEET SEED INDUSTRY IN THE UNITED STATES.

By C. O. TOWNSEND,

Pathologist in Charge of Sugar-Beet Investigations, Bureau of Plant Industry.

OWING to the disturbed agricultural and trade conditions in Europe since August, 1914, the importance of developing an American beet-seed industry of sufficient magnitude to meet our requirements has become imperative. The united efforts of the Department of Agriculture and the Department of State. cooperating with the beet-sugar companies, after encountering many difficulties succeeded in securing sufficient beet seed, with the surplus then on hand, to meet the planting requirements in 1915; but the combined efforts of those agencies failed to secure sufficient seed to meet the requirements in 1916, with the result that thousands of farmers were deprived of the benefits of this crop, a number of mills were idle, and consequently the capital invested, amounting to several million dollars, was unproductive.

The present seed requirements of the beet-sugar industry in this country are annually not less than 150,000 sacks of 110 pounds each. In order to insure this quantity of seed it would be necessary to have not less than 16.000 acres devoted to seed production. Less than one-fourth of this acreage was harvested in 1916. Seven new mills were erected during 1916 and plans are under way for a still larger number in 1917. Assuming the average capacity of these mills to be 1,000 tons of roots a day, which is approximately correct, each new mill will require 10,000 acres of beets for a normal run. To plant 10,000 acres of beets, 200,000 pounds of seed, the product of approximately 200 acres of land, would be required for each mill, not considering the necessary replanting. It is apparent, therefore, that the present acreage in seed will do little more than care for the possible expansion of the beet-sugar industry and that the quantity

of seed which must be imported will remain approximately the same as heretofore.

The beet-sugar industry in the United States is composed of three distinct branches, namely, beet-seed production, sugar-beet growing, and beet-sugar extraction and refining. They are so linked that each is dependent upon the others, not only for its complete success but for its very existence. Without seed the sugar-beet industry, in which more than 70,000 American farmers are directly interested, could not exist, and without beets the 84 beet-sugar mills now standing, with an invested capital of more than \$100,000,000, would be idle. The beet-seed industry is, of course, the foundation upon which sugar-beet growing and beet-sugar extraction rests. Because of its fundamental character, it is surprising that sugar-beet seed production in this country has not received more general and more earnest attention in the past. The two primary causes that have operated against the development of the sugar-beet seed industry in this country were (1) the fact that a sufficient quantity of seed to meet our requirements was easily obtainable from European countries at a reasonable price and (2) the prevailing idea that conditions in this country, from the standpoint either of labor cost or of climate, would not permit the successful development of the seed industry in the United States. Recent experiences, however, have shown the folly of depending upon foreign countries for our beet-seed supply, while experiments extending over many years have proved the falsity of the opinion relative to labor and climatic conditions.

PROGRESS IN AMERICAN SUGAR-BEET SEED PRODUCTION.

The earliest efforts toward sugar-beet culture in this country, in 1830, were made with seed brought from Europe. When the first permanent beet-sugar mill was established in America, in 1879, European seed was used to produce the raw material, and even at the present time, with nearly 80 mills in operation, requiring upward of 750,000 acres of beets to insure satisfactory runs, farmers are still dependent

upon foreign countries for the major portion of their seed. It is true, efforts have been made in certain quarters for many years to produce sugar-beet seed in this country, but prior to 1914 they were largely experimental. The first carefully planned effort to grow sugar-beet seed in the United States was made at Schuyler, Nebr., in 1891. These experiments were continued for several years under the direction of Dr. Harvey W. Wiley, at that time chief of the Bureau of Chemistry of the United States Department of Agriculture. The results with this seed, in comparison with imported varieties, showed that the American-grown seed had a higher vitality and that the roots produced from this seed possessed a higher sugar content and gave a heavier yield than any of the imported varieties tested.

For a number of years the United States Department of Agriculture conducted experiments in sugar-beet seed growing at Fairfield, Wash., with results similar to those obtained at Schuyler, Nebr., with reference to both the vitality of the seed and the quality and weight of roots produced. many years several sugar companies have grown small quantities of commercial sugar-beet seed, and within the past year two of these beet-sugar companies have greatly increased their beet-seed acreage. In some cases the roots used for this purpose have been produced from the commercial imported seed, while in other instances special seed was The results of these tests have been successful from the standpoint of germination of the seed and the vield and quality of the roots produced. While there is abundant proof, therefore, that sugar-beet seed satisfactory in every particular can be grown in this country, few, if any, distinct American strains of sugar beets have been established and used for commercial beet-seed production. All experience in breeding and selection in this and in other lines would indicate that such strains when properly established and thoroughly acclimated if generally used for beet production will yield even better results than have been obtained in the experiments already carried out.

 $^{^1}$ See Farmers' Bulletin No. 52, 1897, by Dr. H. W. Wiley. $54159\,^\circ-$ YBK 1916--26

SUGAR-BEET SEED IS GROWN UNDER WIDELY VARYING CONDITIONS.

The principal areas devoted to sugar-beet seed production in the United States at present are in Michigan, Montana, Colorado, Utah, and Idaho, while several other States have smaller acreages devoted to this crop. Each of the States mentioned produced beet seed commercially last year: in several of these this crop has been grown commercially for a number of years. For the most part the seed is of good quality and the roots produced from home-grown seed have been equal in yield and quality to those grown from imported seed. It is apparent, therefore, that sugar-beet seed can be grown successfully on a commercial scale under a great variety of soil and climatic conditions. Given a good grade of seed, climate is one of the most important factors in the production of sugar beets and sugar-beet seed of good quality. It would seem, therefore, that a thoroughly acclimated strain of seed of high grade should give the best possible results in tonnage and quality of roots. In areas tested for beet-seed production, a loamy, fertile, well-drained soil is generally preferred. A study of the tillable areas in the States named indicates that there is an abundant acreage suitable for profitable beet-seed production, and a study of soil conditions in other States possessing suitable climate for beet-seed growing indicates that nature has abundantly supplied the requirements for the successful production of this crop. In the irrigated sections water should be available, so that the roots can be well supplied with moisture when planted and during the period when the seed is forming.

PRESENT PROBLEMS.

As a result of existing conditions surrounding the sugarbeet seed situation in this country two problems are confronting the beet growers and sugar producers at this time, namely, the production of a sufficient quantity of seed to meet the present planting requirements and the establishment in this country of a permanent beet-seed industry which shall meet our future needs. These requirements relate not only to the quantity of seed necessary to plant the desired acreage, but also to the quality of the seed and the quantity and quality of the roots which this seed is capable of producing.

In order to solve these problems a sugar-beet seed company, under the leadership of a capable and experienced man, has been organized, and its work is already in progress: several sugar companies and individuals are growing sugar-beet seed commercially and experimentally: and the United States Congress has made a special appropriation to enable the Federal Government to cooperate with these several agencies in solving the beet-seed problems. In the solution of the first problem it is apparent that time is an important factor, and we must therefore utilize the best available material and employ the most practical methods known, in order to accomplish the desired results in the shortest possible time. In the solution of the second problem it would seem advisable to find or to develop those strains of beets best suited to our conditions and to improve our methods of root production, selection, siloing, planting, and harvesting, in order to obtain the maximum results at the lowest cost. In the preliminary efforts to solve the first problem commercial roots for the most part have been selected, care being taken to get the best obtainable from the standpoints of yield and quality. The leaves were removed either by cutting or by twisting them off with as little injury to the crown as possible. The roots were silved by piling them on the ground in a well-drained place and covering them with earth to keep them from freezing, care being taken not to cover them too deeply at first, in order to avoid heating. The roots were planted in the spring by hand in rows 2 feet apart and at intervals of 2 to 3 feet in the row, the distance depending upon the size of the roots. The seed was cut with sickles and thrashed by means of a grain thrasher operated at reduced speed or with a specially constructed beet-seed thrasher.

So far as this so-called emergency method of producing beet seed has been tried the results have proved satisfactory, both from the standpoint of quantity and quality of seed produced and from the standpoint of roots produced from the seed. As a rule, the germination of this seed has been superior to that of the imported seed. Just how far this work can be carried without appreciable reduction in quantity and quality of seed or roots remains to be determined. Even if this method could be employed generally for the production of commercial sugar-beet seed, it would still be desirable to solve the second problem, in order to improve the quality and yield of seed as well as the quantity and quality of the roots produced. The second general problem embraces a large number of special problems, such as types, selection, siloing, planting, and harvesting, which will be considered briefly.

TYPES OF SUGAR BEETS.

It is a startling fact that there are in this country no distinct types of commercial sugar beets. If, for example, a field of a given variety of wheat is examined it will be noted that practically every plant bears a striking resemblance to every other plant in the field, but this is not true of the sugar beet. In any commercial sugar-beet field from Michigan to California, without regard to the name of the so-called variety, can be found from 6 to 20 or more distinct types of beets. Their distinctions may be based upon shape, texture, habit of growth, color, and other characters of the leaf, as well as upon shape, texture, quality, etc., of the root. In fact, scarcely two beets growing side by side in the same field have closely related external characters of leaf or root, and the quality of the roots varies in both sugar and purity.

Equally wide variations may be found in the beet-seed fields, especially with reference to habit of growth and yield of seed. It would appear, therefore, that these so-called strains are badly mixed in the process of growth and production or that many strains or varieties are mixed before the seed is sacked. It would seem, however, from the large number of wide variations in the individual beets produced from commercial seed, that the mixed strains or varieties appearing in commercial fields are due more to the method of growth than to artificial mixing. It may be and probably is necessary to have mixed strains, or crosses, in order to combine in one plant all the desirable qualities of weight,

sugar, and purity. It would seem, however, that little progress can be made in the development of desirable strains of beets until the present mixed varieties are separated into their component strains and the desirable strains recombined in their proper relation. It is no more reasonable to suppose that such a mixture of the present types of sugar beets will give the best results in yield and quality of roots than it is to assume that the highest results in livestock production can be reached with mixed breeds of animals. How quickly the Duroc-Jersey or Poland China hog is recognized! Farmers might have gone on raising "razor backs" and thought they were producing pork if these and other distinct types of hogs had not been developed.

It is true that there are some good cows in a mixed herd and not all pure breds are of equal value. Likewise, there are good sugar beets in these mixtures that are now called by distinct names and not all individuals of a pure type will be of equal value, but the average in both quality and yield is far below the limit of possibilities, and the highest plane of development of the sugar beet will not be reached until distinct strains or types are produced and fixed, so that they will come true from year to year. It will then be possible to work with the individual beet as the unit upon which the quality and yield of roots may be based, with a reasonable expectation that material and permanent improvement in quality and yield of roots may be produced by eliminating the poorer and less desirable individuals. It is not probable that in these pure strains the highest development of both size and quality will be found in any one strain, but it is necessary first to have the pure strains and to know definitely the characters they possess and are capable of transmitting before the necessary steps can be taken to produce by crossing the permanent types in which the roots shall possess the desired qualities of sugar, purity, and yield. At the same time this line of work should develop seed-producing plants of uniform type, with reference to both habit of growth of seed stalks and date of maturity of seed. The development of uniform types is of vital importance not only with reference to the yield and quality of roots and seed, but also with reference to the cost of production. The first step, therefore,

in the development of a permanent beet-seed industry in this country lies in the direction of the development of true types with reference to both seed beets and seed production.

SELECTION OF ROOTS.


The yield and quality of the roots and of the seed are the all-important factors upon which the future of the beet-sugar industry as a whole depends. After obtaining the best possible type of sugar beets, capable of coming true from year to year, the next step is to improve and develop that type by eliminating the less desirable individuals and by perpetuating those individuals possessing in the highest degree the desired characters. This process is called selection. The quality of both roots and seed depends not only upon certain inherited characters of the plant, but also upon soil and climatic conditions. Just how far inheritance and how far soil and climate influence the quality of roots and seed has not been determined. Observation and experience would indicate however, that environment has a far greater influence upon the quality of both roots and seed than has generally been supposed. Sugar in the beet roots does not seem to be an inherited character, so far as percentage or quantity of sugar is concerned. It is true that sugar beets naturally develop and store sugar, but the amount of sugar that a given beet will store may be greater or less than the amount developed and stored by its parent beet. The direction and extent of this difference will depend. within certain limits, upon the soil and climatic conditions under which the beet is grown. The writer has found that wild beet seed planted under favorable conditions will produce some roots of good size containing upward of 14 per cent of sugar the first year. Again, it has been observed that any one of the well-known commercial strains, so called, of sugar-beet seed, if divided and planted under widely different climatic conditions, will often show a great variation in the quality and yield of roots produced. The importance of inheritance of desired characters should not be undervalued, and it should be utilized in the improvement of sugar beets. Likewise, the influence of environment upon the quality of the roots should not be overlooked. It is possible, furthermore, that there is a relation between certain fixed external characters of the beet and the internal qualities, sugar and purity, of the root, and the greatest advance in seed production will be made when that relation, if it exists, is definitely known. Even then it will be necessary to compare the selected roots from time to time in order to maintain the highest possible standard. In making selections, close attention must be paid not only to the yield and quality of the roots, but to the yield and quality of the seed as well. Herein the two industries, beet-seed production and sugar-beet growing, are closely related. In this connection it should be noted that many cultural problems related to sugar beets can not be solved intelligently until we have fixed and uniform types of root, leaf, and seed stalk.


SILOING THE ROOTS.

The object to be kept in mind in siloing beet roots for seed production is to get the roots through the resting period in the soundest and freshest possible condition. The steps in siloing roots consist in gathering, topping, testing, piling, and covering. As a rule, it is best to let the roots remain in the ground as late as possible without danger of freezing. The leaves will protect the crowns against some degree of frost, but in no case should the crowns or roots become frosted, either before or after harvesting. As soon as the roots are taken from the ground the leaves should be removed, either by twisting or by cutting, with as little injury as possible to the crown. In some cases the roots may be silved without removing the leaves, but in general this practice is not recommended. If it is desired to test the roots for sugar at harvest time, this work should be arranged so that the roots will be out of the ground the least possible time before they are put into the silo, thus avoiding unnecessary drying. The simplest method of siloing is to pile the roots on a well-drained piece of ground and cover them with loose earth. The covering on the top of the pile should be light for a faw days, until the danger of heating of the roots is over, and then, as the weather gets colder, more dirt should be added, so that the roots will be cool but never frosted. Some prefer to pack the roots in sand. This is a safer but more expensive method, and is recommended for small choice lots of roots for experimental purposes. The sand should be slightly damp and may be used in the open or in a cool cellar. In no case should straw or other litter be used in contact with the beets, as this attracts mice, which frequently injure the beets by gnawing.


PLANTING.


The covering should be removed in part from the silo in the early spring, but not to the extent of injury to the roots through late freezes. If a little growth starts no harm is done: in fact, it seems to be an advantage. As soon as the soil can be prepared in the spring the roots should be planted. The importance of early planting can not be overestimated. Several methods are used in planting the beets. It may be accomplished by means of a long spade, which should be pushed into the ground to such a depth that when it is pushed forward the root may be thrust down behind the spade, which is then withdrawn. The root should be so deep that the crown is just flush with the surface of the ground, or for very early planting a little deeper, so that a thin layer of earth covers the crown to prevent freezing. Another method employed in planting roots consists in breaking up the ground so that the roots can be thrust down into the loose soil to the desired depth. In any case, the soil should be packed firmly around the roots. Where irrigation water is available a thorough watering just after planting serves to settle the dirt around the roots, thereby preventing the formation of air spaces and at the same time supplying the roots with the necessary moisture to insure a quick and uniform growth. The roots should be planted in rows, one way at least, to admit of cultivation. The usual distance between rows is 3 feet and the distance between the beets in the row is from 18 inches to 3 feet, depending upon the size of the roots.






TWO OF THE MANY WIDELY VARYING TYPES OF SUGAR BEETS FOUND IN COMMERCIAL FIELDS.





TWO OF THE MANY TYPES OF SEED STALKS FOUND IN COMMERCIAL BEET-SEED FIELDS.






FIG. I .- SUGAR-BEET SEED CUT AND SHOCKED.





FIG. 2.—SUGAR-BEET SEED FIELD AFTER CUTTING AND THRASHING, SHOWING AMOUNT OF STOCK FEED LEFT IN THE FIELD.



THRASHING THE FIRST CROP OF COMMERCIAL SUGAR-BEET SEED GROWN IN MICHIGAN.

HARVESTING THE SEED.

Under present conditions, the seed on a given plant does not all ripen at the same time. The opening of the flower buds extends over a long period, and naturally the flowers that open first form ripe seed in advance of the later flowers. If left too long before cutting, the early-maturing seed shatters, and if cut too early there is an appreciable loss due to immature seed. To avoid this condition, care must be exercised in cutting the seed at the proper time to produce the best results in yield and quality. The seed stalks upon which the seed is borne usually attain a height of 4 to 6 feet. These are cut with a sickle. In some cases the cut stalks are shocked, and sometimes they are placed on canvas to avoid the loss of the seed that falls; but if cut at the proper time and carefully handled the expense and labor in providing and using canvas are not warranted. When the seed is dry it is thrashed either by means of a specially constructed thrasher, by rolling on a smooth floor, or with an ordinary grain thrasher, which is operated at reduced speed, with a proper adjustment of sieves. The seed is then cleaned, cured, and sacked ready for shipment or planting.

A BY-PRODUCT.

The stubble and roots that remain in the field after the seed is harvested furnish feed for sheep, hogs, and other live stock.

Plans are now under way looking to the best utilization of this waste product of seed production. Heretofore these roots, which have greatly increased in size during the seeding period, have been plowed out and fed to sheep and hogs by turning the animals into the fields. In this way this by-product serves as a kind of fall pasture. If the animals are fed for market, they must be finished off with other feed before they are marketable. The rapidly increasing acreage of beet seed makes the proper utilization of these roots an important problem. The seed acreage in 1916 gave an estimated yield of not less than 24,000 tons of roots for feed. These roots contain from 6 to 10 per cent of sugar. They are much more woody than the first-year beets. Greater

difficulties will, therefore, be encountered in utilizing them, but the preliminary work already done would indicate that these difficulties are not insurmountable. It is possible that the present method of pasturing these roots in the field, as stated above, is the most profitable method, considering the small amount of labor and expense involved in plowing them out. On the other hand, it may be found advantageous to grind them and feed them fresh or dried, with or without molasses, or to utilize them as ensilage.

CONCLUSIONS.

The highest development of the beet-sugar industry in the United States depends upon the establishment of an American beet-seed industry capable of meeting the requirements of the American sugar-beet grower and the beet-sugar producer.

Our experience thus far indicates that American sugarbeet seed is usually superior in germination and capable of producing larger and better roots than the imported seed.

Our soil and climatic conditions, extending over large areas, favor the production of sugar-beet seed in sufficient quantity to meet all future requirements.

Well-defined strains of sugar beets of high yield and quality are essential to the development of a satisfactory seed industry. Enough has been done to prove that by careful and painstaking work such strains can be produced.

No intelligent study of cultural methods in the production of sugar beets or of problems involving a comparison of varieties can be made until uniform and fixed varieties with which to work are available.

The production of strains having roots of uniform size and habit of growth and capable of yielding seed stalks uniform in habit of growth and maturity should make possible improved cultural methods, especially in the planting of the roots and in the harvesting of the seed, that will reduce greatly the cost of production.

After seed harvest the beet roots and stalks remain in the ground in a sound and palatable condition for live-stock feed. The present practice is to feed these roots in the field, utilizing them as pasture.

THE THANKSGIVING TURKEY.

By Andrew S. Weiant,

Scientific Assistant, Animal Husbandry Division, Bureau of Animal Industry.

EVOLUTION OF THE TURKEY.

WHEN America was first explored by white men, wild turkeys were found in large numbers from New England to Mexico. History shows also that turkeys had been raised in a domestic state by the Aztecs of Mexico at a still earlier period, and that they were introduced into Europe by white explorers and were there greatly prized as a table delicacy upon important festive occasions. Somewhat later, when the Pilgrim Fathers set aside a day to be known as Thanksgiving Day, wild turkeys were found with but little hunting, and, being of such high merit, nothing could be more natural than that these birds should find their way to the first Thanksgiving table. Since then the use of the turkey has become national and the turkey is the chief viand at Thanksgiving and Christmas festivities.

As the population of the country increased, the wild turkey gradually disappeared, until now the domesticated and farm-raised turkey has, as a commercial factor, entirely supplanted its wild ancestor. By finding the nests made by wild-turkey hens and taking the eggs home to be hatched out under chicken hens, the early settlers were able to raise their own supply of this Thanksgiving delicacy and to keep over a small flock of these wild-bred but domestic-raised turkeys from which to raise a larger flock the following year. Wild turkeys are still to be found in some of the more unsettled sections of their former range, particularly in the wooded and mountainous portions of Texas, New Mexico, and Arizona, and in the large swamps of the Gulf States. The nests of these birds are occasionally discovered and the eggs given to chicken or turkey hens to incubate.

On hatching, the young poults show their wild blood by making for the brush as soon as they are strong enough to travel, and considerable difficulty is experienced in preventing their return to the wild state of their parents.

By judicious breeding, turkeys have been increased markedly in size since domestication. Wild turkeys of to-day average in weight about 12 pounds for young toms and 9 pounds for young hens, while the standard weight of domestic Bronze turkeys is 25 pounds for young toms, 16 pounds for young hens, 36 pounds for mature toms, and 20 pounds for mature hens. As a matter of fact, however, in sections where little or no attempt has been made to breed turkeys up to a high standard, the majority of them average but little more than their wild ancestors in weight.

The demand for Thanksgiving and Christmas turkeys is large, and to fill this demand carloads of turkeys begin reaching the city markets shortly after the middle of November and continue well through the month of December. Should there be a surplus at Thanksgiving, those unsold are placed in cold storage until Christmas, and of those that remain unsold after Christmas, some are placed on the market from time to time throughout the year, while a part may be held over for the following Thanksgiving. By this method the market is prevented from becoming flooded at any one time to such an extent as to ruin prices, cold storage being the medium by which dealers are enabled to place on the market only that number which can be sold at a fair profit.

TURKEY RAISING AN ESTABLISHED SOURCE OF INCOME FOR THE FARM WIFE.

Next to common fowls, turkeys are one of the most widely recognized sources of income for the American farm woman. However small a business turkey raising may be considered by the farmer during the spring and summer, it frequently happens that the money obtained from the sale of turkeys plays an important part when the Christmas shopping comes around in December. On the average farm the expense of raising turkeys consists mostly of the time spent in caring for the sitting hens during the hatching season and in looking after

the wants of the young poults for the first few weeks of their life; to which must be added the cost of the grain used in fattening the turkeys for market in the fall. Compared with the profit in feeding other live stock, turkeys have a marked advantage, not only because they pick up most of their food in the fields and meadows, but also because of the higher prices received when they are sold. As destroyers of weed seeds, grasshoppers, and other injurious insects, turkeys reign supreme. In many sections where grasshoppers abound farmers who have seen their crops destroyed time after time by these pests have turned their attention to turkey raising for the sole purpose of destroying them, and have not only succeeded in doing this but have made a handsome profit besides.

As with all other farm products, the price which the producer receives for turkeys varies largely with his distance from a good market, whether the birds are in good market condition, and the discretion with which he chooses a market and the time for selling. During November and December of 1915 the price per pound, live weight, received by the producer for turkeys averaged 21 cents in the State of New York, 15½ cents in Georgia, 13½ cents in Mississippi, 15½ cents in Indiana, 14½ cents in Missouri, 12 cents in Texas, 20 cents in California, and 17½ cents in Washington.

WHERE TURKEYS ARE RAISED.

By far the greater number of turkeys are raised on grain and stock farms in the Middle West, which is not surprising, since here they can be fed at very little cost and cared for with the least amount of trouble. As near as can be determined, about one-tenth of the total supply of turkeys comes from Texas and almost as many from Missouri, after which come Indiana, Illinois, Kentucky, and Ohio. In New England, which formerly was famous for its well-fattened turkeys, production has decreased to small proportions, although its reputation still lives. In Texas, where there is an abundance of range suitable for turkeys, flocks of several hundred are quite common. Throughout the Middle West, however, the farms are smaller, and for this reason it is rather unusual to see more than 50 or 75 turkeys on any one farm.

PRODUCTION OF TURKEYS IS DECREASING.

That the number of turkeys in the United States is decreasing is well shown by census figures. In 1900, 6,594,695 turkeys were reported as kept for breeding purposes, while in 1910 this number had decreased to 3,688,708. No figures are available since the last census, but statements made by poultry dealers throughout the country indicate that this decrease is continuing. One reason for the falling off lies in the fact that turkeys, having inherited a wandering nature from their wild ancestors, frequently invade the grain fields of neighboring farms, thus bringing about the ill will of the owners of these farms and causing the turkey grower to give up the business. Aside from this the high mortality. among young poults as ordinarily cared for on the farm. the outbreaks of disease and particularly of blackhead among turkeys in certain sections of the country, and serious losses resulting from the raids of predatory animals such as foxes. covotes, wolves, dogs, and rats, have all tended to discourage the turkey industry.

TURKEY RANCHING.

Because of the decreasing production of turkeys on farms. the business of raising turkeys on a large scale may develop into an important and interesting form of ranching. As yet, however, it is in its infancy and has been tried only in a more or less experimental way. In the unsettled foothill regions of California and in certain sections of Arizona and other western States, a few persons have engaged in this industry to the extent of raising a thousand or more turkeys every year. Here the range is unlimited, and the natural food of the turkey, such as grasshoppers and other insects, green vegetation, and the seeds of various weeds and grasses. is abundant. Advantage also is taken of the turkey's relish for acorns, and where these are plentiful but little grain need be used for fattening in the fall. These large flocks of turkeys are managed much like herds of sheep, being taken out to the range early in the morning and brought home to roost at night. They are herded during the day by men. either on foot or on horseback, and by dogs specially trained for the work.

RAISING TURKEYS ON THE FARM.

Notwithstanding the advent of the rather spectacular enterprise of turkey ranching, the farm must still be relied upon for most of the Thanksgiving and Christmas turkeys. Here, as a side issue to her regular work, it is a common practice for the farm wife to keep half a dozen turkey hens and a tom, more commonly known as a gobbler, from which to raise annually a flock of 40 to 50 turkeys. The best hens are selected carefully from the previous year's flock and a new tom is secured from some neighboring turkey grower or, perhaps, a purebred tom is purchased from a reliable turkey breeder for the purpose of improving the size, quality, and appearance of the next crop.

Toward the latter part of winter or early in spring the turkey hens begin laying, and then comes the task of finding the nests, which are usually well hidden in a patch of weeds or bushy thicket, sometimes near home and sometimes half a mile away. The inexperienced turkey grower may spend hours in following a turkey hen before her nest is discovered, but to the initiated this is a simple task, for by confining all the hens early some morning and letting them out late in the afternoon, those that are laying will strike out on a run for their respective nests, and the secret of their hiding places can be quickly and easily learned. After the nests are found the eggs are gathered daily and kept safe from any danger of becoming chilled or from being destroyed by a dog, skunk, opossum, rat, crow, or other enemy.

As soon as each turkey hen has finished laying her litter of about 18 eggs and has become broody, a nest is carefully prepared and from 15 to 20 eggs are given her to incubate. After 28 days of sitting the poults appear, and for the next few weeks they must be fed and looked after frequently, and above all they must be protected from dampness, for if they become wet and chilled their chance of living is small indeed. Should there be no danger of rain or heavy dew the mother turkey may be allowed to range with her brood of poults and to care for them as only she can do. Late in the afternoon, however, they are driven home to be fed and also to get them into the habit of returning every night to roost.

As soon as the poults are feathered there is little danger that they will not then survive, and from this time until the turkers are marketed in the fall the greatest difficulty with which the turkey grower has to deal is to keep the birds from ranging too far and causing trouble with the owners of neighboring farms. Aside from fencing one's farm so as to be turkey proof, which is often impracticable, the best method vet devised for keeping turkeys at home is to confine them in a pasture of an acre or more every morning, letting them out about noon. During warm weather turkeys do most of their ranging early in the morning, lying about in the shade until late in the afternoon, and then starting slowly toward their roosting place, so that by preventing them from getting an early start in the morning for the neighbors' grain fields they can be induced not to range so far and much trouble is then averted.

About the first of October the fattening season is begun by gradually increasing the amount of grain, usually corn, thrown to the turkeys just before roosting time. A week or two before marketing they receive all the grain they will clean up either two or three times a day. During the period between Thanksgiving and Christmas turkeys are found to be much more easily fattened than at any previous time, partly because they have then attained the greater part of their growth and partly because the weather is then cooler and there is less to tempt them to range so widely. Therefore many turkey growers who have plenty of grain to feed prefer to hold their turkeys for the Christmas market, while those who are short of feed, and who may experience trouble in keeping their turkeys at home, or fear that the roosts will be visited at night and the flocks reduced in numbers, which is a common occurrence, find it advisable to forego the added profit that might be obtained by further fattening, and sell their turkeys at Thanksgiving.

MARKETING.

A few turkey growers, particularly in the Middle Atlantic and New England States, dress their turkeys themselves and sell direct to the consumer or to city dealers. In some sections where turkeys are quite generally raised there is





FIG. 2.—COMMON WILD TURKEY OF THE UNITED STATES. MALE.

The Thanksgiving bird of the Pilgrim Fathers, and the foundation stock from which our common Bronze turkeys have descended,



The commonest variety of turkeys in the United States, and the principal source of our Thanksgiving and Christmas table fowls.



FIG. I.—A BREEDING FLOCK OF BRONZE TURKEYS ON THE RANGE IN TEXAS.

Management of turkeys is of the highest importance in preventing losses from disease. Range is essential, but it is not necessary to let turkeys run wild. Turkeys do most of their ranging early in the morning, resting in the shade until late afternoon and then returning to the roost. If they are confined to a narrow lot during the morning they will not range far during the rest of the day.




Fig. 2.—Turkey Hens Nesting under Good Management Conditions.

A profitable percentage of the poults hatched from these eggs can be raised, because careful attention can be given to the management of the young birds.




Fig. 3.—An Inexpensive Brood Coop for the Mother Turkey Hen. The poults have no opportunity to become chilled and lost by following the mother



FIG. I .- A TEXAS TURKEY DRIVE.

In many parts of the South thousands of turkeys are driven to market every fall. This flock of 700 was driven 12 miles in 9 hours.




FIG. 2.—A TURKEY-DRESSING PLANT IN TEXAS.

held twice a year, once previous to Thanksgiving and again shortly before Christmas, what is known as "Turkey Day." On this day all those who have turkeys to sell dress them and had them to town, where they are bid on by shippers or by turkey buyers for various city produce houses and sold to the highest bidder. In these sections turkey-picking bees are often held, and as much sport is had at these as at the more common corn-husking bees. In most large turkeygrowing districts, however, dressing plants have been built to handle the turkeys during November and December, the same plants being used for poultry, eggs, butter, and other farm produce throughout the remainder of the year. Some farmers haul their turkeys in wagons to these dressing plants, others drive them in if they have too many to haul, and still others, if they are too far away to bring in their turkevs themselves, sell them to the nearest country merchant, who in turn ships them or drives them along with others that he has purchased in the neighborhood.

A custom that is prevalent in Texas is for hucksters to go out from the different dressing plants for a distance of 10 or 15 or even 30 miles and stop at each farm and buy all the turkeys the farmer will sell at the price offered. A flock of 1,000 or more turkeys is often gathered up in this way, each turkey being weighed and paid for at the time of the purchase. In one case 8,000 turkeys were gathered together at one point in Texas and driven by 30 men a distance of 13 miles in two days. A flock of 700 was later driven this same distance by 5 men in a little less than 9 hours. In a drive of this kind a wagon is driven just in front of the turkeys and a little corn is thrown to the leaders to keep them moving. Should any become lame or tired, as frequently happens with old turkeys if they are fat, they are placed in the wagon and hauled the rest of the way. At nightfall. provision is made to stop under a grove of trees where the turkeys may roost, the journey being continued as soon as they fly down again in the morning. On arriving at the dressing plant, the turkeys are again weighed by driving them in flocks of about 100 at a time into a cage placed over the scales, and the huckster is then usually credited with one-half cent per pound for his work.

KILLING AND DRESSING.

As soon as possible after the arrival of the turkeys at the dressing plant they are killed and dressed to prevent the shrinkage in weight that is bound to occur if they are held for any time. Unlike chickens, turkeys confined to small quarters will eat but little and rapidly lose the flesh that has been added while on free range. The detailed operations involved in preparing turkeys for shipment vary somewhat in different dressing plants, although the general plan is the same. In one of the largest Texas turkey-dressing plants, cages for the turkeys, into which they are driven after being weighed, are built in a long row, and from them an alleyway leads into a single cage inside the dressing room. Not more than 15 or 20 turkeys are kept in the inside cage at a time, this being done to prevent the pickers from selecting all the small, easily picked hen turkevs first and then quitting their work when only the large toms are left. White turkevs are also considered harder to pick than the darker varieties, because the feathers "ripen" later, and when the pickers are allowed to choose their own birds these are invariably left until the last. The usual price paid for picking turkeys is 4 cents for hens and 5 cents for toms. In Texas most of the turkeys are picked by negroes or Mexicans.

Selecting his turkey from the inside cage, the picker hangs it by the feet with a wire fastened to an overhead track by a pulley. The turkey is then wheeled in front of the killer, who uses a narrow-bladed, sharp-pointed knife first to sever the veins on the inside of the neck to insure perfect bleeding and then to pierce the brain with an upward thrust through the roof of the mouth. The latter thrust causes the feathers to be loosened by a sudden paralysis of the muscles. A cup half filled with lead is hung to the lower jaw of the bird to catch the blood and to hold the head of the turkey down. The picker then wheels his bird over the tail and wing feather bins. The tail feathers are removed with one motion and the wing feathers with two more, after which the bird is unhooked from the overhead track and hung up by a cord at the picker's regular position along the body-feather bins. Here the body feathers are quickly removed and the bird is taken to the receiver, who pays the picker and lays

the dressed turkey in a sack which, when filled, is carried into the cooling room, there to remain until thoroughly cooled, after which the turkeys are packed in boxes or barrels and shipped in refrigerator cars to New York, Chicago. San Francisco, and other distributing centers.

SHIPPING TURKEYS ALIVE.

The shipping of turkeys alive for any considerable distance always results in a heavy shrinkage, and because of this they are usually killed and dressed before shipping. One of the longest shipments of live turkeys that is ordinarily made is from Tennessee to New York City. Twice a year, once for the Thanksgiving and once for the Christmas market, a train known as the "turkey special" is made up at Morristown, Tenn., and is rushed through to New York as rapidly as possible. On the day of the shipment cars of live turkeys begin reaching Morristown from surrounding points, and these are made up into one train, a car containing about 1,200 turkeys. One man is sent with each of the cars, whose duty it is to feed and water the birds and to see that they are weighed correctly when unloaded from the car. Troughs are placed in each coop, and these are filled with a sloppy mixture of cracked corn and water. Turkeys eat very little during such a shipment, however, and their shrinkage is said by shippers to run often as high as 12 per cent for this trip, which ordinarily takes about 60 hours.

On arriving at Jersey City the cars are hauled to the poultry yard and the turkeys unloaded and weighed as soon as possible. The commission firm handling the turkeys has a man on hand, who, with the assistance of as many helpers as are needed, unloads the birds and puts them in coops large enough to hold 14 or 15 each. They are then weighed in the presence of the man who has come with the car, after which they are loaded on trucks, taken by ferry across the Hudson River to New York, and distributed by the commission firm among retailers throughout the city.

FARMERS' MUTUAL FIRE INSURANCE.

By V. N. VALGREN,

Investigator in Agricultural Insurance, Office of Markets and Rural Organization.

NE of the most successful forms of rural cooperation in this country is that of farmers' mutual fire insurance. Up to the present time, however, it has received but little general publicity. Few men, even among the farmers themselves, are aware of its quantitative or relative importance. Many will be surprised, therefore, to learn that there are at present nearly 2,000 farmers' mutual fire insurance companies in the United States. These companies carry a total amount of insurance exceeding \$5,250,000,000. The property on which this insurance is written is valued at more than \$6,700,000,000, which is more than two-fifths of the value of all the insurable farm property in the 48 States. That the annual saving to the farmers through this form of cooperation is large may be seen from the cost figures to be found on succeeding pages.

ORIGIN AND GROWTH.

While mutual fire insurance in the United States dates from 1752, the first farmers' mutual fire insurance companies came into existence about 1825. New England and the Middle Atlantic States saw the first attempts at this form of cooperation by farmers. It was demonstrated soon that a considerable saving in the cost of fire insurance could be effected, and the movement spread from one community to another with a fair degree of rapidity. By the middle of the century a considerable number of farmers' companies of this kind were in existence. As insurance reports for this early period are wanting, data concerning their number or the business done by them can not be obtained. More than half a hundred of the existing companies, however, were organized before 1850.

Most of these companies were incorporated under special charters and were left to do business practically without guidance or supervision. Unfortunately, as insurance reports issued after the creation of State insurance departments indicate, these so-called "farmers' mutuals" in some instances failed to limit themselves to the segregated risks of moderate value to which their volume of business and method of operation adapted them. Hence, the record of the farmers' mutuals of this period is by no means one of uniform success. Many of the early insurance reports are severe in their criticism of this plan of insurance. In spite of this handicap the movement continued to extend both west and south from the place of its origin. By 1875 there were about 400 farmers' mutuals, and by 1900 there were at least 1,700 such companies. Their present number exceeds 1,950.

LEGISLATION.

The rapid extension of insurance on this plan after 1850 was due, in no small measure, to favorable legislation. Such legislation did not come as a benefit bestowed upon the farmers from the outside. In the more strictly agricultural sections of the Middle West, at any rate, where farmers' mutual insurance now may be said to be most highly developed, the laws were secured by the direct efforts of the farmers themselves. In several States such laws were passed in the face of strong opposition, led in some instances by the State insurance officials.

The first farmers' mutual insurance law was passed by the State of New York in 1857. This law provided that 25 or more persons residing in any township of the State and owning a total of \$50,000 worth of property which they desired to insure might form themselves into a mutual insurance company. They were allowed to insure only buildings and the goods contained therein. They could insure no city or village property, nor could they accept risks outside the borders of the home township. They could write insurance against loss or damage by fire only. This law, though evidently too strongly restrictive in its provisions regarding business territory and the risks that might be assumed, appears to have become the model for similar laws in the North Central States generally, and for some 12 other States located farther south or farther west.

The early New York law was repealed in 1862, and it was not until 1879 that a second law somewhat more liberal in its provisions was enacted. In the meantime, Wisconsin, Illinois, Michigan, Iowa, Minnesota, Ohio, and Indiana had enacted farmers' mutual fire insurance laws. These laws, as well as the second New York law, were in general reasonable and practical in their provisions, or were soon made so by proper amendments.

The business territory permitted as a rule was a number of contiguous townships or an entire county. All kinds of farm property might be insured, and the lightning bazard as well as that of fire might be assumed. With the exception of the Indiana law, they differed from the New York law of 1879, however, in that they placed the companies thus organized under the supervision of the respective State insurance departments. This step was not taken by New York until 1909.

By 1890 practically every State in the Middle West and several of those in the South had a farmers' mutual fire insurance law. A few other States in the South and in the far West have been added more recently to the list. With the exception of Vermont, which passed a farmers' mutual law in 1915, no State in New England or the Middle Atlantic group has followed the example set by New York in 1857.

The present laws upon this subject, while similar in many respects, are by no means equally complete or equally practical in all their provisions. It may be said, however, that at present 25 States have fairly satisfactory farmers' mutual fire insurance laws. Several other States have scattered provisions in their laws governing fire insurance in general, which apply particularly to farmers' mutuals. In a few States where no special reference to farmers' insurance organizations is found, such companies operate either under special charters or under laws which apply to all classes of mutual fire insurance companies. In 6 States, all located in the South or the Southwest, no record of companies of this kind has been found.

The older farmers' mutual insurance laws have seen various amendments in practically every instance. The trend of these amendments has been to enlarge the business territory

permitted, and to give broader scope to the activities of the companies. In several instances these companies are allowed to operate in the entire State. As a rule, however, existing laws prescribe territorial limits varying from 1 to 5 counties. While many of the companies have availed themselves of the provisions permitting larger business territory, the great majority continue to operate in a single county, and a few still confine themselves to a single township. Similarly, there has been a growing tendency to permit the farmers' mutuals to include windstorm among the hazards assumed. This has been true especially in the Southern States.

The practice on the part of local farmers' mutuals of including windstorm with the hazards insured against can not be recommended. Each group of farm buildings, and to a considerable extent each building within the group, is a distinct and separate risk with respect to the fire and lightning hazards, but this is not true with respect to the windstorm hazard. Even in the Southern States, where the plan of giving so-called combined protection is followed most often and where severe windstorms are of less frequent occurrence. there is considerable danger of a formidable list of losses from a single storm. The practice which is rapidly gaining favor in the Middle West of operating a State-wide windstorm insurance company through the cooperative efforts of the local fire insurance companies would add much to the stability and safety of the farmers' mutual organizations in any State where combined protection is now offered by the local mutuals.

ECONOMIC IMPORTANCE AND LOCALIZATION.

The total amount of insurance carried by the 1,947 farmers' mutual fire insurance companies in existence on January 1, 1915, the latest date for which relatively complete statistics are at hand, was approximately \$5,264,119,000. The total amount paid for losses during 1914 was \$10,766,651, and the expenses of operation were \$3,138,649, making the total cost of this insurance \$13,905,300. From these figures it may be seen that the average cost per \$100 of insurance in all these companies was about 26 cents.

The farmers' mutuals, almost without exception, limit the amount of the insurance written to either three-fourths or

two-thirds of the actual value of the property. A reasonable allowance for this fact shows the total value of the farm property insured by these companies to be approximately \$6,736,000,000.¹ The total value of all insurable farm property in the 48 States on January 1, 1915, was, as nearly as can be estimated, \$15,886,000,000. This would indicate that nearly 42½ per cent of all insurable farm property in the 48 States of the Union was insured in the farmers' mutual fire insurance companies.



Fig. 38.—Farmers' mutual fire insurance companies, by geographic divisions.

- A. Number of companies January 1, 1915.
- B. Total insurance in force January 1, 1915.
- C. Average cost per \$100 of insurance in force during 1914.

Figure 38 is a map on which is shown, for the different geographic divisions of the country, the number of farmers' mutual fire insurance companies and the total amount of their

¹In the New England and Middle Atlantic States, where, with the exception of New York, the farmers' companies operate either under special charters or under laws applying to different classes of mutuals, a considerable amount of city or village property of the less hazardous kind is also insured. In these States the urban risks carried by the companies which speak of themselves as farmers' mutuals and which are so considered by the insurance commissioners will perhaps offset the difference between the real value of the farm property insured and the amount of the insurance carried thereon. The total insurance in force has therefore in these cases been taken to represent the full value of the insured farm property. While a few detached urban risks are frequently carried by the farmers' mutuals in other States than those above referred to, such risks would here amount to a very small percentage of their total risks. For all such States the insurance in force has been increased by one-third in order to allow for the fact that the companies insure only for three-fourths or two-thirds of the actual value of the property.

insurance in force on January 1, 1915, together with the average cost per \$100 of insurance during the year 1914.

Figure 39 shows for each geographic division of the country the total value of the insurable farm property and the total value of the property insured in the farmers' mutuals. Fig-




Fig. 39.—Value of insurable farm property, and value of farm property insured in farmers? mutual fire insurance companies.

ure 40 indicates for the same geographic divisions the percentage of the total farm property which was thus insured.

Figure 41 shows the average cost per \$100 of insurance in the farmers' mutuals during the year 1914 for each State having \$1,000,000 or more of such insurance in force. The




Fig. 40.—Percentage of insurable farm property insured in farmers' mutual fire insurance companies.

cost figures for States with smaller sums of insurance are likely to vary too much to be of significance when taken for a single year. Less marked yearly variations in the average cost of insurance will be found, of course, even where the total insurance in force in the State is relatively large. It

is therefore quite likely that States close together in their cost of insurance would exchange rank from year to year. The larger differences, however, especially where insurance




Fig. 41.—Average cost per \$100 of insurance in the farmers' mutual fire insurance companies during the year 1914 for each State in which the total insurance amounted to \$1,000,000 or more.

to the amount of a score of millions or more is involved, are undoubtedly due to more fundamental causes than mere chance, and are likely to persist unless the causes of such higher cost can be removed. The fact that some of these average costs, especially for the Southern States, cover not only fire and lightning protection but also considerable amounts of windstorm protection, should be remembered in this connection. About 15 per cent of all the farmers' mutuals in the country write policies giving combined protection. This fact makes the average of 26 cents per \$100 for the country as a whole all the more remarkable, when compared with the rates that farmers without mutual organizations are obliged to pay.

SAVING IN INSURANCE COST.

The total annual saving to the farmers by reason of the relatively low insurance cost in their mutual companies amounts to a very considerable sum. No close estimate of this saving has been attempted, since no special effort has been made to collect lists of commercial rates for farm risks in the different States and in the various sections of these States.

It may be safely said, however, that in a number of the States where farmers' mutual insurance is most highly developed, the average cost of insurance for all these companies in the State has fallen well below one-half of the rates quoted by commercial concerns, or the so-called bureau rates. Some idea, therefore, of the total annual saving to the farmers of the country through cooperation in fire insurance may be readily formed.

The saving of the farmers' mutuals in insurance cost may be credited mainly to two sources. First, the expenses of operation necessarily incurred by large commercial companies for commissions, salaries, dividends, taxes, rents, rating charges, legal assistance, etc., have been either greatly reduced or entirely eliminated. Second, the losses experienced have been fewer, by reason of the practical removal of the moral hazard. The more or less complete removal of this hazard is due to the careful guarding against overinsurance on the part of the farmers' companies, and frequently, even more, no doubt, to the different attitude automatically assumed by the insured toward a company consisting of friends and neighbors from that often wrongfully assumed toward a large business corporation located perhaps in a distant city.

GENERAL SIGNIFICANCE OF THE MOVEMENT.

The benefits of rural cooperation in fire insurance can not all be measured directly in money values. There is little doubt that by the reasonable cost at which protection can be secured in these local organizations many farmers have been induced to provide themselves with insurance when they would not have taken this step had it been necessary to pay the full commercial rates. Many a farmer has thus been enabled promptly to rebuild his home, or to replace lost personal property, when had it not been for cooperation in insurance he would have been severely embarrassed financially or perhaps even compelled to give up his farm.

The marked success of this form of cooperation has also been an encouragement to farmers to attempt other cooperative enterprises. It has stimulated their faith in one another and strengthened their confidence in their own ability to do things somewhat removed from their primary occupation of raising crops and producing other raw mate-If farmers could manage successfully their own insurance company and save money in so doing, why could they not make their own milk into butter and cheese, provide themselves with fresh beef by the organization of so-called meat rings, operate their own telephone company, market some of their own farm products, and even purchase cooperatively some of their needed supplies? All of these and several other forms of cooperation have been attempted. and while in many localities failures have been experienced. the percentages of success have been large.

That failures have occurred when more complex cooperative enterprises have been undertaken should not be a cause for wonder. Managers with experience and technical knowledge have been hard to find. The opposition often has been strong and well organized. The pioneer was a decided individualist, and the spirit of cooperation and of loyalty to a voluntary organization could not well be expected to develop suddenly. Yet such qualities, in generous measure, are necessary to withstand the temptation of temporary but immediate and alluring gains frequently offered to induce members to violate cooperative agreements or withdraw from the organizations. In fire insurance, however, the local cooperative company, as above indicated,

has been able to effect so large a saving, especially in the operating expenses necessarily incurred by the more complex commercial company, that even temporary competition on the part of the larger concern has been exceedingly difficult. In recent years, moreover, uniform rate laws have in many States made local and temporary competition impossible.

It is by no means surprising that cooperation should have been resorted to in supplying the need for insurance protection. In a broader sense all insurance may be said to be cooperative. It implies the assumption of the loss burdens to which the individual is subject, by a collective body of which all the insured are in effect members, even where they do not share in the management. The sum total of the burdens which have been lifted from the individuals insured rests ultimately, in all cases, not on the management but on the membership of the body. Under the mutual plan, however, the cooperation is more conscious and direct. Especially is this true when the company operates in a limited territory or when the risks assumed belong, broadly speaking, to a single class. In the farmers' mutuals both of these conditions may be found.

POSSIBILITIES OF YET GREATER SERVICE.

The full possibilities of direct and conscious cooperation in farmers' mutual fire insurance have not as yet been realized. At least one group of mutual companies in this country has far outstripped the farmers' mutuals in bringing about effective cooperation for the prevention of losses. This group is known as the factory mutuals, and consists of 19 companies mainly located in the New England States. insure large factories only, and have so far limited themselves to that part of the United States east of the Mississippi River. Not only have these companies succeeded in securing the effective cooperation of their members in working for the prevention of losses, but the organizations as such have freely and generously cooperated with one another. A joint bureau has been maintained for years in the city of Boston for the advancement of the science of safe construction and for the frequent and thorough inspection of their risks. Their efforts have been highly successful. The oldest of these companies, for example, was organized in 1835. During the first 10 years of its existence the average cost per \$100 of insurance was \$4 cents. Such has been the reduction in the insurance cost that the average for the last 10 years has fallen below 6 cents. This means that the cost of insurance in this company has been reduced to approximately 7 per cent of what it was three-quarters of a century ago.

Besides farmers' mutuals and factory mutuals, our insurance reports reveal an increasing number of grain-dealers' mutuals, lumbermen's mutuals, implement-dealers' mutuals, hardware-dealers' mutuals, grocers' mutuals, and druggists' mutuals. All of these so-called class mutuals owe their existence to the belief that what has been done by the factory mutuals can be accomplished, in some measure at least, by other classes of mutuals. There seems no good reason why in every instance this hope should not be realized.

A group of individuals all engaged in the same business can hardly fail to elect as officers of their company men who are familiar with the particular kind of risks in question. Moreover, the members of a company of this kind know that the improvement of their risks, in response to sane requirements on the part of the company, will not merely tend to a reduction of insurance cost, but will immediately result in reduced premium charges or assessments. As a final advantage may be mentioned the fact that a class mutual is likely to have its risks widely scattered, thus reducing the danger of a conflagration loss.

While the farmers' companies, as already set forth, have much to their credit, indications are that the possibilities ahead of them far exceed, in economic and social significance, what already has been accomplished. Not only is the greater part of the field of insurable farm risks in most States still untouched, but the possibilities of further reducing the cost of insurance by the application to fire losses of what may be called the principle of stoppage at the source, are believed to be great. Hitherto the economies of the farmers' mutuals have consisted largely, as has been stated, in a reduction of the expense item and the lessening or the removal of the moral hazard. The old ratio of losses from a variety of other more or less readily removable sources has continued practically undiminished.

Many of the farmers' companies have emphasized the reduction in the expense item of their cost of insurance to the neglect of the larger possibilities in the reduction of the loss item. They have failed, in some cases at least, to take into consideration the fact that every thousand-dollar risk saved from destruction not only saves the company \$1,000, but further saves the individual who owns the property from \$300 to \$500 on that part of the property not covered by the insurance. This important item should not be overlooked by a mutual company in a calculation of possible saving through efforts at loss prevention. One farmers' mutual insurance man recently described the situation by saying that many a director of a farmers' mutual has been holding a penny of expense so close to his eye that it has obscured a dollar that easily could have been saved in the annual fire loss. The inconveniences and privations as well as the danger to human lives that fires frequently involve, in spite of insurance, should also be considered.

It has been demonstrated that in the case of country risks as well as in that of other classes of insured property careful periodic inspection will prevent a considerable percentage of the losses that otherwise would have occurred. A group of New England companies have reduced their losses on country risks materially in the last few years by means of a system of inspection. Companies and groups of companies in other localities recently have begun activities of this kind. Most of the farmers' mutuals could well afford to double their expenses if by so doing they could reduce their losses by 25 per cent.

All risks should be thoroughly inspected at least every second or third year by a well-qualified representative of the company, and the members duly warned against any dangerous conditions or practices that may be found. When necessary, continuance as a member of the company should be made conditional upon compliance with recommendations for the removal of needless fire dangers.

The safe construction of farm buildings as well as their maintenance in a safe condition should be encouraged by a reasonable classification of risks, worked out with special reference to the particular locality. Justice as well as expediency suggests this plan. It is hardly fair to charge a man who builds carefully and guards his property against dangerous conditions the same rate as is paid by one who builds carelessly and gives little heed to the safety of his property after it is constructed. Moreover, unless the desir-

able features of the better risks are recognized in this way, there is danger that, in spite of the lower average cost, the very best risks in the territory occupied by a local mutual may be picked up by larger insurance concerns that do classify.

Reasonable efforts should be made by every farmers' mutual to spread information among its members not only concerning the safe construction and upkeep of their property, but also concerning devices for the checking of a fire if one should occur. Thus the value of conveniently located water supplies in tanks, barrels, or buckets, of ladders by which the roof can be reached readily, and of chemical extinguishers should be duly emphasized.

The causes of fires should be more thoroughly studied and more carefully tabulated, and the loss reports, which should be placed before every member of the company, should group the losses experienced according to these causes. By concrete and near-at-hand examples of this kind can the members be warned most effectively concerning the dangers of defective flues, of dilapidated and weather-beaten shingle roofs, of the want of lightning protection on buildings and on fences, of soot accumulations in chimneys, of the careless disposition of ashes, of rubbish accumulations in garrets or elsewhere, of the use of the so-called parlor match, and of the careless use of kerosene, gasoline, and other inflammable substances.

There is no organized private agency more directly concerned with the elimination of our needless fire waste, either in the country or in the city, than the insurance company. Where such a company is organized on the mutual plan and operates in a limited territory, or is composed of persons who have similar risks to insure, it has a special opportunity for effective service. There is then no excuse for a conflict of interests. The welfare of the company is the welfare of the insured. By more generally taking advantage of this opportunity to become vital agencies for the conservation of property, as well as for the distribution of unavoidable loss burdens, the farmers' mutuals will further promote the welfare of their members and will strengthen their position as insurance companies.

DEVELOPMENT AND LOCALIZATION OF TRUCK CROPS IN THE UNITED STATES.

By Fried J. Blate,

Truck Grop Specialist, Bureau of Crop Estimates,

TRUCK-GROWING REGIONS.

THE area devoted to the commercial production of truck crops may be divided advantageously into five sections—the Atlantic Coast States, from southern New Jersey to Florida: the Gulf States, from Alabama to Texas: the Preific Coast States; the Southern States, including the irland territory of the Atlantic Coast and Gulf States, and Elentucky, Tennessee, Arkansas, Oklahoma, New Mexico, Arizona, and Nevada; and the northern belt of States east of the Rocky Mountains. It appears desirable to take up only that phase of the subject that relates to commercial or truckfarming areas—areas growing for shipment to more or less distant markets, leaving out market-garden communities which exist in the neighborhood of all cities and whose products are disposed of by the individual growers in the home markets. Another phase of the subject is the acreage grown for manufacture, the product of which, while it does not come upon the market as truck, is very important because of its magnitude.

The Atlantic coast, the Gulf, and the Pacific coast sections are preeminently the winter gardens of the north and from early winter to late in the spring supplies of practically every variety of green vegetables are shipped to northern markets from these sections. Florida, California, Texas, and Louisana take the lead in winter vegetables, the other States falling into line as the season advances. The Norfolk section, owing to its peculiarly favorable location, also ships certain varieties of hardy vegetables, such as spinach and kale, throughout the winter. Conditions are reversed in the late summer and the North sends its vegetables to southern markets.

Successful truck farming depends upon reasonable proximity to large centers of nonagricultural population and reasonable proximity is expressed in terms of transportation.

Previous to 1860 truck farming was unknown, except to a very limited extent along the steamboat and railway lines leading out 50 miles or so from a few of the larger northern cities. Long Island, New Jersey. Delaware, and southern Illinois appear to have been at that time the leading truck centers of the country. (Census of 1890, Agriculture, page 592.)

The early development of the northern Atlantic seaboard as a trucking section was due largely to the low altitude of the land and the modifying effect on climate of the presence of large bodies of water. Southern New Jersey and the Delaware, Maryland, and Virginia peninsula are protected by the Atlantic Ocean on one side and the Delaware and Chesapeake Bays on the other. This protection enables the planting of truck crops much earlier than in other localities in the same latitude. In addition to the above this region is in close proximity to several of the largest cities of the country, has the advantage of both water and rail transportation, and a soil peculiarly adapted to the production of early vegetables.

It is to be expected, therefore, that the earliest development of areas of commercial truck production will be found in southern New Jersey (Burlington, Camden, Gloucester, Salem, and Cumberland Counties) and in Delaware, these regions having had access to the markets of New York and Philadelphia from the earliest times, and that this fact will be clearly shown in the more rapid development of the trucking industry in territory lying farther south.

GROWTH OF THE TRUCKING INDUSTRY FROM 1890 TO 1915.

The census of 1900 was the first to make a detailed report on truck crops, but published by counties the acreage of potatoes and onions only. The acreage of all other vegetables was published by States. The census of 1910 collected this information, but did not publish it, and it has not been available to the general public. The census of 1890 enumerated among truck crops the acreage of Irish potatoes only, and as that crop was carried through the two succeeding census enumerations, and as it is more widely grown than any other, it seemed to be the most available for the purpose of illustrating the general growth of the trucking industry.

In considering the figures given in the following it should be borne in mind that the census of 1910 is not strictly comparable with the census of 1900, for the reason that in making the enumeration of truck-crop acreage in 1910 areas of less than 1 acre were not enumerated, while in the enumeration of 1900 all areas considered commercial areas were included. This difference would operate to decrease the percentage of increase for 1910 as compared with 1900.

Potatoes, sweet potatoes, and strawberries were not included in figures for miscellaneous vegetables.

The production of early Irish potatoes in the five counties of New Jersey mentioned above had already become large in 1890, the census of that year enumerating the area at 18,888 acres, or more than 40 per cent of the entire acreage for the State. In 1900 the area was given as 20,399 acres, or about 38 per cent of the acreage for the State, and in 1910 at 35.118 acres, or about 48 per cent of the acreage for the State. In 1915 the area for the State was estimated to be 93,000 acres by the Department of Agriculture. The average increase shown by the three census enumerations is 42 per cent, and the estimated area for the five counties in 1915 may, therefore, be stated at 39,060 acres. The increase for the 20-year period covered by the census was about 90 per cent. The area of other vegetables in 1900 in the counties under consideration was 45.951 acres, and in 1910, 52.666 acres, an increase of about 14 per cent. The census of 1890 did not report the acreage of other vegetables, and the comparison is, therefore, for the 10-year period from 1900 to 1910.

The area of early Irish potatoes in Delaware in 1890 was 4,870 acres, in 1900 the area was 5,755 acres, and in 1910 9,703 acres, or an increase for the 20-year period of about 100 per cent. The area in 1915 was estimated by the Department of Agriculture to be 11,000 acres, an increase of about 13 per cent for the 5-year period. The area of other vegetables was 23,987 acres in 1900 and 22,939 in 1910, a slight decrease.

The principal increase, it will be noted, in both New Jersey and Delaware has been in the acreage of potatoes, the increase amounting to 90 and 100 per cent for the period from 1890 to 1910, respectively. There was a small increase

in the production of other vegetables in New Jersey (14 per cent), and a slight decrease in Delaware. Large quantities of all vegetables are, however, grown for market in home cities, i. e., Philadelphia and New York, and for sale to canneries.

ATLANTIC COAST STATES.

THE EASTERN SHORE OF MARYLAND AND VIRGINIA.

The territory under consideration in Maryland is comprised in the counties of Somerset, Wicomico, and Worcester, which counties in 1890 had 1,388 acres, in 1900 3,681 acres, and in 1910 7,414 acres in early Irish potatoes, an increase of 434 per cent for the 20-year period. There appears to have been a decrease during the 5-year period ending with 1915. The acreage of all other vegetables in these three counties was 8,745 in 1900 and 11,127 in 1910, an increase of over 27 per cent.

It remains to consider the two Virginia counties—Accomac and Northampton-forming the southern end of the Maryland and Virginia peninsula, and it is in these two counties that the most remarkable development in the production of potatoes for the early spring market has taken place. In 1890 these counties had 4,262 acres in potatoes, in 1900 the acreage had grown to 11,475, in 1910 the acreage was 30,688, and in 1915 it was estimated by the Department of Agriculture to be 90,000 acres, an increase of over 2,000 per cent as compared with 1890. This remarkable growth in potato production places the Eastern Shore counties of Virginia far in the lead of all other early potato-growing sections. This district has more than double the acreage of the New Jersey district, the district next in rank, nearly four times the acreage of the Norfolk section, and more than six times the acreage of any other early-potato district.

THE NORFOLK SECTION OF VIRGINIA.

In the fifties the raising of vegetables for northern markets began at Norfolk, Va. In 1854 the steamer *Roanoke* carried the first shipment of 200 barrels of garden truck to New York. To secure proper ventilation, however, it was necessary that these should be carried on deck, so that the quantity which might be transported on any trip was not

large, 400 packages being about the limit. The boats then in use required at least 36 hours to reach New York, and hence the shipment of even small quantities of highly perishable articles was attended with great risk. At the present time forced ventilation allows of loading between decks, increased tonnage enables a vessel to carry as high as 25,000 packages, and the trip is made in 10 hours. " * The first all-rail shipment of garden truck was made from Norfolk, Va., in 1885. (Census of 1900, Vol. V, Part I, p. 304.)

The entire coast line from Norfolk south to Beaufort, S. C., is very much broken by bays, sounds, and the estuaries of many rivers and creeks, through the means of which tidewater enters far into the land area, exerting a marked influence upon climatic conditions, which is further aided by the presence of the Gulf Stream at no great distance from the coast line at any point. The climate of the Norfolk section is so modified and controlled by these influences and the low-lying altitude of the land that it enjoys a winter climate as mild and little subject to sudden changes and to the influence of destructive frosts and freezes as may be found many miles to the southward. It is, therefore, possible to grow such hardy vegetables as spinach and kale throughout the winter without protection, and to plant a cabbage crop in November to be harvested for the early spring market.

The Norfolk section in Virginia includes Isle of Wight, Nansemond, Norfolk, Princess Anne, and York Counties. In 1890 there were 8.218 acres of potatoes in these counties, in 1900, 12.875 acres, and in 1910, 16.077 acres, an increase of about 95 per cent for the 20-year period. In 1915 it is estimated there were 26,500 acres in the district, an increase of about 64 per cent for the 5-year period.

In 1900 there were 14,537 acres of other vegetables, and in 1910, 16,593 acres. In the latter year there were 4.281 acres of strawberries grown, from which 122,157 sixty-quart crates of berries were shipped. The increase in other vegetables for the 10-year period from 1900 to 1910 was about 14 per cent. The area in other vegetables is estimated for 1915 at 23,150 acres, an increase of nearly 40 per cent for the 5-year period. The area in strawberries for that year is estimated at 4,000 acres, from which 134,959 sixty-quart crates were shipped.

The census of 1900 gives the total number of pieces (barrels, boxes, and crates) shipped from the Norfolk section of Virginia in 1889 at 2,789,557. This estimate excludes small

fruits, but includes potatoes and sweet potatoes. In 1910 the total number of pieces and packages of vegetables shipped from the district was 3,030,856, an increase of nearly 9 percent. The shipments from the district in 1911 were 2,907,-848; in 1912, 3,777,282; in 1913, 3,898,159; in 1914, 3,928,384; and in 1915, 4,501,894. The increase for the 5-year period was nearly 50 per cent.

The total area in vegetables for the district in 1915, including potatoes, sweet potatoes, and strawberries, is estimated at 54,500 acres. It will be noted here that the total estimated area in all vegetables, including strawberries in 1915, is only about 2,000 acres larger than the area for the five counties in New Jersey in 1910, with potatoes, sweet potatces, and strawberries excluded. The five counties in New Jersey increased at the rate of 14 per cent for the 10-year period 1900 to 1910, and if the increase maintained itself for the following five years, the total of all vegetables, excluding potatoes, sweet potatoes, and strawberries, would be 60,039 acres. Add to this total 39,060 acres of potatoes, about 19,000 acres of sweet potatoes, and 5,000 acres of strawberries and the grand total is 123,099 acres of all truck crops for the five counties of New Jersey, more than double the acreage of the five counties comprised in the Norfolk district.

NORTH CAROLINA.

The census of 1890 included eight northeastern counties of North Carolina in the Norfolk district. Since that time an important center of production for truck crops has developed at Wilmington, N. C., in New Hanover County, and lesser centers at Elizabeth City, Washington, Aurora, and Newbern.

The first all-rail shipment of garden vegetables was made from eastern North Carolina in 1887.

The three counties of North Carolina—Camden, Currituck, and Pasquotank—bordering on and practically a part of the Norfolk district of Virginia, are estimated to have had 4,800 acres in early potatoes in 1915, as compared with 862 acres in 1890, 1,415 acres in 1900, and 3,421 acres in 1910, an increase for the period covered of over 456 per cent. A decrease of about 29 per cent in the production of other vegetables occurred during the period from 1900 to 1910.

The counties lying to the south—Pamlico, Washington, and Beaufort—planted 4,285 acres of early potatoes in 1915, 3,585 acres of which were in Beaufort County. The same counties planted 384 acres in 1890, but with the exception of Beaufort County, have made no material increase in acreage since 1910.

SOUTH CAROLINA.

Two important trucking centers have developed in Charleston and Beaufort Counties, S. C.—at Meggetts and Beaufort, respectively—where exchanges are maintained through which a large percentage of the crops produced are The first all-rail shipment was made from Charleston in 1888, but Charleston had long been in touch with northern markets through the medium of water transportation. The Beaufort district covers all that territory tributary to the Charleston & Western Carolina Railway, from Port Royal to Yamassee, a distance of about 25 miles, and embraces practically all of Beaufort County engaged in the truck-farming industry. The trucking industry first became important with the advent of the railroad about 1889 and has steadily developed in magnitude, as is indicated below. At one time asparagus was the principal crop, but was abandoned for early Irish potatoes and cabbages. Cabbage not proving satisfactory, has been replaced by lettuce; this and Irish potatoes are now the principal crops produced. The area in tomatoes, however, is increasing steadily.

In 1890 there were 921 acres in early potatoes at Charleston and but 30 acres at Beaufort. In 1900 the area at Charleston was 2,127 acres, and 934 at Beaufort. In 1910 there were 1,238 acres at Charleston and 1,678 acres at Beaufort. In 1915 the area at Charleston was 3,000 acres and at Beaufort 2,145. The area of other vegetables in 1900 was 3,140 acres at Charleston and 1,016 at Beaufort. In 1910 the area at Charleston had increased to 3,474 acres, and at Beaufort to 1,785 acres. In 1915 the area of miscellaneous vegetables was estimated at 5,500 acres at Charleston and 2,000 acres at Beaufort.

FLORIDA.

Florida, the far-south member of the Atlantic Coast division, is perhaps the most general trucking community in the United States. A long, comparatively narrow peninsula,

protected by the warm waters of the Gulf of Mexico on the west and the Atlantic Ocean on the east, with the Gulf Stream rounding its southern end and flowing northward in close proximity to its coast line, it possesses a very equable climate. Although Florida is not wholly free from frosts and freezes, such conditions are rare. Florida is not uniformly blessed with the advantage of good soil, but this defect frequently is offset by the use of fertilizers, and her nearness to the great markets of the North, and the fact that she can produce her crops without irrigation, places her in an advantageous position for the successful promotion of truck farming for the winter and spring market.

For the year 1890 the comparison is limited to the potato crop. But 1,218 acres of potatoes were enumerated for the State in 1890 and 3,752 acres in 1900. In 1910 the area had increased to 8,569 acres, or nearly 600 per cent for the 20-year period. Of the area grown in 1910, 5,089 acres, or about 60 per cent, were in the East Coast North region, and a large proportion of the area in what is known as the St. Johns district. This region had increased from 218 acres in 1890, or 2,235 per cent for the 20-year period. In 1915 the area of potatoes grown in the State is estimated at 16,000 acres, and 11,505 acres of the total was grown in the East Coast North region, of which 10,000 acres, or nearly 87 per cent, were grown in the St. Johns district.

The area of potatoes in Florida is comparatively small when compared with that devoted to the production of miscellaneous vegetables, and no figures for vegetables other than potatoes are available for the census year 1890. In 1900 the area in miscellaneous vegetables was 29,815 acres. In 1910 it had increased to 57,579 acres, or more than 93 per cent, and in 1915 the area is estimated at 79,672 acres, a further increase during the period of five years of about 38 per cent. The total area in miscellaneous vegetables in Florida in 1910, including potatoes and strawberries, was 67,452 acres, and in 1915, 99,162, an increase of 31,710 acres, or about 47 per cent for the five years.

THE GULF STATES.

The Gulf States division contains two very important truck-producing regions—southern Louisiana and southern Texas. Others of less importance exist in Alabama and Mississippi. Such a region developed early around Mobile, Ala. The census of 1890 gives the following table showing the shipment of vegetables from Mobile, Ala., in 1888, 1889, and 1890:

Tegetables	shipped	from	Mobile.	Ala	in	1888.	1889.	an1	1820.

Veget	able.		1889	1883
Cabbage	erates	58,300	68,950	46,592
Potatoes	barrels	78,924	46,503	66,28 7
Beans				33,487
Peas				5,928
Cucumhers	barrels			132
Tomatiles				ö, 578
Watermelins		10,831	3, 095 ³	4,470
Valor packe es			1,409	264

The total value of the above shipments is given as follows: 1888, \$393,295; 1889, \$371,113; 1890, \$458,065. The following statement is added: "For shipments from Mobile County 33.3 per cent should be added, not included above, making a grand total for the three years of \$1,629.964 for this small section."

There were 780 acres of early potatoes in the Mobile district, including Mobile, Baldwin, and Washington Counties, in 1890; 1.966 acres in 1900; 2,265 acres in 1910; and 1,568 acres in 1915.

Shipments in car lots from Mobile in 1915, as estimated by the Bureau of Crop Estimates, were as follows: Cabbages, 556 cars; potatoes, S3 cars; snap beans, 35 cars; and miscellaneous, 21 cars; total, 695 cars. It, therefore, appears that about 80 per cent of all shipments from Mobile in 1915 were cabbages, of which there were 921 acres in 1910. The acreage for 1915 is not known.

There is an important truck-farming district around Crystal Springs, in Copiah County, Miss. The census for 1900 gives this district 3.483 acres of miscellaneous vegetables, which increased to 6,502 acres in 1910. Figures for 1915 are not available.

There were 6,325 acres of early potatoes in selected parishes in southern Louisiana in 1890; 6,546 in 1900; 11,116 in 1910; and it is estimated that there were 14.808 acres in 1915.

an increase for the 25-year period from 1890 to 1915 of about 134 per cent. This is an old and well-settled trucking region and rapid development is not to be looked for in the production of miscellaneous vegetables. Lafourche Parish is perhaps the most notable for the production of potatoes, Creole onions, and garlic. This parish had 4,065 acres of potatoes in 1890; 1,817 acres in 1900; 2,318 acres in 1910; and it is estimated there were 3,000 acres in 1915. Lafourche Parish grew 762 acres of Creole onions in 1900; 2,514 acres in 1910; and it is estimated there were 2,750 acres in 1915. The parish also grew about 1,000 acres of garlic in 1915. The development of certain parishes in the production of strawberries is particularly notable and will be taken up later in connection with that crop.

The truck-farming industry has developed most rapidly in the southern districts of Texas, comprising 32 out of her Taking the district as a whole, there were 250 counties. 2.238 acres of potatoes in 1890, as compared with 4,331 acres in 1900; 10,797 acres in 1910, and 18,188 acres in 1915. The most remarkable development of the early potato industry was in Colorado and Wharton Counties, known as the Eagle Lake district, where there were 147 acres of potatoes in 1890. as compared with 2.639 acres in 1910, and 7.530 acres in 1915. The development of the Bermuda onion industry has been quite as remarkable. The census of 1900 enumerated 63 acres of onions in the 10 counties comprised in the onion district. In 1910 there were 3,514 acres, and in 1915 the area was estimated to be 9.343 acres. Similar development has taken place with other crops, such as strawberries, tomatoes, cabbages, and lettuce. The production of miscellaneous vegetables in the district under consideration in 1900 was 16,801 acres, and in 1910, 32,885 acres, an increase of nearly 100 per cent. Complete figures for 1915 are not available, but the development of practically all crops has been rapid in the last five years, as is indicated by the increase in potato and onion acreages as stated above.

PACIFIC COAST STATES.

The development of the early potato industry in southern California has been slow. In 1890 there were 7,385 acres; in 1900, 6,612 acres, and in 1910, 8,885 acres. The production

of miscellaneous vegetables, however, increased rapidly. In 1900 there were 8,053 acres, and in 1910, 26,187 acres.

The area in potatoes in central California in 1890 was 22,490 acres; in 1900, 27,994, and in 1910, 50,688, an increase of about 125 per cent over 1890. With regard to southern California it may, perhaps, be taken for granted that the potato acreage is practically all for the early market, but in the central district of the State this is not the fact. It appears, however, that about 50 per cent of the total crop for the State is marketed in April, May, June, and July. The estimated crop for the State in 1915 is 78,000, which would give 39,000 acres as the total acreage in early potatoes in 1915, 33,844 acres in 1910, 21,049 acres in 1900, and 19,089 acres in 1890. The area of miscellaneous vegetables in the central district was 14,523 acres in 1900 and 41,640 in 1910.

The trucking industry in Oregon is centered in Clackamas, Marion, Multnomah, and Washington Counties. In 1890 these counties grew 8,106 acres of potatoes, 14,683 acres in 1900, and 22,113 acres in 1910. The area of miscellaneous vegetables in 1900 was 4.204 acres, and 6,778 acres in 1910. It is not known what per cent of the crop of potatoes is harvested in May, June, and July.

Clarke, King, Pierce, Spokane, Walla Walla, Whitman, and Yakima Counties of Washington grew 5,910 acres of potatoes in 1890; 11,136 acres in 1900, and 32,311 acres in 1910. There were 5,502 acres of miscellaneous vegetables in 1900 and 10,667 acres in 1910. About 20 per cent of the potato crop is harvested in May. June. and July.

THE INTERIOR SOUTHERN STATES.

Of the interior belt of southern States not already reviewed, there remain Kentucky, whose trucking center is Louisville, in Jefferson County, where onions and early potatoes are produced in large quantities. Strawberries are an important crop also, the principal center of production being at Bowling Green, where about 60 per cent of the crop of the State is produced. Tennessee is one of the most important States in strawberry production, and also produces cantaloupes and tomatoes in considerable quantities. Large quantities of cantaloupes and strawberries are grown in the western tier of counties of Arkansas, and strawberries in

White County. There is a considerable acreage in early potatoes in the Fort Smith district. Oklahoma produces a large quantity of early potatoes in the Arkansas Valley, and there is a large acreage of watermelons around Chickasha and in counties south of that point to the Texas line at Terrell. New Mexico, Arizona, and Nevada also have considerable acreages in cantaloupes.

THE NORTHERN STATES EAST OF THE ROCKY MOUNTAINS (INCLUDING COLORADO).

The two great staple truck crops produced in the northern States, potatoes, sweet potatoes, and strawberries not considered, are cabbages and onions. Other truck crops are grown in large quantities, but with the exception of tomatoes, lettuce, celery, cucumbers, watermelons, and cantaloupes, large quantities of which are grown in certain localities for shipment, it is a home-supply market. Early potatoes are produced in considerable quantities in the Orrick district of Missouri and the Kaw Valley of Kansas. Good roads, automobiles, autotrucks, and electric lines have greatly increased the territory in which the operations of the market gardener may be carried on, and the summer markets of the great northern cities are almost wholly supplied with green vegetables from tributary territory.

ONIONS.


The principal onion-producing States in the northern and western groups are: Colorado, Indiana, Iowa, Massachusetts, Michigan, Minnesota, New York, Ohio, Pennsylvania, and Wisconsin. The census of 1900 gave the area in onions for these States at 23.093 acres, in 1910 the area was 23,087 acres, and as estimated by the Department of Agriculture, 36,161 acres in 1915.1

The Pacific Coast States are properly included as to onion production with the northern and western belt. In 1900 the area in onions in these States was 3,530 acres; in 1910, 5,527 acres; and in 1915, as estimated by the Department of Agriculture, 10,376 acres.

¹The area planted in onions in 1915 in the principal producing States was estimated by the Department of Agriculture to be 49,573 acres. Thirteen thousand four hundred and eighty-one acres were abandoned because of blow-outs, floods, blight, thrips, etc.

CABBAGES.

The principal cabbage-producing States in the northern and western belt of States are: Colorado, Indiana, Iowa, Hichigan, Minnesota, New York, Ohio, and Wisconsin. There were 52,256 acres in 1900, 66,147 acres in 1910, and 101.157 acres in 1915, in these States, an increase of over 93 per cent for the 15-year period.




EARLY POTATOES.

Considering the Atlantic coast, Gulf coast, and Pacific coast districts together, there were \$3,693 acres of early potatoes in 1890; 126,033 acres in 1900; 229,417 acres in 1910; and 324,519 in 1915, as estimated by the Department of Agriculture, an increase for the 5-year period from 1910 to 1915 of about 41 per cent.

For the districts mentioned the total area in miscellaneous vegetables in 1910 was 329,877 acres, as compared with 209,149 acres in 1900, an increase of more than 57 per cent.

STRAWBERRIES AND MISCELLANEOUS VEGETABLES

The only important truck crop not included in miscellaneous vegetables is strawberries. This crop is produced in large quantities in the Atlantic coast, Gulf, and Pacific coast



groups. The territory in these groups, together with Missouri, Kentucky, Tennessee, Oklahoma, and Arkansas, grew 69,984 acres of strawberries in 1910; 93,155 acres in 1915; and 111,543 acres in 1916, an increase for 1916, as compared with 1910, of nearly 60 per cent in the territory estimated for.

Other important crops included in miscellaneous vegetables are: Asparagus in New Jersey, South Carolina, and California: cabbages in all of the States, the five leading States being New Jersey, Maryland, Virginia, Florida, and Texas; cauliflower in California and Louisiana; celery in Florida and California; cucumbers in Virginia, Florida, Texas, and California: lettuce in North Carolina, South Carolina, Florida, Louisiana, Texas, and California; onions in Louisiana, Texas, and California; peas in Delaware, Maryland. Virginia, North Carolina, South Carolina, Florida, and California: tomatoes in all of the States mentioned, but most heavily for the markets in Florida, Mississippi, New Jersey, Texas, and California; cantaloupes in California. Delaware, Georgia, North Carolina, Maryland, and Florida; watermelons, Texas, Florida, Georgia, North Carolina, South Carolina, and Alabama, these States being the principal centers of production in 1910. The total acreage for these six States was 68,059 in 1910. In 1915 the acreage of watermelons in the States named was estimated to be 81.198. an increase of over 19 per cent for the 5-year period.

SOME NOTABLE EXAMPLES OF LOCALIZATION AND RAPID DEVELOPMENT.

ASPARAGUS

Asparagus presents an example of localization and rapid development as an industry. In 1900 but two States, California and New Jersey, grew more than 1,000 acres each. In 1910 six States grew more than 1,000 acres each. The total for the six States was 7,034 acres in 1960 and 20,755 acres in 1910, an increase of about 195 per cent. During this period the single State of California increased its area to 9,399 acres, as compared with 7,034 acres for the six States in 1910; New Jersey was second in 1910 with 5,148 acres; Illinois third with 2,241 acres; South Carolina fourth with 1,773 acres; Pennsylvania fifth with 1,191 acres; and New York sixth with 1,003 acres. The total area for the United States was 25,607 acres.

CAULIFLOWER.

Of all truck crops cauliflower is the most restricted in area. In 1910 New York grew 1,720 acres, or nearly 50 per cent of the total production for the United States. Cali-

fornia grew 790 acres, the two States including more than 72 per cent of the total for the United States.

CELERY.

The production of celery was practically confined to six States in 1910, those States growing 12.413 acres, or more than 78 per cent of the total acreage for the United States. New York was first with 2,926 acres; California second, 2.881 acres; Michigan third, 2,850 acres; Ohio fourth, 1.473 acres; Massachusetts fifth, 1,187 acres; and Pennsylvania sixth, 1.006 acres. The same six States grew 7,148 acres of celery in 1900. The total area for the United States was 9,815 acres in 1900 and 15,852 acres in 1910.

LETTUCE.

But two States grew more than 1,000 acres of lettuce in 1910, and the total area for the United States was 5,450 acres. Florida led with 1.450 acres, and New York was second with 1.012 acres. California was third with 595 acres. and Louisiana fourth with 515 acres. The total for the four States aggregated 3.572 acres, or more than 65 per cent of the total acreage for the United States. In 1915 it is estimated that there were 4,164 acres of lettuce in Florida; 500 acres in the Beaufort district of South Carolina; 300 acres in the Wilmington district of North Carolina; and 750 acres in the Norfolk district of Virginia, aggregating 5,714 acres, or about 300 acres more than were reported for the United States in 1910. During the same period Texas with but 61 acres of lettuce in 1910 had increased its area to 2,800 acres in 1915, as estimated by the Department of Agriculture, while 1.000 acres are reported as grown in southern California in 1915.

GREEN PEPPERS.

The total area in green peppers reported by the census of 1910 was 3.483 acres. Of this area 1,882 acres, or more than 54 per cent of the total for the United States, were grown in New Jersey.

MARKET GARDEN, CANNING, AND OTHER TRUCKING CENTERS IN 1900 AND 1910.

It is not possible to secure any reliable data regarding truck grown in market-garden communities other than as furnished by the census. The census of 1900 described the territory tributary to New York City by counties, as follows: New York—New York County, Orange, Richmond, Rockland, and Westchester; Long Island—Kings, Nassau, Queens, and Suffolk; New Jersey—Bergen, Essex, Hudson, Middlesex, Monmouth, Morris, and Warren: Connecticut—Fairfield County.

The total area in truck crops embraced in this territory in 1900 was 35,581 acres. In 1910 the area in these counties was 40,371 acres, an increase of about 13 per cent. Eighteen crops were included.

The census of 1900 (Table XXIII) reported "118 canning, pickling, and trucking or market-garden centers in the United States," and gave the counties included in each district with the total acreage for each. It was, therefore, possible to compare these districts by counties with the census of 1910. From this comparison it appears there were 456,066 acres in the 118 districts in 1900 and 765,105 acres in 1910, an increase of nearly 68 per cent.

The following table shows the area tributary to 10 of the largest cities, as shown by Table XXIII of the census of 1900, above referred to compared with the same territory in 1910:

Area in vegetables in terri	ry tributary	to 10	cities, 190	0 and 1910.
-----------------------------	--------------	-------	-------------	-------------

Clty.	Area in specified vegetables.		City.	Area in specified vegetables.		
·	1900	1910	,	1900	1910	
	Acres.	Acres.		Acres.	Acres.	
New York	35, 5\1	40,371	Detroit	3,086	6,050	
Philadelphia	43,023	58,640	St. Louis	9, 917	9,334	
Baltimore	49,882	45, 905	Galveston and Houston	2,317	7, 267	
Cleveland	1,892	3,666	San Francisco	4,819	10, 474	
Cincinnati	9,397	9, 794	FD 4.1			
Chicago	11,871	15,043	Total	171,785	206, 544	

THE CANNING INDUSTRY.

The total area in corn, peas, and tomatoes reported to the Bureau of Crop Estimates of the United States Department of Agriculture in 1913, 1914, and 1915, as contracted for by canneries, is shown on the following page.

Area	in	corn,	peas,	and	tomatoes	contracted	for	by	canneries,	1913,
1914, and 1915.										

(rop.	1913	1914	1915
Corn Peas Tomative:	108,066	A crcs. 190, 178 126, 177 187, 077	Acres. 190, 106 101, 698 139, 837
Total	374,695	503, 432	431,641

The quantity bought outside of contracts reported to the Bureau of Crop Estimates of the United States Department of Agriculture in 1914 was 28,914 tons of corn. 5.864 tons of peas, and 199,081 tons of tomatoes. The total number of factories which may be engaged in canning one or more truck crops, as shown on the list of the National Canners' Association for 1915, is 2.412; of this number 735, or about 30 per cent, rendered no report and 405 of these are located in the States of Maryland and Virginia and were probably largely small canners of tomatoes. Of the 1.677 factories reporting in 1915, 365 reported idle, leaving a total of 1.312 factories reporting acreage under contract for one or more of the above crops. Eighty-four factories reported idle in 1913, 249 reported idle in 1914, and 365 reported idle in 1915. Of the factories reporting idle in 1915, 139 were located in Maryland and Virginia.

From a statement issued by the Bureau of the Census concerning the canning industry for 1914 it appears that the total value of vegetables canned in 1914 was \$84,413,667, as compared with a total value in 1909 of \$53,307,791, an inincrease of 58.4 per cent. This does not indicate an equal increase in acreage, but supports the increase in acreage indicated in the table above.

At least 14 vegetables are canned in greater or less quantities, corn (sweet), peas, and tomatoes taking the lead. A very heavy increase has occurred in the acreage of cucumbers grown for pickling, but complete figures are not available. The acreage in Michigan in 1915 may be cited as an example. The United States census of 1910 gave the total area in cucumbers for the United States as 32,310 acres, and the area for Michigan as 7,061, more than twice that of any other

State. In 1915 the area for Michigan was estimated by the State field agent of the Bureau of Crop Estimates, Department of Agriculture, after a careful canvass, at 34,260 acres, or about 6 per cent greater than the total area for the United States in 1910. It is not supposed that this ratio of increase has been maintained throughout the United States, but a heavy increase is indicated for this industry. It is estimated by the department that the product of about 16,000 acres of cabbage was manufactured into kraut in 1915.

The great extent of the area devoted to the production of truck crops would lead the uninformed to suppose the industry to be one comparatively certain to produce satisfactory results, but it is, in fact, attended with considerable risk. yielding the grower heavy returns in money one year and proving almost a total loss the next. Truck crops are generally very easily damaged by frosts, freezes, droughts, excessive moisture, and floods, and replanting at high cost is sometimes done several times before a crop is secured, or the crop is so damaged and delayed that it fails to bring a remunerative price in northern markets. A case in point is to be found in the early potato crop of 1915, which was harvested from the largest acreage ever grown in the South up to that year and was forced to compete with the largest northern crop ever produced for the early spring market. The result was that the price per barrel in many cases was below the cost of production to the southern grower. Floods in the same year completely destroyed 5,000 acres of onions in Hardin County, Ohio, and 2,000 acres of onions in Jasper County, Ind., the total abandoned acreage for that year amounting to more than 13,000 acres.

In fact, the year 1915, because of the unusually cold and backward spring, was very disastrous to truck crops in all sections of the country, with few exceptions. The exceedingly warm fall and winter of 1915–16, on the other hand, cut the production of lettuce almost one-half from North Carolina to Texas, and a number of frosts and freezes damaged all tender crops seriously.

The acreage devoted to truck crops has increased rapidly, and never so rapidly as during the last five years. This persistent increase is due largely to an urban population ever increasing in numbers and wealth, that demands green vegetables throughout the winter months. The total urban population in 1889 was 22,720,228, or 36.1 per cent of the total population of the United States. In 1909 it was 42,623,383, an increase of about 87.6 per cent, and was 46.3 per cent of the total population. This was a gain in numbers of 19,903,160 in 20 years, or nearly 1,000,000 per year. The significant fact is the gain for the urban of 10.2 points over the rural population of 1889, as compared with 1909, thus reducing the producing element proportionately while the consuming element increased heavily.

Transportation facilities have been improved to cater to this increasing demand, and the products of California and Texas are delivered in good condition in New York. Precooling plants at points of origin prepare the crops for shipment, and refrigerator ears in solid trains are rushed across the continent to deliver the green vegetables of the Pacific coast in the markets of the East. No section of the country is now too far away to market some portion of its winter and early spring crops in the great consuming centers of the East.

The maps accompanying this article were prepared by Middleton Smith, of the Bureau of Crop Estimates.




FIG. 44.




Fig. 45.




Fig. 46.




FIG. 47.




Fig. 48.




Fig. 49.




FIG. 50.




Fig. 51.




Fig. 52.




Fig. 53.




FIG. 54.

THE FUNCTION OF LIVE STOCK IN AGRICULTURE.1

By George M. Rommel,

Chief of the Animal Husbandry Division, Bureau of Animal Industry.

THE animal industry is the most important branch of the agriculture of the United States. With a total value so great that one can not visualize it, it has an annual production of two and three-quarters billions of dollars, which is greater than the cereal output in an ordinary year. It is three times as valuable as the annual cotton production or the hay crop, and the latter largely depends on the animal industry for its value.

All have read Ingalls's brilliant apostrophe to grass, and recall how he said that "should its harvest fail for a single year, famine would depopulate the world." Poetic and beautiful as that sentiment is, it is economically and hygienically sound.

Some form of forage is essential, fundamentally, to the maintenance of animals; the animal industry is essential to the well-being of a prosperous and permanent agriculture; and a diet in which animal products form a part is essential to human health.

The function of live stock in agriculture rests on seven main points.

THE MAINTENANCE OF SOIL FERTILITY.

The first and most important is the maintenance of soil fertility. An elaborate development of this point is not possible in this place. It may however, be illustrated by citing the report of the Thirteenth United States Census on Agriculture. Of the 10 States which lead in the value of animals sold and slaughtered on farms, all but two, Oklahoma and Kentucky, are among the first 10 in the value of all products. The two which appear in their places are New York and Minnesota. New York, by reason of leading in dairy production and hay and forage, holds a place among the first 10 in all products and Minnesota wins her place by reason of her prominence in dairying and cereals. Of the 10 leading

 $^{^{\}rm 1}$ This paper was presented at a meeting of the Second Pan-American Scientific Congress, Washington, D. C. \$467

cotton States, only 2, Oklahoma and Texas, are also among the first 10 in value of animals sold and slaughtered; Texas alone is among the first 10 in value of all products.

Taking St. Louis as the center, let a circle be described with a radius of 500 miles and it will include part or all of the 10 leading States in animal production, part or all of 9 of the 10 leading States in value of all products, and part or all of 9 of the 10 leading States in cereal production.

Surveys covering a period of years, made by the Iowa State College, show that the live-stock farms of the State produce much larger grain and hay yields per acre than the strictly grain-producing farms. To maintain soil fertility, humus is necessary. It can be obtained from two sources—green crops plowed under, or barnyard manure. In view of the fact that a large proportion of the fertilizing value of forage and feed appears in the manure, it is more economical to feed than to plow under without feeding. Therefore, the most economical and practical source of humus is stable manure. No fertilizer equals it in completeness and lasting qualities. The farmer who has an abundant supply of this fertilizer and who balances it with phosphates, and supplements it with nitrates for forcing crops, need never fear the approach of decreasing soil fertility.

THE MANUFACTURING FUNCTION.

The second function of live stock is to enable the farmer to carry out an important manufacturing process, thus completing a manufacturing cycle. He takes the lean, unfinished cattle, sheep, or hogs, and his grain and forage, all raw products, and by the application of intelligent supervision, skillful labor, and adequate equipment converts them into finished beef, mutton, pork, or dairy products. This is the process familiarly known as "marketing the farm products on four legs," and is much to be preferred to marketing on four wheels. With intelligent management the farmer thus obtains in terms of meat and dairy products a much larger profit than he could possibly derive by selling his crops in the raw state. This doubtless accounts largely for the fact that in most farming sections the most prosperous farmers are those who pay a great deal of attention to live stock. is of the greatest importance, especially in those sections of

the country which are just beginning to diversify their agriculture. In the Great Plains region and on most of the Federal reclamation projects it is, after the question of water for the crops, the most vital problem which farmers have to solve.

In the regions of settled farms, where cereal production leads all other forms of agricultural production, farmers have a difficult problem to adjust the necessity for live-stock raising with the high price of grain. We therefore see a second phase of this function in the use of live stock to convert into salable products those crops which for one reason or another have a low market value. At times the farmers of the northern part of the corn belt are at a loss to know what to do with the soft corn which early frost leaves on their hands. It is not marketable, and its only value is as a feed. Not knowing just how to dispose of it in this manner, farmers at such times send large numbers of immature pigs to market and curtail their cattle-feeding operations. The soft-corn problem, however, is an occurrence of only occasional importance. The constant problem of the farmer on high-priced land is how to keep his live stock economically. He can not afford to feed grain with a lavish hand. He must measure it by weight, not by volume. He must feed it at the time and in the manner to obtain from each bushel the maximum of gain in weight of milk produced or of work done. To the fullest extent possible he must utilize unsalable roughage. cornstalks go into the silo or into the shock as cut fodder. The straw and coarse hay are utilized to the last calorie of energy value to supply the maintenance requirements. Crops that animals such as hogs and sheep can harvest will be utilized.

MOTIVE POWER.

The third function of live stock in agriculture is to supply most of the motive power used on the farm. This is the most important engineering problem with which the farmer has to deal. In the aggregate our farmers have to determine every year the efficient application of about 25 million horsepower, an amount equal to about half the total available water power in the entire country, excluding Alaska. The proper hitches to use, the adjustment of harness, whiffletrees, etc., are problems which for successful solution

call for the correct application of some of the fundamental laws of physics. How to feed his work animals to get the maximum efficiency when at hard work, how to maintain them without serious deterioration when idle, are problems just as important and just as difficult as those of the engineer in charge of the furnaces of a manufacturing establishment.

What the effect of mechanical power on the future use of horses on the farm will be can not be predicted. Slowly but surely the auto-truck is driving drav horses from the city streets. Already the cheap automobiles have effectually put the driving horses off the country roads. The farm demand for several years has been the mainstay of the horse market, and the present tremendous exports have prevented a period of great depression of horse prices. If the farm demand hereafter is to be the chief outlet of the horse market, as no doubt it will, the question of the suitable horse for this market is highly important. The great ton drafter has been the aim of the farmer-breeder of the corn belt. That has been the horse which the city market demanded when in its prime. These horses are most valuable for moving heavy loads. With the increase in the weight and draft of farm machinery they have been also most useful for farm work, especially on heavy soils. The position of these horses on the farm is being attacked by the small tractor, and the tractor manufacturers believe that in time they will displace them. It has been observed time and again, however, that for each displacement of the horse has come an enlargement of industry which calls for further uses for horse-drawn apparatus. The question therefore is what type of horse the farmers of the future will need. This question can be answered only by speculation. Except for the heaviest farm work, such as plowing and hauling, the ton horse is not so suitable an animal as a smaller, more active one.

With the disappearance of the city demand for the heavy drafter, the farm demand will be met by breeding a lighter, more active animal. Therefore the next 25 years probably will witness, in the Percheron, for example, a return to the type of the French "diligence" horse, which was the early Percheron type, and an increase in the size and weight of the American breeds of horses the Standardbred. the Saddle Horse, and the Morgan.

THE PRINCIPAL SOURCE OF INCOME.

In diversified farming regions live stock as the money crop of the farm is a specialty business. In dairy districts it is, of course, the main activity, and every phase of farm management is bent toward it. Where farming has been long established, however, and the principal function of livestock feeding is to maintain soil fertility, those farms on which the live stock are the main source of income will be breeding centers for purebred animals. Only the most skilled animal husbandman can make a success of this business, and of those who engage in it successfully only the occasional man becomes really eminent, just as in any other profession. The great live-stock ranges pass with the approach of the homesteader or are limited to areas unsuitable for crop production. The large feeding stations in turn disappear with the increase in the price of land, and the Nation's supply of live stock is drawn from the production in small units, which in the aggregate make a total larger than was possible under more extensive conditions.

LIVE STOCK INCREASES THE INTEREST IN AND THE ATTRACTIVENESS OF FARM LIFE.

The fifth function of live stock is to make farm life more attractive and to increase the interest in it. The problem of how to develop agriculture by using for that purpose the best of the human life which has been developed on the farms is being attacked to-day as never before. The boys and girls who are born on the farm and have behind them the inheritance of generations of sturdy physique, clear thinking, and clean morals, and who come from life on the soil and in the fresh air, are the most valuable asset of the republic. How to encourage these young people to make farming their vocation in life transcends in importance all other problems of future agricultural development. great Federal agricultural extension act has for its purpose bringing directly to the farmers the fruits of the last 30 years of research in agriculture, but this act will fail of its purpose if its operations stop with the training of the adult farmer. In a generation the adults are gone. Their places must be taken by their own sons and daughters. Therefore the corn clubs, canning clubs, potato clubs, poultry clubs, calf clubs, and pig clubs have been organized among children of both sexes of school age. This movement promises more for the Nation than does the work with adults. Children are plastic; they adopt suggestions; they can learn. Too often the adult has become fixed in habits of thought and action, and try as he may, he nearly always lacks the adaptability of his children to grasp new ideas and methods.

The innate love of children for animals is one of the most potent forces which an agricultural-extension worker has at his command, and when the development of this trait is encouraged and the child thereby taught the importance of live stock in agriculture, something of the most fundamental importance to the agricultural development of the Nation is accomplished.

The organization of poultry clubs and pig clubs among boys and girls is one of the most important features of the club movement. They are found in all sections in many States. Probably most of the members are among the clubs organized by the Federal Department of Agriculture, in cooperation with the State agricultural colleges. On January 1, 1917, there were about 10,000 young people in the poultry clubs in 8 States, and 25,000 in the pig clubs in 14 States. This movement was started as an outgrowth of the organization of canning clubs among girls and corn clubs among boys. It was found impossible, however, to keep the boys out of the poultry clubs or the girls out of the pig clubs. Therefore no discrimination is made as to sex.

The plan of the Government, briefly, is as follows: On application from the State, the Federal department stations at the State agricultural college a specialist whose entire time is devoted to the direction of the club organization. At first this agent selects certain counties in which to work, and for the first year or two supervises most of the work himself. His aim, however, is to train the county agents and school teachers so that in time they can take full charge of the work, leaving the State agent's time for new work in other sections. The schools are a most fertile field for the organization of this work.

Each member of a poultry or pig club is required to hatch a setting of eggs or raise and fatten a pig, and render regular reports of his work. At the end of the year the members usually have an opportunity to compare the results of their efforts by exhibition at the county fairs or other places, and the winning animals at these exhibitions go to the State fair for further competition.

This work has been in progress ever since 1910, and since 1912 the Federal Department of Agriculture has been engaged in it. Already the exhibition of pigs and poultry from the clubs has become a prominent feature of some of the State fairs, especially in the South. Many of the members of the earlier years are now bona fide breeders, and many a boy is paying his way through college by the earnings from the animals in which he became interested as a club member.

METHOD, SYSTEM, AND BUSINESS ORGANIZATION.

The sixth function of live stock in agriculture is to improve the method, system, and business organization of the farm. The farm on which live stock are successfully raised must be managed in a methodical, systematic, businesslike, and sanitary manner. Farming is first of all a business operation, and no kind of farming calls for more business sense than live-stock farming. A grain farmer does not suffer seriously if his cultivating or harvesting is delayed a few hours, but the stock must be fed promptly, rain or shine. Therefore the efficiency of labor assumes great importance. If the live stock is a herd of pure-bred animals, accurate records are absolutely necessary and clerical ability of a high order is required.

The importance of sanitation on the live-stock farm is fundamental. The live-stock farmer need not be a trained veterinarian (though the more he knows of veterinary science the better), but he must be by instinct a sanitarian. He must recognize clearly the difference between things that merely appear to be clean and those which are actually, bacteriologically clean.

In the great majority of known cases human carelessness has been the most fruitful cause of the spread of contagion. In at least one county in which the Department of Agriculture has carried on work on the control of hog cholera, it was found that the most common known way in which the disease was spread was by visits to neighbors' herds. It is a prevalent custom, in some sections, to drag dead animals

out to a field without burial. Birds and dogs devour the carcasses and, if death was caused by a contagious disease, spread it over a wide area. Streams and irrigation canals also are common sources of contagion. In every case of carelessness such as this the community suffers, and every member of the community sooner or later pays his share of the cost.

With the increase in population and the cost of land, and the attendant cost of raising domestic animals, sanitation assumes a constantly growing importance on the live-stock farm. It is not alone with regard to direct profit, however, that the farmer must pay strict attention to this matter. This subject may be left with the simple reference to the fact that some of the most serious human diseases have their origin in the barnyard. Their existence not only affects the health of the families that come into immediate contact with them, but they may spread with disastrous results to neighboring towns and villages.

The farmer needs education on the matter of sanitation. He needs to appreciate more fully his obligation, not only to his own family, but to the community. By realizing the fact that insanitary methods will diminish or entirely inhibit the profits from his animals he will in turn the better fulfill his obligation to safeguard the health of the community.

THE IMPROVEMENT OF THE DIET—THE REDUCTION OF LIVING EXPENSES.

The last function of live stock in agriculture to which attention is invited is to reduce the family living expenses and introduce variety into the diet. It is a remarkable fact that a large number of farms produce only a small part of the food used by the family. The annual meat bill of the farmers of some of our Southern States, for example, is enormous. Their purchases are largely carried on credit, and the year's crop goes for the most part to meet the expenses incurred during its production. Debts accrue only to be replaced by accounts newly opened. That such a practice is wasteful and depressing is apparent. With chickens and pigs, a cow, and a few sheep, but little capital is required to reduce in great measure the annual money outlay of such farmers. This production of home-grown food can be made without

in the least limiting the crop output of the farm. It simply requires planning and a little more careful management.

The value of live stock in agriculture has been greatly emphasized by the announcement of the United States Public Health Service that the cause of pellagra is a dietary deficiency attributable to the excessive use of carbohydrate foods. This dreadful disease has been spreading with alarming rapidity, and the determination of its cause is a triumph of medical research. To an animal husbandman it is of especial interest to note that among the means of prevention advised are the keeping of a cow and the use of more milk, butter, and cheese; the keeping of a flock of chickens so as to have fresh poultry and eggs, and the increase of live-stock raising so that meat may form a larger part of the diet.

To recapitulate, the function of live stock in agriculture is fundamental. Soil fertility, the business success of the farmer, his happiness and contentment and that of his children, the health of the community, and the well-being of the farm family depend on the maintenance and proper management of as much live stock as the farm can economically support.

POSSIBILITIES OF A MARKET-TRAIN SERVICE.

By G. C. WHITE and T. F. POWELL,

Transportation Specialists, Office of Markets and Rural Organization.

IF the statement be true that more than one-half of the industrial and commercial energy of the civilized world is expended in the provision and preparation of food, it becomes all the more important, as the density of population and the economic conditions of the United States approximate those of the Old World, that the producing areas in the vicinity of large consuming centers be utilized to their full capacity, and that the products of such areas be accorded an efficient and economical transportation service.

Conditions controlling the commerce of England have developed a railway freight service characterized by light trains of high speed and frequent movement, cars of small capacity and very low minimum weights. The settlement of the greater part of the United States and its industrial development followed the advent of the railroad. The long distances separating the sources of raw material from the mills and factories utilizing it, as well as the character of the raw material, have developed high minimum weights for large cars of great weight capacity drawn in heavy trains by powerful locomotives. The development of these features of the freight service of the railroads of this country has received relatively more attention than has been given to the improvement of facilities for short-distance local traffic.

SPECIAL MARKET TRAINS.

The greater part of the trading at the principal live-stock markets of the United States is done on certain designated days each week, and special trains carrying nothing but live stock reach these markets in large numbers on those days. From a comparatively small area in the Imperial Valley of California approximately 5,000 cars of melons are shipped to market each year, the bulk of the crop being handled during four weeks in June. During the height of the shipping season special trains carrying nothing but melons move east across the desert. From certain of the Gulf ports special trains

carrying only bananas run on frequent and fast schedules to northern cities. Solid trains of milk daily supply New York City with that commodity. All these may be termed "special market trains," and, for the most part, they are additional examples of the efficient handling of long-distance, high-speed traffic of large volume.

In that section of the United States lying north of the Ohio and Potomac Rivers and east of the Mississippi, known in railroad parlance as official classification territory, has taken place the greatest industrial development of the country. Here is situated much agricultural land in small units, the individual farm yielding dairy products, poultry, small live stock, and fruits and vegetables, which mature at different seasons, and producing less than a carload quantity of any commodity at one time; here are our most populous cities, daily demanding a supply of perishable foodstuffs; and here density of population and economic conditions are beginning to approximate those of the Old World. In this section are presented many opportunities for developing the possibilities of a market-train service along the lines of the service now furnished by milk trains.

Steam and electricity in passenger transportation have relieved some of the congestion of the population of large cities, but the suburban development of residential districts has withdrawn a proportionately much larger area from tillage, until most of the market gardeners have been pushed back beyond wagon range of the city markets, and many of them beyond the range of the auto-truck. Coincident with this development has come the increasing demand for greater quantities of foodstuffs, and it becomes necessary, therefore, that the commutation passenger service of the large cities find its counterpart in a similar freight service. The relatively small number of postal cars as compared with freight cars, or even with express cars, makes improbable any considerable amount of relief by the parcel post at the present time, and express service has not fully met the need.

HISTORY OF THE SERVICE.

The limited market-train service maintained by certain of the roads serving New York City, and the somewhat more extensive service of the same kind maintained by roads serving Philadelphia, were foreshadowed in some of the marketing practices which developed with the construction of the first railroads in the United States. Following the analogy of turnpike operation, the first railroad companies furnished roadway only; horses were the only motive power; farmers furnished their own motive power, paid the necessary tolls for the use of the track, and hauled their produce to market in their own vehicles. An interesting account of the methods of that period has been left in the history of the Philadelphia & Columbia Railroad, which was formally opened for traffic in 1834.

More than 50 years later, in 1888, the reports of the Interstate Commerce Commission disclose a special market-train service by four of the railroads leading to New York City, and doubtless there were other roads that offered a similar service. The service consisted in transporting on the daily milk trains, in the same cars with the milk, such commodities as fresh meat, berries, butter, and eggs, and in returning to the shippers the empty containers, such as meat baskets, berry and egg crates, and butter carriers.

The rapid increase in the milk business and other conditions peculiar to its transportation and marketing in the course of time made it necessary to restrict the milk cars almost exclusively to the transportation of milk. However, many, if not most, of the tariffs covering the transportation of milk to Boston and New York include pot cheese as a commodity which may be included in mixed carload lots of milk, cream, and buttermilk. A railroad in Vermont and another in Massachusetts permit the transportation of butter in milk cars, and a road in Maine includes eggs. One road serving sections of Pennsylvania and New York and participating in the New York City milk traffic handles in its milk cars practically every class of farm produce except fresh meat. Another road serving an extensive section of New York makes tariff provision for a similar service by its milk trains. One of the trunk lines serving New York City has had in operation since 1890 a produce train giving a carload service for farm products on one of its divisions; and on another division the same class of commodities is given a less-than-carload pick-up service by milk trains.

THE PHILADELPHIA MARKET TRAINS.

The examples given of special facilities and service, in the transportation of less-than-carload quantities of farm products, are merely some of the best-known examples and, of course, do not include all the cases throughout the country to which attention might be called. The most conspicuous examples are the market trains running to Philadelphia over the rails of two of the carriers serving that city. A brief description of the service furnished by these two roads to near-by producing sections is of interest, both as showing what is actually being done and as suggesting the lines along which it would be possible for railroads that serve other large cities to inaugurate a similar service.

The first road runs its market trains over the several divisions only once a week. The trains leave the most distant stations, some 60 miles from Philadelphia, about 7.30 a.m. and reach Philadelphia about 2 p.m. Some of the cars used are box cars fitted with adjustable ventilators in the doors and in the side walls. Some of the cars are equipped with hooks along the walls for hanging fresh meat, a fact which makes it easier to keep the meat both clean and cool. Some of them are combination stock-and-poultry cars, one end being slatted for small live stock and the other end of the solid, box type for the reception of coops of poultry. Refrigeration by means of ice bunkers built into the cars is unnecessary because of the short time of transit. Some of the cars are assigned to the more important stations and are lettered with the name of the station to which they are assigned.

The rates named are any-quantity rates, and range from 10.5 cents to 28.4 cents per 100 pounds. They apply on "marketing," which is defined as including dairy products (except milk, or cream); poultry-yard products; products of the orchard, garden, or farm; fresh or dried fruits or vegetables; and such small live stock as calves, sheep, lambs, pigs, and hogs. The charges must be prepaid or guaranteed; and the rates apply only on shipments handled on designated market trains.

The railroad disclaims responsibility for loss or damage resulting from neglect on the part of marketmen to comply with its instructions, which read as follows: All marketing must be properly packed for safe transportation and protection against loss, theft, or damage to contents of packages, plainly marked with consignee's name, and promptly and properly claimed upon arrival of market train at destination.

The suggestion is made that, for obvious reasons, shipments should be accompanied by the owners, but the freight rate does not include the transportation of the owners; they have to pay passenger fare.

The facilities are excellent for handling and taking care of the shipments on the arrival of the market trains at Philadelphia. The terminal station for the market trains is centrally located, directly adjacent to a wholesale market, and is itself equipped with a cold-storage plant. Immediately on the arrival of the trains the shipments are unloaded. They can be transferred directly from the cars to the station cold-storage rooms, or to stores of dealers in the wholesale market. If it is desirable or necessary to take them to other parts of the city, it is possible to unload them directly from the cars into wagons backed up to the cars. Apparently the one thing lacking to make the facilities complete is a retail market or a row of farmers' stands along the sidewalk in front of the station. Under the plan of this railroad, the freight is handled and delivered in the same way as general merchandise.

The second road inaugurated its market-train service more than 25 years ago. The trains are run daily, except Sundays and holidays, and the speed is that of the average passenger train. The farthest point served is not more than 75 miles distant from Philadelphia; consequently there is no need for car-lot refrigeration, although some shippers at times do ice their own packages.

The rates charged the shippers are slightly higher than the first-class freight rate, ranging from 15.8 cents to 31.5 cents per 100 pounds and applying on "marketing" "carried on market or milk trains, when accompanied by shipper holding trip or excursion ticket." The tariff naming the rates is an intrastate tariff, and does not give a list of the articles or commodities included in the general term "marketing." The charges must be prepaid, and the rates include the return of empty containers.

The principal retail market of Philadelphia occupies the street-level floor of the passenger terminal of this company,

but this is not the terminal for its market trains. Freight arriving by market trains is delivered at freight stations at other points. On the whole, the facilities at these stations are not so good as those of the other road whose service has been described. Shippers or their representatives must be on hand, on the arrival of the trains, to claim and unload the consignments, as the carrier does not perform this service. The transportation is at owners' risk, the carrier disclaiming responsibility for count or condition of the packages on delivery.

A GENERAL SURVEY.

Any comprehensive discussion of a market-train service must include an account of the results and advantages of existing service, the probable advantages of a prospective service, the obstacles to be overcome to avoid failure, and the factors of cooperation necessary to success.

RESULTS AND ADVANTAGES.

It must be borne in mind that a market-train service, such as is discussed here, designed primarily for small producers and city consumers, is of equal advantage to the carriers, and is in fact an economic necessity. It is of no interest to growers whose production is sufficiently large to enable them to ship in carload lots; nor would it be of any advantage to those communities where cooperative associations have united to combine into carload shipments the output of many small farms devoted to the production of the same commodity. When the distance to market is so great as to make protection of perishable commodities by refrigeration necessary, shipping in carload lots is essential for that reason alone. Aside from the question of refrigeration, and regardless of distance, producers should combine their shipments into carload lots, whenever it is possible, for economy in transportation charges. But, for farmers living along a single operating division of some railroad, within a hundred miles of a large city, or along a branch line terminating at some large city, who can produce a variety of foodstuffs almost continuously the year round, a market-train service would be of the greatest advantage.

The fruits and vegetables on such farms mature at intervals throughout the summer; the dairy products, eggs, and

poultry, to say nothing of such commodities as apples and potatoes, can be shipped throughout the year as they are ready for shipment or as the market demands. There is not enough of any one commodity on a single day along the entire division or branch line to make a carload, even if it were otherwise feasible to combine it into a carload; and there is not enough of all commodities at one station on a single day to combine into a carload, even if the great variety of products and containers did not make it impossible to load the usual minimum weight into a single car. Such are the products of farms of this kind, and the success or failure of the farmers is in proportion to their ability or inability to market their products at a profit.

Other things being equal, the market nearest to him is the best market for the small farmer who produces a great variety of commodities and does not specialize on one or two. As has been shown, distant producers can reach any market with car-lot shipments, while the small producer here described, unable to ship in carload lots, is confined to the near-by market. His nearness to the market enables him to keep in closer touch with market demands, and he can quickly adjust his supply to the demand. To a distant shipper, large quantities in transit may bring loss by reaching destination on a falling market. In comparison with the large producer, the small farmer is doing a retail business. With a retail market adjacent to or in the city terminal of the market train, he would be in a still better position to do a retail business in every sense of the word and to sell directly to consumers.

This is just what was done during a part of the summer of 1912 in the case of a market train run to East Pittsburgh, Pa., by one of the roads serving that point. The farmers shipping by the train were organized in a farmers' exchange association, and the association had a representative at East Pittsburgh, who disposed of the shipments. Some of them were sold to wholesale and retail dealers, but the greater part was sold to factory employees. While the usual facilities of a retail market were wholly lacking, the service quickly developed a retail market, as sales were made in the railroad yard directly from the car to the householder. So popular had the service become and so great a reputation

had it attained at the time it was discontinued, that a more affluent class of people was beginning to take advantage of it, some of them coming long distances by automobile to do their daily marketing there.

Apparently all classes of people who bought supplies of foodstuffs here found some advantages over previous methods. It is quite evident that those who came long distances to buy got either a better quality of goods or lower prices, if not both.

This particular service was given for only 46 days during the months of April and May, when it was discontinued. The reason given for its discontinuance was that the terminal facilities were not satisfactory to the health authorities from a sanitary standpoint. The season of the year and the short period during which the train was run did not give sufficient opportunity to make a correct estimate of its probable continued success. Apparently there was no lack of patronage.

FACTORS NECESSARY TO SUCCESS.

Market-train service is not a panacea for all the ills that afflict the small farmer in the marketing of his products. Every item of labor performed by the farmer in serving the consuming public is from one point of view an element of his cooperation with others. From the standpoint of his returns for the service that he performs he alone is responsible for the efficient performance of many of the items of labor. Sometimes he fails to recognize fully his own responsibility in cooperative effort, and sometimes he is mistaken in the causes to which he attributes the failure to market his products at a profit. Again he alleges cheaper methods of production on the part of his competitor or a disadvantage against himself in the matter of freight rates.

Mention has been made of cooperative associations whose efforts are directed toward consolidating into carload shipments the output of many small farms producing the same commodity. A market-train service with adequate terminal facilities in the way of a retail market offers an ideal opportunity to the producing community served of forming a cooperative association for the sale of its products directly

to city consumers. No better opportunity can be asked for restoring the custom of direct exchange between producer and consumer, as far as it is possible to restore it. in those sections where changing economic conditions coincidentally have brought about the abandonment of that custom and have developed the necessity for a market-train service. With a representative of the association at the terminal to dispose of products directly to householders, all questions of variation of price on account of quality and condition are determined at the time of the sale by an actual joint inspection of the commodities by the seller and purchaser; no vexatious correspondence is afterwards necessary in adjusting claims—correspondence which may terminate established business relations by arousing mutual suspicion of lack of good faith; and, what is by no means the least important advantage, it is a cash transaction and the purchaser avoids the annovance of remittance by letter.

As a step toward the successful marketing of his products, the farmer must be brought to a realization of the justice of many of the criticisms against some of his methods. He must produce the commodities that the consumer wants; and only their superior quality will command prices higher than are being paid for the same commodities shipped from remote sections. If his products are not graded as carefully nor packed in containers as attractive as those of the long-distance stuff, he will not get the prices that are paid for the long-distance stuff. There is little sentiment in the daily replenishing of the family larder, and neither location of production nor short time in transit can long command a premium in the market as against quality. Home industries will be patronized in proportion as they show themselves worthy of patronage.

One of the roads furnishing a market-train service to Philadelphia states that if the service were not already established it is hardly likely that it would be established "in view of the very light yield of revenue therefrom." As the inauguration of the service in the beginning was the result of judgment based on careful estimates, no figures of actual operation being in existence, the statement would seem to indicate a desire to withdraw the service. The road that served East Pittsburgh in 1912 rendered a similar service at two other

cities. Butler and Allegheny, Pa., from 1907 to the close of 1914, when the service was discontinued. The service to East Pittsburgh was inaugurated under the jurisdiction of the passenger department, as it was intended at first to handle the shipments on passenger trains. Later it became necessarv to transfer it to the freight-traffic department. road handles a large volume of heavy traffic to and from the iron and steel mills in the Pittsburgh district. Eighty-eight per cent of its entire tonnage for the fiscal year 1915 consisted of products of mines, while its total tonnage of agricultural products and products of animals was less than fourtenths of 1 per cent of its entire tonnage. Under the circumstances it readily can be seen that a market-train service would be of little interest to its freight-traffic officials from the standpoint of either tonnage or revenue, while requiring proportionately much more attention and supervision.

It is true that some producers have begun to utilize the parcel post to some extent and that the reduction in interstate express rates which became effective in the early part of 1914 has attracted some shipments by express. In some sections freight service by interurban electric lines has afforded a slight measure of relief, but the advantages of that kind of service are too frequently offset by the lack of adequate and centrally located city terminals and the restrictions imposed on the running of freight cars through city streets. In some cases the growth of intermediate towns has attracted a considerable portion of the commodities that formerly went to the large city terminal. City boards of health have imposed restrictions making it necessary to exclude other commodities from milk cars, which increases the cost of performing the transportation service on lines where one car would hold all the shipments. This competition is pointed out by roads now giving a market-train service; and roads that do not now give such a service offer these and other facts as objections to its inauguration.

The small farmer is dependent on either local freight-train service, which is too slow, or on express service, which relatively is too expensive. The slowness of local freight-train service was pointed out in the Report of the Mayor's Market Commission of New York City, submitted in December, 1913, where it was said that it took from 10 days to 2 weeks to get

freight from some places distant for passengers only 2 hours from New York. The same conditions that now prevail with reference to the transportation of small quantities of miscellaneous foodstuffs formerly prevailed with reference to the transportation of milk to the large cities. The problem was solved in the case of milk, and it would seem that it can be solved as readily in the case of the other commodities. To cut off a city's supply of milk produces a crisis quickly; attention is called sharply to the situation, and a remedy is devised promptly. Lack of marketing facilities for the small farmer affects the producer more vitally than the city consumer, but the bad effects, while they make themselves felt more slowly, are none the less sure and none the less harmful to the community at large.

CONCLUSIONS.

A market-train service affords an excellent method of restoring, as far as it can be restored, where it has been abandoned, the custom of direct dealing between producer and consumer. It contemplates the shipper loading his products into the car at point of shipment and taking possession of them immediately on arrival of the train at destination. There should be a retail market, or at least a wholesale market, in or adjacent to the city terminal. The service is more valuable to the shipper than ordinary local freight-train service. The time in transit is practically that of trains carrying express matter, but collection and delivery is made by the shipper. Such a service, to be successful, depends on the organized effort of the producing community intelligently directed in sympathetic cooperation with the carrier.




FIG. I.-FISHER.

3285M




FIG. 2.-A RACCOON SKIN.



FIG. 3.—FEEDING A MINK.

B652M



FIG. 4.—A FRIENDLY FOX.

B650M




FIG. I.-MINK PENS.




FIG. 2.-PET BEAVERS.




FIG. 3.-A PAIR OF OTTERS.

B45Z

FUR FARMING AS A SIDE LINE.

By Ned Dearborn, Assistant Biologist, Bureau of Biological Survey

LL domestic animals originally came under the control of man by appropriation from the wild state in time of need. As cattle, horses, sheep, and poultry have been domesticated, distributed to the ends of the earth, and differentiated by careful breeding for specific purposes, so too will it be with our wild and valuable fur animals. great problem now confronting the fur industry is how to obtain from a waning source the necessary stock for its permanent development. To this there is but one solution: Domesticate the fur bearers and farm them, as has been done over and over with other animals. The killing pressure on those remaining in the wild state will then be reduced, the fur trade supported, and a new farm product developed. Believers in economy and diversification will utilize the beef and chicken heads, the horse flesh, and the milk they have heretofore been wasting, in taking up fur farming as a side line, profitable as a by-product of the regular farming operations and pleasurable in the care of lively and beautiful pets.

The demand for fur has existed since primitive man first sought skins to shield his naked body from the cold. It is fundamental and will endure while man inhabits the earth and furs are to be had. Its strength can be judged by the volume of trade it supports. In 1913 the dressed and manufactured furs imported into the United States were valued at more than \$15,000,000. North American furs annually marketed in the United States and England have an approximate value of \$60,000,000. These figures show the commercial importance of fur, and in addition to this the fur trade furnishes a livelihood for many thousands of workers in the factories and stores of this country.

In the history of the fur trade, two facts are prominent: (1) The finer and more durable kinds of furs, as beaver, otter, mink, and marten, have become so scarce as to be largely replaced by the coarser and thinner grades which

formerly were regarded as of little or no value; (2) the choicest furs are now bringing fabulous prices. Although the whims of fashion influence prices of furs, the fluctuations thus produced are compensatory. When one kind is cheap because fashion temporarily neglects it, another is dear because of her temporary favor. The dark, thick, soft, and glossy furs, however, like rare jewels, are scarcely affected by passing styles.

The demand for fine furs and their scarcity have made possible the introduction of fur farming, either as a special business or as a side line. It is open to all who love animals and have at least a back yard in which to keep them. Several species have been tested in captivity, and when rightly managed have yielded satisfactory returns. Several other species may do equally well. especially since the production of superior strains is always possible by selective breeding. The food required is mainly the same as that fed to dogs and cats, and may include table refuse, milk, butcher's waste, and horse meat. The labor of attending the animals is light. Professional men and women, as well as the mistress of the farmer's household, may take just pride in wearing furs of their own raising.

FUR ANIMALS ALREADY DOMESTICATED.

Among the score or more of different kinds of fur-bearing animals native to North America about a dozen seem to be suitable for domestication. Of these, the skunk, the mink, and the silver fox have been bred successfully in captivity in widely scattered localities.

The skunk family is peculiar to the Western Hemisphere, and those members having valuable fur belong mainly within the limits of the United States. Notwithstanding its extraordinary means of defense, which has caused it to be generally regarded with abhorrence, the skunk is coming to be recognized as a very useful animal when at large and one of the most easily domesticated when captive. Its common occurrence in settled districts and the remunerative prices offered for black skins encouraged some of the friends of the skunk to undertake its domestication about 30 years ago. To-day the number of skunk breeders in this country is greater than that of all other breeders of fur bearers com-

bined. The animal tames quickly, is gentle, and is easily managed. The fact that it remains in its den during the severe weather of winter makes it more easily cared for than most other animals. Its fur is of medium length, erect, and possesses a brilliant sheen. These qualities make it very attractive. Unfortunately, protracted use causes it to fade from a glistening black to a dull reddish brown. The average of New York quotations for the best skunk skins during the past 12 years is \$3.

Minks appear to have been the first of the wild fur bearers to be domesticated in this country. Nearly 50 years ago a resident of Oneida County, N. Y., began to breed them, and for a considerable period exhibited his tame pets at fairs and sold them for propagation. At that time the high prices incident to the Civil War made mink raising profitable. Skins were high, and live animals for breeding stock brought \$30 a pair. The period of financial depression which followed made mink farming unprofitable and for many years it was abandoned and forgotten. Recently it has taken on new life, and where conditions of management and food supply are favorable, has been decidedly satisfactory to those engaged in it. Mink fur is exceedingly durable, ranking in this respect among the very best. With care it will last a lifetime. It is rather short, but very thick and soft. The guard hairs do not break readily, nor has the underfur a tendency to become matted. Although sunlight gradually gives its original dark brown color a warmer tone, its beauty is but slightly lessened. New York quotations for prime No. 1 northern mink skins during the years 1905-1916 range from \$1.25 to \$9 each, the average being about \$6.75.

Among the progeny of a pair of red foxes it occasionally happens that one or more markedly differ in color from their parents. The underparts are black instead of white, and the upperparts also are more or less black. When the dark areas on the upperparts are concentrated in two stripes, one along the middle of the back and the other across the shoulders, and the sides are covered with a varying mixture of red and black hairs, the animal is known as a cross fox. When the red hairs of the upperparts are entirely replaced by black, the white hairs remaining as usual, it is a silver fox.

When all but a few of the white hairs are replaced by black. it is a silver-black fox. A prime silver fox skin is a rare and beautiful object, and, as such, commands a high price. Breeding silver foxes was first undertaken upward of 20 vears ago on Prince Edward Island, Canada. There are now many successful fox farms in Canada and a considerable number in several of the more northern States. Foxes are naturally timid, but, if taken in hand when quite young, can be made very tame, although tameness does not seem to be an essential to success in breeding them. Fox fur is soft and rather long. Its beauty is entirely in the long guard hairs which overlie the underfur. It is not very durable, as the guard hairs break after a few seasons' wear, leaving the less attractive underfur exposed. The average of quotations for the best grade of silver fox skins during the past 12 years is about \$600 each. Numbers have been sold for less than \$100. while very many have brought far more than the average quotation here given.

FUR ANIMALS WHICH MAY BE DOMESTICATED.

That foxes, minks, and skunks, although presenting great differences in habits and temperament, have been brought into domestication indicates that other kinds of fur bearers also may eventually be tamed and bred in inclosures. Among the species that have been partially tested for this purpose are the marten, fisher, otter, blue fox, raccoon, and beaver, each of which is adapted to definite environmental conditions and to specific purposes.

Martens naturally inhabit the northern coniferous forests from coast to coast, extending northward to northwestern Alaska and southward along the mountain ranges to California, Colorado, and Pennsylvania. They are nervous, active creatures, but bear confinement well and are not difficult to tame. They have been bred on fur farms in Alaska and in several places in Canada. Their size is about twice that of minks. The fur, which is very soft, somewhat resembling that of foxes, is about 1½ inches long when prime. The color varies, individually, from pale gray to orange-brown and dark brown. The average of quotations for the best grade of marten skins during the past 12 years is about \$20 each.

The fisher, a member of the same family as the marten, is found over much the same range of territory, although it does not extend so far north. Its weight is about the same as that of the red fox, but its short legs give it an altogether different aspect. Although able to climb trees. it spends much of its time on the ground. Being no longer common, few efforts have been made to domesticate it. It has been tested sufficiently, however, to demonstrate its ability to thrive and increase in confinement, a sufficient reason for assuming that it will ultimately be bred regularly for its pelt. The color of fishers varies from gravish brown to nearly black. The fur when fully developed measures about 23 inches in length. It is used mainly for muffs and neck or shoulder pieces, the large, bushy tails being particularly effective. The average of New York quotations for fisher skins during the past 12 years is about \$20 each.

One of the most promising fur bearers for propagation in localities having an abundance of water is the otter. When captured young this animal tames readily and makes an engaging pet. It is said that the otter found in southern Asia is sometimes trained to catch fish for its master. A pair of otters in the National Zoological Park, Washington, D. C., have recently reared a litter of four young. Although essentially aquatic and very fond of disporting in water, they do not require a great quantity of it. Otter fur is about an inch long, erect, and very thick. It is very durable, ranking with mink fur in this respect, and is used chiefly for trimming garments. The average of prices quoted for the best grade of otter skins in the past 12 years is about \$20 each.

Another animal that has attracted considerable attention in this connection is the blue fox, a dark slate or brown phase of the white or arctic fox. It is more docile than the red fox, but for some unknown reason has not been bred in inclosures with nearly the degree of success achieved with varieties of the latter species. It has, however, been propagated satisfactorily on several of the Alaskan islands, where the only limits to its movements are those set by the sea. Whatever the nature of obstacles encountered by those who have attempted to raise this animal in confinement, it is

probable that eventually they will be overcome, and that persons living in the colder portions of the country will be able to wear blue fox skins of their own raising. Blue fox fur is nearly 2 inches long, and is very fine and thick. The average American quotations for the best grade of pelts for the past six years is about \$44.

That the raw material for handsome and comfortable raccoon-skin coats can be produced in a spare corner of one's back vard seems to be an established fact, judging from the results attained by the few who have undertaken to raise the raccoon. This animal is distributed over the greater part of the United States, being absent only in desert and high mountain regions. It is nocturnal, and at home both on the ground and in trees. Water is essential to its welfare, but large quantities are not needful. Its nightly range is often along the shores of ponds or streams, and its food is generally washed before being eaten. In a number of instances raccoons have been bred successfully. From a strictly commercial standpoint they are not likely to become popular. however, for the reason that if their food must be purchased its cost will be prohibitive. On farms where there are milk. fruit, and corn meal in plenty raccoon raising is well worth a trial. When taken young raccoons become very tame and make quaint and interesting pets. Their fur is mottled grav in color and about 24 inches long on animals from northern States. In the South the fur is shorter. The average price for the best pelts is about \$2.50.

Judging from the few experiments made with it, the beaver may be raised in any region containing alder, aspen, cottonwood, willow, or other trees upon which it feeds. Unlike the species hitherto considered, it subsists entirely on vegetable food. Although armed with enormous cutting teeth suitable for felling trees, beavers are tolerant among themselves and docile with their keepers. Fully grown specimens trapped wild become so gentle within a few weeks that one may handle them without danger of being bitten. Beaver fur has long been extensively used in making muffs, stoles, collars, trimmings, and the finest quality of felt hats. The average price in recent years has been about \$8 a skin.

CHOICE OF SPEICES.

In making a deliberate choice of species to be propagated for fur, one should give due consideration to climate, the character of his immediate surroundings, his available space and capital, the nature and quantity of food materials at hand, and the convenience of securing breeding stock. The climate best suited to each animal is indicated by the natural distribution of that animal in the wild state. Thus, skunks, which are not found north of the temperate belt, are not likely to do well in Alaska, nor would one think seriously of attempting to breed arctic foxes in a southern climate.

The climate in the northern tier of States and southward along the mountain ranges to northern California, Colorado, and West Virginia is favorable for all of the animals that have been mentioned. Alaska is not suitable for raccoons and skunks, nor, excepting the warmer timbered part along the southern coast, for fishers. The arid Southwest and the Great Basin, between the Rocky Mountains and the Sierra Nevadas, are entirely too dry and sunny for fur raising. In the Central and Southern States one may raise minks, skunks, otters, and raccoons, although it should be clearly understood that the farther south fur is produced the thinner, shorter, and less valuable it is.

Next in importance to climatic conditions are those of capital, situation, space, and food supply. The capital necessary to build a two-pair fox ranch and stock it with four choice silver foxes will be not less than \$2,000, according to prevailing prices, and it is likely that considerably more than this will be required. If stocked with cross foxes the cost will be much less, but even in this case it probably will amount to \$600 or more. The cost of installing a blue-fox ranch will generally exceed that required for cross foxes. It may ultimately appear that blue foxes are not adapted to live in captivity, but this can not be determined until they have been subjected to extensive tests. Foxes can not be kept in thickly settled communities, as they have an objectionable odor and do not breed well when frequently disturbed.

The cost of installing and stocking a mink or skunk ranch is comparatively small, depending somewhat on location. Material for a single pen for either of these animals can be bought for about \$2. Minks usually sell at from \$8 to \$12 each, and skunks at from \$2 to \$8, according to quality. Minks and de-scented skunks can be kept in an ordinary back yard, provided it is partially shaded. Ranch-bred minks and skunks are regularly advertised in publications devoted to fur interests.

Fishers, martens, and raccoons, although not requiring nearly so much outlay as foxes, must be confined in strong inclosures and be given room for enough activity to keep them healthy. Shade is essential to all. Most of those offered for sale have been caught wild. Prevailing prices for fishers range from \$50 to \$75 a pair, for martens from \$35 to \$65 a pair, and for raccoons from \$5 to \$8 a pair. The materials for a pen to accommodate one of these animals costs about \$25.

One should not attempt to raise otters or beavers unless a constant supply of running water is at hand. Moreover, there should be an unfailing source of fish which can be obtained at slight expense for otters, and fresh leaves and bark of trees for beavers. The best locations for these animals are among the mountains, where brooks run swift and clear, and trees cover the slopes. There is no regular trade in either of these species. Otters are rarely offered for sale, as those caught by fur gatherers usually die in the traps. In most of the States where beavers are still found wild it is unlawful to capture them. It is generally necessary, therefore, to import beavers that are to be used for propagation. In Canada they have been sold at about \$50 a pair. The cost of pens for otters or beavers can not be definitely stated, as they will vary with the location and character of the site.

INCLOSURES.

The first step in preparing to propagate fur animals is to construct suitable inclosures. In selecting a site for an inclosure it must be borne in mind that a certain amount of shade is essential to the comfort of the animals and to

the development of flexible, dark-colored fur. Young deciduous trees are preferable for making shade, as mature trees are likely to be shattered by storms and in falling to demolish pens and injure or kill the animals. Evergreen trees are undesirable from the fact that they shut out sunshine in winter as well as in summer. Water is an essential, and, if possible, pens should be so located that an abundant supply can be brought by gravity to each. Materials for inclosures consist mainly of lumber and galvanized-wire netting; and in larger and more permanent structures concrete is sometimes used for foundations. Each animal requires individual quarters, particularly during the breeding season. Every complete inclosure comprises a yard or runway, usually of wire netting, although boards or galvanized sheet iron are sometimes used, and a lightproof and waterproof den, usually made of wood. Dens are often made with two compartments, the one entered from outside being designed for a shelter and feeding place, the other, opening into the first, being the sleeping compartment. A sliding door is placed at the outside entrance. Wooden dens should be raised a few inches from the ground to keep them dry. Glazed tile has been successfully employed for dens. facility with which tile can be disinfected is a point in its favor. All dens should be made so as to be readily opened for cleaning.

The best fox yards are about 50 feet square. The walls extend well into the ground or to a concrete foundation and are from 9 to 12 feet high, depending on the snowfall. They are generally built of $1\frac{1}{2}$ or 2 inch poultry netting, No. 15 or 14 wire, and provided with an overhang at the top to prevent the animals from scaling them.

Inclosures for otters, raccoons, and beavers may be built on the same general plan as for foxes, but need not be more than 5 or 6 feet high nor more than 15 or 20 feet square.

Minks can be kept in pens as small as 4 feet square, though it is better to have breeding pens about twice this size. An excellent style of pen suitable for minks and skunks can be made on the same plan as ordinary portable chicken coops, having a double-compartment den 15 or 18 inches wide and high and 3 or 4 feet long, to which is attached a runway of

1-inch mesh, No. 16 gauge, poultry netting. This runway has floor, sides, and top of netting. The top is made in a separate piece, as a door, and is hinged to the top rail of one side and hooked or locked to the top rail of the other. Such pens are inexpensive and, when the woodwork is kept painted, are very durable. The ease with which they may be moved from place to place is particularly advantageous.

Pens for martens and fishers must be constructed of the strongest wire obtainable and have the top and floor, as well as the walls, made proof against their strength. Although 1-inch mesh, No. 16 gauge, poultry netting will generally hold them, such has not invariably been the case. The style of netting known as chain netting, while more expensive, is safer and more lasting than the regular style of poultry netting. Such pens should be at least 8 feet square and 8 feet high and contain branches or the tops of trees to allow the animals to exercise their propensity for climbing.

It is always advisable to surround each group of inclosures with a high fence which can neither be scaled nor undermined, as almost inevitably, sooner or later, some of the animals escape from their pens.

FOOD.

Beavers in their native haunts eat grass, herbs, roots, foliage, and the bark of aspens, alders, birches, maples, willows, and other deciduous trees. When in captivity they readily accept bread, grain, and garden vegetables. In addition, it is thought necessary to supply them with foliage and bark of trees to the extent of perhaps a third of their food. Wild otters live mainly on birds and such aquatic creatures as fish, frogs, and crawfish. In captivity they are usually fed on fish, but when this fails they readily accept raw and cooked meat. It is not known to what extent they may be fed on other kinds of food. Minks, martens, fishers, skunks, foxes, and raccoons thrive on the diet ordinarily given to dogs and cats. While young they are fed mainly milk on bread, crackers, and graham or oatmeal mush, to the exclusion of meat, which is likely to give them rickets. Meat or fish must be included in the diet of adults, but whether extensively or sparingly depends upon its cost rather than upon any exacting requirements on the part of the animals. A variety of food is necessary, however. Fruit, boiled carrots, mashed potato, and all sorts of table refuse can be mixed with regular cooked rations to excellent advantage. The meat used may be beef, mutton, horse flesh, chicken heads, or other butchers' waste, or the flesh of rabbits, woodchucks, or ground squirrels. Food that has begun to ferment or decay should not be used. There is no economy in giving animals unwholesome food.

Surplus meat may be preserved by salting or drying. Salt meat or fish should be sliced and freshened, preferably in running water, before being used. Meat for drying is sliced and exposed to air and sunshine or the heat and smoke of a small open fire. Where conditions are unfavorable for rapid drying, the meat may be dipped in a saturated solution of hot brine before being put on the drying racks. Ice is useful in keeping food from spoiling for a few days, but should not be relied upon to preserve large quantities of meat unless used in carefully constructed refrigerating houses.

Meat suspected of being infested with parasites or disease germs should be boiled. Rabbits and other rodents should be eviscerated, as their internal organs often contain tapeworms or other parasites. Rabbits intended for young animals must be skinned to avoid the formation of stomach balls of felted hair. Adults are not likely to eat enough rabbit fur to injure them. A certain quantity of hair, feathers, and other roughage is probably beneficial. Bone is undoubtedly an essential element of food for growing animals. By passing meat containing small bones through a grinding machine such as poultrymen use, the bone is made digestible and danger of choking is avoided. Large bones bearing fragments of meat are useful for strengthening teeth, and for quieting nervous animals by giving them something to do.

Only as much food as can be eaten immediately should be given at a time; otherwise it is likely to be stored in the nest and become offensive. In regulating the diet of fur animals, it is important to remember that they must be made fat before being killed for their pelts, and kept lean when they are to be saved for breeding.

BREEDING.

As success or failure in fur farming hinges largely on the course of events during the breeding season, it is important that the instinctive habits and the temperamental characteristics of the animals, as well as the location and arrangement of pens and the manner of feeding, be carefully considered. In the wild state foxes and beavers have but one mate, while raccoons, otters, fishers, martens, and minks are polygamous. Although in rare instances male foxes in captivity have been mated with two or three females in the same year, such matings as a rule are unproductive. On the other hand, breeders of minks and skunks regularly mate a single male with from four to six females. In all cases it is well to allow the individuals proposed for mating opportunity to become acquainted by occupying adjoining vards a few days before being allowed to run together. It is not practicable to attempt to mate animals that disagree, and when first paired they should be watched in order to prevent violent quarrels which may result in serious injuries or death. Foxes and raccoons may be kept in pairs from the time the young are weaned until the succeeding litter is a month old, providing the male is good natured; if inclined to be snappish, however, the male should be removed to his own pen before the young are born. The other carnivorous species are best kept singly except for a short time in spring. An animal that has killed its mate should never be trusted again unless deprived of its canine teeth.

Breeding pens should be thoroughly cleaned and disinfected throughout shortly before the young are expected. Foxes do not care for nesting material, but the smaller animals need it. If soft dry grass or leaves be placed in the yards, the animals will carry the material into their dens and arrange it to suit themselves. Unless the dens are shaded they will become very hot in the middle of the day and the young are likely to suffer. Special care should be taken to prevent unnecessary disturbances to the young while unable to leave the den, as these may cause the mother to carry her babies about in search of another den, and thus to maltreat and expose them beyond the limit of their endurance. An important point in the care of brood animals is to avoid any-

thing that is out of the ordinary run of their existence. If possible, they should have the same treatment and the same keeper at all times. The keeper should see how the young are getting on from day to day, and he should prepare for this long beforehand by practicing, as a part of his regular routine, whatever operations may be necessary to accomplish this. By inspecting the dens daily he can establish an habitual course of action on the part of the animals which will disarm their anxiety when he essays to examine their young.

A useful auxiliary in any fur-raising establishment is the domestic cat, which is ever ready to adopt a family of helpless young animals, regardless of pedigree or relationship. Supporting a few extra cats on a fur farm is, in reality, the premium paid for insurance against loss or damage to the crop. In general, about the time young animals first appear at the entrance of the den they are old enough to drink milk and, therefore, to be weaned if necessary. If it is desired to have them become very tame and to make pets of them, this is the time to take them away from their mothers and bring them up by hand. In no case should they be allowed to remain with the mother long enough to make her very thin in flesh. As young animals are not inclined to be guarrelsome a number of them may be allowed to run together in a large inclosure during summer and early fall if several sleeping boxes and feed pans are provided.

The principles of heredity that apply to ordinary domestic animals apply also to these. Fine animals can not be expected from poor breeding stock. In selecting breeders, size, color, temperament, and fur should be considered. There are great possibilities of improving animals by selective breeding, and the common policy of culling the poorer specimens and keeping the best, if consistently practiced, will unquestionably result in breeds of much greater value than that of the wild stock from which they originated.

DISEASES.

The more common diseases affecting fur animals are enteritis or inflamed intestines, pneumonia, diarrhea, and degenerated kidneys, all of which may largely be prevented

by judicious care in housing and feeding. Pneumonia results from exposure and is likely to attack animals that have recently been trapped or shipped. It rarely occurs when they are kept in dry and well-ventilated quarters. The symptoms of pneumonia are loss of appetite, dry nose, and rubbing of throat and chest on the ground. Very little can be done for animals suffering with this disease beyond giving them clean, dustless bedding and keeping them in pens that are warm and airy but free from direct drafts. Diarrhea is caused by improper feeding. It should be the invariable duty of keepers to take note daily of the excreta of animals under their charge, and to change the diet of any showing signs of this disease. An excessive proportion of vegetable food, fats, and impure water; fermented or putrid food; and over-feeding are among the causes of this malady. A diet of milk, eggs, and fresh lean meat, given in moderate quantities, if begun promptly, is usually sufficient to correct any kind of bowel trouble. Animals that are allowed to become fat and remain so are almost certain sooner or later to die from degeneration of the kidneys. In its later stages this disease is characterized by emaciation, nervousness, and a bloodless appearance of the tongue and gums. When an animal has reached this condition there is very little chance of saving its life. This disease may be avoided by not allowing animals to become fat and by keeping those showing a tendency to do so mainly on lean meat, fish, and milk.

The peculiarities of individual animals will not be neglected by alert keepers. The moment one departs from its ordinary behavior, the reason should be sought. If a regular meal is refused or neglected, a day's fast followed by a change of food should be tried at once or sickness is likely to follow. Particular pains should be taken to give ailing animals a varied diet, clean water, and surroundings that are sanitary in every particular. Sick animals and those newly purchased should be kept in quarantine apart from the main yard for at least three weeks. There is very little use in dosing the smaller species. The tax on their vitality caused by their struggles outweighs the effects of medicine. Those the size of a fox can be treated with better prospects of success.

Injuries usually demand treatment. Shattered limbs should be amputated. Simple fractures will usually knit

satisfactorily if the limb is set with splints. Wild animals taken in steel traps have survived, although maimed, after having had the injured member bathed with spirits of turpentine. An excellent antiseptic for fresh wounds is a 3 per cent solution of carbolic acid. Hydrogen peroxide is useful in cleansing sores and old wounds.

In handling animals requiring medical attention studious care and tact should be exercised. Minks, martens, skunks, and fishers, which are very strong and lithe, may be treated either in a small wire cage or in a slightly tapering funnel or cone of wire netting, into which they are driven until they reach a point where they fit so closely they can neither advance nor turn about. They can be held there by a stick thrust across the funnel behind them. Larger animals are usually picked up by the base of the tail or by means of special tongs made to clasp the neck. They are frequently rolled in a blanket or gunny sack to keep them from biting or scratching. Whatever is necessary to be done should be undertaken quietly after due preparation.

CARE OF SKINS.

The first step in the care of skins is involved in the killing. Skins of animals slaughtered by a blow are thickened and bloodshot at the spot where the blow falls. A bullet through the brain from a .22 caliber rifle kills an animal instantly, causes no swelling of the skin, and results in very little blood stain on the fur. The best results, however, are to be obtained by means of an anesthetic, as carbon bisulphide or chloroform, introduced into a clean, well-made box having a tightly fitting cover. This method of killing is humane and leaves the skin perfect. The more valuable animals, at least, ought always to be killed in this manner, as blood stains detract from the value of fur.

There are two ways of skinning fur animals, depending upon the shape in which the pelt is to be marketed. Beaver skins are always stretched flat, in a nearly circular shape, both the hair side and the flesh side being thus made available for inspection. They are cut on the underside from chin to tail and from each foot along the inner side of the leg to intersect the main opening nearly at right angles. The customary way of stretching a beaver skin is to lace the edges to a wooden hoop having a diameter somewhat larger than that of the skin. This produces what is called a flat skin. Pelts from the other animals under discussion are cut only along the underside of the tail and from heel to heel across the posterior end of the body, the skin being turned inside out as the body is withdrawn. The tail, feet, and bases of the ears are skinned out with care.

Such skins are drawn, flesh side out, over a tapering piece of board, the shape and dimensions of which permit them to dry in their natural size and proportions without wrinkles. The forward end of a stretching board should be reduced to a narrow tip that will project through the mouth of a skin half an inch or more. When a skin is dry and shrunken, a blow from a hammer on this projecting tip will loosen the board, which otherwise could be removed only with difficulty and danger to the skin. Stretching boards are sometimes cut lengthwise in three pieces, or strips, the middle one being a wedge, which makes them adjustable to skins of different size and easily removed after the skins dry. Skins thus prepared are called "cased skins." They should be dried in a cool, shady, airy place without artificial heat, unless in a climate so damp that drying without heat is impossible. Even then care should be taken to prevent overheating. Fox skins are removed from the boards and turned hair side out before they are entirely dry. Other kinds of cased skins are sold flesh side out. All skins should be divested of loose fat while they are fresh, and those impregnated with fat, as skunk skins, should be disposed of promptly. The effect of fat on skins is to harden and break down the tissue, making them brittle and worthless. Fox skins and others that are thin, firm, and not greasy may be kept safely in cold storage or in insect-proof cabinets lined with sheet metal, tarred roofing paper, or other suitable material. The cabinets should be kept in a cool place and so built that the skins may be hung by the nose, and not laid in piles, as piling has a tendency to lessen the fluffiness of fur.

If one wishes to dress his own furs the following recipe for a tanning liquor may be used, but time and patience are required to produce soft, pliable skins, as the process is largely one of manipulation: To each gallon of water add one quart of salt and a half ounce of sulphuric acid. mixture should not be kept in a metal container. Thin skins are tanned by this liquor in one day; heavy skins must remain in it longer, and will not be harmed if left in it indefinitely. When removed they are washed several times in soapy water, wrung as dry as possible, and rubbed on the flesh side with a cake of hard soap. They are then folded in the middle, hung lengthwise over a line, hair side out, and left to dry. When both surfaces are barely dry and the interior is still moist they are laid over a smooth, rounded board and scraped on the flesh side with the edge of a worn flat file, or a similar blunt-edged tool. In this way an inner layer is removed and the skins become nearly white in color. They are then stretched, rubbed, and twisted until quite dry. If parts of a skin are still hard and stiff, the soaping, drying, and stretching process is repeated until the entire skin is soft. Fresh butter or other animal fat worked into skins while warm and then worked out again in dry hardwood sawdust, or extracted by a hasty bath in gasoline, increases their softness.

COOPERATION OF BREEDERS.

Breeders of fur animals should bear in mind that cooperation is the keynote of progress. If breeders of ordinary domestic animals find it advantageous to form associations for mutual help and encouragement, how much more will it be to the advantage of fur farmers, who are dealing with a group of animals new to domestication, to contribute their individual discoveries to the common fund of information, meet one another, discuss methods, adopt breeding standards, and unite in an effort to place their specialty in a proper light before the public, for there is considerable misapprehension regarding the character of their work.

Much of the improvement that has taken place in the various kinds of live stock has been due to the object lessons

afforded by public exhibitions. The breeders of fur-bearing animals can help themselves individually and collectively by consistently preparing their finest specimens for exhibition at fairs and shows where people interested in animals assemble.

Too often the project to domesticate fur-bearing animals has been judged superficially. For example, the possibility that persons having animal pens may become poachers and capture young animals in the close season simply for the purpose of killing them for their pelts later in the year has frequently outweighed in many minds the palpable impossibility of satisfying the demand for fur by any means other than the domestication of fur bearers, and the practical certainty that as fur farming develops the present tireless pursuit of wild fur animals will decrease. As a result, fur farmers in certain States have been obliged to pay annual license fees, to give bonds, and to submit to various restrictions in the sale of breeding stock. In other States, however, the owner of a fur farm has exactly the same property rights in his animals and the same freedom in the conduct of his business as the owner of a sheep ranch or of a poultry farm. The cause of the fur farmer is intrinsically sound, and those interested in it have only to unite and fairly state it to gain popular support.

PUMPING FOR IRRIGATION ON THE FARM.

By P. E. FULLER,

Irrigation Engineer, Office of Public Roads and Rural Engineering.

THE most common method of supplying water to the irrigated lands of the United States is by gravity flow from streams. A small but increasing area is supplied by pumping plants, each of which serves a single farm from a well. A gravity supply of water has increased so much in cost that in many instances it is cheaper for a farmer to pump his own water from a well than to buy it delivered from a ditch by gravity. For this reason, principally, there will be a greater development of individual pumping. Added to it are the facts that in a great part of the Great Plains region a supply from streams is not available and pumping from the ground water is the only means of obtaining a supply, while throughout the humid section of the East both natural conditions and the laws relating to water are such as to make pumping the almost universal means of procuring water for irrigation. Many large pumping plants are lifting water which is delivered through canals to supply whole communities, but the plants supplying single farms are much more numerous, and it is this type which is discussed in this paper.

In obtaining a water supply for irrigation, cooperation has many advantages, but the individual pumping plant also has many advantages and few drawbacks. The owner of an individual plant need not wait his turn to receive water from a community source, but can obtain it when he wants it; no vexing conditions are imposed upon him by contracts or regulations, and his supply is not liable to be cut off through the negligence or cupidity of others. If a farmer has a dependable supply and a well-designed plant properly installed, he has only himself to blame if he does not get water when he wants it and when his crops need it.

In computing the costs of pumping it is necessary to include interest on first cost, depreciation, fuel, and cost of operation and maintenance. Mechanically it is possible to

pump water through lifts of hundreds of feet and in almost any quantities desired, but what is commercially feasible depends upon nearness to supplies of equipment and fuel, cost of these items, the crops which can be grown, and the markets for these crops. Consequently no limits of lift and cost within which pumping is feasible can be fixed. What is feasible at one time or place may not be so at another time or place. In certain sections of California water is lifted more than 300 feet, while in other sections lifts of 25 feet can not be deemed practicable.

SIZE OF PUMPING PLANT.

The size of pumping plant needed to supply a given farm depends primarily on the area to be irrigated and the water requirements of the land, but is influenced largely by other considerations. The plant must be of sufficient capacity to supply to the land during any period of time the water needed during that time, but where areas are small it may be necessary to have a plant much larger than would be required by the above considerations, since in applying the water a very small stream can not be used to advantage. Two methods of overcoming this difficulty are used—one to install a pump of sufficient size to deliver an economical stream, and the other to use a smaller pump and provide a reservoir for storing the water until sufficient has accumulated to make such a stream. A small pump may be operated continuously, night and day, while water is used only during the day or only on occasional days. In view of fixed charges, it is the part of economy to put in a small plant and operate it for the maximum time possible, because interest on the investment, and, to a large extent, depreciation, vary with the size and are about the same whether a plant is idle or in use. In most instances it is a question of the comparative cost of larger pumping equipment and the reservoir. Where electric power is purchased on a flat rate per horsepower per year, the decrease in cost of power made possible by the use of reservoirs permitting continuous operation is a strong argument in their favor. Water stored in reservoirs is subject to loss by percolation, however, and unless reservoirs are lined to prevent such waste much of the water pumped will be lost.

It has been stated that a pumping plant must be large enough to supply to the acreage to be irrigated the quantity of water required by that acreage within a given time. In the arid region it is customary to estimate the depth of water needed during the whole irrigating season of say, 5 months, on the land to be served, and provide a pump that will deliver this quantity. If, for instance, a pump is to serve 80 acres in alfalfa, and it is estimated that the land should receive water enough in 5 months to cover it to a depth of 3 feet, it will be necessary to deliver 240 acre-feet in 153 days, or 1.57 acre-feet per day, or 356 gallons per minute, operating continuously throughout the season of 153 days. An allowance should be made for necessary shutdowns, and it is probable that a pump having a capacity of 400 to 450 gallons per minute would be recommended for such conditions. stream of this size, however, is not large enough to use to best advantage in irrigating alfalfa and it would be necessary to install a larger pump or build a reservoir for storing water during the night. A stream of 800 to 1.000 gallons per minute could be used to much better advantage, would not require storage, and would not require continuous operation of the pump.

In the semiarid and humid regions, where irrigation water is used to supplement the rainfall and to tide over periods of drought, the quantity of water likely to be needed during some short period rather than during the whole season governs the size of plant. It should be possible to give the entire acreage one good irrigation within a period of two weeks. As a broad general average, a good irrigation requires sufficient water to cover the surface to a depth of from 4 to 6 inches. Taking 5 inches as the average and 80 acres as the acreage, again, this will require a pump discharging 540 gallons per minute if operated continuously for two weeks, or 1,080 gallons per minute if operated one-half the time.

As a rule, reservoirs are more adaptable to the semiarid sections than to the arid, since in the former a large quantity of water may be required to fill in a period of drought, in which instance, if the reservoir were of sufficient capacity, a small plant might be operated continuously during possibly several weeks, thereby holding in the reservoir a large volume

to be applied when needed in a relatively short period of time.

Plate LXXXVII, figure 1, shows an alfalfa field of 150 acres at Deming, N. Mex., with plats or lands 20 by 330 feet which are irrigated from a centrifugal pump delivering 2.5 cubic feet per second (1.125 gallons per minute). Plate LXXXVII, figure 2, illustrates the exterior of this plant. It is but one of 22 similar pumps, ranging in capacity from 800 to 2.000 gallons per minute, irrigating 4.000 acres. One pump is situated at the highest point of each 160 to 200 acre tract, the largest pumps supplying more than 160 acres. The pumps are vertical centrifugal, direct-connected to 3-phase, 60-cycle, 220-volt motors ranging in size from 35 to 50 horsepower. The average depth to water level in that section is 48 feet. The total pumping head, which includes the drawdown head, is from 60 to 70 feet.

TYPES OF PUMPS.

Three types of pumping plants, distinguished by the kind of pump, are used for irrigation. The first type is that in which some form of plunger or cylinder pump and driving head is employed. In the second type some form of centrifugal pump, either horizontal or vertical, is employed. The third type is what is known as an air lift. Other types of pumps, less commonly used for irrigation, are elevators or chain pumps, rotary or cycloidal pumps, and screw pumps, the latter after a modification of the principle of the Archimedean screw.

The plunger or cylinder type of pump may include a single-acting cylinder or a double-acting cylinder, or may be a single-acting double plunger, a single-acting three plunger or even a four plunger, all operating in one cylinder, or it may be double, triplex, or quadruplex, employing two, three, or four cylinders with single plungers.

When the single-cylinder type is employed it usually is installed in a cased well, while the use of more than one cylinder requires a pit or dug well. In both cases the working head or that part of the pump operating the plungers is situated upon the surface of the ground with the cylinders and plungers below water level.

The single-cylinder pumps, whether they have one or more plungers, usually are employed for pumping against high heads—that is, where the water level occurs at 100 or more feet below the surface. As a rule the quantity pumped does not exceed 200 or 300 gallons per minute, although if a large quantity be desired such pumps may be used by employing the two or three plunger arrangement. The pumping head in such instances usually is massive and is an expensive part of the equipment. A cheaper installation, where quantities of water up to 1,000 gallons per minute or more are desired. is the vertical centrifugal pump, for which a pump pit may be dug or a 24-inch or larger casing may be installed to a depth sufficient to permit putting the pump within suction distance of the lowest point to which the water level will be drawn down by pumping, the well proper being continued from the bottom of this pit to the required depth. Where the water plane does not undergo material fluctuations and occurs at a moderate depth, a pit, either rectangular or circular, may be sunk to water level or below, and properly timbered or concreted. At the bottom thereof and connected with the well extending below may be installed a horizontal centrifugal pump, direct-connected to an electric motor or (if the depth is not excessive) belted to some form of prime mover installed upon the surface of the ground.

The air lift is utilized often for recovering water from great depths, especially where considerable sand or sediment is delivered with the water. There are two types of air lifts—the direct displacement and the expansion types. In either of these, however, the water is raised by compressed air, which requires some form of compressor.

It is impossible to recommend a particular type of pumping plant that will fit all conditions equally well, since a factor influencing the choice of one type for one section might be absent in another section. In some sections a preference is shown for the deep-well pump of the plunger type, even for large quantites of water, notwithstanding their higher first cost and the fact that the centrifugal type would be more suitable and give equal, if not better, results.

The choice of a type of pumping plant is often influenced by the fact that a pump salesman has succeeded in selling a plant which operated satisfactorily. Further installations follow without regard to whether that type is the most practical and feasible. In every case where a new installation is contemplated, the matter should be submitted for competent, impartial engineering advice before a particular type of plant is adopted.

As a general rule the plunger type of pump is well suited for lifting quantities of water from 100 to 500 gallons per minute from depths beyond 50 feet, whereas the vertical centrifugal pump is better suited for quantities of from 500 to 2.000 gallons per minute at depths beyond 50 feet. A horizontal centrifugal pump is preferable for depths of from 10 to 50 feet, where electric power is available, even for quantities as low as 100 gallons per minute; and where the depth to water is as great as 50 feet and electric power is not available, a horizontal centrifugal pump, located in a dug pit and belted to an engine upon the surface with the belt running at an incline, is to be preferred.

As a rule, the plunger pump will give a higher mechanical efficiency than the vertical centrifugal pump, often as great as 80 per cent when new, though where considerable sand and grit is encountered the wear upon the plunger leathers and valves often increases the slip or loss of water around the plungers, so that the efficiency decreases rapidly, the average operating efficiency being about 65 per cent. Under such conditions the vertical centrifugal pump, if arranged for ample lubrication of all vertical bearings by the use of inclosed line shafting, will give less trouble and a higher, more constant efficiency, and is more suitable. The ordinary stock pumps of this type seldom attain efficiencies above 50 per cent; therefore a properly designed and constructed, though more expensive, pump is to be preferred.

The horizontal centrifugal pump, if of the turbine type for high heads or of the volute type for moderate heads and correctly designed, is preferable to either of the other types of pump, and always should be used where the depth to water level is not so great as to make it impracticable. The efficiency of such pumps usually is quite high, often 70 per cent, and since there is practically no wear upon the hydraulic parts the efficiency may be maintained for a long time.




Fig. I.—Alfalfa Land Prepared for Irrigation by the Border Method.



FIG. 2.—ONE OF TWENTY-TWO PUMPS USED FOR IRRIGATING ALFALFA AT DEMING, N. MEX.

The centrifugal pump usually is compounded; that is, a stage is employed for each 50 feet in head to be contended against, though in some instances where high speeds are permissible a single-stage pump may handle water against 100 feet or more. However, the slip and short-circuit losses tend to increase with the increase in head per stage; hence it is desirable to limit that head to 50 or 75 feet.

The air lift, even under the most favorable circumstances, is not an efficient means of pumping water, for the reason that the air compressor which is a necessary part of either the expansion or the direct-displacement type is not, nor can it be, made highly efficient where air must be used at high pressures, and, since the air pressure is proportionate to the height the water is lifted in all but one form of lift, it is seldom that conditions will warrant such low pressures as will give even average high efficiencies in the compressor, and though the efficiency of the air jet be relatively high, the loss in the compressor, in combination with the loss in the jet, seldom gives a combined efficiency above 35 per cent. The direct-displacement air lift usually is more efficient in the water-expelling part than in the expansion system.

By "efficiency" is meant the ratio of the amount of work accomplished to the amount of work expended. ample, if the theoretical power required to elevate a given quantity of water in a given time were 50 horsepower, and to accomplish that work it required the expenditure of 100 horsepower, the combined efficiency of the apparatus would be 50 per cent. Evidently, then, upon the efficiency of the plant depends the cost of the water pumped. But efficiency is not the only factor to be considered, for the reliability of the equipment is of great importance and may justify a sacrifice of efficiency. Why combined reliability and high efficiency do not seem possible in the vertical centrifugal pump is not explained easily. Nevertheless, this seems to be the case, whereas in the horizontal centrifugal pump high efficiency and reliability are characteristic. Nor are efficiency and reliability jointly possible in the air lift, where efficiency is sacrificed to reliability. The plunger type of pump approaches closer to the standard of the horizontal centrifugal pump in efficiency and reliability, provided the water is relatively free from sand or grit.

The efficiency of the centrifugal pump (either vertical or horizontal), unlike that of the plunger, is influenced very greatly by fluctuations in head, and, unless the speed of the pump can be varied to meet any variation in head from that for which the pump was designed, its efficiency may be lessened considerably. For this reason it is important that a test be made upon the well to determine its capacity at a given draw-down, the exact head to be contended with thus ascertained, and its value included in the specifications of requirements submitted to the pump builders.

In ascertaining the draw-down a well need not be tested to the full capacity desired, since the draw-down is proportional to the quantity delivered, except when it affects more than one-half of the inflow area of the well. That is, if a well under test supplies 500 gallons per minute and lowers the normal water plane 10 feet, then in delivering 1,000 gallons per minute the water plane would be lowered 20 feet if the water level is not drawn down more than one-half of the total depth through which water enters the well.

FEATURES OF PROPER INSTALLATION.

Proper installation of a pumping plant is important if reliability is to be assured. Massive and well-built foundations are necessary for proper operation of the pump as well as the engine, since weak foundations permit vibration, which leads to loss of power and unnecessary wear and tear on the machinery.

Foundations should be of concrete, thoroughly mixed and comprised ordinarily of 1 part of cement to 2 parts of sand and 3 parts of gravel, and should be kept thoroughly wetted for at least seven days after completion. The machinery should be leveled by the use of iron wedges after alignment, and the bases should be grouted thoroughly into place by the use of cement grout composed of 1 part of cement to 1 part of clean, coarse sand. After this grout has become set thoroughly the foundation bolts should be tightened into place.

The matter of belt centers, that is, the distance from the center of the engine shaft to the center of the pump, is of prime importance. Short belt centers require very tight belts, resulting in loss of power and efficiency. Where vertical centrifugal pumps are used a quarter-twist belt is required, and such a belt should not require the use of idlers

to provide belt tension or proper belt alignment. Therefore the belt centers in such instances should be from 30 to 35 feet, so that the weight of the belt may provide the necessary tension.

In some instances there is a tendency of the belt to climb the pump pulley when the plant is being shut down, and if the belt becomes slack there also is a tendency for the belt to run off the pulley at the lower side. To prevent this trouble it is well to provide four guide idlers close to the pump head, two at the top and two at the bottom edges of the belt, which will come into play only when needed. Where an open belt is used, as in belting from the engine to a horizontal pump located in a pit, belt centers of 25 feet will be ample, although this will be determined largely by the depth of the pit, since the pulling side of the belt should be on an incline of 45° with the horizontal. Where plunger pumps are employed an open belt is used and the centers may be 20 to 25 feet.

An effectual means of sight feed lubrication should be provided for both the engine and the pump, for, while the engine usually inherently has provision for such lubrication, the pump sometimes requires a separate oiling system.

Large internal-combustion engines, of sizes above 25 horsepower, should be arranged for starting by air. This requires a small air compressor arranged for driving from the main engine or from a small auxiliary engine. The air for starting is stored in tanks, which should withstand pressure up to 250 pounds per square inch.

Probably the most important item in connection with a pumping plant is the engine-cooling system, and great care should be exercised in supplying the feed water so as to eliminate sand or sediment. The best plan for cooling is one in which a large tank is provided and connection from the bottom of the tank is had with the lowest point upon the engine circulating jacket, the tank being placed so that its bottom is on a level with the bottom of the engine cylinder. The small circulating pump should be so connected as to deliver water into the connection at the bottom of the cylinder and permit a flow of water from the pump around the engine cylinder or into the bottom of the tank, or both. The outlet from the top of the cylinder jacket should be arranged so as to discharge into the tank or into a waste pipe

discharging into the main pump discharge bay. The small pump should be piped so as to permit also connecting in series with the circulating system. In this way failure of the main pump to furnish an immediate supply, or failure of the small pump to operate, would permit circulation of cooling water by siphon action. Figure 55 shows an excellent arrangement of the circulating system. Provision should be made for draining the entire system in case of freezing temperatures.

The plant should include a galvanized-iron fuel-oil storage tank having a capacity of from 2,500 to 10,000 gallons, depending on the size of the plant. It should be installed in a curbed well so as to make possible its removal in case of needed repairs. It is important that the tank have a tight cover to prevent evaporation of the oil




Fig. 55.—Small internal-combustion engine, with cooling system.

Careful attention should be given to housing the plant. Dust must be kept out. Concrete foundations are best, while brick, adobe, and concrete blocks are better than lumber or galvanized iron for the building materials. Galvanized iron is satisfactory for roofing if the joints and corrugations are brought to a tight fit by the use of a filler between it and the wall plate. The engine room always should have a concrete floor. The belt-race housing may be of corrugated iron. A substantial derrick should be over the well and pump and should be fitted with cable blocks and crab for lifting the heavy pump parts in case immediate repair should be necessary in the midst of an irrigation period, when delay in irrigating might prove disastrous to the crop.

Such breakdowns should be anticipated and every facility be immediately at hand so as to permit quick pulling of the pump and immediate repairs thereto, without the necessity of improvising some form of derrick or hoisting apparatus.

There are four kinds of belting which may be used for driving the pump—leather, rubber, canvas, and composition. For dry, arid climates leather is to be preferred; rubber will give excellent results under moist conditions, but is not nearly so long lived as leather; canvas is cheaper than either the leather or rubber, but is very susceptible to climatic conditions; composition costs as much, wears as well as leather, and is not affected by moisture.

WELLS.

Regarded in the proper light, the pumping plant is the heart of the farm. Upon it is dependent the value of the land as well as the successful cropping. It should be well installed, and include only the best of efficient machinery, capable of withstanding heavy and continuous strain. But without an ample and dependable water supply the best of pumping-plant equipment would be valueless, and a dependable and ample water supply could not be obtained if the proper type of well were not employed, notwithstanding the underground water-bearing material might be adequate. Two types of bored wells are in use generally—one in which the strainer is perforated before the casing is inserted, and another in which the perforations are made after the well casing is in. There are several kinds of perforated casing. such as the strainer in which rectangular slots are punched in galvanized sheet-iron which is formed into sections and riveted together as it is inserted; the shutter strainer, of heavy sheet steel with slits punched around the casing and formed at the top of the slits so as to produce a shelter, as it were, over each slit; and a strainer of steel piping liberally drilled with one-half inch holes and wrapped with a trapezoidal or triangular section wire, the width of the spaces between the wires being varied to correspond with the formation in which the strainer is to be used. Casing perforated after being inserted in the well may be either screw casing or what is known as "stovepipe" casing, the latter being

employed more commonly because of the ease with which it may be perforated.

Generally, for sand or small-gravel formations, one of the perforated strainers will give the better results, whereas if the formation be of coarse bowlders and large gravel very satisfactory results will be obtained with casing perforated after it is inserted with slots 6 to 8 inches long, four each around a given section, each set from 4 to 6 inches above the other. Where stovepipe or screw casing is used it is installed as the well is drilled by the use of what is called a cable rig, or commonly a churn drill, whereas where perforated strainers are employed they usually are set in the well after it has been drilled, and a rotary drilling rig is employed for such purposes.

In drilling wells it is best to penetrate the entire depth of water-bearing material, since the greater the inflow area within the well the less will be the draw-down for a given quantity of water.

Quite as important as the well itself is the matter of developing it after it has been drilled and the casing installed. The flow of water depends upon the effective size of the soil grain comprising the water-bearing material, which may be very greatly increased by removing all of the fine sand or finer gravel. This would be justified even if the expense were one-half the initial cost of the well. There are several methods of developing wells, the more common of which is the use of a wood plunger bolted to the end of the drill stem, which is churned up and down so as to force the water outward and inward through the perforations. forms of water-developing jets are available which are really more effective than the wood plunger. Very frequently the flow from a well may be increased several hundred per cent by such development. In all of the 72 wells installed in connection with the Portales, N. Mex., irrigation project the flow into the wells when the wells were installed and tested seldom exceeded 300 to 400 gallons per minute, but after persistent development the flow was increased to from 1,000 to 2,000 gallons per minute. While a well will develop to some extent under ordinary pumping, it is not best to depend upon that alone.

It also is a wise provision to have chemical analyses made of the water recovered from a given section before large investment is made in a pumping plant, since the water often may contain harmful salts.

COST OF PLANT.

A first-class pumping plant, including well, may be installed, under average conditions of head and capacity, at a cost of from \$5,000 to \$7,000, with ample capacity to irrigate 160 acres of average forage crops. A smaller plant with a capacity of several hundred gallons a minute may be installed complete, including the well, for \$2,000 or less if water-supply conditions are favorable. The cost of a reservoir may be \$500 or even \$1,000 if it be concrete lined. As heretofore stated, the operation of a pumping plant should extend over as great a period of time during an irrigation season as possible, so as to reduce the unit overhead cost.

COST OF OPERATION.

Efforts are being made continually to construct pumping-plant machinery with a view to operation without the necessity for constant attention, but while many plants are so operated, the only attention given being an occasional visit each day during operation, this procedure is hazardous, and if any part of the equipment were to fail during operation the engine or pump might be destroyed and the cost of repairs exceed the cost of continuous labor and attendance which might have been supplied. If, on the other hand, the distribution system is so laid out as to permit diversion of water to a given number of plats and the system be of concrete pipe or concrete-lined ditches (which, of themselves, do not require attention), the operator of the plant may set the gates for certain delivery and then return to the plant and devote the greater part of his time to its operation.

An engine that will use a low grade of fuel oil is desirable, since the cost of such oil usually is about one-fourth or one-third that of gasoline. The better type of semicrude-oil engines will deliver from 8 to 10 horsepower hours per gallon of semicrude oil known as "tops" and having a density of from 25° to 30° Baumé. This fuel may cost on an average of from 3 cents to 7 cents per gallon, delivered.

Lubricating oil is an important factor in the cost of operation of gas engines. Particularly is this true of a large engine, though if it be kept in proper repair, so that the lubricating oil does not pass by the piston rings and into combustion with the fuel oil, a much lower consumption of lubricating oil may be obtained.

Interest and depreciation always should be included as an item in the cost of the operation of a pumping plant. Further, a maintenance charge should be made so as to provide funds for repairs and maintenance of the plant up to the highest standard. Usually the depreciation on internal-combustion engines is as high as 15 per cent. The interest charges vary with the prevailing rates in the particular locality. Using 15 per cent for depreciation and 8 per cent for interest and adding the cost of fuel and lubricating oil (the former at 3 to 7 cents per gallon and the latter at 40 cents per gallon) as well as a continuous supervision labor charge, the average cost per acre-foot of water for each foot of head it is elevated may vary from 4 cents to as much as 15 to 20 cents. Thus, if the pumping head were 100 feet, the total cost would be \$4 to \$20 per acre-foot. This cost will be varied, depending upon the amount of time charged against plant operation.

In comparing such costs with the cost of water under a gravity project, interest and depreciation must be charged similarly against that source, as well as cost of ditch cleaning, maintenance, cultivation against weeds, etc., when the comparison between the two projects would not be so greatly to the disadvantage of the pumping plant as might appear. Where electric power is available, considering the high depreciation and possible annoying shutdowns for repairs incident to gas-engine plants, together with the fact that operative labor may be almost entirely eliminated, a cost of 2 cents or even more per kilowatt may be comparable to the cost of the same amount of power from a gas-engine plant.

OPENING UP THE NATIONAL FORESTS BY ROAD BUILDING.

By O. C. Merrill, Chief Engineer, Forest Service.

COME day in the not far distant future the farmer in Xansas, Oklahoma, Nebraska, the Dakotas, or indeed in any of the great farming States, may, when the work of harvesting is over, pack tent and camp equipment in his automobile and, with his family, seek needed rest and recreation almost anywhere in the mountain reaches of the National Forests, east or west. He will be able, if he so desires, to journey at his leisure, camping where fancy leads him and untroubled by the need for making a town or settlement each night. He may go by ways hitherto closed to all but the adventurous tourist with saddle horse and pack outfit, through the mountains of Colorado, with their snowcapped peaks and green parks, or into the beauties and health-giving air of the high Sierras of California, the coast ranges of Washington and Oregon, the northern Rockies, or the cool altitudes of the Southwest. Should the matter of distance or his own fancy turn him eastward, he will be able to penetrate the Southern Appalachians, with peaks greenclad to the summit and bathed in the soft haze which gives to the southern mountains a peculiar beauty of their own. Similarly, the farmer living within the boundaries of the National Forests may find what now is often lacking—quick and easy contact with markets for his produce and with sources of his supplies. Forest communities, now isolated through lack of good roads or even any roads at all, will be brought into touch with the outside world. All this is made possible by the section of the Federal aid road act, signed by the President on July 11, 1916, appropriating a million dellars a year for 10 years for the construction of roads within National Forests. This sum, however, represents but half, or perhaps less than half, of the amount which will probably be spent for National Forest roads in the next 10 years, over and above the amount ordinarily spent each year by the Forest Service, for the law provides that an equal amount shall be contributed by the States and counties concerned. So as much as \$20,000,000 ought to be available between now and the year 1927 with which to open up the National Forests for the benefit of those who live in or near them, and for the vast number of other Americans who may wish to use them as places in which to find health, rest, and recreation.

When, in 1905, the National Forests were placed under the administration of the Forest Service, they were practically without roads and lacking in trails. They were, moreover, in serious danger of burning up, because there were no means of transporting men and supplies quickly to the scene of fires. Before very much could be done, therefore, in the way of building roads primarily for the use of the public, it was necessary to give the Forests road and trail systems that would make it possible to protect them from the fire menace. In the last 10 years, with the money available from its regular appropriation, amounting in all to about \$1,500,000, the Forest Service has built or repaired about 2,000 miles of road and about 25,000 miles of trail in the National Forests. These, while serving their primary object of administration and protection, have, to a certain extent, made the Forests accessible to the public. But when one considers the vastness of the Forest areas and the lack of roads at the beginning, one can see that, so far as opening up the Forests to the public is concerned, the work which it has been possible to do with the money available from the regular appropriation for the Forest Service amounts to relatively little beside the total road work that needs to be done.

The National Forests total 155,000,000 acres, an area considerably larger than the German Empire. They contain the highest altitudes and the roughest topography in the United States. The greater number of them are in the mountains of the West—the Rockies, the Sierra Nevadas, and the Coast Range—though land has been bought, and still is being bought, for National Forests in the White Mountains and in the Southern Appalachians. Within their boundaries are any number of mining camps, small agricultural communities.


and individual farms. Settlement at first was on the more accessible lands along the margins of the Forests or in the river valleys. Gradually, however, as the remaining agricultural land in the Forests has been classified and opened to settlement, the less accessible areas have been taken up, making the need for roads more urgent than ever. Counties, and even individuals, have built roads when money was available, and the Forest Service has done what it could with the funds at its disposal, but in spite of all this hundreds of settlers within the National Forests still have no means of communication with the outside world better than a pack trail. As other remote areas of agricultural land in the Forests are opened to settlement, this condition will, of course, become worse instead of better. The convenience and wellbeing of the settlers, and the development and use of the Forests' agricultural resources, call for an adequate system of roads in the shortest practicable time.

And if there is need for giving the population within the Forests an outlet to the rest of the world, there is just as great a need for giving the people of the country in general means for getting into the Forests: for nowhere else can one find such unlimited opportunities for every kind of recrea-The most rugged and impressive of mountain scenery, forests of spruce, fir, and pine, high meadows deep in mountain wild flowers, beautiful lakes reflecting the snow-clad peaks around them, and shaded trout streams are there for the nature lover, the fisherman, or the vacationist who desires only rest and change of scene in the great outdoors. As things are at present, most of these places can be reached only after days of travel on foot or with saddle and pack horse. Roads would make them accessible, by automobile or other conveyance, to thousands of people, at a relatively small expenditure of money and time. Even to-day one of the commonest sights during the summer months on such of the National Forests as are traversed by good roads is the automobile camper with tent and other necessary equipment and with family or friends in his car, seeking pleasure and rest in the mountain country. The licenses which the cars carry show that they come from many States, near and distant—New York and Pennsylvania tags may be seen almost any day in the National Forests in

Colorado or even in California—but chiefly from the Plains States and other farming regions of the West and Middle The automobile has solved for many farmers the problem of a means of obtaining a vacation trip for themselves and their families. Hotel expenses there are none. and food may be obtained at reasonable prices from ranches and farms along the way. To take a family of three or four on the railroad would mean a separate ticket for each member; yet scarcely more gasoline, if any, is used when that many persons are in the car than when it carries but These are some of the reasons why automobile camping has increased so tremendously in the last two or three years, and why it promises to increase still more in the next two or three. And just as the motor car has met the question of how to make the vacation trip, so before very long will the National Forests answer the one of where to go.

For those who desire to spend more time on the Forest than is ordinarily consumed by a pleasure trip there are almost innumerable sites for summer homes. Such of these as are at present easily accessible have been developed and advertised by the Forest Service, and a large number of permanent camps and cottages have been erected in the Forests by those who wish to spend their summers among the beauties of the mountains. The cost of a permit for a summerhome site ranges from \$10 up, according to location, size of lot, character of building which it is planned to erect, etc., but is very seldom more than \$25, and usually less. New roads will, of course, make many more summer-home sites available for use. Summer communities will grow up along the shores of many of the beautiful lakes in the western mountains, now practically inaccessible, and in other places to which the view or surroundings lend a special attractive-Good roads, too, will undoubtedly bring hotels, as they do everywhere else, for those who wish to visit the Ferests without the need of camping.

In 1912 Congress stipulated that 10 per cent of the receipts from the National Forests should be expended, under the direction of the Secretary of Agriculture, for the construction of roads and trails; and it was from this date that road building on the Forests, primarily for the benefit of the public, really began. As long ago as 1906 Congress provided that



A TYPE OF BRIDGE USED IN NATIONAL FOREST ROAD BUILDING. THE SYLAMORE BRIDGE, OZARK NATIONAL FOREST, ARK. The towers are of reinforced concrete, and the roadway, which is of wood, is suspended by wire cables. A suspension bridge is cheapest and best where the span is long, or where, as over a canyon, the depth to be crossed is such that piers are impracticable.



F-25314A

Fig. 1.—How Even Grades are Secured on National Forest Roads.

A switchback and fill on the Sedalia-Decker Springs road, Pike National Forest, Colo., with retaining wall of broken rock.




F-1405A-OCM

Fig. 2.—Crossing a Rock Slide on the Payette National Forest, Idaho.

A retaining wall of broken rock is built on the upper side of the road to protect it from slides, and another on the lower side to prevent washing.

PLATE XC.



SCENES OF BEAUTY GREET THE VISITOR IN THE NATIONAL FORESTS. A VIEW FROM THE RABBIT EARS PASS ROAD, ROUTT NATIONAL FOREST, COLO. Some 1,500 feet above the valley, one can see to where, in the farther distance, snow-clad mountains contrast with the green of the nearer hills.

10 per cent (later increased to 25 per cent) of National Forest receipts should go to the counties in which the Forests are situated, for roads and schools; but little or none of the money thus appropriated, amounting so far to about \$5,000,000, has been spent for roads inside the Forests, the various counties preferring to use it in the more thickly settled localities outside.

What has been accomplished since 1912 is the repair of 580 miles of road in the National Forests and the construction of 860 miles of new ones-1.440 miles in all-at a total cost of \$1,157,000. Of this sum \$780,000 represents 10 per cent of National Forest receipts for the three years, together with certain moneys available from the regular Forest Service appropriation, while \$337,000 was contributed by States, counties, and private cooperators. Here, specifically, are some of the things that have been done with a few hundred thousand dollars: Twenty-six miles of road, with a maximum grade of 6 per cent, have been built between the Big Basin, in Montana, and the Bitterroot Valley, replacing an almost impassable road, with grades as high as 25 per cent. Work is nearly complete on a road from Jacksons Hole, Wvo., over the Teton Pass to the railroad at Victor, Idaho. The closing link has been built in a road connecting the Flathead Valley, in Montana, with the Inland Empire territory. A road is under construction in California which will open for the first time the agricultural lands along the valley of the Trinity River. Another road in the same State will furnish access to summer camping grounds for residents of the Imperial Valley. A road recently completed across the Powell National Forest, in Utah, has opened communication with a settlement in the valley of the upper Colorado, hitherto practically shut off from the rest of the world. Roads across the Rabbit Ears Pass and the Cochetopa Pass, in Colorado, will open up large sections of the Routt and Cochetopa National Forests to freighting and tourist travel. These are by no means all of the roads that have been built or on which work has begun since the 10 per cent fund became available, but they serve to show how a start has been made in opening up the National Forests to general public use.

In the actual work of road building the policy is to concentrate available funds on a few projects at a time, and to complete these rapidly, rather than to scatter money among a multitude of projects and get very little in the way of an effective road system. One good road that connects up with an existing road leading to some center of population. or that gives an outlet to a railway, is worth two indifferent roads that lead nowhere in particular. Reconnaissance surveys have been made to determine the approximate location and cost of the roads most urgently needed, and the various projects arranged in the order of their relative importance. In this way it is possible to allot the money for road building, as it becomes available, with the certainty that it will be used to the best advantage. Engineers of the Department of Agriculture have kept in touch with the highway departments of the various States in which National Forests are situated, in order to insure coordination between Federal work and that of the local governments.

The character of traffic on the National Forests has seldom justified the construction of expensive surfaced roads. Medium-width earth roads, well graded and drained, are the kind which have been built. With conditions as they are on the Forests, a single-track road with a low grade has proved much better than a double-track road with a steep grade. Roads which prove to be too narrow can be widened without destroying what is already there, but to change the grade means rebuilding and complete loss of the original investment. Heavy grades on mountain roads that often have a steady upward climb of 10 or 15 miles before the crest of the divide is reached make travel by horse-drawn vehicle, or even by automobile, a slow and difficult proceeding. Six per cent has been used as the maximum grade for National Forest roads wherever practicable. All roads, moreover, are side ditched, with protection ditches as needed and good-sized culverts at frequent intervals.

In one case a road seemed to be urgently needed on a National Forest, though of a kind too costly and of too little economic utility to justify its construction by the Forest Service or by the State or county concerned. This is the so-called Pikes Peak Highway, in the Pike National Forest, completed in the summer of 1916, extending from the town of

Cascade 17 miles to the summit of Pikes Peak. The peak, which attains an altitude of 14,109 feet above sea level, is a Mecca for tourists from all over the United States. Before this year, practically the only means of reaching the top. other than on the back of a burro, was by a cog railroad. An opportunity for automobiles to reach the summit was desired by the local people, and accordingly the Secretary of Agriculture gave a permit to a private company to construct a road, after approving the amount of toll to be charged. permit provides, among other things, that at the expiration of 15 years and at intervals of 5 years thereafter, the company may be required to transfer title and interest in the road to the United States on payment of an amount equal to its physical value, or the Secretary of Agriculture may instead impose an annual rental and have the right to fix toll charges, if necessary, to protect the public. It is not the policy of the Government to sanction the construction of toll roads in the National Forests, but since neither State nor Government funds were available for this much-needed development of the scenic resources of the Pike Forest, an exception was made in this particular case.

Once a National Forest road is built, everything possible is done to keep it in a proper state of repair. With the long dry spells and the short heavy rains and deep snow, along with alternate melting and freezing, common on most of the Forests, even the best built road would soon be ruined without some effective system of maintenance. With proper maintenance, on the other hand, the kind of material usually found on the Forests will produce excellent roads. On the more important roads patrolmen are being employed during the season of traffic to keep ditches and culverts open and to drag and crown the road whenever necessary. If the cost of maintaining National Forest roads remains as low in the future as it is at present, the system will, it is hoped, furnish an object lesson in the economy of intelligent maintenance over intermittent repairs.

Though much has been accomplished in the way of road building in a relatively short time, it would take a great many years to provide the National Forests with even the skeleton of a road system if dependence had to be placed solely on the 10 per cent of Forest receipts and such other money as the Forest Service could spare from its regular appropriation. For while it is true that the potential value of National Forest resources is exceedingly great, the money receipts from the sale of timber and from other uses are in many cases at present very small, due mainly to the very lack of roads that the 10 per cent fund was meant to remedy. A Forest that is inaccessible can not be used, and so can produce little or no revenue. Therefore, until the National Forests were given some sort of road system, relatively little increase in receipts could be expected, and correspondingly little increase in the funds available for road building. To meet this situation, the Secretary of Agriculture, in his report for 1914, made the following recommendations:

In such regions [National Forests] the Secretary of Agriculture should be authorized to make a study of the local conditions and to gather all the data necessary to formulate a plan for public-road development based on local needs. These plans should be carried into sufficient detail to provide a reasonably accurate estimate of the cost of the road construction which it is proposed that the Government shall undertake. They should be accompanied by careful and conservative appraisals of the value of the National Forest timber in each locality and a forecast of the future income which the Forests will bring in from all sources. On the basis of the showings of fact regarding the value of the Government's property, its potential incomeyielding capacity, and the needs of the public, Congress should be asked to appropriate for the construction of projects recommended by the Secretary of Agriculture.

The result of this was the clause in the Federal aid road act appropriating \$1,000,000 a year for 10 years for National Forest roads. The Office of Public Roads and Rural Engineering, through cooperative agreement with the Forest Service, will make surveys, prepare plans and specifications, and supervise construction. By this arrangement the administrative experience and knowledge of local conditions possessed by the Forest Service is combined with the technical equipment of the Office of Public Roads and Rural Engineering to insure the best results in the shortest time and at the least cost.

In deciding between the various projects proposed in each State, a number of things will have to be taken into account. Some of these are the relative public need for each road, to how great an extent it will help to develop resources upon which settlers or communities are dependent, and its relation

to the State or county highway system. The amount of cooperation offered by the State or counties and the amount of Government money apportioned to the State will, of course, also be considered. Once these matters are settled—and the aim will be to settle them quickly—the actual work of construction can begin. The money that should be available during the next 10 years will serve to build many miles of road in the National Forests. Many of these new roads, besides serving their economic purpose, will be scenic highways unsurpassed elsewhere on the continent in the views which they will unfold to the traveler. Nearly all of them will lead to places where Nature has wrought in one medium or another—in beauties of mountain, valley, forest, or stream—her finest and most inspiring handiwork.

Viewed in its broader aspects, road building is but part, though a very important part, of the larger work of developing the resources of the National Forests in a way to insure their widest public use. The Forests were set aside, not as a domain locked up and hidden, a far country closed permanently to use and enjoyment, but as a storehouse from which the people of the United States might forever in the future draw wood and water, and where they might find pleasure, rest, and health amid scenes of beauty. In so far as the roads to be built in the next 10 years bring this plan of National Forest development nearer to completion, they will serve a broad public purpose and meet a pressing public need.

54159°-YBK 1916-34

A GRAPHIC SUMMARY OF WORLD AGRICULTURE.

By V. C. Finch, Formerly Assistant in Agricultural Geography, Office of Farm Management; O. E. Baker, Agriculturist, Office of Farm Management, and R. G. Hainsworth, Head Draftsman, Office of Farm Management.

THE United States has a greater acreage of land in crops than any other nation, except possibly China, for which statistics are not available. The total acreage of land in crops in the United States is nearly equal to that of all Europe, excluding Russia. The other important agricultural nations, arranged in descending order of importance according to crop acreage, are Russia, India, Germany, Austria-Hungary, Argentina, France, Italy, and Canada.

The United States also has a greater crop acreage per capita of population than any other of the great nations of the world, except the sparsely settled countries of Canada and Argentina. In the United States in 1909 the number of acres of crops per person was 3.5, and of improved land, 5.2; whereas in the Old World the acres of crops per person ranged from about 0.2 acre in Japan and 0.4 acre in the United Kingdom to 1 acre in Germany, 1.5 acres in France, and 1.6 acres in the Russian Empire.

The population of eastern and southern Asia has increased comparatively slowly in recent times, being frequently reduced by famine, but the population of Europe has increased manyfold during the past century and has now in several countries attained a density exceeding that of the Orient. According to the latest statistics, Belgium has a density of population of about 670 persons per square mile, the United Kingdom 380, Japan 370, Italy 330, Germany 320, India (British) 220, Austria-Hungary and China (proper) 200, and the United States 34.

The large amount of improved land per person in the United States and the large amount of arable but less valuable land yet unimproved, probably almost equal to the improved land in area, is in striking contrast to the great density of population across the oceans. Herein lies the basic cause of the difference in economic well-being between the Old World and the New, and of the current of westward immigration. The best statistical evidence indicates that population in the United States is now increasing somewhat more rapidly than the acreage of cropped land. The maximum acreage of improved land per capita, 5.7 acres, was attained in the census years 1880 and 1890 and dropped to 5.5 in 1900 and to 5.2 in 1910. The higher prices of farm products are in part a resultant of this pressure of population upon the food supply, and are in turn

an important factor in producing the increased yield per acre and the trend toward more intensive types of agriculture. Although the acreage of cropped land per capita has decreased for 20 years, more intensive methods of agriculture and higher yields per acre have prevented an appreciable decline in the per capita production of crops. Taking as a criterion the six more important food crops, corn, wheat, oats, barley, potatoes, and rye, the average production was higher in the two five-year periods, 1906–1910 and 1911–1915, than in the previous five-year periods for which figures are available.

Estimated acreage of land in crops, and food production of the principal countries.

Country.	Estimated acreage of land in crops.	Estimated population.	Esti- mated acres of crops per capita.	Estimated production of selected food crons expressed in the column of t	Estimated production per capita of selected food crops interms of bushels of wheat.
United States	318, 526, 000	91, 972, 000	3.5	4,170,690,000	45.3
Russian Empire 3	4275,569,000	175, 138, 000	1.6	3,051,135,000	17.4
China (proper) 5	400,000,000	302,000,000	1.3		
India (British)	219, 192, 000	244,268,000	.9	1,910,751,000	7.8
German Empire	65,445,000	67,812,600	1.0	1,442,349,000	21.3
Austria-Hungary	62,196,000	49, 211, 000	1.3	1,035,573,000	21.0
Argentina	60,829,000	7, 979, 000	7.6	6 449, 086, 000	56.3
France	59,128,000	39,602,000	1.5	707,815,000	17.9
Italy	51,309,000	36,120,000	1.4	346,757,000	9.6
Canada	36,939,000	7,180,000	5.1	505, 219, 000	70.4
United Kingdom	19,413,000	45,371,000	.4	251,892,000	5.6
Australia	14,683,000	4,951,000	3.0	122,258,000	24.7
	1			i .	

¹ Statesman's Yearbook, 1916, except for United States and China.

The following maps of the world's agriculture are designed to furnish a convenient means of comparing the geographic distribution and density of production of the more important crops and farm animals in the United States with the distribution and density in foreign countries, while the graphs at the bottom of the maps visualize the relative importance of the United States in the world's production and markets. The system of uniform-sized dots employed to show distribution does not permit of an easy computation of totals, but the value of the dot is shown for each map, and from the graphs the acreage or production of the important countries can be approximately determined. Since acreage is less subject to fluctuation than crop production, and since it affords better comparison of the im-

² The relative value, without reference to protein ratio, of the different food crops per bushel used in compiling this table is based principally on Danish experiments in feeding and is as follows: Wheat, 60; corn, 56; rye, 56; oats, 32: barley, 48; potatoes, 10; clean rice, 60; millet, 48; sugar, equivalent to wheat.

⁸ Exclusive of Finland.

⁴ Exclusive of 95.756,000 acres of meadows.

⁵ Rough estimate.

⁶ Average of 1912-1914.

portance of one crop with another, statistics of area have been mapped so far as figures were available. In the maps of rice, cotton, tobacco, sugar, and coffee, however, it was found necessary to use statistics of production. All the maps represent an average of the years 1911, 1912, and 1913, compiled from official reports, except in the case of the United States, for which the statistics collected in the census of 1910 were used, and in that for the provinces of Russian Asia, which refer to the two years 1912 and 1914.

Because of the distortion resulting from any attempt to represent the curved surface of the earth on a flat map, the ratio of dot area to land area is not the same in all portions of the map, which is a Mercator projection. The density of dots in any section of the map is strictly comparable only with that of other places in the same latitude.

Data are lacking for some countries or provinces, particularly for China and the native states of India, and in such cases hachuring has been employed to show the probable distribution and density.

The following table provides a summary of the more important statistics graphically portrayed in the maps and graphs:

Production of principal crops in the principal countries: Average for 1911-1913.

Country.	Corn.	Wheat.	Oats.	Rye.
	Bushels.	Bushels.	Bushels.	Bushels.
United States	2,701,074,000	704,995,000	1, 154, 134, 300	36,721,300
Russian Empire	78, 110, 000	727, 133, 300	1,050,574,700	935,010,300
India	87,526,700	369,612,300		
German Empire		160, 236, 700	595, 660, 700	455,181,700
France	20,557,000	324, 136, 700	309, 380, 300	48,078,700
Austria-Hungary	210,855,300	247,141,000	245,937,700	163,640,000
Italy	100,245,300	190, 840, 000	37,582,700	5, 390, 300
United Kingdom		61, 297, 300	179,359,000	1,666,700
Argentina ¹	251,875,300	155,828,300	65,311,000	1,748,300
Canada	17,636,000	228,933,300	387, 159, 000	2,406,700
Australia	10, 432, 000	88,961,000	14, 134, 000	95,700
Country.	Barley.	Potatoes.	Rice.	Sugar.
	Bushels.	Bushels.	Bushels.2	Long tons.
United States	187,417,700	348,303,000	11,808,700	1,639,000
Russian Empire	484, 848, 000	1,287,880,700	6, 151, 900	1,630,700
India	38,097,700		1,087,002,300	2,407,000
German Empire	157, 921, 700	1,698,826,000		2,227,000
France	47, 608, 700	506, 884, 700	39,100	643,000
Austria-Hungary	153, 437, 000	642, 149, 000		1,496,700
Italy	10,029,300	61,410,300	11,052,600	186,300
United Kingdom	62, 528, 300	259, 482, 700		
Argentina1	5,096,700	38,029,000	410,300	242,900
Canada	47,370,700	78, 222, 300		

¹ Average of 1912-1914.

^{2 60} pounds clean rice.

LIST OF MAPS.

	_
T1 (20)	Page
Identification map	535
World population map.	536
Wheat, acreage	537
Corn, acreage	538
Oats, acreage	539
Barley, acreage	540
Rice, production	541
Cotton, production	542
Flax, acreage	543
Tobacco, production	544
Potatoes, acreage	545
Sugar, production	546
Coffee, production	547
Horses, number	548
Mules and asses, number	549
Cattle, number.	550
Swine, number.	551
Sheep, number	552
Goats, number.	553
594	




Fig. 56. Identification map.—The maps of the world showing the geographic distribution of the crops and live stock should be compared with this map to accertain the name of a country. In Europe the boundaries shown are those existing in 1913, after the Balkan Wars. The Japanese name Chosen is recognized for the peninsula formerly. Amount as Konen, and That are considered as including not only China proper but also Manchuria, Mongolm, Chinase Turkestan, and Tibet, a situation more nominal than real. India is recognized as including Burma and Beluchistan. There is serious exaggeration in area in the northern and southern portions of the map, due to the Mercator projection.




Fig. 57. Population.—Seven centers of dense population may be noted on the map—Japan, China; Java, India, Italy, northwestern Europe, and the coast of the Urited's the from Beston to Baltimote. Among the nations of the world two recent density is in Belgium, where there were at the lart certain nearly 700 people per square mile. The density is Massachusetts is about 420, in the United Kingson, alone 400, in Germany and in Italy over 300 in China and in India about 200, while the average for the first of states is 34. Of more significance is the forest of crops per person, which mages from alone 1, e. su acre in dependent a re in India and German [1,1] acres in China, and 0] dates in the inited States, to 7 acres in Argentina.




Fig. 58. Wheat.—Four widely separated wheat regions of world importance will be noted—southern Europe, central North America, India, and Argentina. Of these, southern Europe is most important, the combined acreage of all European countries being more than twice that of all North America, which ranks next. The surplus crop is grown principally in subhumid, temperate climates, where the population is sparse, the true of arrienture is extensive, the land is yet cheap, and where wheat is free in large measure from the counterflow of more productive crops. Most of the important wheat regions of the world have an average annual rainfall of less than 30 inches.




Fig. 59. Corn.—The corn (maize) acreage of the United States is nearly double that of the rest of the world. The other important producing regions are southern Europe, particularly Roumania and the United States than in any other country. Relative to the population, corn is a more important crop in importance in Mexico, where it is the staple food of the poorer classes. The highest yield per acre is found to that of Illinois, Iowa, and Missouri.




Fig. 60. Oats.—Oats are grown mostly in cooler and moisier climates than is either wheat or barley. The three principal regions of production are in the northeastern United States and adjoining provinces of Canada, in northwestern Europe, and in Russia. The United States leads in production, Russia has the largest acreage, while the local importance of the crop, as measured by the proportion of cropped land it occupies, and the per capita production, is greatest in Canada. In yield per acre Belgium leads, as it does in wheat, rye, and barley. Most of the world's oat crop is spring sown, but in regions of mild winters it is sown in the autumn.




Fig. 61. Barley.—Barley is a less important world crop than wheat or oats. The important centers of production are southern Russia, northern Africa, southern Spain, Austria, Germany, eastern England, the north central United States, California, Japan, China, and India. The geographic distribution of barley is more widespread than that of eats and is similar to that of what, though extending somewhat farther north in Europe and slightly farther into the arid regions of northern Africa and America. The wide distribution of the crop results from its ability to mature in a short, warm season in high latitudes and in a short, moist season on the borders of the deserts.




Fig. 62. Rice.—Rice is produced in many countries, but it is primarily the food crop of the Orient, 97 per cent of the world's production being grown in southern and eastern Asia and adjoining islands. There are many varieties of rice, many of which require regarded in general, rice is grown on level, wetlands, ratheritally river detained in the coffue Yagyre, Garges, Nile, Po, and Mississippi. In some regions thelevelland is artificially produced by terracing. For this type of agriculture the dense population and cheap labor of the Orient are necessary. The rice production of Africa and the American continents is so small that it barely shows on this map.




Fig. 63. Cotton.—The United States produces about three-fifths of the world's cotton, India and Egypt being the only other countries whose crop is of much commercial importance. China and Russian Turkestan produce considerable cotton, but the crop is consumed almost entirely within the country of production. A little cotton is convening a little cotton is convening a little cotton is convening a little cotton. A lettle Turkey. The extensive production of cotton is remarked to regions reving an average from a secure from a secure from the secund of 200 days or more, and 95 per cent of the world's crop is grown south of the 37th parallel of latitude.




Fig. 64. Flax.—Flax is grown both for its fiber and its seed, but it seldom attains high quality in both at the same time. Four centers of flax culture are to be noted.—India, Argentina, Russia, and Unued States. Of these only Russia is important in the commercial production of flax fiber. Smaller centers of fiber production are located in northern France, Belgium, and northern Ireland. In the American continents the scarcity of labor makes it difficult to produce flax fiber at a profit under existing prices. From these western centers comes the bulk of the linseed oil and flaxseed by-products of the world. In India flax is grown for its seed.




Fig. 65. Tobacco.—Although few crops are cultivated under a wider range of ckimatic conditions, sobacco is produced on a commercial scale in only a few areas situated so favorably as to yield a leaf of superior quality. In the United States, the Connecticut Valley and Florida produce excellent wrapper and binder leaf for cigars, Pennsylvania and Ohio chielly filler, and Wisconsin binder leaf. Kentucky produces the well-known Burley, Virginia and the Carolinas flue-cured tobacco. Outside the United States, Sumatra and Java produce a famed cigar wrapper type and Turkey tho finest cigartet leaf, while Cuba, especially the noted Yuelta Abajo district, leads the world in the excellence of its cigar leaf.




Fig. 66. Potatoes.— Although the potato was in origin an American plant, over 90 per cent of the world's potato crop is now grown in convert. The production of that continent vastly exceeding in volume and almost equaling in value it each crop of the world. Germany has an average potato acreage twice as great at 1, and eaton four times as great as that of the United States. Nearly 14 per cent of the cropped land in Germany is in matoes as compared with 1.2 per cent in the United States. Russia and Austria-Humgary also each have a greater acreage and yield of potatoes than the United States. The Southern Hemisphere has no important potato-raising centers.




Fig. 67. Sugar.—About half the world's sugar comes from the beet and half from cane. The areas occupied by these two sugar crops are, in general, very distinct. The centers of beet-sugar production are southerned and California. The centers of cane-sugar production are the Ganges Valley of India, Java, Hawaii, Coba, Forto Rico, and Louisiana. The course of the dividing line on the map through Asia is merely conventional, since there is no beet-sugar production to the north of the line. The sugar crops of Argentina, South Africa, and Australia are entirely cane.




Fig. 68. Coffee —Although the coffee tree is native to the Eastern Hemisphere, 95 per cent of the world's crop is now grown in South and Central America and the West Indies. The obstanding importance of the Brazilian area on the map distracts attention from other important areas, numery, Venerola Colombia, Central America, Mexico, and the West India Islands, Abyssinia, southern Arabia, India, and Jaca. The large production of Brazil (over 70 per cent of the world crop) makes it impossible to restrict properly the dotted area in Brazil and still show less important producing regions




Fig. 69. Horses.—In Europe and in countries settled by Europeans, the distribution of the secures pends in general to the distribution of the human population. Russia and the United States, the largest agricultural nations, lead in actual number of horses. Relative to the population horses are most numerous in those countries which have extensive agricultural and grazing industries and sparse populations. The number of horses relative to area, however, is greatestir northwestern Europe-whomagriculture is highly developed and intensive. In the Orient, where human labor is plentiful and cheap, and cattle are used both in agricultural labor and in transportation, horses are few.




Fig. 70 Males.—The gaographic distribution of mules and asses when compared with that of horses shows stricted distinution. Owin, to their hardihood, their stolidity, their sureness of foot, and ability to subsist on meager forage, the mule and the ass are the beasts of burden of the dry and rough lands or of poor peoples. Their importance is greatest in southern Europe, in the mountains of South America, in Ireland, and among the negro farmers of southern United States. Asses are more common than horses in Crime, but their number is not known. The number of mules and assess shown in Brazil is an estimate and is not included to the graphs.




Fig. 71. Cutile.—The four important cattle-producing regions of the world are Europe, particularly the northwestern portion. India, the United States, eastern Argentina, Uruguay, and southern Brazilloff these countries but no time in number, all out the curle are used very little for meat or milk but mostly for beasts of burden. It should be observed, thou owing to the character of the projection the greater density of cattle in India than in Europe is only apparent. Relative to the population the number of cattle is highest in those new countries of the Southern Hemisphere where the population is sparse and the grazing industry extensive.




Fig. 72. Swine.—The United States has more swine (hogs) than any other three nations of the world, but in number per square mile it falls far behind many European countries. Swine are most numerous in countries having relatively intensive agriculture and an abundance of certain food products, particularly corn, barley, potatoes, and dairy by-products. In the United States the reorganic distribution of swine corresponds closely with that of corn, but in Europe it follows rather the distribution of swine corresponds closely with that of corn, but in Europe it follows rather the distribution of swine corresponds closely with that of corn, but in Europe it follows rather the distribution of swine and charge own. Swine are barred from countries under Moslem influence. They are known to be runnerous in China, but their number or distribution can not even be approximated.




Fig. 73. Sheep.—There are six world centers of sheep raising, of which four—the South American countries, South Africa, Australia, and New Zealand—are new lands with sparse population and are all located in the Southern Hemisphere. In Asia Minor and in the Balkan States conditions of topography, climate, and the nomadic habits of the people in the recent past cause sheen to be important form animals. In Great Britain many factors combine to make sheep raising a prominent hadness of space of consecurity unfavorable climatic conditions. The Russian Empire and the United Entire are, owing to brige area, far down the list in number per square mile.




Fig. 74. Goats.—Goats are found in practically all the countries of the world, but their distribution is much the densest in the Balkan States of southeastern Europe. The other principal centers are in Asia Mirror, northern Africa, India, East and South Africa, Argentina, Brazil, Venezuela, Mexico, the southward in mad States, and the countries of western Europe. The goat is even hardier than the sheep in its ability to subsist on scant forage and in regions of rough topography. It has the added advantage of a relatively large milk production. The goat is therefore former principally in 10.1, the order lands or among poor peoples.

APPENDIX.

AGRICULTURAL COLLEGES IN THE UNITED STATES.

College instruction in agriculture is given in the colleges and universities receiving the benefits of the acts of Congress of July 2, 1862, August 30, 1890, and March 4, 1907. which are now in operation in all the States and Territories except Alaska. The total number of these institutions is 69, of which 67 maintain courses of instruction in agriculture. In 23 States and Porto Rico the agricultural colleges are departments of the State universities. In 17 States separate institutions having courses in agriculture are maintained for the colored race. All of the agricultural colleges for white persons and several of those for negroes offer four-year courses in agriculture and its related sciences leading to bachelors' degrees, and many provide for graduate study. About 60 of these institutions also provide special, short, or correspondence courses in the different branches of agriculture, including agronomy, horticulture, animal husbandry, poultry raising, cheese making, dairying, sugar making, rural engineering, farm mechanics, and other technical subjects. The agricultural experiment stations, with very few exceptions, are departments of the agricultural colleges. The total number of persons engaged in the work of education and research in the land-grant colleges and the experiment stations in 1916 was 7,066, the number of students (white) in interior courses in the colleges of agriculture and mechanic arts, 69,075: the total number of students (white) in the whole institutions, 119,628; 2 the number of students (white) in the four-year college courses in agriculture, 18,525; the total number of students in the institutions for negroes, 10,510, of whom 2,055 were enrolled in agricultural courses. With a few exceptions, each of these colleges offers free tuition to residents of the State in which it is located. In the excepted cases scholarships are open to promising and energetic students, and in all opportunities are found for some to earn part of their expenses by their own labor. The expenses are from \$125 to \$300 for the school year.

Agricultural colleges in the United States.

State or Territory.	Name of institution	Location.	President.
Alabama	Alaboma Polytochnic Institute. Agricultural School of the Universe Normaliana agricultural on the Universe Normaliana agricultural on the Universe Normaliana agricultural on the Universe Normaliana agricultural of the Universe Normaliana agricult	Auburn Tuskegee Institute	
	Agricultural and Mechanical College for	Normal	-W. S Buchanan.
Arizona	College of Agricul are of the University of Arizona.	Tucson	R. H. Forbes.4
Arkansas		Fayetteville	Martin Nelson.
	Branch Normal College	Pine Bluff	J. G. Ish, ir.
California	College of Agriculture of the University of California.	Berkeley	T. F. Hunt.
Colorado	The State Agricultural College of Colorado.	Fort Collins	C. A. Lory.
Connecticut Delaware	Connecticut Agricultural College	Storrs Newark Dover	C. L. Beach. S. C. Mitchell. W. C. Jason.

¹ Including only institutions established under the land-grant act of July 2, 1862

² Not including students in correspondence courses and extension schools.

³ Principal.

Agricultural colleges in the United States-Continued.

	My teattara Correges in the Chica		
State or Territory.	Name of institution.	Location.	President.
Florida	College of Agriculture of the University	Gainesville	P. H. Rolfs.
	of Florida. Florida Agricultural and Mechanical	Tallahassee	N. B. Young.
Georgia Hawaii Idaho	A. A. A. C. S. S. S. C. S. C. S.	Attnews	A. M. Soule. R. R. Wright. A. L. Dean E. J. Iddings.
Illinois	College of Agriculture of the University	Urbana	E. Davenport.
Indiana	of Illmois. School of Agriculture of Purdue Univer-	La Fayette	J. H. Skinner.1
Iowa	Management of the second of th	Ames	R. A. Pearson.
Kansas Kentucky	The Charles Normal and Industrial The Kerneltz Normal and Industrial The Kerneltz Normal and Industrial The Kerneltz Normal and Industrial	Manhattan Lexington	H. J. Waters. George Roberts. ²
	The Kertischer Normal and Industrial Colored Persons.	Frankfort	G. P. Russell.
Louisiana	Louisiana State University and Agricul-	Baton Rouge	T. D. Boyd.
	tural and Mechanical College. Southern University and Actionitized and Mechanical College of the State of Lorisiana.	Scotland Heights, Baton Rouge.	J. S. Clark
Maine'	College of Agriculture of the University	Orono:	L S Merrill.1
Maryland	Maryland State College of Agriculture Princess Anne Academy, Electric broach of the Maryland State College of Agri-	College Park Princess Anne	H. J. Patterson. T. H. Kiah ³
Massachusetts Michican M.mr. ota	culture. Massachusetts Agricultural College Massachusetts Institute of Technology 4 Massachusetts Agricultural College Massachusetts Institute of Technology 4	Amherst Boston Fast Lansing University Farm,	K. L. Butterfield. R. C. Maclaurin. F. S. Kedzie. A. F. Woods. ¹
Mississippi	of Minnesota.	St. Paul. Agricultural College.	W. II. Smith.
1	College. Alcoin Agricultural and Mechanical Col-	Alcorn	L. J. Rowan.
Missouri	lege. College of Agriculture of the University	Columbia	F. B. Mumford.1
	of Missouri. School of Mines and Metallurgy of the	Rolla	
Montana	Lincoln Institute	Jefferson City Bozeman	B. F. Allen. Jas. M. Hamilton.
Nebraska	Mechanic Arts. College of Articulture of the University	Lincoln	E. A. Burnett. ¹
Nevada	College of Agriculture of the University	Reno	C. S. Knight. ¹
New Hampshire	New Hampshire College of Agriculture	Durham	C. II. Pettee. ⁵
New Jersey	Rutgers College (the New Jersey State College for the Benefit of Agriculture and the Mechanic Arts).	New Brunswick	W. H. S. Demarest.
New Mexico	New Merico Sollege of Agricultura and i	State College	George E. Ladd.
New York North Carolina	Mechanic Arts. New York State College of Agriculture The North Carolma College of Agriculture and Mechanic Arts.	Ithaca West Raleigh	A. R. Mann. ² W. C. Riddick.
North Daketa Ohio	Negro Agricultural and Technical College. North Dakota Agricultural College. Control Agricultural of Ohio State University.	Greensbord. Astronia College College	J. B. Dudley, E. F. Ladd. Alfred Vivian.
Oklahoma	Oklahoma Agricultural and Mechanical	Stillwater	J. M. Cantwell.
Oregon Pennsylvania	Agricultural and Normal University (1) Let State Agricultural College (1) Let State Agricultural report the Pennsylvan State College	Langston. Corvallis State College.	I. E. Page. W. J. Kerr. R. L. Watts. ¹
Porto Rico	Color of Arrival Trial Me tank Arra	Mayaguez	R. S. Garwood.
Rhode Island South Carolina	Warth Caralina	Kingston Clemson College	Howard Edwards. W. M. Riggs.
	State Agricultural and Mechanical Cul- orner Social Combine. South Combined Special Symptomic	Orangeburg	R. S. Wilkinson.
South Dakota	So ith 20 state State College of Agriculture and Mechanic Arts.	Brookings	E. C. Perisho.

¹ Dean ² Acting dean.

Principal.Does not maintain courses in agriculture.

⁵ Acting president.

Agricultural colleges in the United States—Continued.

StateorTerritory.	Name of institution.	Location.	President.
Tennessee	College of Agriculture, University of Ten- nessee.	Knoxville	H. A Mor6an.
	Tennessee Agricultural and Industrial	Nashville	W. J. Hale.
Texas	State Normal School. Agricultural and Mechanical College of	College Station	W. B. Bizzell.
	Texas. Prairie View State Normal and Indus- trial College.	Prairic View	E L. Blackshear.2
Utah Vermont	The Agricultural College of Utah College of Agriculture of the University	Logan Burlington	
Virginia	of Vermont. The Virginia Agricultural and Mechanical Constraint Political are Institute.	Blacksburg	J. D. Eggleston.
	The Hampton Normal and Agricultural Institute.	Hampton	II. B. Frissell. ²
Washington West Virginia		Pullman Morgantown	
Wisconsin	The West College of Agriculture of the University	Institute Madison	Byrd Prillerman. H. L. Russell. ¹
Wyoming	of Wisconsin. College of Agriculture, University of Wyoming.	Laramie	H. G Knight.1

1 Dean.

² Principal.

AGRICULTURAL EXPERIMENT STATIONS OF THE UNITED STATES, THEIR LOCATIONS AND DIRECTORS.

Alabama (College), Auburn: J. F. Duggar. Alabama (Canebrake), Uniontown: L. H. Moore. Alabama (Tuskegee), Tuskegee Institute: G. W. Carver. Alaska, Sitka (Rampart, Kodiak, and Fairbanks): C. C. Georgeson.1 Arizona, Tucson: R. H. Forbes. Arkansas, Fayetteville: Martin Nelson. California, Berkeley: T. F. Hunt. Colorado, Fort Collins: C. P. Gillette. Connecticut (State), New Haven E. H. Jenkins. Connecticut (Storrs), Storrs..... Delaware, Newark: Harry Hayward. Florida, Gainesville: P. H. Rolfs. Georgia, Experiment: H. P. Stuckey.2 Guam: 3 C. W. Edwards.4 Hawaii (Federal), Honolulu: J. M. Westgate.1 Hawaii (Sugar Planters'), Honolulu: H. P. Agee. Idaho, Moscow: J. S. Jones. Illinois, Urbana: E. Davenport. Indiana, La Fayette: Arthur Goss. Iowa, Ames: C. F. Curtiss. Kansas, Manhattan: W. M. Jardine. Kentucky, Lexington: A. M. Peter.2 Louisiana (Sugar), New Orleans) Louisiana (State), Baton Rouge W. R. Dodson. Louisiana (North), Calhoun.... Louisiana (Rice), Crowley..... Maine, Orono: C. D. Woods. Maryland, College Park: H. J. Patterson. Massachusetts, Amherst: W. P. Brooks. Michigan, East Lansing: R. S. Shaw. Minnesota, University Farm, St. Paul: A. F. Woods.

Mississippi, Agricultural College: E. R. Lloyd.

1 Agronomic involute.
2 According arreves.

Missouri (College), Columbia: F. B. Mumford. Missouri (Fruit), Mountain Grove: Paul Evans. Montana, Bozeman: F. B. Linfield. Nebraska, Lincoln: E. A. Burnett. Nevada, Reno: S. B Doten. New Hampshire, Durham; J. C. Kendall. NewJersey (College), New Brunswick J.G. Lipman. New Jersey (State), New Brunswick New Mexico, State College: Fabian Garcia. New York (State), Geneva: W. H. Jordan. New York (Cornell), Ithaca: A. R. Mann.² North Carolina, Raleigh and West Raleigh: B. W. North Dakota, Agricultural College: T. P. Cooper. Ohio, Wooster: C. E. Thorne Oklahoma, Stillwater: W. L. Carlyle. Oregon, Corvallis: A. B. Cordley. Pennsylvania, State College: R. L. Watts. Pennsylvania (Institute of Animal Nutrition), State College: H. P. Armsby. Porto Rico (Federal), Mayaguez: D. W. May. 1 Porto Rico (Insular), Rio Piedras: W. V. Tower. Rhode Island, Kingston: B. L. Hartwell. South Carolina, Clemson College: -South Dakota, Brookings: J. W. Wilson. Tennessee, Knoxville: H. A. Morgan. Texas, College Station: B. Youngblood. Utah, Logan: F. S. Harris. Vermont, Burlington: J. L. Hills. Virginia (College), Blacksburg: A. W. Drinkard, ir. Virginia (Truck), Norfolk: T. C. Johnson. Washington, Pullman: I. D. Cardiff. West Virginia, Morgantown: J. L. Coulter. Wisconsin, Madison: H. L. Russell. Wyoming, Laramie: H. G. Knight.

Address: Island of Guam, via San Francisco.
 Animal husbandman in charge

STATE OFFICIALS IN CHARGE OF AGRICULTURE.

Raleigh.

Alabama: Commissioner of Agriculture, Montgomery.

Alaska: Agronomist in charge of Experiment Stations, Sitka.

Arizona: Director of Experiment Station, Tucson. Arkansas: Commissioner of Agriculture, Little Rock.

California: Secretary of State Board of Agriculture, Sacramento.

Colorado: Secretary of State Board of Agriculture, Fort Collins.

Connecticut: Secretary of State Board of Agriculture, Hartford.

Delaware: Secretary of State Board of Agriculture, Dover.

Florida: Commissioner of Agriculture, Tallahassee. Georgia: Commissioner of Agriculture, Atlanta.

Guam: Agronomist in charge of Experiment Station, Guam.

Hawaii: Secretary of Territorial Board of Agriculture, Honolulu.

Idaho: Commissioner of Immigration, Labor, and Statistics, Boise.

Illinois: Secretary of State Board of Agriculture, Springfield.

Indiana: Secretary of State Board of Agriculture, Indianapolis.

Iowa: Secretary of State Board of Agriculture, Des Moines.

Kansas: Secretary of State Board of Agriculture, Topeka.

Kentucky: Commissioner of Agriculture, Frank-

Louisiana: Commissioner of Agriculture, Baton Rouge.

Maine: Commissioner of Agriculture, Augusta.

Maryland: State Board of Agriculture, College Park.

Massachusetts: Secretary of State Board of Agriculture, Boston.

Michigan: Secretary of State Board of Agriculture, East Lansing.

Minnesota: Secretary of State Agricultural Society, St. Paul.

Mississippi: Commissioner of Agriculture, Jackson. Missouri: Secretary of State Board of Agriculture, Columbia.

Montana: Commissioner of Agriculture and Publicity, Helena.

Nebraska: Secretary of State Board of Agriculture, Lincoln.

Nevada: Secretary of State Board of Agriculture, Carson City.

New Hampshire: Secretary of State Board of Agriculture, Concord.

New Jersey: Secretary of State Department of Agriculture, Trenton.

New Mexico: Director of Experiment Station, State College.

New York: Commissioner of Agriculture, Albany. North Carolina: Commissioner of Agriculture,

North Dakota: Commissioner of Agriculture, Bismarck.

Ohio: Secretary of State Board of Agriculture, Columbus.

Oklahoma: Commissioner of Agriculture, Oklahoma.

Oregon: Secretary of State Board of Agriculture, Salem.

Pennsylvania: Commissioner of Agriculture, Harrisburg.

Philippine Islands: Director of Agriculture, Manila.

Porto Rico: President Board of Commissioners of
Agriculture, Rio Piedras.

Rhode Island: Secretary of State Board of Agriculture, Providence.

South Carolina: Commissioner of Agriculture, Columbia.

South Dakota: Secretary of State Board of Agriculture, Huron.

Tennessee: Commissioner of Agriculture, Nash-

Texas: Commissioner of Agriculture, Austin.

Utah: Director of Experiment Station, Logan.

Vermont: Commissioner of Agriculture, Montpelier.

Virginia: Commissioner of Agriculture, Richmond. Washington: Commissioner of Agriculture, Olympia.

West Virginia: Commissioner of Agriculture, Charleston.

Wisconsin: Commissioner of Agriculture, Madison. Wyoming: Director of Experiment Station, Laramie.

STATE OFFICERS IN CHARGE OF COOPERATIVE AGRICULTURAL EXTENSION WORK.

Alabama: J. F. Duggar, Alabama Polytechnic Institute, Auburn.

Arizona: E. P. Taylor, College of Agriculture, University of Arizona, Tucson.

'Arkansas: W. C. Lassetter, Little Rock.

California: W. T. Clarke, College of Agriculture, University of California, Berkeley.

Colorado: H. T. French, State Agricultural College of Colorado, Fort Collins.

Connecticut: H. J. Baker, Connecticut Agricultural College, Storrs.

Delaware: II. Hayward, Delaware College, Newark.

Florida: P. H. Rolfs, College of Agriculture, University of Florida, Gainesville.

Georgia: J. Phil Campbell, Georgia State College of Agriculture, Athens.

Idaho: O. D. Center, The Statehouse, Boise.

Illinois: W. F. Handschin, College of Agriculture, University of Illinois, Urbana.

Indiana: G. I. Christie, Purdue University, La Fayette.

Iowa: R. K. Bliss, Iowa State College, Ames.

Kansas: E. C. Johnson, Kansas State Agricultural College, Manhattan.

- Kentucky: Fred Mutchler, College of Agriculture, State University, Lexington.
- Louisiana: W. R. Dodson, Louisiana State University and Agricultural and Mechanical College, Baton Rouge.
- Maine: L. S. Merrill, College of Agriculture, University of Maine, Orono.
- Maryland: T. B. Symons, Maryland State College of Agriculture, College Park.
- of Agriculture, College Park.

 Massachusetts: W. D. Hurd, Massachusetts Agri-
- cultural College, Amherst.

 Michigan: R. J. Baldwin, Michigan Agricultural
 College, East Lansing.
- Minnesota: A. D. Wilson, College of Agriculture, University of Minnesota, University Farm, St. Paul
- Mississippi: E. R. Lloyd, Mississippi Agricultural and Mechanical College, Agricultural College.
- Missouri: A. J. Meyer, College of Agriculture, University of Missouri, Columbia.
- Montana: F. S. Cooley, Montana State College of Agriculture and Mechanic Arts, Bozeman.
- Nebraska: C. W. Pugsley, College of Agriculture, University of Nebraska, Lincoln.
- Nevada: C. A. Norcross, College of Agriculture, University of Nevada, Reno.
- New Hampshire: J. C. Kendall, New Hampshire College of Agriculture and the Mechanic Arts, Durham.
- New Jersey: Alva Agee, Rutgers College, New Brunswick.
- New Mexico: A. C. Cooley, New Mexico College of Agriculture and Mechanic Arts, State College.
- New York: A. R. Mann, New York State College of Agriculture, Ithaca.
- North Carolina: B. W. Kilgore, North Carolina College of Agriculture and Mechanic Arts, West Raleigh.

- North Dakota: T. P. Cooper, North Dakota Agricultural College, Agricultural College.
- Ohio: C. S. Wheeler, College of Agriculture, Ohio State University, Columbus.
- Oklahoma: J. A. Wilson, Oklahoma Agricultural and Mechanical College, Stillwater.
- Oregon: R. D. Hetzel, Oregon State Agricultural College, Corvallis.
- Pennsylvania: M. S. McDowell, Pennsylvania State College, State College.
- Rhode Island: A. E. Stene, Rhode Island State College, Kingston.
- South Carolina: W. W. Long, Clemson Agricultural College of South Carolina, Clemson College.
- South Dakota: G. W. Randlett, South Dakota State College, Brookings.
- Tennessee: C. A. Keffer, College of Agriculture, University of Tennessee, Knoxville.
- Texas: Clarence Ousley, Agricultural and Mechanical College of Texas, College Station.
- Utah: J. T. Caine, 3d, Agricultural College of Utah, Logan.
- Vermont: Thos. Bradlee, University of Vermont and State Agricultural College, Burlington.
- Virginia: J. M. Jones, Virginia Polytechnic Institute, Blacksburg.
- Washington: W. S. Thornber, State College of Washington, Pullman.
- West Virginia: C. R. Titlow, College of Agriculture, West Virginia University, Morgantown.
- Wisconsin: K. L. Hatch, College of Agriculture, University of Wisconsin, Madison.
- Wyoming: A. E. Bowman, College of Agriculture, University of Wyoming, Laramie.

1 Acting director.

STATISTICS OF GRAIN CROPS, 1916.

CORN.

Table 1.—Corn: Area and production in undermentioned countries, 1914-1916.

O contra		Area.			Production.			
Country.	1914	1915	1916	1914	1915	1916		
NORTH AMERICA.	A crcs. 103,435,000	Acres. 106, 197, 000	Acres. 105,954,000	Bushcls. 2,672,804,000	Bushels.	Bushels. 2, 583, 241, 000		
	105, 455, 000	100,197,000	100, 504,000	2,072,004,000	2, 334, 733, 000	2,000,241,000		
Canada: OntarioQuebecOther	239,000 17,000 (¹)	237,000 16,000 (²)	160,000 13,000 (²)	13,410,000 514,000 (2)	13,860,000 50S 000 (2)	5, 976, 000 295, 000 (²)		
Total, Canada	256,000	253,000	173,000	13,924,000	14,368,000	6,271,000		
Mexico	4,748,000	(3)	(3)	78,443,000	60,000,000	(3)		
Total				2,765,171,000	3,069,161,000			
SOUTH AMERICA.								
Argentina Chile Uruguay	10, 260, 000 59, 000 692, 000	10,386,000 (3) 852,000	9,930,000 (3) 588,000	263, 135, 000 1, 505, 000 7, 142, 000	338, 235, 000 1,822,000 11,382,000	161,133,000 (3) (3)		
Total	11,011,000			271,782,000	351, 439, 000			
EUROPE.								
Austria-Hungary: Austria Hungary proper. Croatia-Slavonia Bosnia-Herzegovina.	4 465,000 6,129,000 (3) (3)	6,194,000 (3) (3)	(3) (3) (3)	4 10,771,000 172,308,000 25,000,000 7,000,000	4 10,000,000 180,550,000 25,000,000 7,000,000	(3) (3) (3)		
Total, Austria- Hungary	(3)	(3)		215,079,000	222, 550, 000			
Bulgaria France Italy Portugal Roumania	1,571,000 1,128,000 3,680,000 (3) 5,104,000	(3) 766,000 3,886,000 (3) 5,207,000	(3) 812,600 3,830,000 (3) 5,056,000	30,901,000 22,530,000 104,966 000 15,000,000 102,552,000	35,000,000 14,000,000 121,824,000 9,275,000 86,412,000	(3) (3) 78,736,000 (3) (3)		
Russia: Russia propor Northern California	3,186,000 834,000	3,119,000 930,000	3,666,000 (³)	61,670,000 19,241,000	44,655,000 18,743,000	71,989,000		
Total, Russia	4,020,000	4,049,000		80,911,000	63,398,000			
Serbia. Spain	1,137,000	1, 152, 000	(3) (3)	20,000,000 30,325,000	12,000,000 29,096,000	(3) (3)		
Total				622, 264, 000	593,555,000			
ASIA. India: British Native States	6,079,000 (3)	6,073,000 (³)	(3)	82, 400, 000 (3)	82,200,000 (³)	(3) (3)		
Total				82, 400, 000	82,200,000			
Japan Philippine Islands	141,000 1,041,000	144,000 1,095,000	157,000 (3)	3,753,000 13,336,000	3 570,000 14,753,000	4,102,000		
Total				99,489,000	100,523,000			
AFRICA.								
Algeria Egypt Union of South Africa	1,763,000 (3)	1,907,000	1,850,000 (3)	350,000 78,253 000 5 30,830,000	9,350,000 39,803,000 30,750,000	(3) (3) 31,168,000		
		·						

 $^{^{1}}$ Less than 500 acres. $^{2}\,\mathrm{No}$ crop.

<sup>No official statistics.
Galicia and Bukowina not included.</sup>

⁵ Census of 1911.

Table 1.—Corn: Area and production in undermentioned countries, 1914-1916--Contd.

m ye fayana pirkayana coca akiring dibing da	Area.			Production.			
Country.	1914	1915	1916	1914	1915	1916	
AUSTRALASIA. Australia: Que coslond	A cres. 157,000 157,000 18,000 (3) (3)	A cres. 176,000 (2) (2) (2) (2) (2) (2)	A cres. 146,000 (2) (2) (2) (2) (2)	Bushels 4, 039, 000 4, 593, 000 826, 000 1, 000 3, 000	Bushels. 4,394,000 (2) (2) (2) (2) (2) (2)	Bushels. 2,067,000 (2) (2) (2) (2) (2)	
Total, Australia New Zealand	332,000 6,000	340,000 5,000	7,000	9,462,000 312,000	8,721,000 284,000	8,769,000 350,000	
Total, Australasia	338,000	345,000		9,774,000	9,005,000	9, 119, 000	
Grand total				3,877,913,000	4,194,586,000		

¹ Includes Federal territory, ² No official statistics.

Table 2.—Corn: Total production of countries named in Table 1, 1895-1916.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899	Bushels. 2, 834, 750, 000 2, 964, 435, 000 2, 587, 206, 000 2, 682, 619, 000 2, 724, 100, 000 2, 792, 561, 000	1901 1902 1903 1904	Bushels. 2, 366, 883, 000 3, 187, 311, 000 3, 066, 506, 000 3, 109, 252, 000 3, 461, 181, 000	1905 1907 1908 1909 1910	Bushcls. 3,963,645,000 3,420,321,000 3,606,931,000 3,563,226,000 4,031,630,000	1911 1912 1913 1914 1915 1916	Bushels. 3, 481, 007, 000 4, 371, 888, 000 3, 587, 429, 000 3, 877, 913, 000 4, 194, 586, 000

Table 3.—Corn: Acreage, production, value, exports, etc., in the United States, 1849–1916.

Note.—Figures in *italies* are census returns; figures in roman are estimates of the Deportment of Agriculture. Estimates of areas are obtained by applying estimated percentages on the case of the problished numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

Year.	Acreage.	Average yield per acre.	Production.	Aver- age farm price per bushel	Farm value Dec. 1.	b	eago ca ushel, ember.	contro Foll		Domestic exports, including corn meal, fiscal year begin-	Per cent of crop ex- port-
		10000		Dec. 1.		Low.	High.	Low.	High.		ed.
1849	A cres.	Bush.	Bushels. 592,071,000	Cents.	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels. 7,632,860	P. ct. 1.3
	34,307,000	25.3	858,798,000 867,946,000	47.4	411,451,000	53	62	64	79	4,248,991 16,026,947	.5
1867 1868 1869	32,520,000 34,887,000 37,103,000	23.6 26.0 23.6	768, 320, 000 906, 527, 000 874, 320, 000 760, 945, 000	57. 0 46. 8 59. 8	437, 770, 000 424, 057, 000 522, 551, 000	61 38 56	65 58 67	61 44 73	71 51 85	10,020,947 12,493,522 8,286,665 2,140,487	1.8 1.6 .9 .2
1870 1871 1872 1873 1874	38,647,000 34,091,000 35,527,000 39,197,000	29.1	1,094,255,000 991,898,000 1,092,719,000 932,274,000 850,148,000	49.4 43.4 35.3 44.2 58.4	540,520,000 430,356,000 385,736,000 411,961,000 496,271,000	41 36 27 40 64	59 39 28 49 76	46 38 34 49 53	52 43 39 59 67	10, 673, 553 35, 727, 010 40, 154, 374 35, 985, 834 30, 025, 036	1.0 3.6 3.7 3.9 3.5
1875 1876 1877 1878 1879	49,033,000 50,369,000 51,585,000	26. 2 26. 7 26. 9 29. 2	1,321,069,000 1,283,828,000 1,342,558,000 1,388,219,000 1,547,902,000 1,754,592,000	36.7 34.0 34.8 31.7 37.5	484,675,000 436,109,000 467,635,000 440,281,000 580,486,000	40 40 41 30 39	47 43 49 32 431	41 43 35 33 32§	45 56 41 36 36	50, 910, 532 72, 652, 611 87, 192, 110 87, 884, 892 99, 572, 329	3.9 5.7 6.5 6.3 6.4

No. 2 to 1908.

³ Less than 500 acres.
⁴ Includes northern territory.

Table 3.—Corn: Acreage, production, value, exports, etc., in the United States, 1849—1916—Continued.

Year.	Acreage.	A ver- age yield per	Production.	Average farm price per	Farm value Dec. 1.	b	ago cas ishel, e	Foll		Domestic exports, including corn meal, fiscal	Per cent of crop ex-
		acre.		bushel Dec. 1.		Low.	Low. High.		High.	year begin- ning July 1.	
		18.6 24.6 22.7	Bushels. 1,717,435,000 1,194,916,000 1,617,025,000 1,551,067,000 1,795,528,000	Cents. 39.6 63.6 48.5 42.4 35.7	Dollars. 679,714,000 759,482,000 783,867,000 658,051,000 640,736,000	Cts. 355 585 491 541 341	Cts. 42 63½ 61 63¼ 40¼	Cts. 41½ 69 53½ 44¾	Cts. 45 767 567 57 49	Bushels. 93,648,147 44,340,683 41,655,653 46,258,606 52,876,456	P. ct. 5.5 3.7 2.6 3.0 2.9
1885 1886 1887 1889 1889	73, 130, 000 75, 694, 000 72, 393, 000 75, 673, 000 78, 320, 000 72, 083, 000	22. 0 20. 1 26. 3 27. 0	1,936,176,000 1,665,441,000 1,456,161,000 1,987,790,000 2,112,892,000 2,123,328,000	32.8 36.6 44.4 34.1 28.3	635,675,000 610,311,000 646,107,000 677,562,000 597,919,000	36 35 1 47 33 1 291	423 38 513 357 357	341 367 54 331 322	364 398 60 358 35	64,829,617 41,368,584 25,360,869 70,841,673 103,418,709	3.3 2.5 1.7 3.6 4.9
1890 1891 1892 1893 1894	71,971,000 76,205,000 70,627,000 72,036,000 62,582,000	27.0 23.1 22.5 19.4	1,489,970,000 2,060,154,000 1,628,464,000 1,619,496,000 1,212,770,000	50.6 40.6 39.4 36.5 45.7	754, 433, 000 836, 439, 000 642, 147, 000 591, 626, 000 554, 719, 000	473 393 40 341 443	53 59 42 1 36 <u>1</u> 47 <u>1</u>	391 361 473	$\begin{array}{c} 69\frac{1}{2} \\ 100 \\ 44\frac{1}{2} \\ 38\frac{1}{2} \\ 55\frac{1}{2} \end{array}$	32,041,529 76,602,285 47,121,894 66,489,529 28,585,405	2. 2 3. 7 2. 9 4. 1 2. 4
1895 1896 1897 1898 1899	82,076,000 81,027,000 80,095,000 77,722,000 82,109,000 94,914,000	28.2 23.8 24.8 25.3	2, 151, 139, 000 2, 283, 875, 000 1, 902, 968, 000 1, 924, 185, 000 2, 078, 144, 000 2, 666, 324, 000	25.3 21.5 26.3 28.7 30.3	544,986,000 491,007,000 501,073,000 552,023,000 629,210,000	25 22½ 25 33⅓ 30	263 233 272 38 313	27½ 23 32¾ 32¾ 36	25½ 37 34¾	101, 100, 375 178, 817, 417 212, 055, 543 177, 255, 046 213, 123, 412	4.7 7.8 11.1 9.2 10.3
1900 1901 1902 1903 1904	83,321,000 91,350,000 94,044,000 88,092,000 92,232,000	25.3 16.7 26.8 25.5 26.8	2, 105, 103, 000 1, 522, 520, 000 2, 523, 648, 000 2, 244, 177, 000 2, 467, 481, 000	42. 5 44. 1	751,220,000 921,556,000 1,017,017,000 952,869,000 1,087,461,000	35 1 62 1 43 1 41 43 <u>1</u>	40½ 67½ 57¼ 43¾ 49	425 593 44 471 48	58½ 64¾ 46 50 64½	181, 405, 473 28, 028, 688 76, 639, 261 58, 222, 061 90, 293, 483	8.6 1.8 3.0 2.6 3.7
1908	94,011,000 96,738,000 99,931,000 101,788,000 105,771,000	30.3 25.9 26.2 25.5	2,707,994,000 2,927,416,000 2,592,320,000 2,668,651,000 2,772,376,000	39.9 51.6 60.6	1,116,697,000 1,166,626,000 1,336,901,000 1,616,145,000	42 40 571 563	50 1 46 61 <u>1</u> 62 <u>1</u>	471 491 671 721	50 56 82 76	119, 893, 833 86, 368, 228 55, 063, 860 37, 665, 040	4.4 3.0 2.1 1.4
1911 1912 1913	93, 327, 659 104, 035, 000 105, 825, 000 107, 083, 000 105, 820, 000 103, 435, 000	27. 7 23. 9 29. 2 23. 1	2,552,190,000 2,886,260,000 2,531,488,000 3,124,746,000 2,446,988,000 2,672,804,000	48.0 61.8 48.7 69.1	1,477,222,000 1,384,817,000 1,565,258,000 1,520,454,000 1,692,092,000 1,722,070,000	62½ 45½ 68 47½ 64 62½	66 50 70 54 73} 68†	56 521 761 551 67 501	63 55½ 82½ 60 72½ 56	38,128,498 65,614,522 41,797,291 50,780,143 10,725,819 50,668,303	1.5 2.3 1.7 1.8 .4 1.9
1915	106, 197, 000 105, 954, 000	23. 2	2,994,793,000 2,583,241,000	57.5	1,722,680,000 2,295,783,000	69 1 88	75 96	69	78½	39,896,928	1.3

¹ Coincident with "corner."

Table 4.—Corn: Acreage, production, and total farm value, by States, 1915 and 1916.

State.	Thousand	s of acres.		on (thou- bushels).	Total value, basis Dec. 1 price (thousands of dollars).		
	1916	1915	1916	1915	1916	1915	
Maine New Hampsnire. Vermont. Massachusetts. Rhode Island Connecticut New York New Jersey. Pennsylvania Delaware.	19 45 42 11 63 540	16 22 47 48 12 65 605 285 1,520 210	645 874 1,935 1,764 341 2,709 16,200 10,800 56,550 6,970	656 990 2,256 2,304 516 3,250 24,200 10,830 58,520 6,615	768 1,005 2,128 2,117 471 3,251 17,820 10,800 54,854 6,203	558 752 1,895 1,843 516 2,762 18,876 8,122 40,964 4,101	
Maryland. Virginia. West Virginia. North Carolina. South Carolina.	2,140 725 2,900	710 2, 125 800 2, 900 2, 130	27,300 60,990 22,112 53,650 32,008	24,850 60,562 25,200 60,900 35,145	24, 297 56, 721 22, 333 59, 015 36, 169	15, 158 42, 999 18, 648 46, 893 30, 576	

² Figures adjusted to census basis.

Table 4.—Corn: Acreage, production, and total farm value, by States, 1915 and 1916—Continued.

State.	Thousand	is of acres.		on (thou- bushels).	Total value, basis Dec. 1 price (thousands of dollars).		
	1916	1915	1916	1915	1916	1915	
Georgia.	4,000	4,330	62,000	64,950	62,000	50,661	
Florida.	840	800	12,600	12,000	11,340	8,760	
Ohto	3,675	3,700	115,762	153,550	104,186	85,988	
Indiana	5,137	5,025	174,658	190,950	146,713	97,384	
Illinois.	10,400	10,400	306,800	374,400	257,712	202,176	
Michigan.	1,650	1,750	45,375	56,000	43,106	38,080	
Wisconsin.	1,690	1,775	60,840	40,825	55,973	27,761	
Minnesota.	2,520	2,800	84,420	64,400	67,536	39,928	
Mowa.	10,050	9,950	366,825	298,500	293,460	152,235	
Missouri.	6,775	6,500	132,112	191,750	118,901	109,298	
North Dakota	510	700	13,515	9,800	11, 353	6,566	
South Dakota.	2,950	3,250	84,075	94,250	64, 738	46,182	
Nebraska	7,400	7,100	192,400	213,000	150, 072	100,110	
Kansas.	6,950	5,550	69,500	172,050	62, 550	87,746	
Kentucky.	3,400	3,500	95,200	105,000	82, 824	58,800	
Tennessee. Alabama. Mississippi Louisiana Texas	3, 250	3,450	84,500	93 150	79, 430	54,027	
	3, 735	3,900	46,688	66,300	47, 622	45,747	
	3, 400	3,550	47,600	67,450	46, 648	43,842	
	2, 134	2,200	44,814	45,100	42, 125	28,864	
	6, 900	7,100	131,100	166,850	136, 344	96,773	
Oklahoma.	3,950	3,800	53,325	112,100	49, 592	51,566	
Arkansas.	2,550	2,700	45,135	62,100	44, 232	39,744	
Montana	74	70	1,850	1,960	1, 720	1,352	
Wyoming	25	35	550	875	495	586	
Colorado	475	470	7,362	11,280	6, 626	6,204	
New Mexico.	125	105	2,625	2,730	2,966	1,993	
Arizona	22	20	770	600	1,078	690	
Utah.	13	13	429	442	493	354	
Nevada	1	1	34	35	42	33	
Idaho	21	22	735	770	735	500	
Washington	38	39	1,406	1,053	1,406	811	
Oregon.	40	33	1,340	1,155	1,273	947	
California	64	64	2,048	2,624	2,540	2,309	
United States	105,954	106, 197	2,583,241	2,994,793	2, 295, 783	1,722,680	

Table 5.—Corn: Production and distribution in the United States, 1897–1916.
[000 omitted.]

Year,	Old stock on farms Nov. 1.	Crop.	Total supplies.	Stock on farms Mar. 1 following.	Shipped out of county where grown.
1897. 1898. 1899. 1900.	137,894 113,644 92,328	Bushels. 1,902,968 1,924,185 2,078,144 2,105,103 1,522,520	Bushels. 2, 193, 902 2, 062, 079 2, 191, 788 2, 197, 431 1, 618, 345	$Bush \epsilon ls. \\ 782,871 \\ 800,533 \\ 773,730 \\ 776,166 \\ 441,132$	Bushels. 411, 617 396, 005 348, 098 478, 417 153, 213
1902 1903 1904 1905 1906	131,210 80,246 82,285	2,523,648 2,244,177 2,467,481 2,707,994 2,927,416	2,552,915 2,375,387 2,547,727 2,790,279 3,047,049	1,050,653 839,053 954,268 1,108,364 1,297,979	557, 296 419, 877 551, 635 681, 539 679, 544
1907 1908 1909 1910 1911	71,124 79,779 115,696 123,824	2,592,320 2,668,651 2,552,190 2,886,260 2,531,488	2,723,315 2,739,775 2,631,969 3,001,956 2,655,312	962,429 1,047,763 977,561 1,165,378 884,069	467,675 568,129 635,248 661,777 517,704
1912. 1913. 1914. 1915.	137,972 80,046 96,009	3,124,746 2,446,988 2,672,804 2,994,793 2,583,241	3,189,510 2,584,960 2,752,850 3,090,802 2,671,149	1,289,655 866,392 910,894 1,116,559	680,796 422,091 498,285 560,824

Table 6 .- Corn: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

		Yield per acre (bushels).									Farm price per bushel (cents).				Value per acre (dollars).				
State.	10-year aver- age, 1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	9161	10-year aver- ago, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911–1915.	1916
Me. N. H. Vt. Mass R. I													75 75 72 77 88	87 81 81 85 99	88 82 81 85 98	85 76 84 80 100	110	33.66	51. 17 52. 90 47. 30 50. 40 42. 78
Conn N.Y N.J Pa. Del.													77 70 68 63 51	85 81 75 72 59	89 83 76 73 62	85 78 75 70 62	110 100 97	28. 99 27. 87 28. 62	51. 60 33. 00 40. 00 37. 83 30. 26
Md. Va. W. Va. N. C. S. C	35.3 25.1 30.0 18.6 17.0	34. 2 25. 0 28. 0 16. 5 15. 1	36. 6 26. 0 31. 2 18. 0 14. 1	31. 4 23. 2 31. 4 16. 8 16. 7	33. 5 25. 5 26. 0 18. 6 18. 5	36. 5 24. 0 25. 7 18. 4 18. 2	36. 5 24. 0 33. 8 18. 2 17. 9	33. 0 26. 0 31. 0 19. 5 19. 5	37. 0 20. 5 31. 0 20. 3 18. 5	35. 0 28. 5 31. 5 21. 0 16. 5	39. 0 28. 5 30. 5 18. 5 15. 5	64 74 77 84 91	55 71 65 83 85	65 76 80 88 97	68 81 83 86 92	61 71 74 77 87	93 101 110	18. 23 23. 12 16. 20	34. 71 26. 50 30. 80 20. 35 17. 52
GaFla. OhioInd	13.6 38.0 36.3 33.7	11.3 34.6 36.0 36.0	10. 5 38. 5 30. 3 31. 6	12. 6 39. 5 40. 0 35. 9	13. 0 36. 5 39. 3 39. 1	14.6 38.6 36.0 33.0	13. 0 42. 8 40. 3 40. 0	15. 0 37. 5 36. 0 27. 0	16. 0 39. 1 33. 0 29. 0	15. 0 41. 5 38. 0 36. 0	15. 0 31. 5 34. 0 29. 5		85 79 45 42 41	91 82 63 60 63	85 80 61 58 61	79 73 56 51 54	80 80	11.60 22.47	15. 50 13. 50 28. 35 28. 56 24. 78
Mich													57 51 37 35 46	67 60 53 60 74	67 65 52 55 68	68 68 62 51 57	92 80 80	21, 25 16, 86 17, 62	26. 12 33. 12 26. 80 29. 20 17. 55
N. Dak. S. Dak Nebr Kans Ky													43 37 37 40 55	52 56 65 78 76	58 50 53 63 64	67 49 47 51 56	77 78 90	12. 89 11. 45 9. 60	22. 26 21. 94 20. 28 9. 00 24. 36
Tenn Ala Miss La Tex	17. 8 20. 3 19. 9	17. 0 17. 5 21. 0	17. 3 19. 8 25. 7	23.0 15.0	20.5 23.6 20.6	19. 0 18. 5 9. 5	18. 3 18. 0 21. 0	20.0 22.0 24.0	19. 3 19. 5	20. 5 23. 5	21.0 19.0	76 71 72	61 79 71 68 64	77 89 77 77 82	68 80 73 75 74	59 69 65 64 58	102 98 94 104	13. 67 13. 58 13. 95 13. 76	24. 44 12. 75 13. 72 19. 74 19. 76
Okla													41 67 70 64 50	72 78 77 80 73	64 80 76 70 60	46 64 69 67 55	98 93 90	14. 44 20. 78 16. 71	12. 56 17. 35 23. 25 19. 80 13. 95
N. Mex		ł	1 :			ł	i	(ŧ	1	!	1 1	75 100 75 98	75 110 70 118	80 120 75 110	73 115 80 93	140 115 125	33, 74 25, 62 33, 82	23. 73 49. 00 37. 95 42. 50
Idaho	28, 3 29, 8 35, 3	27. 0 27. 5 34. 0	25. 5 27. 8 32. 0	27. 8 30. 7 34. 8	28.0 25.5 37.5	28. 5 28. 5 36. 0	27.3 31.5 37.0	28.0 28.5 33.0	27. 0 30. 0 36. 0	27. 0 35. 0 41. 0	37. 0 33. 5 32. 0		70 77 75 85	68 80 70 88	72 73 82 87	- 1	100 95 124	21. 29 23. 93 32. 06	35.00 37.00 31.82 39.68
U.S	26.0	25. 9	26. 2	25. 5	27. 7	23.9	29. 2	23. 1	25.8	28. 2	24.4	61.0	48. 7	69.1	64.4	57. 5	88.9	15. 57	21.67

¹ Based upon farm price Dec. 1.

Table 7.—Corn: Wholesale price per bushel, 1912-1916.

							1		,					
	New	York.	Balti	more.	Cinci	nnati.	Chi	cago.	Det	roit.	St. I	ouis.	San Fran- cisco.	
Date.	No.2 yellow.		Mixed.		No. 2 mixed.		Contract.		No. 3.		No. 2.		White (per 100 lbs.).	
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1912. JanJune July-Dec	Cts. 67½ 54½	Cts. 87½ 84	Cts. 67 52	Cts. 85 87	Cts. 64 47	Cts. 87 84	Cts. 63½ 47½	Cts. 82½ 83	Cts. 62½ 48	Cts. 83½ 81½	Cts. 63 45	Cts. 85 80½	Cts. 155 150	Cts. 1974 195
1913. JanJune July-Dec	571 67	711 871	521 641	65½ 68	48 63 1	65 81	46½ 60	63 78}	48 60 2	62 78½	45 61 3	64 82	145 151 1	155 187
1914. JanJune July-Dec	60 714	82 <u>1</u> 933	661 671	77 89	64 63 1	75 88½	60 62½	73 1 86	62 63 1	74 88	63 62 §	73½ 87	161 167 <u>1</u>	178 193
1915. January February March April May June	77½ 80½ 82 83½ 82½ 78½	86± 885 89± 90± 88± 86±	74 72 73 751 761 761 761	812 831 771 842 831 831	70 70 71 75 77 74½	78½ 81 77 81 80 79½	68½ 68½ 70 72 50½ 71¼	77 78 75 79 56 76 3	70 70½ 70½ 74 75½ 73	77½ 79 75 80 80 78½	69 68½ 70 74½ 73½ 71½	77 78 75½ 78½ 77½ 77% 76	182½ 182½ 185 178 176 172	185 190 1871 1871 1871 180
JanJune.	77½	901	72	843	70	81	50½	79	70	80	68 1	78½	172	190
July August September October November December	86½ 86 75 72¾ 74½ 80	923 923 885 781 801 852	79 86 671 708	87 86 71 78	77 77½ 67 63½ 62 64½	84 82 79 69 69 69 1	753 751 651 593 611 692	82 821 78 67 681 75	78 82 71 65 64 66½	83½ 84 81½ 69 69½ 75	73 7 72 1 681 583 60 65	80§ 81 78 66 65 75½	173 174 174 146 153 162	177 178 175 167 164 180
July-Dec	723	923	67½	87	62	84	593	821	64	84	58 3	81	146	180
1916. January February March April May June	8512 8312 80514 85799 799	891-888-864-888-9194-7-888-888-888-888-888-888-888-888-888-	70 743 753 801 735 758	82½ 80½ 81 82½ 82½ 84%	70½ 71 72½ 76 75½ 72½	77½ 78 76½ 79 78 78½	72½ 71½ 70 74¾ 69 69¼	79½ 79½ 77 79 78½ 78½	72½ 72 72 72 76 71½ 72½	78 77½ 76 79 79 79 79½	70 71½ 71 73½ 69½ 70	77 77 74½ 76 76½ 76½	170 172 170 170 170 176 170	175 172 172 180 180 177
JanJune.	79½	923	70	847	701	79	69	79½	71½	79 1	693	77	170	180
July August September October November December	883 923 964 983 104 1024	933 1001 1011 120 1191 1088	85 1 88 1 92 92 92 105 95	90 94 95 107 105 104 1	79 83 86½ 88 97 85	83½ 89 88½ 103 107 91	78 82 843 881 90 88	84½ 88½ 90 111 110 96	79½ 84½ 88 91 98 94½	85 91 92 115 117 102	75½ 80½ 83½ 86½ 91 88½	82½ 87½ 89 111 107½ 94½	175 188 196 196 215 205	190 205 205 215 245 245
July—Dec.	888	120	85 <u>1</u>	107	79	107	78	111	791	117	75½	111	175	245

Table 8.—Corn: Condition of crop, United States, on first of months named, 1896–1916.

Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.
1896 1897 1898 1809 1900 1901	92.4 82.9 90.5 86.5 89.5 81.3	P. ct. 96. 0 84. 2 87. 0 89. 9 87. 5 54. 0 86. 5		P. ct. 90. 5 77. 1 82. 0 82. 7 78. 2 52. 1 79. 6		79. 4 86. 4 87. 3 87. 5 80. 2 82. 8	78. 7 87. 3 89. 0	80. 1 84. 6 89. 5 90. 2 80. 2 79. 4	89. 2 90. 1 78. 0	1910	85.4 80.1 81.5 86.9 85.8 81.2	79.3 69.6 80.0 75.8	70.3 82.1 65.1 71.7 78.8	

CORN-Continued.

Table 9.—Corn: Farm price per bushel on first of each month, by geographical divisions, 1915 and 1916.

Month.	Un: Sta	ited tes.	Atla	rth intic tes.	Atla	uth intic ites.	State	entral s east ss. R.	State:	entral s west ss. R.	Cer	uth tral tes.		West- tates.
	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915
January February March April May June	Cts. 62.1 66.7 68.2 70.3 72.3 74.1	Cts. 66.2 72.8 75.1 75.1 77.7 77.9	Cts. 76.5 79.5 81.6 82.6 83.0 84.1	Cts. 76.6 81.2 84.6 84.5 85.3 85.8	Cts. 77.3 81.8 85.4 87.3 89.1 92.1	Cts. 81.5 85.8 92.4 92.2 94.3 95.8	Cts. 62.2 66.6 66.4 66.9 70.2 70.6	Cts. 63.3 69.9 70.1 70.3 73.7 73.5	Cts. 56. 2 61. 1 60. 2 63. 1 65. 3 66. 6	Cts. 58.5 67.1 67.0 66.1 68.8 68.6	Cts. 62.1 66.9 72.4 75.8 76.2 79.9	Cts. 75.1 79.4 86.9 88.2 90.0 91.0	Cts. 70.2 71.5 78.7 75.9 79.3 77.0	Cts. 74.1 78.1 82.2 87.1 82.9 82.3
July	75. 4 79. 4 83.6 82. 3 85. 0 88. 9	77.7 78.9 77.3 70.5 61.9 57.5	84.3 87.4 93.8 94.3 97.2 101.5	\$4.8 86.9 87.6 84.5 76.5 73.7	92. 7 95. 0 98. 4 96. 9 95. 0 100. 2	96. 4 96. 8 95. 5 89. 2 79. 4 75. 0	71.6 76.8 81.7 81.5 82.8 86.4	73. 2 76. 0 75. 3 70. 3 61. 7 55. 3	68.7 73.3 77.9 76.9 81.6 81.5	68.8 71.5 70 9 64.9 57.8 51.9	81.0 83.6 86.4 83.4 86.6 96.4	90.3 86.5 81.8 69.6 58.9 58.4	79.3 85.4 88.7 87.2 88.7 101.2	77. 9 80. 5 75. 1 71. 2 65. 7 67. 1
Average	74.3	71.5	86. 9	82.4	91.1	89.1	71.1	69.1	67.4	64.3	80.0	74.9	80.9	76.9

Table 10.—Corn (including meal): International trade, calendar years 1913-1915.

[The item maicena or maizena is included as "Corn and corn meal."]

GENERAL Note.—Substantially the international trade of the world. It should not be expected that the world export and import totals for any year will agree. Among sources of disagreement are these: (1) Different periods of time covered in the "year" of the various countries; (2) imports received in year subsequent to year of export; (3) want of uniformity in classification of goods among countries; (4) different practices and varying degrees of failure in recording countries of origin and ultimate destination; (5) different practices of recording reexported goods; (6) opposite methods of treating free ports; (7) clerical errors, which, it may be assumed, are not infrequent.

The exports given are domestic exports, and the imports given are imports for consumption as far as it is feasible and consistent so to express the facts. While there are some inevitable omissions, on the other hand there are some duplications because of reshipments that do not appear as such in official reports. For the United Kingdom, import figures refer to imports for consumption, when available, otherwise total imports, less exports, of "foreign and colonial merchandise." Figures for the United States include Alaska, Porto Rico, and Hawaii.

EXPORTS.

[000 omitted.]

Country.	1913	1914 (prelim.).	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (pretim.).
Argentina. Argentina. Belgium British South Africa Bulgaria Netherlanda Rossissia	Bushels. 189, 240 30 6, 134 741 11, 362 11, 846 38, 363	Bushels. 139,461 4,778 4,345 41,804	Bushels. 170,490 6,860	Russia United States. Uruguay. Other countries Total.	Bushels. 22,900 46,923 7,225 334,767	Bushels. 11,275 17,022 3 6,713 225,401	Bushels. 26 50,337

IMPORTS.

Austria-Hungary Belgium British South Africa Canada Cuba Denmark Egypt France Germany Italy Mexico	25, 844 25, 036 818 9,041 3, 198 15, 938 1, 184 23, 279 36, 165 13, 847 1, 347	6 8,347 2,890 10,346 687 16,331	25 10,980 3,242 26,019 2 17,582	Netherlands Norway Portugal Russia Spain Sweden Switzerland United Kingdom Other countries Total	39, 467 1, 149 4, 114 662 22, 403 2, 395 4, 785 97, 721 9, 422 337, 815	25,674 1,672 3,105 576 7,960 2,195 3,068 75,499 24,368 183,055	43,308 1,769 8,134 8,292 4,461 92,226
--	--	--	--	--	--	---	--

WHEAT.

Table 11.—Wheat: Area and production of undermentioned countries, 1914-1916.

G1		Area.			Production.	
Country.	1914	1915	1916	1914	1915	1916
NORTH AMERICA. United States	Acres. 53, 541, 000	A crcs. 60, 469, 000	A cres. 52, 785, 000	Bushels. 891,017,000	Bushcls. 1, 025, 801, 000	Bushels. 630, 886, 000
Canada: New Brunswick. Ontario Manitoba Saskatchewan Alberta Other	13,000 \$34,009 2,616,000 5,348,000 1,371,000 111,000	14,000 1,093,000 3,343,000 6,838,000 1,564,000 134,000	11,000 872,000 2,342,000 5,252,000 1,474,000 131,000	234,000 17,658,000 38,605,000 73,494,000 28,859,000 2,430,000	267,000 30,252,000 96,425,000 195,168,000 51,355,000 2,837,000	(1) (1) (1) (1) (1) (1) (1)
Total Canada	10, 293, 000	12, 986, 000	10,085,000	161, 280, 000	376, 304, 000	220, 367, 000
Mexico.	1,478,000	(1)	(1)	4,389,000	4,000,000	(¹)
Total				1,056,686,000	1, 406, 105, 000	
SOUTH AMERICA.						
Argentina. Chile	16, 243, 000 1, 018, 000 911, 000	15, 471, 000 1, 278, 000 783, 000	16,420,000 (1) 950,000	113, 904, 000 16, 403, 000 5, 887, 000	168, 468, 000 19, 002, 000 3, 596, 000	172, 620, 000 21, 145, 000 8, 167, 000
Total	18, 172, 000	17, 532, 000		136, 194, 000	191.066,000	201, 932, 000
EUROPE. Austria-Hungary: Austria Hungary proor. Creatus-Hunorn Bosnia-Hunorn	² 1, 660, 000 8, 016, 600 741, 000 (¹)	8, 288, 000 (1) (1)	(1) (1) (1) (1)	² 38, 024, 000 105, 237, 000 7, 716, 000 2, 500, 000	2 38, 000, 000 152, 934, 000 15, 000, 000 3, 000, 000	- (1) (1) (2)
Total Austria- Hungary				153, 477, 000	208, 934, 000	
Belgium Rulgaria Denmork Finland France Germany Greece Italy Montenegro Netherlands Norway Portugal Roumania	400,000 2,638,000 3134,000 (1) 14,975,000 4,932,000 (1) 11,783,000 (1) 148,000 (1) 5,218,000	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	(1) 152,000 (2) 12,855,000 (1) (1) 11,678,000 (1) 136,000 14,000 (1) 4,843,000	13, 973, 000 25, 979, 000 5, 785, 000 130, 000 282, 689, 000 145, 944, 000 7, 000, 000 200, 5, 779, 000 5, 779, 000 10, 000, 000 40, 270, 000	8,000,000 46,212,000 7,979,000 130,000 225,132,000 141,676,000 0,000 170,541,000 200,000 6,143,000 6,571,000 89,241,000	(1) 38, 241, 000 6,040,000 213, 214,000 (1) (1) 176, 529,000 (1) 4,034,000 7,343,000 78,520,000
Russia: Russia proper Poland * Northern Caucasia	50, 986, 000 343, 000 10, 597, 000	49, 052, 000 (¹) 10, 031, 000	48, 525, 000 (1) (1)	463, 748, 000 5, 883, 000 109, 636, 000	525, 450, 000 (1) 5 127, 756, 000	595, 419,000 (1) (1)
Total Russia, European	61,926,000	59,083,000		579, 267, 000	653, 206, 000	
Serbia Spain Sweden Switzerland	9, 681, 000 269, 000 113, 000	10, 037, 000 (1) 111, 000	10, 070, 000 (1) 124, 000	9,000,000 116,089,000 8,472,000 3,277,000	10,000,000 139,298,000 9,170,000 3,957,000	(¹) 152, 3 29,000 (¹) 3 ,821,000
United Kingdom: England Wiles Sented Ireland	1,770,000 37,000 61,000 37,000	2, 122, 000 49, 000 77, 000 87, 000	1,862,000 50,000 63,000 76,000	59, 217, 000 1, 082, 000 2, 642, 000 1, 415, 000	68, 437, 000 1, 415, 000 3, 053, 000 3, 238, 000	55, 825, 000 1, 383, 000 2, 336, 000 2, 827, 000
Total United Kingdom	1,905,000	2, 335, 000	2,051,000	64, 356, 000	76, 143, 000	62,371,000
				1,650,537,000	1,808,802,000	

No official statistics.
 Galicia and Bukowma not included in 1914 and 1915.
 Includes 1 government of Transcaucasia.
 Census of 1910.

Table 11.—Wheat: Area and production in undermentioned countries, 1914-1916—Con.

				,		
		Area.			Production.	
Country.	1914	1915	1916	1914	1915	1916
ASIA. India: British ¹ Native States	Acres. 28, 475, 000	A cres. 32, 475, 000	Acres. 30, 143, 000	Bushels. 312,032,000	Bushels. 370,731,000	Bushels. 318,005,000
Total				312,032,000	376, 731, 000	318, 005, 000
Cyprus	(2)	(2)	(2)	2,500,000	2,000,000	(2)
Japanese Empire: Japan Formosa	1,174,000 16,000	1,250,000 (2)	1, 280, 000 (²)	22,975,000 195,000	25, 798, 000 200, 000	24, 444, 000 (²)
Total	1,190,000			23, 170, 000	25, 998, 000	
Persia	(2)	(2)	(2)	14,000,000	16,000,000	(2)
Russia: Central Asia (4 governments of) Siberia (4 govern-	5,501,000	6,518,000	(2)	68, 448, 000	58, 025, 000	(2)
ments of)	7,931,000	7,727,000	(2)	104, 038, 000	50, 321, 000	(2)
government)	11,000	(8)	(2)	82,000	(8)	(2)
Total	13,443,000	14, 245, 000		172, 568, 000	108, 346, 000	
Turkey (Asia Minor only)	(2)	(2)	(2)	35, 000, 000	35,000,000	(2)
Total				559, 270, 000	564,075,000	
AFRICA.	•					
Algeria Egypt Tunis Union of South Africa	3,368,000, 1,301,000 1,010,000	3,209,000 1,582,000 1,112,000 (2)	1,447,000 1,482,000 557,000	30,000,000 32,831,000 2,205,000 46,034,000	34,654,000 39,148,000 11,023,000 7,070,000	(2) 36,543,000 7,165,000 4,857,000
Total				71,070,000	91,901,000	
AUSTRALASIA.						
Australia: Oneensland Net South Wales Victoria South Anstralia Western Australia Tasmania	132,000 3,205,000 2,566,000 2,268,000 1,097,000 18,000	127,000 2,758,000 2,864,000 2,502,000 1,376,000 24,000	94,000 4,235,000 3,680,000 2,739,000 1,733,000 49,000	1,825,000 39,219,000 33,974,000 17,470,000 13,751,000 361,000	1,635,000 13,235,000 4,065,000 3,639,000 2,707,000 396,000	427,000 69,445,000 60,366,000 35,210,000 18,811,000 1,025,000
Total Australia New Zealand	9,286,000 167,000	9,651,000 230,000	12,530,000 328,000	106,600,000 5,559,000	25, 677, 000 6, 854, 000	185, 284, 000 7, 294, 000
Total Australasia	9,453,000	9,881,000	12,858,000	112, 159, 000	32, 531, 000	192,579,000
Grand total				3, 585, 916, 000	4,094,480,000	

¹ Including certain Feudatory States.
2 No official sections.

Table 12.—Wheat: Total production of countries named in Table 11, 1891-1916.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1891 1892 1893 1894 1895 1896	Bushels. 2, 432, 322, 000 2, 481, 805, 000 2, 559, 174, 000 2, 559, 377, 000 2, 593, 312, 000 2, 506, 320, 000 2, 236, 268, 000	1898 1899 1900 1901 1902 1903 1904	Bushels. 2, 948, 305, 000 2, 783, 885, 000 2, 610, 751, 000 2, 955, 975, 000 3, 090, 116, 000 3, 189, 813, 000 3, 163, 542, 000	1905 1906 1907 1908 1909 1910 1911	Bushels. 3, 327, 084, 000 3, 434, 354, 000 3, 183, 965, 000 3, 581, 519, 000 3, 575, 055, 000 3, 551, 795, 000	1912 1913 1914 1915 1916	Bushels. 3, 791, 951, 000 4, 127, 437, 000 3, 585, 916, 000 4, 094, 480, 000

Included in Northern Caucasia.
 Yield of 1911 census.

Table 13.—Wheat: Average yield per acre in undermentioned countries, 1890-1915.

Year.	United States.	Russia (Euro- pean).1	Ger- many.1	Austria.	Hungary proper.	France.2	United King- dom.2
Average: 1890-1899 1900-1999	Bushels. 13. 2 14 1	Bushels. 8 9 9. 7	Bushels. 24 5 28 9	Bushels. 16.2 18.0	Bushels.	Bushels. 18. 6 20. 5	Bushcls. 31.2 33.1
1906. 1907. 1908. 1909.	14.0	7 7 8 0 8.8 12.5 11.2	30, 3 29, 6 29, 7 30, 5 29, 6	20.3 18.0 21.0 19.9 19.2	22 5 14.9 17.5 14.1 19.8	20 2 23, 2 19 6 22, 0 15, 9	34.8 35.1 33.4 35.0 31.4
1910 1911 1912 1913 1914	12. 5 15. 9 15. 2 16. 6	7.0 10.3 13.5 9.4	30.6 33.6 35.1 29.6	19. 6 22. 3 19. 9 3 22. 4	20.9 19.8 19.6 13.1	19.8 21.0 19.9 18.9	34. 0 30. 0 32. 7 33. 8
1915	17. 0		28.6			16.6	32 7

¹ Bushels of 60 pounds.

Table 14.—Wheat: Acreage, production, value, exports, etc., in the United States, 1849-1916.

Note.—Figures in italies are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

•	Acreage	Aver- age yield		Aver- age farm	Farm value	bus		sh pric		Domestic exports, in- cluding	Per cent of
Year.	harvested.	yield per acre.	Production.	price per hushel Dec. 1.	Dec. 1.		mber.		wing	flour, fiscal year beginning July 1.	ex- port ed.
1849 1859	Acres.	Bush.	Bushels. 100, 486,000 173,105,000	Cents.	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels. 7,535,901 17,213,133	P. ct. 7, 5
1866 1867 1868 1869		9.9 11.6 12.1 13.6	152,000,000 212,441,000 224,037,000 260,147,000 287,746,000	152. 7 145. 2 108. 5 76. 5	232,110,000 308,387,000 243,033,000 199,025,000	129 126 80 63	145 140 88 76	185 134 87 79	211 161 96 92	12, 616, 941 26, 323, 014 29, 717, 201 53, 900, 780	8.3 12.4 13.3 20.7
1870 1871 1872 1873 1874	19,944,000	12.4 11.6 12.0 12.7 12.3	235, 885, 000 230, 722, 000 249, 997, 000 281, 255, 000 308, 103, 000	94. 4 114. 5 111. 4 106. 9 86. 3	222, 767, 000 264, 076, 000 278, 522, 000 300, 670, 000 265, 881, 000	91 107 97 96 78	98 111 108 106 83	113 120 112 105 78	120 143 122 114 94	52,574,111 38,995,755 52,014,715 91,510,398 72,912,817	22, 3 16, 9 20, 8 32, 5 23, 7
1875 1876 1877 1878 1879	27, 627, 900 26, 278, 900 32, 109, 900	11. 1 10. 5 13. 9 13. 1 13. 8	292, 136, 000 289, 356, 000 364, 194, 000 420, 122, 000 418, 757, 000	89. 5 97. 0 105. 7 77. 6 110. 8	261, 397, 000 280, 743, 000 385, 089, 000 325, 814, 000 497, 030, 000	82 104 103 81 122	91 117 108 84 133½	89 130 98 91 112½	100 172 113 102 119	74, 750, 682 57, 043, 936 92, 141, 626 150, 502, 506 180, 304, 181	25.6 19.7 25.3 35.8 40.2
1879. 1880. 1881. 1882. 1883.	37,709,000	13. 0 13. 1 10. 2 13. 6 11. 6	459, 485, 000 498, 550, 000 383, 280, 000 504, 185, 000 421, 086, 000	95. 1 119. 2 88. 4 91. 1	474, 202, 000 456, 880, 000 445, 602, 000 383, 649, 000	93½ 124¾ 91½ 94¾	1093 129 943 991	101 123 108 85	140 113 8	186, 321, 514 121, 892, 389 147, 811, 316 111, 534, 182	37. 4 31. 8 29. 3 26. 5
1884 1885 1886 1887 1588	34, 189, 000 36, 806, 000	13. 0 10. 4 12. 4 12. 1 11. 1	512,765,000 357,112,000 457,218,000 456,329,000 415,868,000	64. 5 77. 1 68. 7 68. 1 92. 6	330, 862, 000 275, 320, 000 314, 226, 000 310, 613, 000 385, 248, 000	69½ 82⅔ 75⅓ 75⅓ 96▮	763 89 791 791 1052	858 721 803 811 771	.903 79 883 897 953	132,570,366 94,565,793 153,804,969 119,625,344 88,600,743	25. 9 26. 5 33. 6 26. 2 21. 3
1889 1889 1890	33.580.000	12.9 13.9 11.1	490, 560, 000 468, 374, 000 399, 262, 000	69.8	342, 492, 000	763	80½	893	100	109, 430, 467	22, 3
1891.	39,917,000	15.3	611, 781, 000	83. 8 83. 9 62. 4	334, 774, 000 513, 473, 000 322, 112, 000	87 <u>1</u> 89 <u>1</u> 69 <u>1</u>	923 931 73	983 80 681	854	106, 181, 316 225, 665, 811 191, 912, 635	26.6 36.9 37.2

² Winchester bushels.

² Galicia and Bukowina not included.

Table 14.—Wheat: Acreage, production, value, exports, etc., in the United States, 1849–1916—Continued.

-	1			Ī	-	Chie	ago ca	ah mrid	34 nor	1	
		Aver-		Aver- age farm		bu	shel, N	o.1 nor	thern	Domestic exports, in- cluding	Per cent of
Year.	Acreage harvested.	yield per acre.	Production.	price per bushel Dec. 1.	Farm value Dec. 1.	Dece	mber.		owing ay.	flour, fiscal year beginning July 1.	ex- port ed.
				20.1.		Low.	High.	Low.	High.	1	
1893 1894	Acres. 34,629,000 34,882,000	Bush. 11.4 13.2	Bushels. 396, 132, 000 460, 267, 000	Cents. 53.8 49.1	Dollars. 213, 171, 000 225, 902, 000	Cts. 591 524	Cts. 641 635	Cts. 521 603	Cts. 60½ 85§	Bushels. 164, 283, 129 144, 812, 718	P. ct. 41. 5 31. 5
1895 1896 1897	34, 047, 000 34, 619, 000 39, 465, 000	13. 7 12. 4 13. 4	467, 103, 000 427, 684, 000 530, 149, 000	50.9 72.6 80.8	237, 939, 000 310, 598, 000 428, 547, 000	5234 5334 742 92	64 ³ 93 ¹ 109	603 571 683 117	678 978 185	126, 443, 968 145, 124, 972 217, 306, 005	27.1 33.9 41.0
1898 1899	44,055,000 44,593,000 52,589,000	15.3 12.3 12.5	675, 149, 000 547, 304, 000 658, 534, 000	58. 2 58. 4	392, 770, 000 319, 545, 000	62 2 64	70 69}	68 3 63 3	79½ 67½	222, 618, 420 186, 096, 762	33. 0 34. 0
1900 1901	42,495,000 49,896,000	12.3 15.0	522, 230, 000 748, 460, 000	61.9 62.4	323,515,000 467,360,000	691 73	745 79½	70 723	75½ 76½	215,990,073 234,772,516	41. 4 31. 4
1902 1903 1904	46,202,000 49,465,000 44,075,000	14. 5 12. 9 12. 5	670,063,000 637,822,000 552,400,000	63.0 69.5 92.4	422, 224, 000 443, 025, 000 510, 490, 000	717 772 115	774 87 122	743 873 894	805 1011 1132	202,905,598 120,727,613 44,112,910	30.3 18.9 8.0
1905	47, 854, 000 47, 306, 000	14. 5 15. 5	692, 979, 000 735, 261, 000	74. 8 66. 7	518, 373, 000 490, 333, 000	821	90	801 84	87± 106	97,609,007 146,700,425	14. 1 20. 0
1907 1908 1909	45,211,000 47,557,000 46,723,000	14. 0 14. 0 15. 8	634, 087, 000 664, 602, 000 737, 189, 000	87. 4 92. 8	554, 437, 000 616, 826, 000	106}	112	126½	137	163,043,669 114,268,468	25. 7 17. 2
1909 1910 ¹ .	44,262,000	15. 4 13. 9	683,579,000 635,121,000	98. 6 88. 3	668, 680, 000 561, 051, 000	106 104	119 3 110	100 98	119 <u>1</u> 106	87,364,318 69,311,760	12.8 10.9
1911 1912 1913		12. 5 15. 9 15. 2	621, 338, 000 730, 267, 000 763, 380, 000	87. 4 76. 0 79. 9	543, 063, 000 555, 280, 000 610, 122, 000	105 85 89 3	110 903 93	115 90½ 96	122 96 100	79, 689, 404 142, 879, 596 145, 590, 349	12.8 19.6 19.1
1914 1915 1916	53, 541, 000 60, 469, 000	16.6	891,017,000 1,025,801,000 639,886,000	98. 6 91. 9	878, 680, 000 942, 303, 000 1,025,765,000	115 106 155}	131 128 1 190	141 116		332, 464, 975 243, 117, 026	37.3 23.7
			,,		-,,						

¹ Figures adjusted to census basis.

Table 15.—Winter and spring wheat: Acreage, production, and farm value Dec. 1, by States in 1916, and United States totals, 1890-1916.

Part of the Control o		7	Vinter whe	nt.		Spring wheat.						
State.	Acreage.	Aver- age yield per acre.	Produc- tion.	Average farm price Dec.1.	Farm value Dec. 1.	Acreage.	Average yield per acre.	Produc- tion.	Average farm price Dec.1.	Farm value Dec. 1.		
MeVtN. YN. J.	430,000 90,000	20.0		168 164	15, 170, 000 2, 952, 000	1,000	25.0	25, 000	165	41,000		
Del. Md. Va. W. Va. N. C.	124,000 640,000	15. 0 16. 0 12. 5 14. 5	1, 860, 000 10, 240, 000 16, 250, 000 4, 640, 000	162 171 165 160	3,013,000 17,510,000 26,812,000 7,424,000							
S. C. Ga Ohio Ind	334,000 1,500,000 1,620,000	11. 4 13. 5 12. 0	3, 808, 000	186 169 169	7,083,000 34,222,000 32,854,000							

Table 15.—Winter and spring wheat: Acreage, production, and farm value Dec. 1, by States in 1916, and United States totals, 1890–1916—Continued.

		Ž	Vinter whe	at.			S	Spring whe	nt.	
State and year.	Acreage.	Average yield per acre.	Produc- tion.	Average farm price Dec.1.	Farm value Dec. 1.	Acreage.	Average yield per acre.	Produc-	Average farm price Dec.1.	Farm value Dec. 1.
Mich Wis. Minn Iowa Mo.	A cres. 800,000 81,000 65,000 340,000 1,950,000	Bu. 17.0 19.0 14.0 18.5 8.5	Bushels. 13, 600, 000 1, 539, 000 910, 000 6, 290, 000 16, 575, 000	160 162 156	Dollars. 22, 712, 000 2, 462, 000 1, 474, 000 9, 812, 000 27, 349, 000	3,650,000	Bu. 16.6 7.3 13.0	26, 645, 000	162	Dollars. 2, 842, 000 43, 165, 000 6, 490, 000
N. Dak S. Dak Nebr Kans Ky	150, 000 3, 240, 000 8, 130, 000 890, 000	18.5 20.0 12.0 9.0	2,775,000 64,800,000 97,560,000 8,010,000	150 160 164 166				39, 325, 000 22, 050, 000 3, 750, 000 462, 000		59, 774, 000 33, 075, 000 6, 000, 000 758, 000
TennAlaMissTexOkla	\$65,000 110,000 6,000 1,200,000 3,050,000	9. 2 9. 5 15. 0 11. 0 9. 7	7,958,000 1,045,000 90,000 13,200,000 29,585,000	185 175	13, 449, 000 1, 933, 000 158, 000 22, 836, 000 49, 407, 000					
ArkMontWyoColo	255, 000 550, 000 70, 000 370, 000	8. 0 21. 5 21. 0 20. 0	2,040,000 11,825,000 1,470,000 7,400,000		3,325,000 19,038,000 2,132,000 11,100,000	935, 000 95, 000		16,830 000 2,090 00) 4,485,000	161 145	27, 096, 000 3, 030, 000 6, 728, 000
N. Mex Ariz. Utah Nev	65, 000 40, 000 250, 000 20, 000	16.5 29.0 20.0 24.5	1,072,000 1,160,000 5,000,000 490,000	150 150 152 140	1, 608, 000 1, 740, 000 7, 600, 000 686, 000	48, 000 76, 000 35, 000	21.5 25.0 31.5	1,032 000 1,900 000 1,102,000	152	1,548,000 2,888,000 1,543,000
Idaho Wash Oreg Cal	344,000 690,000 580,000 350,000	24.0 26.5 23.0 16.0	8, 256, 000 18, 285, 000 13, 340, 000 5, 600, 000	146 143 145 152	12, 054, 000 26, 148, 000 19, 343, 000 8, 512, 000	900, 000 270, 000	23.5 21.5 23.0		143	9, 950, 000 27, 670, 000 9, 004, 000
U. S			481, 744, 000	162.7	783, 911, 000	17, 956, 000	8.8	158, 142, 000	152.9	241, 854, 000
1915	41,308,090 36,008,000 31,699,000 26,571,000 29,162,000 27,327,00	16.3 19.0 16.5 15.1 14.8 15.9	673, 947, 000 684, 990, 000 523, 561, 000 399, 919, 000 430, 656, 000 434, 142, 000	98.6 82.9 80.9	638, 149, 000 675, 623, 000 433, 995, 000 323, 572, 000 379, 151, 000 382, 318, 000	17, 533, 000 18, 485, 000 19, 243, 000	11.8 13.0 17.2 9.4	351, 854, 000 206, 027, 000 239, 819, 000 330, 348, 000 190, 682, 000 200, 979, 000	73.4	304, 154, 000 203, 057, 000 176, 127, 000 231, 708, 000 163, 912, 000 178, 733, 000
1909 1	27, 151,000 30, 349,000 28, 132,000 29,600,000 29,864,000	15.5 11.4 14.6 16.7 14.3	219.78° 000 137 (ms 6 m 409, 442, 000 492, 888, 000 428, 463, 000	68. 2 68. 3	426,184,000 410,330,000 361,217,000 336,435,000 334,987,000	17,079.000 17,706,000	13. 2 13. 7	263,646,000 226,694,000 224.645,000 242,373,000 264,517,000	86. 0 63. 5	242, 496,000 206, 496,000 193, 220,000 153, 898,000 183, 386,000
1904 1903 1902 1901 1900			332, 935, 000 399, 867, 000 411, 789, 000 458, 835, 000 350, 025, 000	71. d 64. 8 66. 1 63. 3	325 611.000 26,2:3,7:3, 266,727,000 303,227.000 221,668,000	17,621,000 19,656,000 16,259,000	11.7 1.7 14.7	219 464 000 2.7 (45) (7) 2.5 274, (9) 289, 626, 000 172, 204, 000	84. 2 65. 9 60. 2 56. 7 59. 1	184,879,000 156,782,000 155,497,000 164,133,000 101,847,000
1899 1898 1897 1896 1895	25, 358, 000 25, 745, 000 22, 926, 000 22, 794, 000 22, 609, 000	11.5 14.9 14.1 11.8 11.6	291,706,000 382,492,000 323,616,000 267,934,000 261,242,000	31.5	183,767,000 237,736,000 275,323,000 206,270,000 150,011,000	11, 438, 000	16 O	255,598,000 292,657,000 206,533,000 159,750,000 205,861,000	53. 0 74. 2 65. 3	135,778,000 155,034,000 153,224,000 104,328,000 86,995,000
1894 1893 1892 1891 1890	23, 519, 000 23, 118, 000 25, 200, 000 27, 521, 000 23, 520, 000	14. 0 12. 0 13. 7 14. 7 10. 9	329, 290, 000 278, 469, 000 359, 416, 000 405, 116, 000 255, 374, 000	49.8 56.3 65.1 88.0 87.5	164.022,000 156,720,000 234,037,000 356,415,000 223,362,000	11,364,000 11,511,000 12,345,000 12,393,000 12,567,000	10. 2 12. 7 16. 7	130,977,000 117,662,000 156,531,000 206,665,000 143,890,000	48, 0 56. 3 76. 0	61,880,000 56,451,000 88,075,000 157,058,000 111,411,000

¹ Census acreage and production.

Table 16.—Winter and spring wheat: Yield per acre in States producing both, for 10 years.
WINTER WHEAT.

		WIN	TER	WHE.	AT.						
-				Yie	eld per	acre (bushel:	3).			
State.	10-year aver., 1907- 1916.	1907	1908	1909	1910	1911	1912	1913-	1914	1915	1916
Wisconsin Minnesota Iowa South Dakota Nebraska Kansas Montana	19.6 17.3 21.0 15.5 18.1 13.7 26.0	15.5 18.5 19.0 11.3	19.5 21.0 17.8 12.8	20. 4 21. 6 19. 4 14. 5 32. 5	20. 0 21. 2 16. 5 14. 2 22. 0	17. 5 19. 7 13. 8 10. 8 31. 7	19.5 23.0 18.0 15.5 24.5	20. 1 16. 2 23. 4 9. 0 18. 6 13. 0 25. 6 25. 0	21.5 19.5 21.6 14.0 19.3 20.5 23.0 24.0	23. 0 19. 5 21. 5 20. 5 18. 5 12. 5 27. 0 26. 0	19. 6 14. 6 18. 8 20. 6 12. 6 21. 8
Wyoming Colorado New Mexico Arizona Utah Novada Idaho	25. 8 23. 4 21. 0 28. 6 22. 7 25. 1 27. 7	26. 0	23.0	32. 5 29. 7 21. 0 24. 0 29. 0	25. 0 23. 0 20. 0 22. 3 20. 5 24. 0 23. 7	25. 0 18. 0 25. 0 30. 0 20. 0 23. 0 31. 5	28. 0 24. 5 20. 0 31. 0 24. 0 27. 5 28. 7	21. 1 18. 6 32. 0 23. 0 23. 0 27. 4	25. 0 25. 0 28. 0 25. 0 29. 0 27. 5	26. 0 22. 0 28. 0 25. 0 26. 0 29. 0	20. 0 16. 8 29. 0 20. 0 24. 5 24. 0 26. 5
Washington Oregon United States	26. 3 23. 3 15. 6	29. 5 25. 5 14. 6	24. 5 23. 2 14. 4	25. 8 21. 0 15. 8	20. 5 23. 7 15. 9	27. 3 22. 2 14. 8	27. 6 26. 8 15. 1	27. 0 21. 4 16. 5	26. 5 22. 0 19. 0	27. 6 24. 0 16. 3	23.0
		SPR	ING 1	VHEA	т.						
Wisconsin. Minnesota. Iowa South Dakota. Nebraska.	17. 6 13. 5 15. 5 11. 0 12. 9	13. 5 13. 0 12. 8 11. 2 12. 0	17. 5 12. 8 15. 5 12. 8 13. 0	19. 0 16. 8 14. 7 14. 1 14. 0	18. 7 16. 0 20. 9 12. 8 13. 9	14. 5 10. 1 13. 8 4. 0 10. 0	18.5 15.5 17.0 14.2 14.1	18. 6 16. 2 17. 0 9. 0 12. 0	17. 0 10. 5 13. 5 9. 0 11. 5	22. 5 17. 0 16. 7 17. 0 16. 0	16.6 7.3 13.0 6.3 12.5
Kansas Montana. Wyoming Colorado. New Mexico.	9. 6 23. 5 25. 7 22. 9 22. 2	5. 8 28. 8 28. 5 29. 0 24. 0	5. 5 24. 2 25. 5 21. 0 25. 0	11.5 28.8 27.0 29.4 24.5	8. 4 22. 0 25. 0 21. 9 20. 0	4. 2 25. 2 26. 0 19. 5 20. 5	15. 0 23. 5 29. 2 24. 0 22. 0	8. 5 21. 5 25. 0 21. 0 19. 0	15. 0 17. 0 22. 0 22. 5 23. 0	12. 0 26. 0 27. 0 21. 0 22. 5	10. 5 18. 0 22. 0 19. 5 21. 5
Arizona Utah Nevada Idaho Washington Oregon	24. 9 27. 2 30. 7 25. 6 19. 7 18. 8	25. 9 28. 8 32. 0 24. 5 24. 5 21. 5	26. 7 27. 5 30. 0 25. 4 15. 0 16. 5	25. 0 28. 5 28. 7 26. 0 20. 6 18. 7	22. 3 25. 3 29. 0 20. 4 14. 5 18. 0	25. 0 27. 0 32. 5 29. 0 19. 5 17. 7	28. 0 29. 2 30. 2 28. 3 20. 4 19. 5	24. 5 28. 0 31. 0 28. 0 19. 0 19. 5	23. 0 25. 0 30. 0 24. 0 20. 0 16. 5	24. 0 28. 0 32. 0 26. 5 22. 2 17. 0	24. 5 25. 0 31. 5 23. 5 21. 5 23. 0
United States	13. 2	13. 2	13. 2	15.8	11.0	9. 4	17. 2	13.0	11.8	18.4	8.8

Table 17.—All wheat: Acreage, production, and total farm value, by States, 1915 and 1916.

State.	Thousand	housands of acres.		on (thou- oushels).	Total value, basis Dec.1 price (thou- sands of dollars).		
	1916	1915	1916	1915	1916	1915	
Maine Vermont New York New Jersey Pennsylvania Delaware Maryland Virginia West Virginia North Carolina South Carolina Georgia Oliio Indiana Illinois	1 430 90 1,375 124 640 1,300 320 950 210 334 1,500 1,620	4 1 475 78 1,330 125 638 1,230 900 225 325 1,980 2,650 2,800	135 25 9,030 1,800 26,125 1,860 10,240 16,250 4,640 9,975 2,226 3,808 20,250 19,440 16,225	112 30 11, 875 1, 560 24, 605 1, 875 10, 272 16, 974 4, 500 9, 810 2, 430 3, 575 40, 194 45, 580 53, 200	252 41 15,170 2,952 42,832 3,013 17,510 26,812 7,424 17,556 4,207 7,083 34,222 32,854 28,771	125 32 11, 994 1, 654 25, 589 2, 044 10, 786 18, 332 4, 860 11, 772 3, 353 4, 612 41, 802 46, 492 53, 200	

Table 17.—All wheat: Acreage, production, and total farm value, by States, 1915 and 1916—Continued.

State.	Thousand	ls of acres.		on (thou- bushels).	Total value, basis Dec. 1 price (thou- sands of dollars).		
-	1916	1915	1916	1915	1916	1915	
Michigan	800	960	13,600	20, 448	22,712	20, 652	
Wisconsin	188	205	3,315	4, 662	5,304	4, 429	
Minnesota	3,715	4,160	27,555	70, 870	44,639	63, 783	
Lowa	660	950	10,450	18, 985	16,302	16, 517	
Missouri	1,950	2,773	16,575	34, 108	27,349	33, 426	
North Dakota	7,150	8,350	39,325	151,970	59,774	132, 214	
South Dakota	3,650	3,725	24,825	63,762	37,237	54, 835	
Nebraska	3,540	3,876	68,550	71,018	109,680	59, 655	
Kansas	8,174	8,525	98,022	106,538	160,756	94, 819	
Kentucky	890	900	8,010	9,900	13,297	10, 395	
Tennessee. Alabama. Mississippi Texas. Oklahoma.	865	860	7,958	9,030	13, 449	9,752	
	110	100	1,045	1,200	1, 933	1,500	
	6	5	90	100	158	105	
	1,200	1,650	13,200	25,575	22, 836	27,365	
	3,050	3,350	29,585	38,860	49, 407	34,585	
Arkansas.	255	$\begin{array}{c} 220 \\ 1,590 \\ 125 \\ 570 \end{array}$	2,040	2,750	3,325	2,778	
Montana	1,485		28,655	42,180	46,134	32,900	
Wyoming.	165		3,560	3,315	5,162	2,586	
Colorado	600		11,885	13,770	17,828	11,016	
New Mexico	113	89	2,104	1,976	3, 156	1,779	
Arizona.	40	39	1,160	1,092	1, 740	1,256	
Utah	326	320	6,900	8,225	10, 488	7,074	
Nevada	55	56	1,592	1,660	2, 229	1,577	
Idaho	634	670	15,071	18,730	22,004	14, 984	
Washington	1,590	2,000	37,635	51,420	53,818	42, 165	
Oregon.	850	900	19,550	20,025	28,347	16, 821	
California	350	410	5,600	7,040	8,512	6, 688	
United States	52,785	60,469	639, 886	1,025,801	1,025,765	942, 303	

Table 18.—Wheat: Production and distribution in the United States, 1897-1916.
[000 omitted.]

Year.	Old stock on farms July 1.	Crop.	Total supplies.	Stock on farms Mar. 1 following.	Shipped out of county where grown.
1897 1898 1899 1900	Bushels. 23,347 17,839 64,061 50,900 30,552	Bushels. 530, 149 675, 149 547, 304 522, 230 748, 460	Bushels. 553, 496 692, 988 611, 365 573, 130 779, 012	Bushels. 121, 320 198, 056 158, 746 128, 098 173, 353	Bushels. 269, 126 398, 882 305, 020 281, 372 372, 717
1902 1903 1904 1905 1906	42,540 36,634 24,257	670, 063 637, 822 552, 400 692, 979 735, 261	722,500 680,362 589,034 717,236 781,314	164,047 132,608 111,055 158,403 206,642	388, 554 369, 582 302, 771 404, 092 427, 253
1907 1908 1909 1910 1911	33,797 15,062 35,680	634, 087 664, 602 683, 379 635, 121 621, 338	688,940 698,399 698,441 670,801 655,409	148,721 143,692 159,100 162,705 122,025	367,60 7 393,435 414,165 352,90 6 348,821
1912 1913 1914 1915 1916	35,515 32,236	730, 267 763, 380 891, 017 1, 025, 801 639, 886	754,143 798,895 923,253 1,054,773 714,617	156, 483 151, 809 152, 903 244, 448	449,906 411,753 541,198 633,380

Table 19. - Wheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

,		and the second second	Y	ield	per	acre	(bu	shels	s) .			F	ırm		e per nts).	bus	hel	per	lue acre ars.)1
State.	10-year aver- age,1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	10-year aver- age, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911-1915.	1916
Me Vt N. Y N. J Pa	126.2	23.0 17.3 18.5	23.0 17.5 17.3	25.0 21.0 17.9	29.3 23.7 18.5	27.8 19.5 17.4	25.0 16.0 18.5	24. 5 20. 0 17. 6	29. 0 22. 5 18. 0	30.0 25.0 20.0	25.0 21.0 20.0	109 107 108	103 98 99 98 95	101 100 93 96 91	109 100 108 109 104	107 101	165 168 168	27, 52 20, 50 15, 51	59, 49 41, 25 35, 28 32, 50 30, 78
Md Va W. Va N. C.	12.6 13.4 10.5	19. 0 12. 5 12. 2 9. 5	16. 4 11. 4 13. 0 10. 0	14. 5 11. 2 13. 0 9. 5	17. 4 12. 8 12. 5 11. 4	15. 5 12. 0 11. 5 10. 6	15. 0 11. 6 14. 5 8. 9	13. 3 13. 6 13. 0 11. 7	21.5 14.5 15.0 12.0	16. 1 13. 8 15. 0 10. 9	16. 0 12. 5 14. 5 10. 5	105 108 110 118	96 95 101 101 111	88 89 96 100 106	108 117	108	171 165 160	15. 98 13. 37 14. 35	24. 30 27. 36 20. 62 23. 20 18. 48
S. C. Ga_ Ohio Ind Ill	10. 7 15. 9 15. 0 15. 5	9.0 16.3 14.4 18.0	9. 2 16. 0 16. 6 13. 0	10. 0 15. 9 15. 3 17. 4	10. 5 16. 2 15. 6 15. 0	12. 0 16. 0 14. 7 16. 0	9.3 8.0 8.0 8.3	12. 2 18. 0 18. 5 18. 7	12. 1 18. 5 17. 4 18. 5	11.0 20.3 17.2 19.0	11.4 13.5 12.0 11.0	132 105 103 100	119 122 98 93 88	130 120 90 88 86	134 105 103 101	129 104 102	186 169 169	14.01 15.83 14.45	20. 03 21. 20 22. 82 20. 28 18. 15
Wis. Minn. Iowa. Mo.	18. 5 13. 5 18. 0 13. 5	14. 1 13. 0 13. 4 13. 2	18. 2 12. 8 17. 2 10. 0	16. 8 17. 0 14. 7	19.3 16.0 21.0 13.8	15. 9 10. 1 16. 4 15. 7	19. 0 15. 5 19. 8 12. 5	19.3 16.2 20.6 17.1	19. 1 10. 6 18. 6 17. 0	22. 7 17. 0 20. 0 12. 3	17. 6 7. 4 15. 8 8. 5	98 97 93 99	96 83 73 78 90	89 82 76 76 84	103 100 102 96 98	101 95 90 87 98	160 162 156 165	17.31 11.81 16.16 13.63	28. 39 28. 16 11. 99 24. 65 14 02
N. Dak. S. Dak Nebr Kans	17.6 13.6 12.1	18. 1 11. 0 12. 0	17, 2 12, 6 11, 6	18.8 14.4 11.8	16. 2 14. 1 12. 8	13. 4 10. 7 12. 7	17.6 15.5 10.0	17. 9 13. 0 13. 6	18. 6 20. 5 16. 5	18.3 12.5 11.0	19.4 12.0 9.0	90 94 106	69 69 69 74 99	73 71 71 79 96		87 86 84 89 105	150 160 164 166	8, 62 13, 91 12, 42 12, 64	8, 36 10, 20 31, 04 19, 68 14, 94
Tenn Ala. Miss Tex Okla.	11. 2 13. 6 12. 4 12. 1	10.0 11.0 7.4 9.0	11.5 14.5 11.0 11.6	10. 5 11. 0 9. 1 12. 8	12.0 14.0 15.0 16.3	11.5 12.0 9.4 8.0	10.6 12.0 15.0 12.8	11. 7 14. 0 17. 5 10. 0	13. 0 13. 0 13. 0 19. 0	12. 0 20. 0 15. 5 11. 6	9. 5 15. 0 11. 0 9. 7	124 112 108 96	100 113 97 93 75	98 115 95 94 82	105 126 125 99 92	108 125 105 107 89	185 175 173 167	14. 12 14. 84 13. 85 10. 59	15. 55 17. 58 26. 25 19. 03 16. 20
Ark Mont. Wyo Colo	24. 8 25. 8 23. 4	28. 8 28. 5 29. 0	24. 2 25. 4 21. 0	30.8 28.7 29.5	22.0 25.0 22.3	28. 7 26. 0 18. 9	24. 1 28. 7 24. 2	23.8 25.0 21.0	20. 2 22. 9 23. 8	26. 5 26. 5 24. 2	19.3 21.6 19.8	88 91 89	94 64 80 73	90 66 72 78	99 91 89 87	101 78 78 80	161 145	18.46 21.29	13. 04 31. 07 31. 32 29. 70
N. Mex. Ariz. Utah. Nev.	27. 7 24. 7 20	25.9 29.8 32.0	26. 7 26. 5 30. 0	25. 0 25. 9 25. 7	22.3 22.1 26.5	29.6 22.3 25.3	30. 7 25. 7 29. 2	32.0 24.2 27.7	28. 0 25. 0 23. 6	28. 0 25. 7 29. 6	29. 0 21. 2 25. 0	102 119 88 104	90 110 75 100	97 110 73 82	90 125 86 95	90 115 86 95	150 152	32, 86 19, 23	27, 90 43, 50 32, 22 40, 46
Idaho	22.7 22.0 16.0	26. 0 23. 4 15. 0	18.8 20.8 14.6	23. 2 20. 2 14. 0	16.9 22.1 18.0	22.7 21.0 18.0	23. 5 25. 0 17. 0	23. 2 21. 0 14. 0	23. 5 20. 8 17. 0	25. 7 22. 2 16. 0	23.7 23.0 16.0	81 86 89 103	66 68 72 93	63 73 75 95	87 100 102 104	80 82 84 95	143 145 152	18. 72 17. 87 15. 57	34. 75 33. 89 33. 35 24. 32
U.S	14.7	14.0	14.0	15.8	13.9	12.5	15. 9	15.2	16.6	17.0	12.1	96. 2	76.0	79. 9	98.6	91.9	160.3	13. 45	19. 43

¹Based upon farm price Dec. 1.

Table 20.—Winter and spring wheat: Condition of crop, United States, on first of months named, 1890–1917.

		Wi	inter who	eat.		Spring wheat.				
Year.	December of previous year.	April.	May.	June.	When har- vested.	June.	July.	August.	When har- vested.	
1890	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.	
	95. 3	81. 0	80. 0	78. 1	76. 2	91. 3	94. 4	83. 2	79.7	
	98. 4	96. 9	97. 9	96. 6	96. 2	92. 6	94. 1	95. 5	97.2	
	85. 3	81. 2	84. 0	88. 3	89. 6	92. 3	90. 9	87. 3	81.2	
	87. 4	77. 4	75. 4	75. 5	77. 7	86. 4	74. 1	67. 0	68.9	
	91. 5	86. 7	81. 4	83. 2	83. 9	88. 0	68. 4	67. 1	69.9	
1895	89. 0 81. 4 99. 5	81. 4 77. 1 81. 4 86. 7 77. 9	82.9 82.7 80.2 86.5 76.2	71. 1 77. 9 78. 5 90. 8 67. 3	65.8 75.6 81.2 85.7 65.6	97.8 99.9 89.6 100.9 91.4	102.2 93.3 91.2 95.0 91.7	95. 9 78. 9 86. 7 96. 5 83. 6	94. 9 73. 8 80. 8 91. 7 77. 2	
1900.	97.1	82.1	88. 9	82. 7	80. 8	87.3	55.2	56. 4	56. 1	
1901.	97.1	91.7	94. 1	87. 8	88. 3	92.0	95.6	80. 3	78. 4	
1902.	86.7	78.7	76. 4	76. 1	77. 0	95.4	92.4	89. 7	87. 2	
1903.	99.7	97.3	92. 6	82. 2	78. 8	95.9	82.5	77. 1	78. 1	
1904.	86.6	76.5	76. 5	77. 7	78. 7	93.4	93.7	87. 5	66. 2	
1905	82.9	91. 6	92.5	85.5	82.7	93. 7	91. 0	89. 2	87. 3	
	94.1	89. 1	90.9	82.7	85.6	93. 4	91. 4	86. 9	83. 4	
	94.1	89. 9	82.9	77.4	78.3	88. 7	87. 2	79. 4	77. 1	
	91.1	91. 3	89.0	86.0	80.6	95. 0	89. 4	80. 7	77. 6	
	85.3	82. 2	83.5	80.7	82.4	95. 2	92. 7	91. 6	88. 6	
1910	95. 8	80. 8	82.1	80. 0	81.5	92. 8	61. 6	61. 0	63. 1	
	82. 5	83. 3	86.1	80. 4	76.8	94. 6	73. 8	59. 8	56. 7	
	86. 6	80. 6	79.7	74. 3	73.3	95. 8	89. 3	90. 4	90. 8	
	93. 2	91. 6	91.9	83. 5	81.6	93. 5	73. 8	74. 1	75. 3	
1914	97. 2 88. 3 87. 7 85. 7	95.6 88.8 78.3	95.9 92.9 82.4	92.7 85.8 73.2	94.1 84.4 75.7	95. 5 94. 9 88. 2	92. 1 93. 3 89. 0	75. 5 93. 4 63. 4	68. 0 94. 6 48. 6	

Table 21.—Winter wheat: Per cent of area sown which was abandoned (not harvested).

Year.	Per cent.	Year.	Per cent.	Year.	Per cent.
1902 1903 1904 1905 1906	2.8 15.4 4.6	1907 1908. 1909. 1910. 1911.	4. 2 7. 5 13. 7	1912 1913 1914 1915 1916	4.7 3.1

Table 22.—Wheat: Farm price per bushel on first of each month, by geographical divisions, 1915 and 1916.

United States.			North Atlantic States.		South Atlantic States.		N. Central States east of Miss. R.		N. Central States west of Miss. R.		South Central States.		Far West- ern States.	
	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915
January. February March. April. May. June. July.	Cts. 102. 8 113. 9 102. 9 98. 6 102. 5 100. 0 93. 0	129. 9 133. 6 131. 7 139. 6 131. 5	121.7 113.6 109.7 111.6 105.8	135. 5 142. 8 138. 2 145. 2 140. 2	123, 1 117, 9 117, 7 115, 6	139.3 146.0 144.9 148.5 141.5	121. 0 109. 6 104. 7 109. 0 104. 9	135.7 138.6 137.7 142.9	114.6 99.6 97.0 102.1 99.1	129. 5 132. 4 130. 5 142. 0 133. 1	110. 6 109. 4 103. 4 104. 9 103. 4	129.0 134.9 133.9 138.9 131.9	Cts. 88.1 99.3 94.3 86.6 88.9 89.0	Cts. 101. 4 120. 8 124. 8 121. 3 122. 5 114. 5
August September October November December	107. 1 131. 2 136. 3 158. 4 160. 3	95. 0 90. 9 93. 1	108. 9 131. 3 138. 4 166. 0	107. 6 102. 8 100. 4 101. 3	115.0 133.7 140.8 164.5	110. 2 108. 8 107. 5 111. 4	114. 4 135. 8 143. 5 166. 6	101.7 96.7 98.6 102.1	108.5 132.5 136.0 159.5	112. 2 93. 8 88. 1	109. 4 137. 3 142. 4 167. 1	104.1	91.0 118.4	90. 9 86. 1 78. 1 83. 3 81. 9
Average	126. 7	105.0	132, 6	112.0	132.4	118. 4	128.3	109.9	126. 6	104.7	123. 3	106. 7	119. 8	89. 4

Table 23.—Wheat: Wholesale price per bushel, 1912-1916.

	New	York.	Balti	more.	Chie	ago.	Let	roit.	St. I	ouis.	Minn	eapo- is.		Fran- sco.
Date.		2 red ter.1	No. S	red.	No. 11 ern sj		No.	2 red.		2 red iter.	No. 1 north- ern.		No. 1 California (nor 100 lbs.).2	
	Low.	High.	Low.	Hìgh.	Low.	High.	Low.	High,	Low.	High.	Low.	High.	Low.	High.
1912. JanJune July-Dec	Cts. 981 1032	Cts. 127 118}	Cts. 951 942	Cts. 1163 106	Cts. 107 85	Cts. 122 116	Cts. 957 1013	Cts. 120 112	Cts. 92½ 94	Cts. 125} 115 <u>\$</u>	Cts. 103½ 80½	Cts. 1187 1124	Cts. 150 140	Cts. 190 165
JanJune July-Dec	107 94	1145 107	105] 89}	109½ 96}	874 85	96 95‡	1023 873	1161 102½	93 83	115 974	82 1 804	89§ 93½	155 155	182½ 172½
1914. JanJune July-Dec	87 <u>1</u> 86 <u>1</u>	1113 136 <u>3</u>	83 82 ³	103 127	89 881	100 133	861 80	99½ 127½	75 1 76	993 1272	845 85½	98 1 129‡	151½ 152	165 200
1915. January February March April May June	138 157 149½ 159 147 126	162 178 1724 1694 170 141	1321 1481 1401 1551 1412 111	151 164 1623 1685 1635 140	128 146 138 1521 141 123	154 167 162 <u>1</u> 165 <u>1</u> 164 <u>1</u> 149	128½ 148 136½ 152½ 139 114½	152 165 159½ 161 160½ 138	127½ 145 136½ 149 137 110	152 164 1573 160 1593 132	125 140± 1333 1383 146 1147		(3) 225 225 215 195 165	(3) 240 230 230 220 200
JanJune.	126	178	111	1683	123	167	1141	165	110	164	1147	1655	165	240
Iuly August September October November December	1182 1102 1082 118 (3) (5)	144 ¹ , 128 ¹ , 128 130 (3) (3)	105½ 102 100¾ 106 110½ 113½	114½ 121½ 110½ 116 114½ 128¾	132 108 99½ 99 102½ 106	1533 131 119½ 115½ 111 128½	110 106} 106 107 111 113}	132 117½ 114 115 114 126	108 107 106 109 111 115	$\begin{array}{r} 128 \\ 1203 \\ 122 \\ 129 \\ 125 \\ 129 \end{array}$	127½ 96§ 89 92¾ 98§ 103§	151½ 155 104¼ 109½ 105¼ 123¾	165 160 140 140 150 150	185 185 165 175 170 170
July-Dec	1081	1442	1003	1287	99	1533	106	132	106	129	89	155	140	185
1916. January. February March April May June	138 \\ 130 \\ 130 \\ 130 \\ 129 \\ 124 \\ 113 \\ 113 \\	156½ 154 139 143 136 132½	123 116 1123 1147 104 1004	1411 137½ 119½ 123 119½ 105¼	1192 112 1093 1182 116 1062	139½ 138 123 128 126 118	122 111½ 110½ 117 108¾ 103	137 135½ 118½ 124 123½ 113½	122 116 112 116 106 106	143 142 122 130½ 125 125	1187 1081 1081 1087 1177 1131 1061	1382 1362 1203 1263 1283 1162	150 160 160 160 160 160	190 185 175 170 170 170
JanJune.	1131	156	100}	1414	106}	139½	103	137	106	143	106½	1384	150	190
July August September October November December	123½ 144 168½ 185¾ 198 183	143 179 184§ 209½ 215 206	102\\ 125\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	126 157 157 1921 1931 183	110 126 1 150 164 165 155½	1313 1641 1711 202 200 190	104 130 144½ 157½ 173 1757	1293 1547 156 188 1892 1832	109 129 147 158 177 168	136½ 165 172 195 196 187	107½ 127½ 152 169½ 177 150¾	1324 1657 1678 1998 200 1888	185 240	185 210 225 275 290 290
July-Dec	123}	215	1021	1931	110	202	104	1893	109	196	107g	200	160	290

¹ No. 1 northern spring in 1916. ² Northern club, in 1913. White, subsequent to 1913.

8 Nominal.

54159°--- УВК 1916----37

Table 24.—Wheat flour: Wholesale price per barrel, 1912-1916.

		Chic	ago.		Cinci	nnati.	New	York.	St. I	ouis.
Date.	Winter	patents.	Spring	Spring patents.		family.	Spring	patents.	Winter	patents.
\	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
JanJune	Dolls. 3.75 4.50	Dolls. 5.45 5.30	Dolls. 4.50 4.00	Dolls. 5.60 5.30	Dolls. 3.40 4.00	Dolls. 4.50 4.50	Dolls. 4.25 4.50	Dolls. 5.50 5.20	Dolls. 4 40 4.20	Dolls. 5.85 5.60
1913. JanJune July-Dec	4 30 3.90	5.10 4.35	4.10 4.00	5.60 5.50	3.25 2.90	4.15 3.50	4.40 4.40	5.00 5.00	4.30 3.70	5.15 4.55
1914. JanJune July-Dec	3.50 3.45	4.40 5.50	4.00 4.00	5.50 6.90	3.20 3.05	3.50 4.90	4.50 4.35	5.10 7.00	3.35 3.35	4.35 5.70
1915. JanuaryFebruary. MarchAprilMayJune.	6.10 7 10 6.60 6.80 6.70 5.10	7. 10 7. 80 7. 25 7. 60 7. 50 6 65	6.60 7.20 6.65 7.10 7.30 5.50	7.60 8.00 8.00 8.30 8.30 8.30	4.75 6.25 6.00 6.15 6.00 5.25	6. 15 6. 65 6. 55 6. 55 6. 55 5. 90	6. 25 7. 25 6. 85 7. 25 7. 35 5. 50	7.40 8.25 7.85 8.10 8.10 7.90	5. 50 6. 60 6. 30 6. 40 6. 35 5. 10	6. 75 7. 50 6. 85 6. 90 6. 90 6. 30
Jan -June	5.10	7.80	5.50	8.30	4.75	6.65	5.50	8.25	5.10	7.50
July August September October November December	4.60 4.75 4.50 5.00 5.25	5. 75 5. 75 5. 50 5. 50 5. 50 5. 75	5. 75 6. 00 4. 50 4. 80 5. 00 5. 15	7.50 7.50 6.30 6.30 6.30 6.30 6.90	5 25 5.50 5.00 4.65 4.65 4.65	5. 65 5. 65 5. 65 5. 15 4. 75 5. 25	5.50 5.15 4.90 5.05 5.40 5.60	7. 25 7. 25 6. 85 6. 10 5. 90 6. 70	4. 90 4. 60 4. 60 4. 80 5. 00 5. 10	5. 90 5. 10 5. 00 5. 40 5. 25 5. 60
July-Dec	4.50	5. 75	4.50	7.50	4.65	5.65	4.90	7.25	4.60	5.90
1916. January	5.50 5.60 5.15 5.50 5.30 5.00	6. 80 6. 60 5. 75 6. 25 5. 75 5. 60	5.60 5.60 5.10 5.65 5.40 5.20	7.50 7.50 6.90 6.70 6.70 6.70	5. 15 5. 40 5. 15 5. 15 5. 10 4. 50	5.40 5.50 5.35 5.25 5.35 5.35	6. 25 5. 45 5. 70 6. 05 5. 80 5. 50	7. 25 7. 25 6. 40 6. 60 6. 50 6. 15	5. 25 5. 25 5. 10 5. 20 4. 90 4. 75	6. 10 6. 10 5. 40 5. 50 5. 35 5. 05
JanJune	5.00	6.80	5.10	7.50	4.50	5.50	5.45	7.25	4.75	6.10
July August September October November December	5.00 5.50 6.90 7.20 8.35 7.80	5.50 7.00 7.60 8.50 9.30 8.50	5.00 6.50 7.20 7.80 9.20 7.50	7.30 8.75 8.90 10.20 10.30 9.60	4.50 4.75 6.75 6.75 7.50 7.00	5.00 7.00 7.00 7.75 8.75 8.25	5.50 6.50 7.90 8.34 9.30 8.35	6. 85 8. 55 8. 75 9. 90 10. 00 9. 45	4.75 5.85 7.10 7.25 8.25 7.85	6.00 7.30 7.50 8.75 9.00 8.60
July-Dec	5.00	9.30	5.00	10.30	4.50	8.75	5.50	10.00	4.75	9.00

Table 25.—Wheat and flour: International trade, calendar years 1913-1915.

{"Temporary" imports into Italy of wheat, to be used for manufacturing products for export, are included in the total imports as given in the official Italian returns. In the trade returns of Chile the item trigo mote (prepared corn) which might easily be confused with trigo (wheat) is omitted. See "General note," Table 10.}

EXPORTS.

[000 omitted.]

		Wheat.			Flour.		Wheat and flour.1			
Country.	1913	1914 (prelim.)	1915 (prelim.)	1913	1914 (prelim.)	1915 (prelim.)	1913	1914 (prelim.)	1915 (prelim.)	
Argentina	42, 923 71 12, 991 50, 558 2 9, 238 129, 950 1, 922 19, 781 63, 598	Bushels. 36, 028 52, 878 26, 130 70, 302 149 37, 063	Bushels. 92, 281 1,113 26,505 151,900 12 1,807	Barrels. 1, 402 2, 285 369 646 923 \$493 4, 894 69 2, 191 201	Barrels. 757 1,778 683 4,671 34	Barrels. 1, 305 81 600 5, 569 5	Bushels. 109, 637 53, 207 1, 730 15, 898 54, 711 211, 456 151, 975 2, 235 29, 638 64, 501	Bushels. 39,435 60,878 29,204 91,322 301 37,583	Bushels. 98, 155 1, 476 29, 207 176, 959 34 1, 830	
Roumania. Russia. United States. Other countries	42,362 122,336 99,509 7,499	19,744 88,609 173,862 13,358	6, 681 205, 830	1,385 1,836 12,278 2,813	1,274 12,768 2,858	932 15,681	48, 594 130, 596 154, 760 20, 160	23,535 94,342 231,318 26,216	10, 875 276, 393	
Total	706, 066	518, 123		31, 785	25, 780		849, 098	634, 134		

IMPORTS.

Belgium Brazıl British South Africa Denmark France	69, 628 16, 109 5, 359 5, 176 57, 160	14, 047 3, 782 2, 942 60, 882	13,622 3,611 2,334 61,417	36 1,914 890 670 113	1,503 706 552 1,048	1,449 384 421 3,413	69,790 24,722 9,366 8,190 57,669	20, 808 · 6, 957 5, 424 65, 598	20, 142 5, 338 4, 230 76, 776
Germany	93, 547			201			94, 451		
Greece Italy Japan Netherlands	6, 882 66, 532 6, 255 79, 369	6, 671 3, 732 4, 360 50, 770	8, 268 817 23, 782	15 23 195 2, 259	7 17 137 1, 596	88 21 1,050	6,950 66,635 7,131 89,534	6,704 3,810 4,976 57,951	8, 665 910 28, 507
Portugal	• 6,399	5,439					6,399	5,439	
Spain. Sweden. Switzerland	6,405 7,355 19,446	15, 528 4, 895 16, 714	13,647 8,784 17,771	1 97 429	10 107	10 25 7	6,409 7,793 21,376	15,575 5,378 16,714	13,691 9,939 17,771
United Kingdom Other countries	196, 809 13, 07 3	192, 725 20, 094	165, 179	6,704 13,060	5, 622 38, 496	5,752	226, 978 71, 843	218, 025 193, 325	191,064
Total	655, 504	402, 581		26,607	49,801		775, 236	626, 684	

 $^{^1}$ Flour is reduced to terms of grain, where included in these 3 columns, by assuming 1 barrel of flour to be the product of $4\frac{1}{2}$ bushels of wheat. 2 Data for 1912.

OATS.

Table 26.—Oats: Area and production in undermentioned countries, 1914–1916.

		Area.			Production.	
Country.	1914	1915	1916	1914	1915	1916
NORTH AMERICA. United States	A cres. 38, 442, 000	A cres. 40,995,000	Acres. 41,539,000	Bushels. 1, 141, 060, 000	Bushcis. 1,549,030,000	Bushels. 1,251,992,000
Canada: New Brunswick Quebec. Ontario Manitoba. Saskatchewan. Alberta. Other.	200.000 1,327,000 2,840,000 1,331,000 2,520,000 1,502,000 341,000	201,000 1,400,000 3,095,000 1,441,900 2,937,000 1,912,000 379,000	198,000 1,138,000 2,410,000 1,363,000 2,657,000 1,653,000 376,000	6, 488, 000 42, 119, 000 99, 400, 060 31, 951, 090 61, 816, 000 57, 076, 000 14, 228, 000	5, 560, 000 42, 182, 000 122, 810, 000 69, 471, 000 157, 629, 000 107, 741, 001 14, 710, 003	} (1)
Total Canada	10,061,000	11,365,000	9,795,000	313, 078, 000	520, 103, 000	351,174,000
Mexico	(1)	(1)	(1)	17,000	17,000	(1)
Total				1,454,155,090	2,069,150,000	
SOUTH AMERICA.						
Argentina Chile. Uruguay	3,087,000 122,000 97,000	2,869,000 151,000 82,000	2,565,000 (1) 106,000	50,981,000 4,437,000 1,850,000	57, 251, 000 7, 105, 000 933, 000	75, 280, 000 (1) 2, 283, 000
Total				57, 268, 000	65, 289, 000	
EUROPE.						
Austria-Hungary: Austria Hungary proper Croatia-Sfavonia Bosnia-Herzegovina.	² 2,835,000 2,603,000 (1) (1)	2,664,000 (1) (1)	(1) (1) (1) (1)	2 132,114,000 86,537,000 4,00 0 ,000 3,000,000	2 132,000,000 80,925,000 5,000,000 4,000,000	(1) (1) (2) (2)
Total Austria- Hungary				225, 651, 000	221, 925, 000	
Belgium. Bulgaria. Denmark. Finland. France. Germany. Italy. Netherlands. Norway. Roumania.	686,000 379,000 3 1,059,000 (1) 8,873,000 10,843,000 1,213,000 346,000 270,000 1,056,000	(1) - (1) 1,024,000 (1) 8,062,000 11,404,000 1,208,000 381,000 (1) 1,065,000	(1) 1,040,000 7,796,000 (1) 1,102,000 343,000 296,000 1,068,000	49,742,000 8,080,000 38,653,000 18,678,000 274,455,000 622,674,000 26,827,000 19,957,000 9,325,000 25,015,000	40,000,000 9,545,000 42,834,000 22,000,000 206,795,000 412,400,000 31,443,000 19,644,000 9,325,000 29,054,000	(1) 7,372,000 42,282,000 (1) 246,158,000 (1) 26,189,000 22,239,000 10,919,000 28,935,000
Russia: Russia proper Poland Northern Caucasia	39, 195, 000 (1) 1, 099, 000	37, 302, 000 (1) 4 987, 000	35,491,000 (1) (1)	692, 197, 000 (1) 30, 291, 000	745, 150, 000 (1) 4 25, 303, 000	869, 960, 000 (1) (1)
Total	40, 294, 000	38, 289, 000		722, 488, 000	770, 453, 000	
Serbia. Spain Sweden.	(1) 1,304,000 1,960,000	1,403,000 (¹)	1,391,000 (1)	5,000,000 31,227,000 52,557,000	4,000,000 36,949,000 91,311,000	(1) 34,948,000 (1)
United Kingdom: England Wales. Scotland	1,730,000 200,000 920,000 1,029,000	1,889,000 199,000 972,000 1,089,000	1,862,000 222,000 990,000 1,072,000	71,408,000 7,431,000 38,115,000 63,287,000	78,409,000 7,305,000 40,313,000 68,604,000	78,090,000 8,237,000 37,362,000 62,354,000
Ireland	1,020,000	7				
	3,879,000	4,139,000	4,146,000	180, 241, 000	194,631,000	186,043,000

No official statistics.
 Galicia and Bukowina not included.

<sup>Census of 1910.
Includes 1 government of Transcaucasia.</sup>

OATS-Continued.

Table 26.—Oats: Area and production in undermentioned countries, 1914-1916—Contd.

		Area.			Production.	
Country.	1914	1915	1916	1914	1915	1916
ASIA. Cyprus	Acres.	Acres. (1)	Acres.	Bushels. 400,000	Bushels. 400,000	Bushels,
Russia: Central Asia (4 Gov- ernments of)	1,127,000	1,337,000	(1)	27,887,000	26, 586, 000	(1)
Siberia (4 govern- ments of)	5,148, 000	5, 161, 000	(1)	133, 275, 000	68,381,000	(1)
Transcausia (1 gov- ernment of)	2,000	(2)	(1)	31,000	(2)	(1)
Total Russia (Asiatic)	6, 277, 000			161, 193, 000	94,967,000	
Total				161,593,000	95, 367, 000	
AFRICA. Aigeria. Tunis. Union of South Africa	573,000 99,000 (1)	590,000 148,000 (1)	(1) (1) (1)	10,000,000 689,000 39,601,000	15,082,\$00 3,445,600 3 9,661,000	(1) 2, 667,000 (1)
Total				20,350,000	28, 188, 000	
AUSTRALASIA.						
Australia: Operasiond N. N. N. It Vides. Victoria. South Australia Western Australia. Tasmania.	4,000 103,000 442,000 117,000 134,000 59,000	3,000 43,000 435,000 141,000 96,000 57,000	(1) 61,000 (1) (1) 103,000 (1)	58,000 1,893,000 9,170,000 1,239,000 1,708,000 1,644,000	46,000 530,000 1,659,000 380,000 479,000 1,384,000	(1) 1,454,000 (1) (1) 1,843,000
Total Australia	859,000	775,000	725,000	15,712,000	4,478,000	17,127,000
New Zealand	362,000	288,000	213,000	15, 206, 000	11,797,000	7,894,000
Total Australasia	1, 221, 000	1,063,000	938,000	30,918,000	16, 275, 000	25,021,000
Grand total				4,034,857,000	4,416,578,000	

¹ No official statistics.

Table 27.—Oats: Total production in countries named in Table 26, 1895-1916.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1890	2,903,974,000	1901 1902 1903 1904 1905	3,378,034,000 3,611,302,000	1907 1908 1909 1910 1911	Bushcls. 3,603,896,000 3,591,012,000 4,312,882.000 4,182,410,600 3,808,561,000 4,617,394,000	1913 1914 1915 1916	4,034.857,000

Table 28.—Oats: Average yield per acre in undermentioned countries, 1890-1915.

Year.	United States.	Russia (Euro- pean).1	Ger- many.1	Austria.1	Hungary proper. ¹	France.2	United King- dom. ²
Average: 1890-1899 1900-1909	Bushels. 26.1 29.3	Bushels. 17.8 20.0	Bushels. 40.0 50.7	Bushels. 25.3 29.8	Bushels.	Bushels. 29.8 31.6	Bushels. 43.6 44.3
1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1914.	31. 2 23. 7 25. 0 28. 6 31. 6 24. 4 37. 4 29. 2 29. 7 37. 8	15. 1 19. 7 20. 1 25. 7 22. 5 18. 6 23. 6 26. 3 17. 9	55. 7 58. 3 50. 2 59. 0 51. 3 49. 6 54. 1 61. 1 57. 4 36. 2	34.1 35.7 32.0 37.4 31.5 33.7 36.2 39.3 346.6	34 2 30 0 26.8 33.8 26.8 33.8 31.1 34.6 33.2	27. 0 31. 8 29. 6 34. 1 29. 8 30. 8 31. 9 31. 6 30. 9 25. 7	43.8 45.1 43.5 45.9 44.3 41.5 41.7 48.0 44.0
Average (1906-1915)	29.9						43.7

Bushels of 32 pounds.

² Included in Northern Caucasia.

³ Census of 1911.

² Winchester bushels.

³ Galicia and Bukowina not included.

OATS-Continued.

Table 29.—Oats: Acreage, production, value, exports, etc., in the United States, 1849-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

	r. Acreage. g	Aver-		Aver- age		Chic bu	ago cas ishel, c	h price ontrac	per t.1	Domestic exports, including	Imports during
Year.	Acreage.	age yield per acre.	Produc- tion.	farm price. per bushel	Farm value, Dec. 1.	Dece	mber.	Follo M:	wing	oatmeal, fiscal year be- ginning	fiscal year begin- ning July 1.3
				Dec. 1.		Low.	High.	Low.	High.	July 1.2	July 1.3
1849	Астев.	Bush .	Bushels. 146,584,000			Cts.	Cts.	Cts.	Cts.	Bushels.	Bushels.
			172,643,000		04 050 000	36	43	59	78	825 805	779 109
1867	10.082.000	27, 6	278, 698, 000	44.5	123,903,000	52	571	56 3	$\frac{621}{2}$	122,554	780, 798
1868 1869	9,666,000	26.4	254, 961, 000 288, 334, 000 282, 107, 000	41. 7 38. 0	94,058,000 123,903,000 106,356,000 109,522,000	43 40	571 493 443	303 46½	53½	121, 517	778, 198 780, 798 326, 659 2, 266, 785
1870					96,444,000	373	41	47½ 34¾	51	$\begin{array}{c} 147,572 \\ 262,975 \end{array}$	599,514
1871 1872	9,001,000	30.6 30.2		36. 2 29. 9	81,304,000	372 302 232 34	33 253	30	$\frac{42\frac{1}{2}}{34}$	1 714 079	225 555
1872 1873 1874	8,792,000 8,366,000 9,001,000 9,752,000 10,897,000	27.7 22.1	270, 340, 000 240, 369, 000	34. 6 47. 1	113, 134, 000	513	405 543	44 571	48½ 64½	812, 873 504, 770	1,500,040
1875	11,915,000	29.7	924 910 000	22.0	113,441,000	291 313 241 195	301	$\frac{285}{374}$	311	1,466,228 2,854,128 3,715,479 5,452,136 766,366	121,547
1876 1877	13,359,000 12,826,000	31.7	320, 884, 000 406, 394, 000	32. 4 28. 4	115, 546, 000	241	34 <u>3</u> 27 203	23 243	453 27 303	3, 715, 479	41,597 21,391 13,395 489,576
1879	13, 176, 000	28. 7	363, 761, 000	24. 6 33. 1	120, 533, 000	323	363	24§ 29½	347	766,366	489,576
1879 1880	16,145,000	25.3	407,859,000	36.0				361	394	402.904	64.412
1881	16,832,000	24.7	416, 481, 000	46.4	193, 199, 000	433 343 298	463 415	487	56§ 42§	625, 690 461, 490	1,850,983
1882 1883	20,325,000	28.1	571, 302, 000	32.7	187,040,000	298	361	38 30	341 37	3, 274, 622 6, 203, 104	121,069
1884	21,301,000	27.6			179 632 000	27	29	34½ 26¼	1	7 311 306	149, 480
1886 1887	23, 658, 000 25, 921, 000	26.4 25.4	694 194 000	90 8	186, 138, 000	$\frac{253}{288}$	27 <u>1</u> 30 <u>7</u> 26 <u>7</u>	251 321	295 27 ⁵ 38	1,374,635 573,080 1,191,471 15,107,238	149, 480 139, 575 123, 817 131, 501 153, 232
1888 1889	26,998,000	26. 0 27. 4	701, 735, 000	27. 8 22. 9	195, 424, 000	25° 20	267 21	213 243	235 30	1, 191, 471 15, 107, 238	131,501 153,232
1880	28,321,000	28.6									
1890 1891	25, 582, 000	19.8	738, 394, 000	31.5	222,048,000 232,312,000	397 313 253 271	437 335 317	45\ 28\	54 33½ 32½	1,382,836 10,586,644	47 782
1892 1893	27, 064, 000 27, 273, 000	24.4	661,035,000	31 7	209, 254, 000	25 27	31\\\29\\\	324	32½ 36	2,700,793 6,290,229 1,708,824	49, 433 31, 759
1894	21,024,000	24.5	662.037.000	32.4	214,817,000	28	29	273	303 198	1,708,824	330,318
1895 1896	27, 878, 000 27, 566, 000	29.6 25.7 27.2	824, 444, 000 707, 346, 000 698, 768, 000 730, 907, 000 796, 178, 000 943, 389, 000	19.9 18.7	132,485,000	169 161	174 182	18 167	183	15, 156, 618 37, 725, 083 73, 880, 307 33, 534, 362 45, 048, 857	66,602 131,204 25,093 28,098
1897 1898	25, 730, 000 25, 777, 000	28.4	730,907,000	21. 2 25. 5	186,405,000	21 26	183 233 273	26 24	32 273 233	33,534,362	28,098
1899 1899	27, 566, 000 25, 730, 000 25, 777, 000 26, 341, 000 29, 540, 000	0 30.2 0 81.9	943,389,000	24.9	198,168,000	223		211	234	45,048,857	54, 576
1900 1901	27, 365, 000	ni 29 A	809, 126, 000	25.8	208, 669, 000 293, 659, 000	213 42	224 48	273 41	31 491	42, 268, 931 13, 277, 612	32, 107 38, 978
1902	. 1 28, 653, 00	0 34. 5 0 28. 4	987, 843, 000	30.7	1 303,585,000	1 29	32	338	381	8.381.805	150,005
1903 1904	. 27,843,00	0 32.1	894, 596, 000	31.3	3 279,900,000	28	32	28	32	8,394,692	55,699
1905 1906	28,047,00 30,959,00	0 34.0 0 31.2	953, 216, 000 964, 905, 000	29.1	277,048,000 7 306,293,000 8 334,568,000 2 381,171,000	29	359	321 44	485	48, 434, 541 6, 386, 334	40,025 91,289 383,418 6,691,700
1907 1908	31,837,00	0 23.7 0 25.0	754, 443, 000 807, 156, 000	31. 7 44. 3 47. 2	334, 568, 000 381, 171, 000	46		52 56	563	2, 518, 855 2, 333, 817	383,418 6,691,700
1909	. 33, 204, 00	0 30.3 0 28.6	953, 216, 000 964, 905, 000 7 754, 443, 000 807, 156, 000 3 1,007,353,000 3 1,007,143,000	40.2	. { - <i>-</i>			36			1,034,511
1910.4	37, 548, 00	0 21 4	211 102 241 002	1 24	408, 388, 000	31	32	317	36		
1911	. 37, 763, 00 . 37, 917, 00	0 37.	1,418,337,00	31.9	91 452, 469, 000	11 31	31	35	43	3,845,850 2,677,749 36,455,474	723, 899
1913 1914	38, 442, 00	0 29.	71,121,168,000	39.5	8 499, 431, 000	37	49	50	56	2,748,748 100,609,272 98,963,217	630,722 665,314
1915 1 916	37, 917, 00 38, 399, 00 38, 442, 00 40, 996, 00 41, 539, 00	37.3 0 30.	11,180,341,000 41,922,298,000 41,418,337,000 21,121,768,000 71,141,060,000 81,549,030,000 11,251,992,000	36. 3 52. 4	1 559, 506, 006 1 656, 179, 000	40	44	39	493	98,963,217	665,314
			1	1		1		<u> </u>	1	1	1

¹ Quotations are for No. 2 to 1906.
2 Oatmeal not included 1866 to 1882, inclusive.
3 Octmeal not included 1867 to 1882, inclusive, and 1909.
4 Figures adjusted to densus basis.

OATS—Continued.

Table 30.—Oats: Acreage, production, and total farm value, by States, 1915 and 1916.

State.	Thousand	is of acres.		on (thou- bushels).	Dec.	lue, basis 1 price ands of
	1916	1915	1916	1915	1916	1915
Maine.	170	175	6,120	7,000	4,100	3,150
New Hampshire	12	12	444	456	306	246
Vermont.	80	81	2,560	3,483	1,664	1,846
Massachusetts	15	12	480	432	317	220
Rhode Island	2	2	54	66	37	33
Connecticut New York New Jersey Pennsylvania Delaware	15 1, 206 69 1, 130 4	13 1,340 70 1,140 4	450 31,356 2,070 35,030 120	54,270 2,275 43,320 134	310 19,441 1,263 19,967 74	232 24, 422 1, 092 19, 061 68
Maryland	46	45	1,357	1,530	828	750
Virginia.	250	225	5,750	5,625	3,622	3,094
West Virginia	140	120	3,220	3,480	2,061	1,775
North Carolina.	375	350	6,562	8,050	4,856	4,991
South Carolina.	500	525	9,000	9,975	7,200	6,683
Georgia	860	905	16,770	17,648	13,248	11, 648
Florida	60	61	900	1,220	639	854
Ohio	1,717	1,683	48,076	69,003	25,480	24, 841
Indiana	1,750	1,638	52,500	65,520	26,775	22, 277
Illinois	4,470	4,343	172,095	195,435	87,768	68, 402
Michigan.	1,423	1,530	42,690	64,260	22,626	22, 491
Wisconsin.	2,200	2,100	81,400	97,650	41,514	35, 154
Minnesota	3,325	3,225	88,112	138,675	41,413	44, 376
Iowa.	5,050	4,950	186,850	198,000	89,688	63, 360
Missouri	1,290	1,225	32,250	31,850	17,092	12, 103
North Dakota.	2,500	2,450	53,750	98,000	23,650	26, 460
South Dakota.	1,850	1,725	56,425	72,450	25,956	20, 286
Nebraska :	2,250	2,200	79,875	70,400	37,541	21, 824
Kansas	1,550	1,500	36,425	39,750	20,034	14, 708
Kentucky.	300	250	6,300	6,500	3,780	3, 120
Tennessee.	360	357	7,560	8,746	4,687	4,373
Alabama.	609	600	10,500	11,400	7,875	7,182
Mississippi	320	300	5,760	6,450	4,262	3,870
Louisiana.	110	120	2,090	3,000	1,421	1,650
Texas.	1,500	1,500	42,750	53,250	26,078	22,365
Oklahoma	1,160	1,350	15,080	36,450	8,596	12,758
Arkansas	350	375	7,350	10,125	4,998	5,265
Montana	660	600	25,080	31,200	11,788	9,984
Wyoming	245	227	8,575	9,534	5,145	4,100
Colorado	290	300	9,570	11,700	5,742	4,797
New Mexico	64	60	1,856	2,160	1,244	1,080
Arizona	9	9	338	333	270	213
Utah	103	100	4,480	4,700	2,733	2,115
Nevada	14	13	602	585	452	322
Idaho.	310	335	13,330	15,745	7, 198	5,353
Washington	275	275	14,300	13,750	7, 293	5,088
Oregon.	360	365	17,280	16,060	8, 467	5,942
California	200	211	6,500	6,963	4, 680	3,482
United States	41,539	40,996	1,251,992	1,549,030	656, 179	559, 506

OATS—Continued.

Table 31.—Oats: Production and distribution in the United States, 1897-1916.
[000 omitted.]

Year.	Old stock on iarms Aug. 1.	Crop.	Total supplies.	Stock on farms Mar. 1 following.	Shipped out of county where grown.
1897 1893 1893 1900 1901	Bushels. 71, 139 44, 554 50, 527 54, 214 47, 713	Bushels. 698, 768 730, 907 796, 178 809, 126 736, 809	Bushels. 709, 907 775, 461 846, 715 863, 340 784, 522	Bushels. 271, 729 283, 209 290, 937 292, 803 226, 393	$\begin{array}{c} Bush\epsilon ls.\\ 204,147\\ 193,527\\ 223,014\\ 242,850\\ 143,398 \end{array}$
1902 1903 1904 1905 1905	30, 570 73, 352 42, 194 55, 836 67, 688	987, 843 784, 094 894, 596 953, 216 964, 905	1,018,413 857,446 936,790 1,009,052 1,032,593	364, 926 273, 708 347, 166 379, 805 384, 461	258, 438 223, 959 261, 989 277, 133 266, 182
1907 1908 1909 1910 1911	68, 258 37, 797 26, 323 61, 420 67, 793	754, 443 807, 156 1, 007, 143 1, 186, 341 922, 298	822,701 844,953 1,033,466 1,247,761 990,091	267, 476 278, 847 365, 438 442, 665 289, 988	210, 923 244, 444 320, 255 363, 103 265, 958
1912 1913 1914 1915 1916	34, 872 103, 900 62, 467 55, 607 113, 728	1, 418, 337 1, 121, 768 1, 141, 060 1, 549, 030 1, 251, 992	1, 453, 209 1, 225, 668 1, 203, 527 1, 604, 637 1, 365, 720	604, 216 419, 476 379, 369 598, 148	438, 084 297, 326 335, 539 465, 823

Table 32.—Oats: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

				Yiek	l per	acre	e (bu	shels).			F	ırm j	price (cer		busl	ıel	Value per acre (dollars).1	
State.	10-year aver- age, 1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	10-year aver- age, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911–1915.	1916
Me N. H. Vt. Mass R. I	27.6 34.4	34. (33.3 (32.2 31.0	$\frac{41.5}{35.5}$	35. 0 35. 0	43.0 34.0	39.0	$\frac{42.5}{37.0}$	43.0 36.0	$32.0 \\ 32.0$	56 56	51 48 48 47 47	55 56 52 54 50	57 58 55 56 58	45 54 53 51 50	69 65 66	20.30 21.55 18.85	24.12 25.53 20.80 21.12 18.36
Conn N. Y N. J Pa. Del.	$\frac{29.9}{31.0}$	129.6	530.7 627.3	25.5 26.0	37.1 35.2	28.5 28.3	$\frac{27.6}{33.1}$	$\frac{29.0}{31.0}$	$\frac{29.0}{30.0}$	32.5	$30.0 \\ 31.0$	51	49 42 44 41 45	55 47 47 46 51	55 51 54 51 50	55 45 48 44 51	62 61 57	15.60 14.26 14.80	20. 70 16. 12 18. 30 17. 67 18. 60
Md. Va. W. Va. N. C. S. C.	20.7 23.2 17.9	19.6 19.3	$\frac{6}{3}$ $\frac{19}{19}$ $\frac{19}{6}$ $\frac{19}{16}$ $\frac{5}{5}$	19.0 22.0 16.5	22.0 25.2 18.2	20.0 22.0	22. 2 28. 0	21.5 24.0 19.5	15.5 20.0	25.0 29.0 23.0	23.0 23.0 17.5	54 64	45 52 47 62 66	48 52 51 61 71	52 58 55 65 71	49 55 51 62 67	63 64 74	11.25 12.70 11.89	18.00 14.49 14.72 12.95 14.40
Ga Fla. Ohio Ind. Ill.	16.3 32.5 29.6	13. 22. 20.	7.14 5	17.0 32.5 30.5	16.2 37.2 35.4	13. 5 32. 1 28. 7	17.2 44.0 40.1	18.0 30.2 21.4	18.0 30.5 28.5	20.0 41.0 40.0	15.0 28.0 30.0	71 42 40	65 70 33 30 30	68 70 40 38 38	70 70 45 43 44	66 70 36 34 35	71 53 51	12.27 13.90 11.67	15. 40 10. 65 14. 84 15. 30 19. 64
Mich Wis Minn Iowa Mo	33. 2 30. 8 32. 8	$\begin{array}{c} 22.0 \\ 24.0 \\ 24.0 \end{array}$	$egin{smallmatrix} 522.0 \ 24.3 \end{smallmatrix}$	35.0 33.0 27.0	29.8 28.7 37.8	3 29. 8 7 22. 8 3 25. 5	37.3 41.7 44.2	36.5 37.8 34.5	27.0 28.0 33.0	46.5 43.0 40.0	37. 0 26. 5 37. 0	41 37 36	33 32 26 27 35	39 37 32 34 45	45 43 40 41 44	35 36 32 32 32	51 47 48	13.44 11.40 12.09	15.90 18.87 12.46 17.76 13.25

¹ Based upon farm price Dec. 1.

OATS-Continued.

Table 32.—Oats: Yield per acre, price per bushel Dec. 1, and value per acre, by States—Continued.

		Yield per acre (bushels).											Farm price per bushel (cents).					Value per acre (dollars),	
State.	10-year aver- age, 1907–1916,	1907	1908	6061	1910	11611	1912	1913	1914	1915	9161	age, 1907–1916.	1913	1913	1914	1915	1916	5-year average, 1911-1915.	1916
N. Dak. S. Dok. Ne'r Kans Ky	26. 7 26. 8 24. 8 21. 4	24 7 2 15.0	23 ∩ 22.7 22.0	20, 0 25, 0 28, 2	23. 0 25. 0 33. 3	7 4 1.'-5 15.0	132. S 2 1 32. O	26, 5 26, 5 19, 5	27. 5 ::2 0 ::33. 5	$\begin{array}{c} 42.0 \\ 32.0 \\ 26.5 \end{array}$	30.5 35.5 23.5	35 36 37 42 51	22 25 30 35 44	45	37 38 40 42 53	27 28 31 37 48	46 47 55	10.57 9.22 10.13	9.46 14.03 16.68 12.92 12.60
Ala	21.6 18.9 18.9 20.7 28.4	17.5 17.9 14.5	18.0 17.5 20.0	16.5 16.0 20.0	18.5 19.2 21.5	19.2 18.4 21.0	20.0 17.4 20.8	20.5 20.0 22.0	$\begin{array}{c} 22.0 \\ 23.0 \\ 23.0 \end{array}$	19.0 21.5 25.0	17.5 18.0 19.0	59	47 62 60 51 43	53 69 68 57 51	53 69 65 63 48	50 63 60 55 42	75 74 68	13. 27 12. 57 13. 01	13.02 13.12 13.32 12.92 17.38
Okla Ark Mont Wyo Colo	23.0 44.6 36.7	19.5 49.0 37.0	21.4 41.6 36.4	22.8 51.3 35.0	27.5 38.0 32.0	20.0 49.8 34.5	19.9 48.0 41.8	26.5 43.5 38.0	24.0 35.0 35.0	27.0 52.0 42.0	21.0 38.0 35.0	54 41	50 35 37	45 53 32 40 44	53 39	35 52 32 43 41	69 47 60	12. 27 16. 1: 16. 56	7. 41 14. 28 17. 86 21. 00 19. 80
N. Mex. Ariz Utah Nev.	38.8 46.1	29.0 45.0	$36.0 \\ 49.5$	37.0 46.1	40.1 43.0	$\frac{42.0}{44.7}$	$\frac{44.7}{46.4}$	$\frac{43.0}{46.0}$	$\frac{42.0}{50.0}$	37.0 47.0	37.5 43.5	57 70 48 62	49	60 50 40 65		50 64 45 55	80 61	26, 21 20, 96	19. 43 30. 00 26. 54 32. 25
Idaho	48.8 38.3	55. 5 35. 0	44.5 33 4	19.0 37.8	$\frac{42.8}{34.5}$	51.7 34.7	18. 2 28. 2	47.5	$\frac{47.0}{35.0}$	50.0 44.0	52.0 48.0	41 44 44 60	35 40 41 55	32 40 38 60	38 42 45 53	34 37 37 50	51 49	19.96 15.81	23. 22 26. 52 23. 52 23. 40
U. S	29.9	23.7	25.0	30.3	31.6	24.4	37.4	29.2	29.7	37.8	30 1	41.5	31.9	39.2	43.8	36.1	52.4	12.20	15.80

¹ Based upon farm price Dec. 1.

Table 33.—Oats: Farm price per bushel on first of each month, by geographical divisions, 1915 and 1916.

					,						,			
${\bf Month}_{\circ}$		ited tes.	Atla	rth intic tes.	South Atlantic States.		State	entral s east ss. R.	State	entral s west ss. R.	Cen	ath tral tes.		West- tates.
	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915
Tanuary February March April May June	Cts. 39. 1 44. 6 42. 7 42. 0 42. 6 42. 1	Cts. 45. 0 50. 1 52. 1 53. 4 51. 3	Cts. 45. 9 50. 6 50. 7 51. 5 52. 6 53. 9	Cts. 52. 5 57. 0 61. 2 61. 5 64. 3 62. 2	Cts. 63.4 64.3 64.6 65.8 65.6 66.0	Cts. 65. 7 67. 4 70. 2 71. 8 70. 9 70. 4	Cts. 38.4 45.5 41.7 40.9 41.9 40.8	Cts. 45. 1 51 1 52. 0 54. 1 54. 0 51. 4	Cts. 35. 4 41. 5 38. 2 37. 6 38. 2 37. 3	Cts. 41.9 47.1 48.8 50.1 49.6 47.9	Cts. 45. 4 47 5 51. 0 50. 1 49. 4 50. 3	Cts. 51. 5 56. 1 59. 6 60. 9 58. 9 56. 6	Cts. 39.3 40.8 46.1 43.7 14.0 44.8	Cts. 43. 4 46. 1 50. 2 49. 8 52. 1 49. 9
July August September October November December	40. 4 40. 1 43. 1 44. 5 49. 0 52. 4	46. 7 45. 4 38. 5 34. 5 34. 9 36. 1	51.3 50.5 52.2 52.8 58.1 60.3	61. 5 59. 3 54. 9 46. 6 45. 5 45. 0	63. 9 64. 2 66. 2 68. 9 72. 6 74. 5	66. 3 63. 6 62. 9 63. 6 62. 3 62. 7	38. 4 38. 6 41. 5 42. 9 48. 1 51. 5	46. 2 44. 0 36. 1 32. 1 33. 5 35. 2	36. 1 35. 8 39. 0 40. 6 44. 6 47. 9	43. 0 42. 9 34. 2 30. 4 30. 7 31. 3	47. 2 44. 6 51. 6 53. 7 57. 7 63. 4	49. 1 45. 6 44. 5 44. 6 44. 4 44. 6	45. 9 46. 1 45. 2 44. 6 49. 4 54. 0	47. 9 46. 6 42. 9 37. 2 37. 1 37. 7
Average	43.9	42.7	52.9	54. 2	66.7	66.1	42.8	42.1	40.0	38.4	50.3	48.0	46.2	42.3

OATS—Continued.

Table 34.—Oats: Condition of crop, United States, on first of months named, 1896-1916.

Year	June.	July.	August.	When bar- vested	Year.	June.	July.	August.	When har- vested.	Year.	June.	July	August.	When harvested.
1896 1897 1898 1899 1900 1901	P. ct. 98.8 89.0 98.0 88.7 91.7 85.3 90.6	P. ct. 96.3 87.5 92.8 90.0 85.5 83.7 92.1	P. ct. 77. 3 86. 0 84. 2 90. 8 85. 0 73. 6 89. 4	P. ct. 74. 0 84. 6 79. 0 87. 2 82. 9 72. 1 87. 2	1903 1904 1905 1906 1907 1908	P. ct. \$5.5 89.2 92.9 \$5.9 81.6 92.9 88.7	P. ct. 84.3 89.8 92.1 84.0 81.0 85.7 88.3	P. ct. 79. 5 86. 6 90. 8 82. 8 75. 6 76. 8 85. 5	P. ct. 75. 7 85. 6 90. 3 81. 9 65. 5 69. 7 83. 8	1910 1911 1912 1913 1914 1915	P. ct. 91. 0 85. 7 91. 1 87. 0 89. 5 92. 2 86. 9	P. ct. 82.2 68. S 89. 2 76. 3 84. 7 93. 9 86. 3	P. ct. 81. 5 65. 7 90. 3 73. 8 79. 4 91. 6 81. 5	P. ct. 83.3 64.5 92.3 74.0 75.8 91.1 78.0

Table 35.—Oats: Wholesale price per bushel, 1912-1916.

	New	York.	Balt	imore.		ncin- ati.	Chi	cago.		wau- ee.	Du	luth.	De	troit.		Fran-
Date.		o. 2 ite. ¹		o. 3		o. 2 xed.	Con	tract.		o. 3 nite.		o. 3 nite.	Star	ıdard.	Whit 100	e (per lbs.).
	Low.	High.	Low.	High.	Low.	Пі h.	Low.	High.	Low.	High.	Low.	Пigh.	Low.	High.	Low.	High.
1912. JanJune July-Dec.	Cts. 53} 38½	Cts. 64 62}	Cts. 523 372	Cts. 65 66 <u>1</u>	Cts. 50 32	Cts. 61 55	Cts. 467 304	Cts. 58½ 57	Cts. 47 30]	Cts. 593 57	Cts. 447 283	Cts. 561 51	Cts. 501 33]		<i>Dolls</i> 1. 70 1. 47½	Dolls. 2.121 1.95
1913. JanJune July-Dec.	36½ 44	48 50	38½ 45	47 47}	33½ 39	43} 47	315 368	43 1 433	31 <u>1</u> 37½	42½ 44	27½ 33½	413 421	34½ 41	441 45]	1. 43½ 1. 37½	1.67½ 1.57½
1914. JanJune July-Dec.	43 <u>1</u> 43 <u>1</u>	48½ 58½	42½ 41½	$\frac{46^3_4}{54^1_2}$	39 <u>1</u> 35	43 52½	365 33½	42½ 51½	36 <u>}</u> 34 <u>1</u>	43 52	33 ⁵ 33 ¹ ₈	40 50§	39 <u>1</u> 37 <u>1</u>	45 53	1.22½ 1.20	1.461 1.60
1915. Jan Feb Mar Apr May June	553 612 61 613 59 533	64 66 66½ 64 63½ 57½	52 61 591 62 56 50	60½ 62½ 64 62¾ 62 62 56½	51 57 56 56 51 2 46	58\\\ 59\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	49 53 535 535 505 465	58\$ 60 60\{ 57\{ 256 49\{ 2}	50 533 53 543 513 474	583 61 61 <u>4</u> 58 563 513	491 521 513 52 501 445	564 583 583 563 543 483	52½ 56½ 56½ 58½ 54½ 50	62 62 614 585	1. 50 1. 77½ 1. 72½ 1. 75 1. 65 1. 40	1. 85 1. 85 1. 80 1. 80 1. 80 1. 70
JanJune	533	66½	50	64	46	61}	463	60 1	471	61½	44%	583	50	62	1.40	1.85
July	do	65½ 70½ ninal	50½ 41 38 38 41 42½	63½ 66 40 42 43 48	48 36½ 33 35 37 39	58 54 38 39 39 45	483 46 351 351 371 407	59½ 60 39 39¾ 41½ 44	49 331 34 34 351 402	57 63 38 38 40 40 45 45	47 331 32 318 321 378	58 54½ 33½ 35¾ 37¼ 42⅓	51 41 36½ 39 38 42	59 65 40 42 41 45	1. 42\} 1. 37\} 1. 30 1. 30 1. 35 1. 32\}	1.50 1.50 1.40 1.40 1.40 1.40
July-Dec.	55	70½	38	66	33	58	35½	60	331	63	315	58	36½	65	1.30	1.50
Jan Feb Mar Apr May June	481 481 441 493 442 442 442	57½ 56½ 56 51 52 46	48 47 45} 47 43 43	551 55 47 493 503 443	44 42 42 43 38 38	55½ 53 46 46 45 40½	43\\\41\\\\42\\\41\\\\39\\\\37\\\\37\\\\37\\\\\37\\\\\37\\\\\\\\	51 50 47 47 494 414	43½ 40¾ 41 43¾ 38¾ 38¾	55 52½ 46½ 46¾ 46¼ 41½	421 387 391 411 378 368	49\ 47\\\\ 42\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	46 44½ 44½ 46½ 41 41	53½ 48 48½ 48½	1. 32½ 1. 42½ 1. 40 1. 40 1. 40 1. 50	1. 55 1. 55 1. 45 1. 42 1. 57 1. 55
JanJune	4112	571	43	55}	38	53½	37 8	51	381	55	36 1	49½	41	55½	1. 32½	1. 57½
July Aug Sept Oct Nov Dec	441 451 45 45 511 581 551	47½ 54 55 59½ 64 61½	572	46 51½ 52½ 58 61½ 60½	39 41 46½ 47½ 53½ 84	42½ 47½ 48½ 55 58½ 91	388 41 443 453 513 463	42 47 47 533 57 54	38½ 40½ 44 46 51½ 48½	43 1 49 48 <u>1</u> 54 <u>1</u> 58 <u>1</u> 55	30 8 38 8 42 2 43 ² 50 8 44 ²	40 471 453 511 571 528	43 42½ 48 49½ 55 54	49 51 <u>1</u> 57	1.50 $1.57\frac{1}{2}$ $1.62\frac{1}{2}$ $1.62\frac{1}{2}$ $1.62\frac{1}{2}$ 1.95 1.00	1. 60 1. 72½ 1. 72½ 2. 00 2. 07½ 2. 07½
July-Dec.	441	64	433	613	39	91	38§	54	38½	58½	36§	57 1	42½	60½	1.50	2.07
		<u>.</u>		<u>'</u>		1 NT	2 70	hita in	1016			<u></u>	<u>,</u>		1	

¹ No. 3 white in 1916.

OATS-Continued.

Table 36.—Oats: International trade, calendar years 1913-1915.

[See "General note," Table 10.]

EXPORTS.

[000 omitted.]

Country.	1913	1914 (prelim.)	1915 (prelim.)	Country.	1913	1914 (prelim.)	1915 (prelim.)
Algeria Argentina Bulgaria Canada China Chile Denmark Finland Germany	61,298 173 31,732 285 3,687 194 456	3,372 168 350	Bushels. 4,011 40,840 18,496 324 7,313 2 237	Netherlands Roumania Russia Sweden United Kingdom United States. Other countries Total	11,963 41,309 4,730 1,655 5,275 4,221	19,235 2,651 1,321 35,067 3,768	04 · 117 717
			IMPO	ORTS.			
Austria-Hungary Belgum Denmark Cuba Finland Fran e Germany Italy Netherlands Norway	4,224 1,503 1,002 39,992 34,793 7,331 38,711	3,739 1,534 1,393 35,473 455 20,006 1,041	217 1,004 157 56,610 2,765 4,332 1,093	Philippine Islands. Russiā. Sweden. Switzerland.' United Kingdom. United States. Other countries. Total.	2,608 4,431 12,205 64,470 13,309 2,461	74 1, 899 5,008 10,235 55,905 9,429 4,830 151,021	441 276 2,072 6,913 59,165 364

BARLEY.

Table 37.—Barley: Area and production in undermentioned countries, 1914-1916.

-		Area.		Production.					
Country.	1914	1915	1916	1914	1915	1916			
NORTH AMERICA. United States	A cres. 7, 565, 000	Acres. 7,148,000	Acres. 7,674,000	Bushels. 194,953,000	Bushels. 228,851,000	Bushels. 180,927,000			
Canada: New Brunswick Quebec. Ontario Manitoba. Saskatchewan. Alberta. Other	2,000 85,000 461,000 468,000 290,000 178,000 12,000	2,000 85,000 449,000 490,000 287,000 185,000 11,000	2,000 77,000 340,000 475,000 262,000 161,000 12,000	64,000 2,261,000 13,987,000 9,828,000 4,901,000 4,806,000 354,000	48,000 2,255,000 15,369,000 17,763,000 10,570,000 6,984,000 342,000	(1)			
Total Canada	1,496,000	1,509,000	1,329,000	36, 201, 000	53,331,000	41,318,000			
Mexico	292,000	(1)	(1)	10,839,000	10,000,000	(1)			
Total				241,993,000	292, 182, 000				
SOUTH AMERICA.									
Argentina. Chile. Uruguay.	418,000 153,000 14,000	375,000 224,000 5,000	431,000 (1) 10,000	8,037,000 5,567,000 165,000	5,144,000 3,750,000 40,000	(1) (1) 115,000			
Total				13, 769, 000	8,934,000				

¹ No official statistics.

BARLEY-Continued.

Table 37.—Barley: Area and production in undermentioned countries, 1914-1916—Con.

9		Area.			Production.	
Country.	1914	1915	1916	1914	1915	1916
EUROPE.		i i	·			
Austria-Hungary: Austria Hungary proper. ('mail-si: mi: Bosnia-Herzegovina.	# cres. 1 1,729,000 2,705,000 (2) (2)	Acres. (-) 2,830,000 (2) (2)	Acres. (2) (2) (2) (2) (2)	Bushels. 1 58,458,000 65,265,000 1,940,000 3,000,000	Bushels. 158,000,000 50,186,000 1.938,600 3,000,000	Bushels. (2) (2) (2) (2) (2)
Totai Austria- Hungary				128,663,000	119, 124, 000	
Belgium Bulgaria Denmark Finland France Germany Italy Netherlands Norway Roumania	84,000 554,000 (2) (2) (2) 1,780,000 3,969,000 610,000 67,000 (2) 1,405,000	(2) (2) (644,000 (2) 1,575,000 4,002,000 608,000 63,000 (2) 1,371,000	(2) (2) (33,000 (2) 1,547,000 (2) 596,000 60,000 98,000 1,454,000	4,232,000 9,217,000 20,780,000 4,047,000 42,719,000 144,125,000 6,917,000 3,019,000 2,591,000 25,505,000	4,000,000 14,607,000 25,898,000 5,900,000 30,963,000 114,077,000 11,050,000 3,233,000 2,821,000 28,688,000	(2) 14,739,000 22,305,000 (2) 37,778,000 (2) 10,104,000 2,499,000 3,026,000 30,038,000
Russia: Russia proper Poland Northern Caucasia	25, 260, 000 (2) 4, 495, 000	24,094,000 (2) 4,404,000	25, 105, 000 (2) (2)	310, 249, 000 (²) 73, 323, 000	311,246,000 (2) 3 69,575,000	442,381,000 (2) (2)
Total Russia (European)	29,755,000	28,498,000		383, 572, 000	380,821,000	
Serbia. Spain Sweden.	(2) 3,404,000 436,000	3,786,000 (²)	4,035,000 (2)	3,000,000 72,272,000 12,195,000	2,250,000 82,763,000 14,252,000	(²) 84,372,000 (²)
United Kingdom: England Wales. Scotland Ireland.	1,420,000 84,000 194,000 172,000	1,152,600 80,000 150,000 142,000	1,245,000 87,000 170,000 150,000	48, 205, 060 2, 743, 000 7, 616, 000 8, 073, 000	34, 898, 000 2, 467, 000 5, 183, 000 5, 828, 000	40, 324, 000 2, 732, 000 5, 341, 000 6, 537, 000
Total United Kingdom	1,870,000	1,524,000	1,652,000	66, 637, 000	48,376,000	54,934,000
Total				929, 491, 000	888, 013, 000	
India:						
British Native States	7,098,000 981,000	7,758,000 (2)	(2) (2)	125, 113, 000 (2)	142, 846, 000 (2)	$\binom{2}{2}$
Total	8,079,000	7, 758, 000		125, 113, 000	142, 846, 000	
Cyprus	(2)	(2)	(2)	2,000,000	2,000,000	(2)
Japanese Empire: Japan Formosa	3,294,000 (2)	3,239,000 (°2)	3,109,000 (2)	85, 775, 000 60, 000	100, 891, 000 75, 000	99, 822, 000 · (²)
Total Japanese Empire				85, 835, 000	100, 966, 000	
Russia: Central Asia (4 governments of) Siberia (4 governments of) Transcaucasia (1 government of)	485,000 630,000 2,000	4 600, 000 652, 000 (5)	(2) (2) (2)	7,929,000 11,498,000 24,000	47,946,000 5,707,000 (5)	(²) (²) (²)
Total Russia						
(Asiatic)	1,117,000			19, 451, 000	13,653,000	
Total				232, 399, 000	259,465,000	

Galicia and Bukowina not included.
 No official statistics.
 Includes 1 government of Transcaucasia.

⁴ Includes Oural.
5 Included in Northern Caucasia.

BARLEY-Continued.

Table 37.—Barley: Area and production in undermentioned countries, 1914-1916—Con.

		Area.		Production.						
Country.	1914	1915	1916	1914	1915	1916				
AFRICA. Algeria. Tunis Union of South Africa	Acres. 3,131,000 79.,600	Acres. 2,703,000 1,6.8,000	Acres. (1) (1) 64,000	Bushels. 35, 785, 000 3, 215, 000 21, 359, 000	Bushels. 29,866,600 11,482,000 21,359,000	Bushels. (1) 6,889,000 (1)				
Total				40, 359, 000	52, 707, 000					
Australasia.										
Australia: Oueersland Net., Scallo W.les. Victoria. South Australia. Western Australia. Tasmania	9,000 21,000 83,030 91,000 11,000 8,000	7,000 (1) 62,600 66,000 4,000 (1)	(1) 6,000 (1) (1) (1) (1) (1)	120,000 313,000 1,870,000 1,375,000 173,000 193,000	109,000 48,000 620,000 461,000 17,000 160,000	(1) 100,000 (1) (1) (1) (1) (1)				
Total Australia	223,000			4, 044, 000	1,355,900					
New Zealand	32,000	18,000	30,000	1, 234, 000	616,000	843,000				
Total Australasia	255,000			5, 278, 000	1,971,000					
Grand total				1,463,289,000	1,503,272,000	• • • • • • • • • • • • • • • • • • • •				

¹ No official statistics.

Table 38.—Barley: Total production of countries named in Table 37, 1895-1916.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899	1,030,581,000	1901 1902 1903 1904 1905	Bushels. 1,072,195,000 1,229,132,000 1,235,786,000 1,175,784,000 1,180,053,000 1,296,579,000	1907 1908 1909 1910 1911	Bushels. 1,271,237, 6 00 1,274,897,000 1,458,263,900 1,388,734,000 1,373,286,0 9 0 1,466,977,000	1913 1914 1915 1916	Bushels. 1,650,265,000 1,463,289,000 1,503,272, 90 0

Table 39.—Barley: Average yield per acre in undermentioned countries, 1890-1915.

Year.	United States.	Russia (Euro- pean).1	Ger- many.1	Austria.¹	Hungary proper.1	France.2	United King- dom. ²
Average: 1890-1899. 1990-1909.	Bushels. 23. 4 25. 5	Bushels, 13.3 14.3	Bushels. 29.4 35.3	Bushels. 21.1 26.3	Buskels.	Bushels. 22. 6 23. 6	Bushels. 39.8 35.0
1906 1907 1908 1909 1910 1911 1911 1912 1913 1914 1914	23. 8 25. 1 22. 5 22. 5 21. 0 29. 7 23. 8	13. 0 14. 2 14. 2 17. 9 16. 3 14. 4 16. 2 18. 5 12. 9	35, 2 38, 2 34, 9 39, 5 34, 4 37, 0 40, 7 41, 3 36, 8 28, 5	26. 1 27. 3 25. 2 28. 4 24. 9 27. 5 29. 7 29. 7 3 33. 8	26. 8 23. 1 21. 3 25. 1 19. 7 26. 9 26. 9 27. 6 24. 1	20. 8 24. 4 22. 6 25. 4 23. 5 25. 0 26. 1 24. 5 24. 0 19. 7	36.1 36.8 34.9 38.9 34.0 33.1 35.6 31.8
A verage (1906–1915)	25. 4					•••••	35.1

¹ Bushels of 48 pounds.

² Census of 1911.

² Winchester bushels.

³ Galicia and Bukowina not included.

BARLEY—Continued.

Table 40.—Barley: Acreage, production, value, exports, etc., in the United States, 1849-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

Year.	Acreage.	Av- erage yield	Produc-	Aver- age farm price	Farm value	j bus	ago cas shel, l fancy.	sh pric	arring	Domestic exports, fiscal year	lmports, fiscal year
rear.	Acreage.	per acre.	tion.	per bushel Dec. 1.	Dec. 1.		mber.	Ma	wing ay.	beginning July 1.	begin- ning July 1.
				Dec. 1.		Low.	High.	Low.	High.		
1849 1859	A cres.		Bushels. 5,167,000 15,826,000		Dollars.	Cents.	Cents	Cents.	Cents.	Bushels.	Bushels.
1866 1867 1868 1869 1869	493,000 1,131,000 937,000 1,026,000	22. 9 22. 7 24. 4 27. 9	11, 284, 000 25, 727, 000 22, 896, 000 28, 652, 000 29, 761, 000	70. 2 70. 1 109. 0 70. 8	7,916,000 18,028,000 24,948,000 20,298,000	59 150 140 74	70 180 170 85	85 227 149 50	100 250 175 62	9,810 59,077 255,490	3,247,250 3,783,966 5,069,880 6,727,597
1870 1871 1872 1873 1874	1,109,000 1,114,000 1,397,000 1,387,000 1,581,000	23. 7 24. 0 19. 2 23. 1 20. 6	26, 295, 000 26, 718, 000 26, 846, 000 32, 044, 000 32, 552, 000	79. 1 75. 8 68. 6 86. 7 86. 0	20, 792, 000 20, 264, 000 18, 416, 000 27, 794, 000 27, 998, 000	68 55} 60 132 120	80 64 70 158 129½	72 55 71 130 115	95 71 85 155 137	340,093 86,891 482,410 320,399 91,118	4,866,700 5,565,591 4,244,751 4,891,189 6,255,063
1875 1876 1877 1878 1879	1,790,000 1,767,000 1,669,000 1,790,000 1,681,000 1,998,000	20.6 21.9 21.4 23.6 24.0 22.0	36, 909, 000 38, 710, 000 35, 638, 000 42, 246, 000 40, 283, 000 43, 997, 000	74. 1 63. 0 62. 5 57. 9 58. 9	27, 368, 000 24, 403, 000 22, 287, 000 24, 454, 000 23, 714, 000	81 633 561 91 86	88 68½ 64 100 92	62½ 80 46½ 64 75	72½ 85 52½ 73 80	317, 781 1, 186, 129 3, 921, 501 715, 536 1, 128, 923	10, 285, 957 6, 702, 965 6, 764, 228 5, 720, 979 7, 135, 258
1880 1881 1882 1883 1884	1,843,000 1,968,000 2,272,000 2,379,000 2,609,000	24. 5 20. 9 21. 5 21. 1 23. 5	45, 165, 000 41, 161, 000 48, 954, 000 50, 136, 000 61, 203, 000	66. 6 82. 3 62. 9 58. 7 48. 7	30, 091, 000 33, 863, 000 30, 768, 000 29, 420, 000 29, 779, 000	100 101 79 62 53	120 107 82 67 58	95 100 80 65 65	105 100 80 74 65	433,005	9,528,616 12,182,722 10,050,687 8,596,122 9,986,507
1885 1886 1887 1888 1889	2,729,000 2,653,000 2,902,000 2,996,000 3,221,000 3,221,000	21. 4 22. 4 19. 6 21. 3 24. 3 24. 3	58, 360, 000 59, 428, 000 56, 812, 000 63, 884, 000 78, 333, 000 78, 333, 000	56.3 53.6 51.9 59.0 41.6	32, 868, 000 31, 841, 000 29, 464, 000 37, 672, 000 32, 614, 000	62 51 80 58	65 54 80 58	58 57 69	60 57 77	252, 183 1, 305, 300 550, 884 1, 440, 321 1, 408, 311	10, 197, 115 10, 355, 594 10, 831, 461 11, 368, 414 11, 332, 545
1890 1891 1892 1893	3, 135, 000 3, 353, 000 3, 400, 000 3, 220, 000 3, 171, 000	21. 4 25. 9 23. 6 21. 7 19. 4	67, 168, 000 86, 839, 000 80, 097, 000 69, 869, 000 61, 400, 000	62. 7 52. 4 47. 5 41. 1 44. 2	42, 141, 000 45, 470, 000 38, 026, 000 28, 729, 000 27, 134, 000	65 52 53½	67 54 55½	65 55 51	65 60 52	973, 062 2, 800, 075 3, 035, 267 5, 219, 405 1, 563, 754	1,970,129 791,661 2,116,816
1895 1896 1897 1898 1899	3,300,000 2,951,000 2,719,000 2,583,000 2,878,000 4,470,000	26. 4 23. 6 24. 5 21. 6 25. 5 26. 8	87,073,000 69,695,000 66,685,000 55,792,000 73,382,000 119,685,000	33. 7 32. 3 37. 7 41. 3 40. 3	29, 312, 000 22, 491, 000 25, 142, 000 23, 064, 000 29, 594, 000	33 22 25} 40 35	40 37 42 50½ 45	25 $24\frac{1}{2}$ 36 36 36	36 35 53 42 44	7,680,331 20,030,301 11,237,077 2,267,403 23,661,662	
1900 1901 1902 1903 1904	2,894,000 4,296,000 4,661,000 4,993,000 5,146,000	20. 4 25. 6 29. 0 26. 4 27. 2	58, 926, 000 109, 933, 000 134, 954, 000 131, 861, 000 139, 749, 000	40. 9 45. 2 45. 9 45. 6 42. 0	24,075,000 49,705,000 61,899,000 60,166,000 58,652,000	38	61 63 70 61½ 52	37 64 48 38 40	57 72 56 59 50	6, 293, 207 8, 714, 268 8, 429, 141 10, 881, 627 10, 661, 655	171,004 57,405 56,462 90,708 81,020
1905 1906 1907 1908 1909	5,096,000 6,324,000 6,448,000 6,646,000 7,011,000 7,699,000	26.8 28.3 23.8 25.1 24.3 22.5	136, 551, 000 178, 916, 000 153, 597, 000 166, 756, 000 170, 284, 000 173, 344, 000	40. 5 41. 5 66. 6 55. 4	54, 993, 000 74, 236, 000 102, 290, 000 - 92, 442, 000 93, 539, 000	37 44 78 57	53 56 102 64½ 72	42 66 60 66 50	55½ 85 75 75 75	17,729,360 8,238,842 4,349,078 6,580,393	18,049 38,319 199,741 2,644
1910 2	7.743,000 7,627,000 7,530,000 7,499,000 7,565,000 7,148,000	22. 5 21. 0 29. 7 23. 8 25. 8 32. 0	173, 832, 000 160, 240, 000 223, 824, 000 178, 189, 000 194, 953, 000 228, 851, 000	57.8 86.9 50.5 53.7 54.3 51.6	100, 426, 000 139, 182, 000 112, 957, 000 95, 731, 000 105, 903, 000 118, 172, 000	70	90 130 77 79 75 77 125	75 68 45 51 74½ 70	115 132 68 66 82 83	9, 399, 346 1, 585, 242 17, 536, 703 6, 644, 747 26, 754, 522 27, 473, 160	

¹ Prices 1895 to 1908 for No. 3 grade.

² Figures adjusted to census basis.

BARLEY—Continued.

Table 41.—Barley: Acreage, production, and total farm value, by States, 1916.
[000 omitted.]

							_
State.	Acreage.	Produc- tion.	Farm value Dec. i.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
Maine. New Hampshire Vermont. New York. Pennsylvania	81	Bushels. 156 28 412 1,887 300	Dollars. 162 25 412 1,906 225	Kansas. Kentucky. Tennessee. Texas. Oklahoma.	9	Bushels. 4,800 156 237 153 100	Dollars. 3,696 140 237 121 100
Marvland Virginia. Ohio Indiana. Illinois	6 13 33	192 358 917 495 1,920	140 304 734 304 1,978	Montana Wyoming Colorado New Mexico Arizona	25 160 11	2,660 825 5,120 308 1,120	2,022 713 4,198 308 1,210
Michigan	1,375 295	2,450 18,300 26,125 8,702	2,230 19,215 22,729 7,919	Utah Nevada Idaho Washington Oregon	190 165 140	1,224 492 7,410 6,814 5,390	930 467 6,076 5,72 4,312
North Dakota. South Dakota. Nebraska	1,725 825	26,738 18,728 3,080	21,390 15.544 2,310	California United States.	7,674	33,320 180,927	31,656 159,534

Table 42.—Barley: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

•		Yield per acre (bushels),										Farm price per bushel (cents).				el	Value per acre (dollars).		
State.	10-year aver- age, 1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	10-year aver- age, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911–1915.	1916
Me	26. (- 31. 7 23. 5	25.5	24. (. 33. (20. ()	25.0 30.0 24.5	26.0 34.0 28.5	21.0 39.5 25.0	28,0 35,0 26,0	(28.4 (32.4 (26.7	132.0 134.7 125.0	35. (32. () 2.1 3	82 78 77	77 84 80 68 68	80 80 80 69 71	81 82 75 71 70	75 79 75 75 75	90 100 101	23.30 26.15 20.85	27. 0 25. 20 27. 50 23. 53 18. 73
VaOhioInd	27.1 27.6 25.5	29. 0 28. 0 20. 5	28. 0 27. 5 23. 0	28.5 25.9 23.5	29.3 28.5 27.0	23.0 27.2 26.5	25.0 31.0 29.5	26.0 24.0 25.0	$\begin{vmatrix} 26.0 \\ 25.0 \\ 25.0 \end{vmatrix}$	29. 0 31. 0 28. 0	32. 0 27. 5 27. 8 27. 0 27. 0	72 64 64	68 75 55 60 53	64 70 58 50 57	66 80 59 67 61	70 75 54 65 57	85 80 75	19.12 17.06 17.01	23. 3 23. 3 22. 2 20. 2 32. 9
Wis	28 0 23.6 26.8 23.4	23. 0 22. 5 25. 5 23. 0	30, 0 25, 0 27, 0 23, 0	28.0 23.6 22.6 23.0	25. 9 21. 0 25. 5 27. 0	25. 5 16. 6 21. 6 20. 0	129. 4 25. 2 31. 0 24. 8	25. (22. (127. (22. () 27. 8 23. 3 26. 4 24. 4	35, 5 31, 6 25, 6		69 60 61 67	65 55 41 52 66	60 60 48 55 60	65 62 53 55 65	62 56 49 49 63	105 87 91	19, 64 13, 69 15, 95	22. 3 31. 5 16. 5 26. 8 18. 6
N. Dak. S. Dak Nebr Kans Ky	21.4 21.6 17.4 26.4	23. 0 20. 8 12. 0 25. 0	26.5 23.5 16.0 25.0	19.5 22.0 18.0 24. 0	18. 2 18. 5 18. 0 24. 0	5. 4 11. 0 6. 5 28. 7	26. 0 22. 0 23. 5 26. 0	17. 5 16. 0 8. 1 26. 6	23. 0 23. 5 24. 5 28. 5	32. 0 31. 0 31. 0 30. 0	22. 7 28. 0 16. 0 26. 0	56 50 53 76	35 42 42 40 75	40 46 49 55 78	45 50 47 47 77	44 46 42 42 77	83 75 77	8. 99 9. 55 8. 46	12. 40 18. 8 21. 00 12. 3 23. 4
Penn Pex Okla Mont Wyo	23. 2 19. 8 33. 4	17. 0 18. 7 38. 0	24. 0 23. 0 35. 0	19.4 23.0 38.0	30. 0 30. 0 28. 0	18.0 10.0 34.5	29. 3 20. 0 36. 5	24. 0 9. 0 31. 0	25. 0 25. 0 30. 5	28. 0 26. 5 34. 0	17. 0 12. 5 28. 0	81 62 59	80 78 50 53 62	70 81 80 48 61	82 70 53 53 64	75 68 50 48 55	80 100 76	19.11 9.96 18.03	23. 70 13. 60 12. 50 21. 22 28. 7
Colo N. Mex Ariz Utah Nev	32. 0 37. 3 41. 0 40. 6	26. 0 35. 5 39. 0 40. 0	42. 0 38. 0 45. 0 30. 0	40. 0 40. 0 40. 0 38. 0	25. 0 36. 0 36. 0 40. 0	33. 0 36. 5 43. 0 40. 0	35. 0 40. 0 45. 0 41. 0	24. 0 39. 0 38. 5 41. 0	34. 0 36. 0 45. 0	33. 0 37. 0 42. 5 48. 0	28. 0 35. 0 36. 0 41. 0	79 81 60 79	50 71 87 59 87	56 72 73 55 90	55 75 60 50 65	48 70 56 52 70	100 108 76	22. 77 27. 47 24. 14	26. 24 28. 00 37. 80 27. 30 38. 9
daho Wash Oreg Dal	38.2	40, 5	30.5	39.5	29.0	37.0	43.0	40.5	39.0	41.5	39. 0 41. 3 38. 5 28. 0	60	51 53 55 70	48 52 55 68	50 52 61 59	52 56 62 62	84 80	22. 51 20. 35	31. 98 34. 69 30. 80 26. 60

¹ Based upon farm price Dec. 1.

BARLEY-Continued.

Table 43.—Barley: Condition of crop, United States, on first of months named, 1895–1916.

Year.	June.	July.	Au- gust.	When harvested.	Year.	June.	July.	Au- gust.	When har- vested.
1895 1895 1895 1897 1899 1990 1991 1902 1903 1991 1905	78.8 91.4 86.2 91.0 93.6	P. ct. 91.9 85.1 85.5 85.7 92.0 76.3 91.3 93.7 86.8 88.5 91.5	P. ct. 87.2 82.9 87.5 79.3 93.6 71.6 86.9 90.2 83.4 88.1 89.5	P. ct. 87.6 83.1 86.4 79.2 86.7 70.7 83.8 89.7 82.1 87.4 87.8	1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915. 1916.	P. ct. 93.5 84.9 89.7 90.6 89.6 90.2 91.1 87.1 95.5 94.6 86.3	P. ct. 92.5 84.4 86.2 90.2 73.7 72.1 88.3 76.6 92.6 94.1 87.9	P. ct. 90.3 84.5 83.1 85.4 70.0 66.2 89.1 74.9 85.3 93.8 80.0	P. ct. 89.4 78.5 81.2 80.5 69.8 65.5 88.9 73.4 94.2 74.6

Table 44.—Barley: Farm price per bushel on first of each month, by geographical divisions, 1915 and 1916.

Month.		ited tes.	North Atlantic States.		South Atlantic States.		N. Central States east of Miss. R.		N. Central States west of Miss. R.		South Contral States.		Far West- ern States.	
	1916	1915	1916	1915	1916	1915	1016	1915	1916	1915	1916	1915	1916	1915
January February March April May June	Cts. 54.9 61.7 59.6 57.2 59.6 59.6	Cts. 54.3 62.9 67.7 64.7 63.8 62.0	Cts. 75.4 74.9 78.6 79.2 79.6 81.5	Cts. 77. 2 80. 6 84. 9 81. 0 87. 7 83. 0	Cts. 74.0 72.0 76.0 72.0 74.0 73.3	Cts. 73.0 76.0 81.0 73.4 78.0 78.2	Cts. 60.7 67.3 67.5 64.9 65.4 66.6	Cts. 62.1 67.0 72.6 72.3 69.5 68.6	Cts. 50.5 60.5 53.0 55.9 56.0	Cts. 49.8 59.4 61.9 59.9 60.3 60.1	Cts. 61.4 59.4 64.4 63.2 63.8 59.4	C(s. 62.5 76.5 80.2 70.8 71.3 85.2	Cts. 59.6 61.7 67.8 67.6 62.9 62.2	Cts. 56.9 65.4 73.2 68.1 65.6 61.2
July August September October November December	59.3 59.3 72.9 76.5 83.2 88.2	55.8 56.7 51.9 46.8 50.1 51.6	80.8 74.6 82.0 93.4 91.0 98.1	85.6 81.6 80.2 72.5 73.5 75.0	74.0 85.0 60.0 80.0 70.0 80.7	76.0 78.0 74.0 69.2 78.0 73.4	67.1 66.9 89.9 90.7 98.6 102.0	66.4 66.8 58.8 52.6 55.3 56.7	56.0 55.3 70.8 72.8 80.4 83.5	56.0 56.8 46.7 40.1 43.0 46.0	55.5 57.4 64.8 99.6 78.1 92.7	70.8 57.0 56.5 60.0 53.7 67.0	61.3 63.0 69.4 77.0 81.7 89.1	50.4 51.8 55.6 52.9 57.3 58.6
Average	71.6	53.7	86.0	77.7	73.4	74.7	83.0	60.5	70.0	47.3	72.1	62. Ł	72.5	57.5

Table 45.—Barley: Wholesale price per bushel, 1912-1916.

	_		·				•				
	Cincin	ınati.	Chie	ago.	Milwa	ukee.	Minne	apolis.	San Fr	ancisco.	
Date.	Spring	malt.	Low n	nalting ney.	No	. 3.	Allgi	rades.	Feed (per 100 lbs.)		
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	
JanJune July-Dec	Cents. 110 55	Cents. 132 78	Cents. 60 40	Cents. 140 110	Cents. 95 64	Cents. 138 110	Cents. 50 34	Cents. 130 95	Cents. 152½ 115	Cents, 195 1521	
1913. JanJune July-Dec	54 <u>1</u> 57	70 80	42 43	71 85	60 60	73 82	39 42	63 73	130 122½	150 140	
JanJune. July-Dec.	60 70	70 80	49 50	79 82	53 51½	68 82	41 40	65 76	90 95	132 1 130	
January February March April May June	72 86 79 76 76 86	90 90 90 92 102 98	66 73 71 71 74 68	- 88 91 89 84 82 79	70½ 78 74½ 76 75½ 71	88 93 86 804 784 774	58 64 62 64 67 62	83 86 81 76 75 71	125 142½ 125 125 111¼ 100	160 162½ 147½ 147½ 130 112½	
JanJune	72	102	66	91	701	93	58	86	100	1624	
					,						

BARLEY—Continued.

Table 45.—Barley: Wholesale price per bushel, 1912-1916—Continued.

	Cinci	nnati.	Chic	eago.	Milws	vikee.	Minne	apolis.	San Fr	ancisco.
Date.	Spring	malt.	Low malting to fancy.		No	. 3.	All gr	ades.	Feed (per 100 lbs.)	
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
July August September October November December	Cents. \$6 88 76 70 70 76	Cents. 98 98 102 86 76	Cents. 69 54 51 53 56 62	Cents. 79 85 65 65 73 77	Cents. 72} 61 54 56 59 67	Cents. 79 81 60 62 68 73½	Cents. 63 45 42 47 50 56	Cents. 73 78 57 57 62 67½	Cents. 100 115 112½ 115 122½ 125	Cents. 120 130 120 130 130 1322 1323
July-Dec	70	102	51	85	54	81	42	78	100	1325
1916. January. February. March April May. June.	83 89 83 89 91 93	88 98 98 98 102 102	68 64 64 64 70 70	\$4 83 78 53 83 86	71 68 70½ 68 74½ 70	82 79½ 77 79½ 80 78	61 59 59 59 60 60	76 } 75 } 72 } 75 } 75 } 73 <u>}</u>	1272 130 130 130 130 130 127½	132½ 135 136 136 1361 132½
JanJune	83	102	64	86	68	82	59	76}	1271	1361
July August September October November December	93 93 123 123 136 136	102 136 136 132 145 145	68 68 84 85 98 95	80 115 117 123 128 125	70 75 97 105 112 112	80 113 115 123 128 124	57 57 63 60 72 70	74} 108 101 106 112 110	127½ 140 165 167½ 200 215	145 170 170 2021 225 225
July-Dee	93	145	68	128	70	128	57	112	1271	225

Table 46.—Barley and malt: International trade, calendar years 1913-1915.

[See "General note," Table 10.] EXPORTS.

[000 omitted.]

[000 Onlead]											
		Barley.			Malt.		Barley and malt in terms of barley.				
Country.	1913	1914 (prelim.)	1915 (prelim.)	1913	1914 (prelim.)	1915 (prelim.)	1913	1914 (prelim.)	1915 (pre- lim.)		
Algeria Argentine Argentine Bulletine Bulletine Bulletine Canada Chile Chine	Bushels. 4,342 1,871 8,190 2,612 10,069 819 13,906 427 738	Bushels. 3,903 1,152 1,290 6,838 2,839 524	Bushels. 1,690 440 7,441 4,665 1,287 191	218			Bushels. 4,342 1,871 19,271 2,811 10,060 819 13,909 419 738	Bushels. 3,903 1,152 1,290 6,843 3,051 524	Bushels. 1,490 3,440 7,441 4,677 1,557		
Denmark France Germany Netherlands Roumania	3,566 438 280 31,993 17,319	3,379 167 13,385 9,284	536	117 19 1,198 449 4	210 439	702	3,673 455 1,369 32,402 17,322	3,379 357 13,784 9,284	1,174		
Russia. United Kingdom United States. Other countries. Total	180,344 48 12,782 15,957 305,701	90, 783 85 17, 208 1, 278	305 79 26, 491	197 806 487 11 15,721	161 898 728 6	3,982 2,253	180, 523 781 13, 225 15, 967	90,930 902 17,870 1,282	305 3,699 28,539		

BARLEY-Continued.

Table 46.—Barby and malt: International trade, calendar years 1913-1315—Continued-INPORTS. 1990 critical 1

			[0,00	er meca.	1					
		Darley.			Mait.		Barley and malt interms or barky.			
Country.	1913	1911 (prefim.)	1(15 (prelim.)	1913	1914 (prelim.)	1515 (prelim.)	1913	1914 (prelim.)	1915 (pre- lim.)	
Argentina	4	Bushels	B schels.	3 hels. 1,597 2	Bushels 1,134	Busheli. 720	Bushets. 1,456 353	3 uskels 1,002	Bu .kels. 656	
Belgram. Brazil. British South Airea.		1	7 5	731 1,361 348		914 232	18,001 1,241 319	639 205	865 216	
Canada Cuba Denmark Egypt France	273 1,933	285 2,390 475 4,761	59 243 4, 114 265 4, 212	538 58 534 103	107 42 194	47 95 145	363 273 1,986 1,821 5,428	136 285 2,300 512 4,938	82 313 4,411 452 4,374	
Finland Germany Jiely Netherlands Norvay	728 10, 783	167 8 21,017 3,845	242 20 5,033 1,134	278 2,592 1,183 157	230 103 3,242 242	354 47 5 259	645 151,933 728 44,585 3,994	376 105 23,991 4,064	564 63 5,038 1,309	
Russia. Switzerbard. United Kincdom Other countries.	1,106 1,193	756 769 36, 122 1, 594	1,057 27,969	58 3,302 1.6 661	3,000 137 673	1,743	1,158 4,192 52,464 1,815	781 3,556 36,547 2,207	2,641 27,976	
Tetal	276,931	72, 561		17,420	10,192		292, 767	81,827		

RYE.

TABLE 47.—Rye: Area and production in undermentioned countries, 1914-1916.

TABLE 47.—Kye	: Area and	пртописно	n in under	mentioned c	ountries, 191	14-1916.
		Area.			Production.	
Country.	1914	1915	1916	1914	1915	1916
NORTH AMERICA. United States	A cres. 2.541,000	Acres. 3,129,000	Acres. 3,096,000	Bushels. 42,779,000	Bushels. 54,059.000	Bushels. 47,583,000
Canada:	9,000 78,000 5,000 3,000 16,000 (1)	9,000 78,000 6,000 3,000 17,600	8,000 69,000 6,000 3,000 15,000 (1)	153,030 1,341,630 190,000 54,000 300,000 6,000	1,551,000 155,000 76,600 463,900	(2) (2) (2) (2) (2) (2) (2)
Total Canada	111,000	113,600	101,000	2,017,000	2, 394, 000	2,896,000
Mexico	(2)	(£)	(°)	70.000	70,000	(2)
Total				44,866,000	56, 514, 000	
SOUTH AMERICA. Argentina. Chile. Uruguay	228,000 6,000 (¹)	229,000 (2) (1)	212,000 (²) (¹)	3,346,000 151,000 5,000	150,000	2,008,000 (2) 1,000
Total				3,502,000	1,962,000	1
EUROPE, Austria-Hungary; Austria, Hungary Croatia-Slavonia, Bosuia-Herzegovina	\$ 3, 138,000 2, 638,000 163,000 (2)	2, (2) 2, (25, 000 (2) (2)	(2) (3) (2) (2)	² 74,555,000 42,410,000 2,082,000 500,000	² 75,000,000 45,975,000 2,500,000 600,000	(2) (2) (2) (2) (2)
Total Austria- Hungary				119,547,000	.124.075,000	

Table 47.—Rye: Area and production in undermentioned countries, 1914-1915—Contd.

	ļ ,	Area.			Production.	
Country.	1914	1915	1916	1914	1915	1316
EUR FE—contd. Finland France Germany Iraly Netherlands, Norway, Roughania	# crcs. 615,000 527,000 (1) (1) 2,614,000 15,705,000 804,000 803,050 237,600 208,000	A cres. (1) (1) (2) (2) (2) (2) (3) (1) (2) (3) (3) (4) (3) (4) (6) (6) (7) (7) (6)	### ##################################	Dashels. 28,137,009 7,255,050 10,505,060 10,807,060 32,002,009 410,478,000 3,210,500 11,640,000 1,950,000	Bushels. 18,000,000 7,022,000 12,989,000 10,000,000 33,072,000 360,310,000 4,362,000 17,77,000 829,000 2,911,000	Exchels. (1) 8, 490,000 10,580,009 (1) 35,524,000 (1) 5,342,000 12,391,000 729,000 (1)
Russia: Russia proper Poland Northern Carbania	65,007,000 -1 674,000 400,000	65,263,000 (1) 4,329,603	59,407,603 (1) (1)	787, 625, 660 3 27, 664, 660 5, 253, 680	877, 522,000 (1) 4 1,683,060	\$40,722,60 0 (1) (1)
Total Russia (Russjæm)	(2.042.000	60, 195, 900		821,075,000	882, 155, 990	
Sertic Ensin Ensin Lock of dom.	74,030 1.85,000 5:1,000 67,600	1, \$20, 000 (1) 62, 600	1,856,000 921,000 60,000	1,030,060 23,950,000 27,500,000 1,500,000	800,000 26,102,000 23,133,000 1,760,000	(1) 31, 436, 000 26, 000, 000 (1)
Total				1,511,293,000	1,521,787,000	
ASIA. President in the first interpretable interpretable interpretable in the first interpretable inter	133,000 2,676,000 1,600	378,000 2,452,000 (5)	(1) (1) (1)	1, 206, 000 35, 887, 000 11, 000	3, 670, 600 20, 143, 660 (5)	(1) (1) (1)
Total Russia (Asiatie)	2.810 000			37, 104, 000	23. 213, 000	
Australia: (manslend Victoria South Ametralia Victoria Lustralia Victoria Tea menia	(°) 5, 650 2, 099 1, 000 1, 000 1, 000	(1) 3 009 2,000 (1) (1) (1)	(1) 2,000 (1) (1) (1) (1)	1,090 70,000 20,000 13,000 4,000 9,000	(1) 37,000 (1) 6,000 (1) (1)	(1) 22,00 0 (1) (1) (1) (1)
Total Australia	10.000			117,000		
New Zenland	(1)	(1)	(1)	(1)	(1)	(1)
Total Australasia				117,000		
Grand tote!				1,596,882,000		

Table 48.—Rye: Total production of countries named in Table 47, 1895-1916.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899	1,300,645,000 1,461,171,000 1,583,179,000	1901 1902 1903 1904 1905 1906		1907 1908 1909 1910 1911		1913 1914 1915 1916	1,596,882,000

¹ No official statistics.
2 1910 figures (census).
3 Winter rye in 1914 14 5 governments only.

<sup>Includes I government of Transcaucasia.
Included in Northern Caucasia.
Less than 500 acres.</sup>

Table 49.—Rye: Average yield per acre in undermentioned countries, 1890-1915.

Year.	United States.	Russia (Euro- pean).1	Ger- many.1	Austria.1	Hungary proper.	France.2	Ireland.1
Average: 1890-1899 1900-1909	Bushels. 13.9 15.7	Bushels. 10.4 11.5	Bushels. 20.9 25.6	Bushels. 16.1 19.0	Bushels.	Bushcls. 17.6 17.1	Bushels. 25.2 27.5
1906 1907 1908 1908 1910 1911 1912 1913 1914 1915	16. 7 16. 4 16. 4 13. 4 16. 0 15. 6 16. 8 16. 2 16. 8 17. 3	.8. 8 10. 8 11. 0 12. 6 12. 3 10. 5 14. 3 13. 5 12. 1	25. 1 25. 8 28. 0 28. 8 27. 1 28. 2 29. 5 30. 4 26. 4 22. 7	19. 9 18. 9 22. 0 22. 3 21. 3 20. 9 23. 3 22. 0 5 23. 7	19.8 16.0 17.5 17.8 18.9 18.7 19.4 19.6 16.1	16.3 18.2 16.8 18.1 14.7 15.8 16.5 17.0 12.2 14.3	27. 6 27. 0 29. 2 30. 8 30. 3 29. 0 30. 6 30. 0 29. 4 29. 2
Average (1906-1915)	16. 2						29.3

¹ Bushels of 56 pounds.

Table 50.—Rye: Acreage, production, value, exports, etc., in the United States, 1849-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agricultine. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

		Aver-		Aver-		Cit	·	1. ric o. 2	e per	Domestic exports, in-
Year.	Acreage harvested.	ge yield per acre.	Production.	farm price per hushel	Farm value Dec. 1.	Dece	mber.		owing ay.	cluding rye flour, fiscal year beginning
				Dec.1.	-	Low.	High.	Low.	High.	July 1.
1849 1859	Acres.	Bush.	Bushels. 14,189,000 21,101,000	Cents.	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels.
1868 1868 1869	1,548,000 1,689,000 1,651,000 1,658,000	13.5 13.7 13.6 13.6	20, 865, 000 23, 184, 000 22, 505, 000 22, 528, 000 16, 919, 000	82. 2 100. 4 94. 9 77. 0	17, 150, 000 23, 281, 000 21, 349, 000 17, 342, 000	132 1063 66	157 118 77½	142 173 160 78	150 185 115} 83½	234, 971 564, 901 92, 869 199, 450
1870 1871 1872 1873 1874	1,176,000 1,070,000 1,049,000 1,150,000 1,117,000	13. 2 14. 4 14. 2 13. 2 13. 4	15,474,000 15,366,000 14,859,000 15,142,000 14,991,000	73. 2 71. 1 67. 6 70. 3 77. 4	11, 327, 000 10, 928, 000 10, 071, 000 10, 638, 000 11, 610, 000	67 62 57 <u>\$</u> 70 93	74 633 70 81 993	81 75 68½ 91 103	91 93 70 102 107½	87,174 832,689 611,749 1,923,404 267,058
1875 1876 1877 1878 1879	1,360,000 1,468,000 1,413,000 1,623,000 1,625,000 1,842,000	13.0 13.9 15.0 15.9 14.5 10.8	17,722,000 20,375,000 21,170,000 25,843,000 23,639,000 19,832,000	67.1 61.4 57.6 52.5 65.6	11, \$94, 000 12, 505, 000 12, 202, 000 13, 566, 000 15, 507, 000	67 653 553 41 733	683 73 56½ 44½ 81	61½ 70 54 47 73½	70 1 921 60 52 85	589, 159 2, 234, 856 4, 249, 684 4, 877, 821 2, 943, 894
1880 1881 1882 1883	1,768,000 1,789,000 2,228,000 2,315,000 2,344,000	13.9 11.6 13.4 12.1 12.2	24,541,000 20,705,000 29,960,000 28,059,000 28,640,000	75. 6 93. 3 61. 5 58. 1 51. 9	18, 565, 000 19, 327, 00) 18, 439, 000 16, 301, 000 14, 857, 000	82 96½ 57 56½ 51	91½ 98 58½ 60 52	115 77 62 60½ 68	118 83 67 62½ 73	1, 955, 155 1, 003, 609 2, 206, 212 6, 247, 590 2, 974, 390
1885 1886 1887 1888 1889	2,171,000	10. 2 11. 5 10. 1 12. 0 13. 1 13. 1	21,756,000 24,489,000 20,693,000 28,415,000 28,420,000 28,421,000	57. 9 53. 8 54. 5 58. 8 42. 3	12, 595, 000 13, 181, 000 11, 283, 000 16, 722, 000 12, 010, 000	58½ 53 55½ 50 44	61 51½ 61½ 52 45⅓	58 54½ 63 39 49½	61 56½ 68 41½ 54	216, 699 377, 302 94, 827 309, 266 2, 280, 975
1890 1891 1892 1893 1894	2,176,000 2,164,000 2,038,000	12.0 14.6 12.9 13.0 13.7	25,807,000 31,752,000 27,979,000 26,555,000	62. 9 77. 4 54. 2 51. 3 50. 1	16, 230, 000 24, 589, 000 15, 160, 000 13, 612, 000 13, 395, 000	64½ 86 46 45 47½	68½ 92 51 47½ 49	83 701 501 441 621	92 79 62 48 67	358, 263 12, 068, 628 1, 493, 924 249, 152 32, 045

² Winchester bushels.

² Galicia and Bukowina not included

Table 50.—Rye: Acreage, production, value. exports, etc., in the United States, 1849—1916—Continued.

Additional to the second secon		Aver-		Aver-		Chic	ago cas bushel	sh pric , No. 2	e per	Domestic exports, in-
Year.	Acreage harvested.	age yield per acre.	Production.	farm price per bushel	Farm value Dec. 1.	Dece	mber.		owing	cluding rye flour, fiscal year beginning
				Dec. 1.		Low.	High.	Low.	High.	July 1.
1895 1896 1897 1898 1899	A cres. 1,890,060 1,831,000 1,704,000 1,643,000 1,659,000 2,054,000	Bush. 14.4 13.3 16.1 15.6 14.4 12.4	Bushels. 27,210,009 24,369,000 27,363,000 25,658,000 23,962,000 25,509,000	Cents. 44.0 40.9 44.7 46.3 51.0	Dollars. 11,965,000 9,961,000 12,240,000 11,875,600 12,214,000	Cts. 32 37 453 523 49	Cts. 353 422 47 552 52	Cts. 33 323 48 563 53	Cts. 36½ 35½ 75 62 56½	Bushels. 1,011,128 8,575,663 15,562,035 10,160,822 2,382,012
1900 1901 1902 1903	1,591,000 1,988,000 1,979,000 1,907,000 1,793,000	15.1 15.3 17.0 15.4 15.2	23,996,000 30,345,000 33,631,000 29,303,000 27,242,000	51. 2 55. 7 50. 8 54. 5 68. 8	12, 295, 600 16, 910, 000 17, 031, 000 15, 094, 000 18, 748, 000	457 59 43 50} 73	494 653 494 52 <u>8</u> 75	51 } 54 1 48 69 } 70	54 58 50] 78 84	2,345,512 2,712,077 5,445,273 784,068 29,749
1905 1906 1907 1908 1909	1,730,000 2,002,000 1,926,000 1,948,000 2,006,000 2,196,000	16.5 16.7 16.4 16.4 16.1 13.4	28, 486, 000 33, 375, 000 31, 566, 000 31, 851, 000 32, 239, 000 29, 520, 000	61.1 5S.9 73.1 73.6	17, 414, 000 19, 671, 000 23, 068, 000 23, 455, 000 21, 163, 000	64 61 75 75	68 65 82 77‡	58 69 79 83	62 87½ 86 90	1,387,826 769,717 2,444,588 1,295,701
1910 ¹ 1911 1912 1913 1914 1915	2,185,000 2,127,000 2,117,000 2,557,000 2,541,000 3,129,000 3,096,000	16. 0 15. 6 16. 8 16. 2 16. 8 17. 3 15. 3	34, 897, 000 33, 119, 000 35, 664, 000 41, 381, 000 42, 779, 000 54, 050, 000 47, 383, 000	71. 5 83. 2 66. 3 63. 4 86. 5 83. 4 122. 1	24, 953, 000 27, 557, 000 23, 636, 000 26, 220, 000 37, 018, 000 45, 083, 000 57, 857, 000	80 91 58 61 107½ 94½ 130	82 94 64 65 112½ 98½ 151	90 90 60 62 115 96}	113 95½ 64 67 122 99½	40, 123 31, 384 1, 854, 738 2, 272, 492 13, 026, 778 15, 250, 151

¹ Figures adjusted to census basis.

Table 51.—Rye: Acreage, production, and total farm value, by States, 1916.

1000 omitted.1

[000 onneed.]											
State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.				
Vermont. Massachusetts. Connecticut New Yor. Ne v Jorsey	3 7 151	Bushels. 20 56 137 2,718 1,330	Dollars. 21 71 171 3,479 1,556	North Dabota Su. it Tulori Nebrasha Kansas Kentucky.	Acres. 350 250 192 46 22	Bushels. 4,655 4,500 3,072 667 246	Dollars. 5,819 5,310 3,564 734 317				
Pennsylvanja 14.1e Maryland Virginia. West Virginia.	1 23 75	4,420 15 356 938 320	4,818 18 392 1,004 381	Tennessee. Alabama. Texas. Oklahoma. Arkansas.	4 2	150 52 20 90 10	202 91 24 112 12				
North Carolina. South Carolina. Georgia Ohio Indiana	5 13 75	534 49 124 1,088 2,590	694 91 198 1,306 3,082	Montana Whoming Colors in Utah	28 12	205 155 392 144	197 167 412 144				
Illinois Michigan. Wisconsin. Minnesota.	325 375	666 4,648 6,075 5,025	813 6,042 8,019 6,382	Idaho. Washington. Oragon. Currena	7 30	34 102 510 104	32 113 556 121				
Iowa. Missouri		935 231	1, 075 284	United States.	3,096	47,383	57,857				

Table 52.—Rye: Condition of crop. United States, or first of movel's named, 1891-1917.

Year.	De- corp- ber of Ar- pro- vious year.	ril. May	June.	When har- vested.	Year.	De- cem- ber or pre- cross year.		May.	June.	When har- rested.
1831 1832 1833 1854 1804 1807 1808 1800 1601 1001 1004	P. et. P. 25. S.	40000000000000000000000000000000000000	95.40 b 017 719 - 170 b 34 6 9 5 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	P. ct. 93 9 92 8 8 97 7 893 8 4 6 6 8 9 9 8 8 9 9 7 8 9 4 6 6 6 9 9 8 8 9 9 8 8 9 9 8 8 8 9 9 8 8 9 9 9 8 9 9 9 9 8 9	170° 1905 1897 1897 1908 1908 1916 1911 1912 1913 1914 1915 1913 1913	P. C. 424 61 605 50 50 50 50 50 50 50 50 50 50 50 50 5	F. c 192.19 92.0 1.25 87.25 87.35 87.35 87.35 87.35 87.35 87.35 87.35 87.35 87.35 87.35 87.35	P. ct. 93 5 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	P. c 94 0 89 9 85.1 21.3 89.6 90.6 88.6 87.7 90.9 93.6 92.0 86.9	

Table 53.—Rie: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

	į	Yiela per acre (laushelt).								1	arm		a per maj.	busi	nel	per	lue aere luis).		
State.	10-5 eur un er- age, 1907-1910.	1937	1908	1309	1910	1911	1912	1913	1914	1915	1916	10-year average, 1907-1913.	1912	1913	1914	1915	1916	5-year average, 1911-1915.	1916
K. Y. N. J. Pa. Del. Md Va. W. Va. W. Va. N. C. S. C. Ga. Ohio. Ind. Ill. Mich. Wis. Minn. Iowa. Mo. N. Dak. S. Dak. N. Dak. N. Dak.	18.27 19.00 17.00 16.91 15.25 10.01 15.25 10.01 10.01 15.40 17.00 18.70 18	17. 0 5 16. 0 5 16. 0 5 17. 0 5 16. 0 5 17. 0 5 16. 0 5 16. 0 5 16. 0 6 17. 0 5 16. 0 6 17. 0	15.0 5 16.5 5 16	15.5 2 48.7 7 6 14.1 12.3 5 144.0 144.1 12.3 5 15.6 2 16.5 8 17.5 6 17.5	17. 5 20. 0 3 2 1 1 1 2 2 0 0 0 1 1 1 1 1 1 1 1 1 1 1	22.5 5 6.7 7 16.4 15.1 11.0 0 0 15.5 7 8 16.6 11.0 0 19.5 5 7 18.7 11.0 0 11.0	20. 0.5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	18. 32. 32. 32. 32. 32. 32. 32. 32. 32. 32	20.0 9 10.0 10.0 10.0 10.0 10.0 10.0 10.0	17. 00 20. 00 21. 5.7 20. 0 0 15. 5.5 16. 5.5 11. 5 11.	20. 0 13. 55 18. 0 19. 0 15. 0	91 101 95 877 855 81 888 887 91 104 148 149 80 80 80 79 73 73 73 84 70 79 71 100 1132 100 100 100 100 100 100 100 100 100 10	90 100 92 76 76 77 81 80 85 84 105 145 140 75 68 65 61 50 85 85 81 81 110 110 87	90 93 92 75 80 74 79 76 81 87 98 81 135 69 62 57 45 50 60 62 57 45 50 87 98 140 87 98 87 98 87 98 87 88 87 88 87 88 87 88 88 88 88 88 88	80 101 95 89 82 83 92 90 90 105 150 150 150 150 81 85 85 91 87 77 87 84 78 80 95 98	\$5 102 102 93 92 94 99 88 93 93 105 151 140 83 85 79 76 79 76 103 135 77	1200 127 128 117 128 117 109 123 110 120 119 121 127 115 123 124 125 118 116 120 120 120 121 121 125 125 126 127 127 127 127 127 127 127 127 127 127	17. 211 18. 23 14. 69 15. 08 16. 17. 17. 21 11. 18. 22 14. 69 15. 08 17. 17. 17. 17. 17. 17. 17. 17. 17. 17.	24.00 24.50 24.50 23.04.50 23.04.50 23.04.50 22.23 18.53 18.45 17.05 13.38 15.20 16.66 18.91 18.59 21.38 16.62 21.38 16.52 21.38 16.52 21.38 16.53 16.
Mont Wyo Colo Utah	19.8 17.0	22.0 21.5 20.5	20.0 22.0 15.5	29.0 26.0 22.0	$18.5 \\ 14.0$	23.0 20.0 12.0	23.5 19.0 19.5	19.0 17.0	17.0 17.5	$\begin{array}{c} 22.5 \\ 20.0 \\ 17.5 \end{array}$	20.5 15.5 14.0	100 70 81 70 69	105 60 65 55 68	95 55 64 60	105 70 81 65 60	100 65 90 70 65	96 108 105	10. 49 14. 31 14. 86 10. 59 10. 37	19.68 16.74 14.70
Idaho. Wash.	21.0 19.8 17.0	24.7 21.5 16.0	20.0 19.5 18.0	21.5 21.0	20.0 20.5	22.5 22.0 19.5	22. 0 20. 0	22. 0 21. 0	20.0 19.7	20.0 18.2	17.0 14.5	83	60 65 70 90	58 60 75 75	67 85 100 85	68 75 90 90	95 111 115	13. 61 14. 72 14. 81 13. 72	16. 15 16. 10 19. 55
U.S	1 .3	10 4	14, 4	1	(5.7	15.3	26.5	.0.2	16.5	17.3	Ġ,	7	66.3	3.4		 1, 4,1	.:2.1	12. 67 _.	18 09

Table 51.—Ryc: Farm price per bushel on first of each month, by geograp! ind divisions, 1915 and 1916.

Month.	United States.	North Atlantic States.	South Atlantic States.	N. Central States cust of Miss. R.	N. Central States west of Miss. R.	South Central States.	Tar West- ern States.
	1916 1915	1916 1915	1913 1915	1916 1915	1016 1915	1916 1915	1316 1915
January Februaly March Apul Ma Jan June June June September October Novembor December	\begin{array}{c c c c c c c c c c c c c c c c c c c	Su. 5 89.0 115.8 86.5	90.9 92.7 92.6 96.0 96.8 902.6 96.0 95.4 93.7 95.4 91.8 98.1 87.9 95.3 90.5 92.5 95.7 92.2 100.2 90.4	108.9 83.0 117.3 86.8	114.8 83.2		778.
Average	97.8 90.5	98 9 01.8	87.6 94.3	99. 5 91. 1	98.6 85.6	105.4 96.3	83.6 79.8

TABLE 55.—Ryc: Wholesale price per bushel, 1912-1916.

	Philad	elphia.	Cinci	mati.	Chie	eago.	Dul	uth.		ancisc o 01bs.).
Date,	Low.	Eigh.	No	. 2.	No	. 2.	Low.	High.	Low.	Trab
	Liθ _W .	Eugu.	Lew.	Digh.	Low.	High.	77044*	allgia.	LOW.	High.
January-June. July-December.	Cents. 82 68	Cents. 105 Sõ	Cents. 78 62	Cents. 100 81	Cents. 75 58	Cents. 902 76	Cents. 66 53	Cents. 91½ 70	Cents. 147½ 140	Cents. 1721 1721
January-Juno. July-December	65 65	70 77	60 60	70 72	58 61	651 701	52 50	59 65	132½ 135	147 ½ 165
January-June	65	75 125	62 60	71 115	58 55	67 112½	50 57	62 107	152§ 130	165 165
January February March April May June	115 125 125 120 110 110 105	125 130 130 120 120 115 110	113} 118 108 110 112 107	130 133 120 116 120 113	1113 115 112 115 115 115	126½ 131 121 118 122 119	106 113 106 106 110 110	123½ 128 119 116 118 114	160 200 200 200 260 200 (1)	225 225 225 225 225 225 (1)
January-Juno	105	100	107	133	1113	131	106	128	160	225
July August September October November December	90 91 95 100 105	99 95 105 112 110 112	93 98 92 93 98 95	112 105 102 107 107 104	96 96 91 95 94 94 2	119 119 100½ 107 103 98½	95 91 89 90 87 87	111 107 96 99 96 93	(1) 155 145 145 145 155 155	(1) 165 160 160 160 160
July-December	90	112	92	112	91	119	87	111	145	165
January 1916. February March April May June	106 110 115 105 95 90	112 115 118 110 105 95	99 90 90 98 92 92	104 106 100 104 101 100	97 90 90½ 94 96½ 97	1042 103 96 983 992 992	93 87 87 91 91 91	98 97 91 96 95	155 150 152½ 152½ 152½ 152½	160 160 160 155 155 155
January-June	90	115	92	104	90	1043	87	98	150	160
July August September October November December	90 100 110 125 143 135	100 110 125 150 155 155	96 103 123 125 139 138	105 127½ 128 141 155 153	94 100 115 124 140 130	$ \begin{array}{r} 101 \\ 126\frac{1}{2} \\ 125\frac{1}{2} \\ 141 \\ 153 \\ 151 \end{array} $	89 94 115 120 137 138	95 120 122 138 149 150	152½ 152½ 175 195 215 225	155 180 200 225 235 265
July-December	90	155	96	155	94	153	89	150	1521	265

Table 56.—Rye (including flour): International trade, calendar years 1913-1915.

[See "General note," Table 10.]

EXPORTS.

				•			
Country.	1913 1914 1915 (prelim.)		Country.	1913	1914 (prelim.)	1915 (prelim.)	
Argentine. Beignum. Beignum. Bulgaria. Canada Denmark. Comman. Not a. i. n. i.	12,029	861 451 194 773 29 127 146 501 119 5		Roumania Russia. United States. Other countries	Bushels. 2,604 33,170 2,034 480 114,567	Bushels. 1,241 20,298 8,164 100 40,823	Bushels. 13,273 13,655
			IMPC	RTS.			
Austria-Hungary. Belgium Denmark Finland France. Germany Italy Notherlands.	268 6,372 9,846 15,813 3,712 13,946 1,245 32,273	5,082 9,898 1,441 233 17,539	2,707 13,425 36 2,232	Norway Russia Swedon Switzerland United Kingdom Other countries.	11,088 7,769 4,446 661 2,276 886 110,601	8,128 5,453 2,586 267 2,073 537 53,237	7,884 1,770 16 1,436

¹ Data for 1912.

BUCKWHEAT.

Table 57.—Buckwheat: Acreage, production, and value in the United States, 1849-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are chirined by ambiging estimated percentages of increase or decrease to the published numbers of the piece that a contract of a revised base is used for applying percentage estimates whenever new densus and the contract of the piece that the p

Year. (thou sands of acres)	yield per of acre	Produc- tion (thou- sands of bush- els).	Average farm price Dec. 1 (cents per bushel).	Farm value Dec. 1 (thousands of dollars).	Year.	Acre- age (thou- sands of acres).	Aver- age yield per acre (bush- els).	Pro- duc- tion (thou- sands of bush- els).	Average farm price Dec. 1 (cents per bushel).	Farm value Dec. 1 (thousands of dollars).
1849 1850 1867 1, 22 1868 1, 11 1869 1, 02 1869 1, 02 1870 53 1871 44 1873 45 1874 45 1875 57 1876 66 1877 65 1878 67 1879 64 1880 82 1881 82 1882 84 1883 85 1885 91 1887 91 1889 91 1889 83 1889 83	21. S 3 17. 4 17. 8 18. 3 17. 8 18. 3 17. 7 18. 3 17. 8 18. 17. 8 18. 18. 17. 8 18. 18. 17. 8 18. 18. 17. 8 18. 18. 18. 18. 18. 18. 18. 18. 18.	8,957 17,572 22,792 21,359 19,864 17,481 9,822 9,842 8,329 8,134 7,838 8,134 7,838 10,107 10,082 9,669 10,177 12,247 13,140 17,817 14,618 9,486 11,019 7,669 11,116 12,626 11,869 12,105 12,110	67. 6 78. 7 78. 0 71. 9 70. 5 74. 5 73. 5 75. 0 72. 9	15, 413 16, 812 17, 450 12, 535 6, 937 6, 208 6, 937 5, 879 5, 879 6, 436 6, 436 6, 441 7, 856 8, 682 8, 206 6, 544 7, 057 6, 465 6, 113	1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1899 1899 1899 1899 1901 1902 1903 1904 1905 1906 1907 1908 1909 1909 1911 1912 1913 1914 1915 1916	8:45 8:49 861 759 763 7755 718 678 677 638 811 805 704 760 803 834 878 860 833 841 8792 769 845	14.7 15.0 14.1 14.9 16.1 20.9 17.3 16.6 18.7 15.0 18.6 18.1 17.7 18.9 19.2 20.9 19.8 20.9 19.8 20.9 19.8 20.9 19.8 20.9 19.8 20.9 19.8 20.9 20.9 20.9 20.9 20.9 20.9 20.9 20.9	12, 433 12, 761 12, 143 12, 163 12, 132 12, 668 15, 341 14, 090 14, 997 11, 722 11, 094 11, 234 14, 523 14, 553 14, 553 15, 549 17, 549 19, 249 19, 249 19, 249 11, 588 11, 549 11, 54	57. 4 57. 0 51. 8 3 55. 6 45. 2 42. 1 45. 0 55. 7 55. 8 56. 3 59. 6 62. 2 58. 7 62. 2 58. 7 62. 2 58. 7 66. 1 70. 1 72. 6 66. 1 76. 4 78. 7 712. 9	7, 133 7, 272 6, 266 7, 074 7, 040 6, 936 5, 522 6, 319 5, 271 6, 184 5, 341 8, 523 8, 655 8, 737 9, 975 12, 004 11, 636 12, 735 12, 945 11, 836 12, 735 11, 836 12, 735

BUCKWHEAT-Continued.

Table 58.—Buckwheat: Acreage, production, and total farm value, by States, 1916.
[000 omitted.]

State.	Acre- age.	Pro- duc- tion.	Farm value Dec. 1.	State.	Acre- age.	Pro- duc- tion.	Farm value Dec. 1.
Maine New Hampshire. Vermont. Massachusetts. Connecticut. New York. New Jersey. Pennsylvania Delaware. Maryland Virginia. West Virginia. North Carolina.	12 2 3 290 15 270 3	Bush. 336 20 210 32 57 3,480 285 3,780 57 189 480 659 175	Dolls. 319 20 220 45 68 4,246 308 4,196 67 208 456 606 149	Ohio Indiana Illanois Michigan Wisconsin Minnesota Iowa Missouri Nebraska Tennessee Unite l States	75 20 10 10 4 1	Bush. 336 144 68 825 280 150 56 17 54 11,840	Dolls. 370 161 88 949 325 168 188 74 19 54

Table 59.—Buckwheat: Condition of crop, United States, on first of months named, 1896-1916.

Year.	Aug.	Sept.	When har- vested.	Year.	Aug.	Sept.	When har- vested.	Year.	Aug.	Sept.	When har- vested
1896 1897 1898 1899 1900 1901	P. ct. 96. 0 94. 9 87. 2 93. 2 87. 9 91. 1 91. 4	P. ct. 93.2 95.1 88.8 75.2 80.5 90.9 86.4	P. ct. 86. 0 90. 8 76. 2 70. 2 72. 8 90. 5 80. 5	1903 1904 1906 1907 1908 1909	P. ct. 93. 9 92. 8 92. 6 93. 2 91. 9 89. 4 86. 4	P. ct. 91. 0 91. 5 91. 8 91. 2 77. 4 87. 8 81. 0	P. ct. 83. 0 88. 7 91. 6 84. 9 80. 1 81. 6 79. 5	1910 1911 1912 1913 1914 1915	P. ct. 87. 9 82. 9 88. 4 85. 5 88. 8 92. 6 87. 8	P. ct. 82. 3 83. 8 91. 6 75. 4 87. 1 88. 6 78. 5	P. ct. 81. 7 81. 4 89. 2 65. 9 83. 3 81. 9 66. 9

Table 60.—Buckwheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

											_								
		Yield per acre (bushels).									F	arm		e per nts).	busl	nel	per	lue acre lars).1	
State.	10-year aver- age,1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	10-year aver- age, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911-1915.	1916
N. II N. Y. Com N. Y N. J Pa Dell Hil Va W. Va N. C. Oc.io; Ind III Mich Wis Minn Iowa Mo Nebr Kans	29. 61. 19. 19. 19. 19. 19. 19. 19. 19. 19. 1	28.0 22.2 21.0 17.5 16.0 17.5 18.0 19.0 19.0 18.5 17.0 16.0 16.0 16.0 16.0 16.0 16.0 16.0 16	22. 15. 22. 15. 22. 15. 22. 15. 22. 15. 22. 15. 22. 15. 25. 25. 25. 25. 25. 25. 25. 25. 25. 2	21.0.9.5.19.5.21.23.23.23.23.23.23.23.23.23.23.23.23.23.	21.0.0.5 21.0.5	21. 20.00 21. 20	31. 0 0 0 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1.0000 17.000 17.000 14.300 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0000 17.0000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.000 17.0	25.00.50.50.50.50.50.50.50.50.50.50.50.50	13.00 19.00 21.00 21.00 21.00 20.00 21.00 20.00 17.50 14.00 17.00	21.6.0 11.5.0 12.0 12.0 12.0 14.6 19.2 18.3 17.5 17.7 17.0 11.0 14.0 15.0 14.0 15.0 11.0 11.0 11.0 11.0 11.0 11.0 11	76 79 88 93 78 78 79 74 74 76 76 81 80 80 80 91 73 75 85 95 95 95 95 95 95 95 95 95 95 95 95 95	72 85 88 84 72 644 666 71 75 85 70 65 66 65 75 95 90	666 800 95 811 766 775 800 787 787 787 787 787 787 787 787 787	822 844 95 766 833 766 81 844 833 766 776 771 766 770 777 933 844 90	82 93 96 80 83 78 75 72 80 90 72 83 80 90 90 90 90 90 90 90 90 90 9	100 105 120 122 108 111 118 110 95 101 112 130 115 116 112 125 135	27, 344 16, 78 17, 80 15, 011 16, 48 15, 21 12, 5, 1 11, 03 13, 22 11, 5, 31 11, 90 11, 58 11, 90 12, 58 13, 17 12, 10 12, 11 12, 11 12, 11 12, 11 12, 12 13, 17 14, 17 15, 18 16, 18 17, 18 18, 18 18 18, 18 18 18, 18 18, 18, 18, 18, 18, 18, 18, 18, 18, 18,	22.80 20.00 15.8 22.10 22.80 14.64 20.52 15.54 22.20.79 18.24 18.48 19.47 20.16 20.16 21.65 16.24 18.75 18.87 18.87 18.88
U. S	19.5	17.9	19.8	20.9	20.5	21.1	22.9	17.2	21.3	19.6	14.0	76.4	66.1	75.5	76.4	78.7	112.9	15.01	15.82

BUCKWHEAT-Continued.

Table 61.—Buckwheat: Farm price per bushel on first of each month, by geographical divisions, 1925 and 1916.

Morth,	United States.		North Atlantic Stales.		South Atlantic States.		N. Central States east of Miss. R.		States west		South Central States.	
	1918	1913	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915
January Fe duary Farch April May June		83.5 85.8 84.6	\$1.6 \$1.1 \$3.9	C. 5.000 8 1 1 6 8 1 7	62.5 81.3 81.9 81.9 83.1 81.2	Cts. 81.2 85.0 85.1 89.2 89.0 60.7	Cts. 78.1 75.6 79.6 79.0 84.4 80.0	85.1 79.6	Cts. 87.7 93.0 102.7 101.0 93.5 100.0	Cts. 87.5 79.0 82.5 90.0 90.5 91.0	Cts. 80.0 76.0 74.0 74.0 74.0	Cls. 74.0 76.0 80.0 78.0 77.0 76.0
Jul Colot er Novemi er December	00.4 102.9	73.7 78.5	01.8 90.8 87.1 99.8 101.6 111.9				90.6 70.9 82.4 91.4 105.9 114.5	86.2 78.9 78.3 69.0 76.3 75.7		117.5 102.0 97.5 88.0 97.5 81.5	77.0 75.0 76.0 80.0 77.0 100.0	77.0 77.0 75.0 70.0 71.0 76.0

 $FL\Lambda X$.

Table 62.—Flux: Area and production in andermentioned countries, 1913-1915.

1909 omitted 1

	Area.		Production.									
7010	7014	1017		Seed.		Filer.						
1919	1914	1919	1913	1914	1915	1913	1914	1915				
Acres. 2, 201	A cres. 1,645	Acres. 1,387	Bvehels. 17,853			Pounds.	Pounds.	Pounds.				
1 7 54 1,386 105	1 5 40 958 80	1 4 34 697 70	164 632 15,579 1,155	84 338 6, 131 614	9,061							
1,553	1,084	206	17,539	7,175								
(1)	(1)	(1)	150	150								
(1)	(1)	(1)	35, 542	21, 074	24,808							
4, 283 141	4,397 128	4, 258 101	44, 486 1, 302	39, 171 963	44 , 309 588							
4, 424	4, 525	4.359	45,788	40, 134	44,897							
90 32 16	2 57 (1) (1)	(1) (1) (1)	608 255 18	2 455 (1) (1)	(1) (1) (2)	48, 976 29, 999 8, 640	*37,046 (1) (1)	(1) (1) (1)				
(1)	(1)	(1)	4	(1)	(1)	1,000	(1)	(1)				
			885			88, 615						
57 1 75	32 2 47	(1) (1) 24	387 8 740	(1) (1) 336	(1) (1)	39, 437 (¹) 48, 437	(1) (1) 23, 370	(1) (1) 43, 49				
	2, 201 1, 54 1, 356 105 1.553 (1) (1) 4, 283 141 4, 424 90 32 16 (1)	1913 1914 Acres. Acres. 2,201 1,625 1 7 4 40 1,386 958 105 80 1.553 1,681 (1) (1) (1) (4) (1) (4) (2) 4,283 4,397 141 128 4,424 4,525 90 2,57 32 (1) (1) (1) (1) (1)	1913 1914 1915 Acres. Acres. Acres. 1,387 1	1913	1913	1913	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1913 1914 1915 1913 1914 1915 1913 1914 24 crcs. A crcs. A crcs. Bushcls. Bushcls. Bushcls. Pounds. Pounds. 1				

No official statistics.
 Galicia and Bukowina not included.

Excluding the invaded zone in 1914 and 1915.

Table 62.—Flax: Area and production in undermentioned countries, 1913-1915—Contd. [000 omitted.]

		irea.				:	Fredueti m.		
Country.	*010				Sead.		1	Filler.	
	1013	1914	1915	1913	1.14	1915	1::13	1914	1 43
EUROPE—Cond. Irsiand. Italy. Nothering is. Italy. Italy. Tussia proper	50 22 21 67 3, 443	47 22 19 21 3,491	22 323 212 (1) 14 503 105 134 3,000 22,818 14,222 (1)		(1) 323 (1) 134	28,341 5,702 16,665 4,759	Pov nds. 18, 202 5, 070 10, 811 2, 187	Pounds. 21.648 5,511 10.818 1,187	
Poland Northern Cau- easia	88 144		48	680	1,301	(1)			
Totel	3, 373			1			1 152.349	838, 513	
Service -	(¹) 3	(¹) 3	(1) (1)	(¹)	(1) 3	(i) (1)	(¹) 481	(¹) 401	(1) (1)
Total									
ASIA. India: British Native States	4, 125 433	3, 031 (1)	3.325 (1)	21, 6S4 (1)	15, 448 (1)	15, SS0 (1)	l. 		
Total	4,508	3,031	3,325	21,684	15,448	15,880			
Russia: Central Asia (4 Governments of) Sireria (4 Gov- ernments of). Transcaucasia (1 Governments)	117 176	105 191 (¹)	94 153 (¹)	575 1,054 (¹)	836 1,581	(1) (1) (1)			
Total									
AFRICA.									
Algeria	(1)	(1)	(1)	15	(1)	(1)	(1)	(1)	(1)
Grand total				132,477	•••••		1,384,757		

¹ No official statistics.

Table 63.—Flax (seed and fiber): Total production of countries named in Table 62, 1896-1915.

Too	Prod	netion.		Production.				
Year.	Seed.	Fiber.	Year.	Seed.	Fiber.			
1896 1897 1898 1899 1900 1901 1902 1903 1904 1904	72,938,000 66,348,000 62,432,000	Pounds. 1, 714, 205, 600 1, 498, 051, 000 1, 780, 693, 000 1, 785, 693, 000 1, 138, 763, 000 1, 315, 931, 600 1, 564, 810, 600 1, 564, 810, 600 1, 517, 922, 600 1, 491, 229, 000	1906	102,960,000 100,850,000 100,820,000 85,253,000 101,339,000 130,291,000 132,477,000				

² Includes hemp.

Table 64.—Flaxsecd: Acreage, production, value, and condition in the United States, 1849-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

			-	Average		Con	dition o	f growing	g crop.
Year.	Acreage.	Average yield per acre.	Production.	price per bushel Pec. 1.	Farm value Dec. 1.	July 1.	Aug. 1.	Sept 1.	When har- vested.
1849	Acres.	Buchels.	Bushels. 562,000 567,000	Cents.	Dollars.	P. ct.	P.ct.		P.ct.
1869 1879	1,819,000	7.8	1,730,000 7,170,000 7,170,000 10,250,000 19,979,000						¦
1902 1903 1904 1905	3.233,000 2,264,060 2,535,000	7.8 8.4 10.3 11.2 10.2	29,285 000 27,301.000 23,401,000 28,478,000 25,576,000	105.2 81.7 99.3 84.4 101.3	30,815,000 22,292,000 23,229,000 24,049,000 25,899,000	86. 2 86. 6 92. 7 93. 2	80.3 78.9 96.7 92.2	85. 8 94. 2	74.0 87.0 91.5 87.4
1907 1908 1909 1909	2,679,000 2,742,000 2,083,000	9.0 9.6 9.4 9.4 5.2	25,851,000 25,805,000 25,856,000 19,513,000 12,718,000	95.6 118.4 153.0 231.7	24,713,000 30,577,000 29,796,600 29,472,000	91. 2 92. 5 95. 1 65. 0	91. 9 86. 1 92. 7 51. 7	85. 4 82. 5 88. 9 48. 3	78. 0 81. 2 84. 9 47. 2
1911 1912 1913 1914 1915 1916	2,851,000 2,291,000 1,645,000	7.0 9.8 7.8 8.4 10.1 9.6	19, 370, 000 28, 073, 000 17, 853, 000 13, 749, 000 14, 030, 000 15, 459, 000	182, 1 114, 7 119, 9 126, 0 174, 0 248, 1	35, 272,000 32, 202,000 21, 399,000 17, 318,000 24, 410,000 38, 350,000	80. 9 88. 9 82. 0 90. 5 88. 5 90. 3	71. 0 87. 5 77. 4 82, 1 91. 2 84. 0	68.4 86.3 74.9 72.9 87.6 84.8	69. 6 83. 8 74. 7 77. 4 84. 5 86. 2

¹ Figures adjusted to census basis.

Table 65.—Flaxseed: Acreage, production, and total farm value, by Stales, 1916.

State.	Acreage.	Average yield per acre.	Produc- tion.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
Wisconsin Minnesota Lowa Missouri North Dakota South Dakota Nebraska Kansas Montana Wyoming Colorado	Acres, 5,000 275,000 18,000 5,000 790,000 150,000 4,000 30,000 2,000 1,000	Bushcls. 12.0 8.5 10.0 7.0 10.3 9.3 8.0 5.8 9.5 7.0 6.0	Bushcls. 60,000 2,338,000 180,000 35,000 8,137,000 1,395,000 32,000 174,000 3,088,000 14,000 6,000	Dollars. 2.40 2.40 2.15 2.12 2.52 2.47 2.30 2.34 2.48 2.48 2.25	Dollars, 144,000 5,611,000 74,000 20,505,000 3,446,000 407,000 7,658,000 32,000 12,000
United States	1,605,000	9.6	15, 459, 000	2.48	38,350,000

Table 66.—Flaxseed: Yield per acre, price per bushel Dec. 1, and value per acre, by Stutes.

0			7	Tield	per	acre	(bus	hels,	١.				Farm		per l	oushe	l	Value per acre (dollars).1	
State.	16-year aver- age, 1907-1916.	1907	1908	1909	1910	1161	1913	1913	1914	1915	1916	10-year average, 1907-1916.	1912	1913	1914	1915	1916	5-yearaverage, 1911-1915.	1916.
Wis. Minn. Iowa. Mo. N. Dak.	9.4 10.2 7.0	10, 5	10. 6 10. 9 7. 0	10. 0 9. 8 8. 1	12.2	8. 0 8. 0 3. 0	10.2 11.5 6.0	9. 0 9. 4 5. 0	9.3 9.5 8.0	9.0 8.0	8.5	157 147 138	127 120 124 110 114	123	125 128 120 104 128	180 176 150 135 178	240 215 212	13.65 13.10 7.43	28. 80 20. 40 21. 50 14. 84 25. 96
S. Dak Nebr Kans Mont Wyo. Colo	8. 5 6. 4	11. 0 10. 0 13. 0	10. 7 11. 0 6. 5 11. 5	8. 5 7. 0 12. 0	8. 0 8. 2	7. 7	8. 6 9. 5 6. 0 12 0 12 0 8. 0	6. 0 6. 0 9. 0 9. 9	7. 0 6. 6 8. 0 7. 0	11. 0 11. 0 5. 7 10. 5 13. 0 9. 4	8.0 5.8 9.5 7.0	147 145 153	130 112	110 116 115	119 125 120	145 170 145	230 234 248 225	7. 24 13. 02	18.40
U.S	8. ú	9.0	9. 6	9. 4	5. 2	7.0	9, 8	7.8	8.4	10. 1	9.6	156.3	114. 7	119.9	126.0	174.0	248.1	12, 31	23. 89

¹ Based upon farm price Dec. 1.

Table 67.—Flaxseed Farm price per bushel, on first of each month, by geographical divisions, 1915 and 1916.

Month.	United	States.	States Missi	Central east of ssippi ver.	North (States Missis Riv	west of sippi	Far Western States.		
	1916	1915	1916	1915	1916	1915	1916	1915	
January. February. March April May June July August September October November December	210. 9 202. 5 202. 1 191. 8 176. 5 163. 2 178. 1 199. 2	Cents. 134.8 163.7 157.9 167.7 169.6 169.5 152.5 144.6 143.5 148.1 162.9 174.0	Cents. 200. 0 150. 0 192. 0 193. 0 150. 0 160. 0 161. 0 200. 0 200. 0 218. 0 240. 0	Cents. 135.0 140.0 130.0 150.0 130.0 155.0 100.0 125.0	Cents. 184. 7 211. 2 204. 6 201. 8 190. 9 174. 1 164. 1 176. 3 188. 6 199. 1 234. 0 248. 2	Cents. 136. 8 161. 6 160. 0 167. 3 169. 7 168. 7 153. 8 145. 1 145. 6 148. 3 163. 9 175. 0	Cents. 193. 0 210. 0 192. 0 205. 0 197. 0 191. 0 158. 0 190. 0 200. 0 240. 0 247. 8	Cents. 125.0 175.0 148.0 170.0 170.0 175.0 146.0 142.0 135.0 148.0 158.0	

Table 68.—Pluseed: Whole de pare per bushel, 1912-1916.

	Cinci	nnati.	Minn	apol.s.	Milw	lakee.	Dul	ntla.
Date.	Low.	Eigh.	Low.	High.	wes.	North- tern.	Low.	High.
					i	Eigh.		
January-Tunc. Juny-December	\$2.50 1.50	\$2,53 2,53	\$2.01 1.22	52.35 2.10	52 011 1.24j	72.09 2.185	\$2.60 1.22	\$2.55 2.201
1013		1			į			1.09
Juneary-Juan July-resember		1.50 1.50	2.001	1 40 1.581	1.25	1.42]	1.28]	1.53
January. June	1.59 1.40	1, 20 1, 50	1.47¦ 1.28	1.611 1.58	1.457 1.50	1.75 1.93	1. 18 1. 25}	1.601 1.93
January 1915. February 2007 April blay June 1907	1.70	1.80 1.80 1.75 1.70	1.591 1.805 1.80 1.85 1.87	1. 941 1. 323 2. 082 1. 971 2. 002 1. 83	1.515 1.81 1.81 1.85 1.85 1.685	1.93 1.871 2.05 1.95 1.981 1.84	1. 611 1. 835 1. 841 1. 861 1. 91 1. 701	1.93 1.915 2.09 1.985 2.025
January-June	1.70	10	1.59]	2 05}	1.513	2.05	1.612	2.09
July August Saptember October November December	1.70	1.70	1.521 1.60 1.614 1.77 1.821 1.985	1.75 1.74 1.874 1.91 2.09 2.21	1.52½ 1.60° 1.61½ 1.77° 1.82½ 1.97°	1.734 1.724 1.844 1.875 2.075 2.18	1.55 1.585 1.62 1.76 1.873 2.601	1.76; 1.69 1.82; 1.90; 2.12; 2.20;
July-December	1.70	1.70	1.52}	2, 21	1 521	2.18	1.53	2 203
Jonuary 1916. February March April May June June	2.85 2.85		2. 15½ 2. 25 2. 15½ 2. 00 1. 82½ 1. 73½	2. 414 2 30 2. 355 2. 227 2 091 1. 89	2. 150 2. 25 2. 151 2. 00 1. 831 1. 782	2. 38 2. 75 2. 325 2. 191 2. 054 1. 845	2.173 2.23 2.153 2.01 1.841 1.76	2 423 2, 435 2, 325 2 195 2, 057 1 978
January-June	2,85	2.55	1.73}	2.35}	1.723	2.38	1.75	2.4 %
July August Esptember October November December	2.85 1.50 1.50 1.50 1.80 2.25	2. 85 1. 50 1. 50 1. 80 2. 23 2. 25	1.77 1.60 2.063 2.40 2.593 2.75	2 123 2.25 2.31 2.70 2.903 2.94	1.77 2.04 2.001 2.40 2.591 2.765	2.08 2.24 2.28 2.07 2.89 2.883	1.80 2.05 2.021 2.43 2.653 2.792	2. 115 2. 265 2. 31 2. 72 2. 915 2. 921
July-December	1.50	2.85	1.60	2.94	1.77	2.89	1.80	2.913

RICE.

Table 69.—Rive: Area and production in undernet found countries, 1912-1915.

[Empressed in term: of cleaned rice.]

	 	Area.		1	Production.	
Country.	1013	1914	1915	1913	1914	1915
MORTH AMERICA.	Acres. 127,000	Acres.	Acres.	Pourde.	Pounds.	Pounds.
United States	9,010 16,050	(2) (2) (2)	80.), 600 (2) (2)	717.171,000 25,520,000 4,295,000	(2) (2) (2)	894, 0.3, 000 (2) (3)
Chateman Salvador Cos a Rica	(2) (2) (2)	27,000 27,000 7,000	(2) (2, (2)	3.501.000 (2) (2)	24, 085, 000 12, 344, 000 (2)	24,015,033
Honduras Mexico.	(2) (2)	41, 330	(2)	(2)	\$3.921,090	s, 252, 301 (?)
SOUTH AMERICA.		I				
Arrenista. Brazil: 270 Lanio. Britis: Guena. Dutch Genna.	9:00,000 201,000 42,000 (2)	34,000 (2)	(2) 47,000 (2) (2) (2)	109, 625, 000 61, 185, 000 4, 918, 000	(2) 116,416,000 51,150,000 6,913,000	(2) 79,3-0,000 91,630,000 (1) 85,500,000
Perd	158,000	(2)	(*)	108, 509, 000	ر2)	20, 300, 300
Bul aria	7,000 1,060 362,000	(2) (2) 361,600	(2) (2) (350,000	5,656,000 950,000 739,221,000	(2) (2) (2) 741,263,000	(°) (°) 762, 900, 00 0
Italy. Russia (Northern Cau- casia) Spain.	1,000 50,600	1,000 67,000	(2) 102,000	564,000 302,310,000	1	(²) 320, 622, 600
ASIA.		1				
India: Littish 4. Native States. Cevion 5. Federated Mainty States	75, 425, 000 2, 515, 000 672, 009 124, 000	70,625,260 (2) (85,060 (2)	76, 792, 000 (2) (2) (2) (2)	64, 490, 272, 900 (2) 356, 191, 900 87, 321, 900	61, 022, 050, 000 (2) 290, 319, 000 (2)	73, 644, 480, 000 (2) (2) (2) (2)
Japanese Empire: Japan Chosen Formese Jave and Madura 6 Pholythine Telepia	1, 222, 000	7,434,000 (9) 1,205,000 6,340,000 3,076,000	7,563,000 (2) (2) (2) (2) (2) (2)	15, 787, 969, 009 3, 167, 719, 300 1, 310, 451, 639 7, 951, 011, 609 1, 512, 285, 330	17, 998, 918, 000 3, 678, 878, 090 1, 447, 709, 090 7, 873, 026, 009 1, 493, 516, 000	17, 569, 018, 000 3, 518, 928, 000 (2) (2) (2) 1, 399, 914, 000
and Turkestan? Straits Set dements Stain		630,000 (2) 5,055,000	(2) (2) (2) 5,18±,000	512,917,030 (2) 5,884,956,009	850, 546, C00 (2) 5, 711, 133, 000	(2)
AFRICA.						
Egyp! Njamind	252, 660 (2)	37,000 (²)	231,000 (2)	505,118,020 3,385,000	81,229,000 2,695,000	803, 616, 000 1, 600, 000
OCEANIA.		`				
Australia Fiji	(º) 14,000	(°) 12,000	(2) (3)	75,000 (2)	7, 090 (²)	(3) (2)

¹ Census of 1909.
2 No official statistics.
3 Census of 1908.
4 Excluding a large area the production of which is not officially reported.
5 Ty 10.1.... production for Matara, which in 1913 was 55, x33,000 pounds.
6 ty 40. - x is craskatta, Djokjakarta and private lands.
7 Lychakarta thiva and Bokhara.
8 Doblem 10. 18.
9 Less than 500 acres.

RICE-Continued.

Table 70.—Rice (cleaned): Total production in principal countries for which estimates are available, 1900-1913.

[The figures below include the principal countries for which estimates are available. The totals shown are morel—removibate. China and French Indo-China are not included below. Three Provinces of China in 1210 and 1.0 (7.204,000,000 pounds of rice. The totals below may represent at least two-thirds of the total world production of rice.]

Year.	Production.	Year.	Production.	Year.	Production.
1900 1901 1902 1903 1904	101,600,030,000 101,800,000,000	1905 1906 1907 1908 1909	Pounds. 102, 400, 000, 000 105, 800, 000, 000 100, 300, 000, 000 102, 900, 000, 000 127, 700, 000, 000	1910	Pounds. 126, 100, 000, 000 102, 100, 000, 000 97, 300, 000, 000 100, 700, 000, 000

Table 71.—Rice: Acreage, production, value, and condition, in the United States, 1904-1916.

			,	Average farm		Condition of growing crop.					
Year.	Acreage.	Average		Farm value Dec. 1.	July 1. Aug.		Sept. 1.	When har- vested.			
1904 1905 1906 1907 1908	Acres. 662,000 482,000 575,000 627,000 655,000	Bushels. 31. 9 28. 2 31. 1 29. 9 33. 4	Bushcls. 21,096,000 13,607,000 17,855,000 18,738,000 21,890,000	Cents. 65. 8 95. 2 90. 3 85. 8 81. 2	Dollars. 13,892,000 12,956,000 16,121,000 16,081,000 17,771,000	Per ct. 88, 2 88, 0 82, 9 88, 7 92, 9	Per ct. 90. 2 92. 9 83. 1 88. 6 94. 1	Per ct. 89. 7 92. 2 86. 8 87. 0 93. 5	Per ct. 87.3 89.3 87.2 88.7 87.7		
1909 1909 1910 1911	720,000 610,000 723,000 696,000	33. 8 55. 8 33. 9 32. 9	24,368,000 21,839,000 24,510,000 22,934,000	79. 6 67. 8 79. 7	17, 333, 000 16, 624, 000 18, 274, 000	90. 7 863 87. 7	\$4.5 87.6 88.3	84. 7 88. 8 87. 2	81. 2 88. 1 85. 4		
1912 1913 1914 1915 1916	723,000 827,000 694,000 803,000 806,000	34.7 31.1 34.1 36.1 47.0	25,054,000 25,744,000 23,649,000 28,947,000 40,702,000	93. 5 85. 8 92. 4 90. 6 88. 9	23, 423, 000 22,090,000 21,849,000 26,212,000 36,187,000	86.3 88.4 86.5 90.5 92.7	86.3 88.7 87.6 90.0 92.2	88. 8 88. 0 88. 9 82. 3 91. 2	89. 2 80. 3 88. 0 80. 9 91. 5		

Table 72.—Rice: Acreage, production, and farm value, by States, 1916.

State.	Acreage.	Average yield per acre.	Produc- tion.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
North Carolina South Carolina Georgia Florida Missouri	3, 500 800	Bushels. 21. 0 14. 0 20. 0 25. 0 51. 0	Bushels. 6,000 49,000 16,000 18,000 10,000	Cents. 85 90 87 75 100	Dollars. 5,000 44,000 14,000 14,000 10,000
Alabama Mississippi Louisiana Texas Arkansas California	1,900 443,300 235,000	25. 0 28. 0 46. 0 45. 0 50. 5 59. 0	8,000 53,000 20,392,000 10,575,000 6,312,000 3,263,000	75 80 90 86 96 78	6,000 42,000 18,353,000 9,094,000 6,060,000 2,545,000
United States	866,300	47. 0	40,702,000	88.9	36, 187, 000

RICE—Continued.

Table 73 .- Rice: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

	Yield per acre (bushels).									Fa	rm j	orice (cen		bush	el	Value per acre (dollars).1			
State.	10-year aver- age, 1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	10-year aver- age, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911–1915.	1916
S. C	22.9 27.1	27.0 34.0	25. 2 24. 0 25. 0 25. 0	25.6 23.9	21.0 22.0	$\frac{11.7}{26.8}$	25.0 30.0	30.0 32.0	28. 0 28. 0 25. 0	24.3 29.3 25.0	14.0 20.0	91 89 80	90 93 90 90	80 90 83 60	75 92 89 70	85 90 88 75 100	85 90 87 75 100	20. 96 21. 98 18. 50	17. 85 12. 60 17. 40 18. 75 51. 00
Miss	29.5 33.6 34.5 40.9	22. 0 23. 0 32. 0 37. 0	45. 0 31. 0 33. 0 34. 5 41. 0	30.0 33.8 31.0 40.0	30. 0 34. 4 33. 0 40. 0	36.0 31.5 34.3 39.0	35. 0 33. 5 35. 5 37. 5	28. 0 29. 0 32. 0 36. 0	30. 0 32. 1 33. 8 39. 8	25. 0 34. 2 30. 5 48. 4	28. 0 40. 0 45. 0 50. 5	81 84 84 88	90 93 94 94 91	86	93	75 88 90 89 95 90	80 90 86 96	25. 26 28. 21 29. 31 36. 29	18.75 22.40 41.40 38.70 48.48 46.02
U. S	34.7	2 9. 9	33. 4	33.8	33. 9	32. 9	34.7	31. 1	34. 1	36.1	47.0	84. 5	93.5	85.8	92.4	90.6	88.9	29. 90	41.77

¹ Based upon farm price Dec. 1.

Table 74.—Rice: Wholesale price per pound, 1912-1916.

	New	York.	Cincin	ınati.	Lake C	harles.	New O	rleans.	Hous	ton.
Date.	Dom (goo	estic	Pri	me.	Rou	ıgh.¹	Hond clear	luras, ned.	Head clear	l rice, ned.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	Hìgh.
JanJune July-Dec	Cts. 41/4 42/4	Cts. 51 51	Cts. 6	Cts. 7 7	Dolls.	Dolls.	Cts. 21 2	Cts. 53	Cts. 41/8	Cts. 51 58
1913. JanJune July-Dec	4°494 444	5 51	5½ 5½	61 61	2.50 2.00	3 82 3.76	$\frac{23}{1.15}$	5§ . 7	4 41	5 <u>1</u> 6
1914. JanJune July-Dec	43 44	5 57	5 3 5 1	61 61	1.40 2.00	3.76 4.55	1 <u>1</u> 1 <u>1</u>	61 63	33 3	5 <u>3</u> 5 <u>3</u>
1915. January. February. March April May June	5 55 55 55 55 55 55 55 55 55 55 55 55 5	15 15 15 15 15 15	534 554 6 6 6	64-2-3-2-3-2-3-2-3-2-3-2-3-2-3-2-3-2-3-2-	2.85 3.00 3.00	4. 10 4. 50 4. 61½	214 22 22 23 3	15 15 15 15 15 15 15 15	45 44 44 44 45 45 45 45	44.54.54.54 44.54.54.54 44.54.55 5
JanJune	5	51	5}	6}	2.85	4. Gl ¹ / ₂	21	53	41/2	5
JulyAugustSeptemberOctoberOovemberDecember	51 5 41 41 5 5 5 5	5555555555	6 5½ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	6½ 6½ 6 6 5¾	3. 05 2. 90 2. 80 3. 17 3. 00	3. 47 3. 63 3. 35 3. 65 3. 65	3 2½ 2 2 2 2 2	538 5 455 5 552 5 523 5 523	478 443 443 443 443 443 443 443 443 443 44	5555555 5555555
July-Dec	41/2	51	5	61/2	2 80	3. 65	2	5½	43	5 3

¹ Per barrel of 162 pounds.

² Mar. 15, the grade was changed to fancy head.

RICE-Continued.

TABLE 74.—Rice: Wholesale price per pound, 1912-1916—Continued.

1	New	York.	Cinci	nnati.	Lake C	Charles.	New O	rleans.	Hou	st on .
Date.		estic od.)	Pri	me.	Rot	ıgh.¹		luras, ned.	Head clea	rice, ned.
	Low.	High.	Low.	High.	Lcw.	High.	Low.	High.	Cts. 4 4 4	High.
1916. January February March April May June	Cts. 5 5 5 5 5 5 5	Cts. 514 544 554 554	Cts. 5544 5544 5544 5544	Cts. 555555555555555555555555555555555555	Dolls. 2. 65 3. 00 2. 85 3. 00 3. 25 3. 75	Dolls. 3. 35 3. 55 3. 80 4. 02 4. 02 4. 25	Cts. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Cts. 55 55 55 55 55	4	Cts. 44 44 44 44 44 44
JanJune	5	5}	.51	53	2.65	4, 25	2	$5\frac{1}{2}$	33	43
July	5 5 5 5 5 5 5 5 5	15 15 15 15 15 15 15 15 15 15 15 15 15 1	555555555	07 C1 C1 C1 C1 C4 C4	2. 60 2. 65 3. 35 3. 25	3.38 3.40 3.65 3.60	21 21 21 21 21 21 21 21	518 5 44 5 54 5 54 5 54	33 33 4 41 41 42	41 41 41 41 41 41 41 41
July-Dec	5	5}	5}	$5\frac{3}{4}$	2.60	3.65	$2\frac{1}{2}$	51	33	47

¹ Per barrel of 162 pounds.

Table 75.—Rice: International trade, calendar years 1913-1915.

[Mostly cleaned rice. Under rice is included paddy, unhulled, rough, cleaned, polished, broken, and cargo rice, in addition to rice flour and meal. Rice bran is not included. Rough rice or paddy, where specifically reported, has been reduced to terms of cleaned rice at ratio of 162 pounds rough, or unhulled, to 100 pounds cleaned. "Rice, other than whole or cleaned rice," in the returns of United Kingdom is not considered paddy, since the chief sources of supply indicate that it is practically all hulled rice. Cargo rice, a mixture of hulled and unhulled, is included without being reduced to terms of cleaned. Broken rice and rice flour and meal are taken without being reduced to terms of whole cleaned rice. See "General note," Table 10.]

EXPORTS.

1000 omitted.1

Country.	1913	1914 (prelim.)	1915 (prelim.)	Country.	1913	1914 (prelim.)	1915 (prelim.)
Belglum British India. Dutch East Indies. France. French Indo-China. Germany. Netherlands.	144,609 65,044 2,831,962 406,414	Pounds. 4,520,152 108,792 123,021 3,060,373 533,421	Pounds. 329,591 113,153 7,211	Penang	1 683,897 900,209	Pounds. 354,835 2,605,150 908,438 970,899 13,185,081	2,421,283

IMPORTS.

Austria-Hungary Belgium Brazil Brazil British India Ceylon China Cuba Dutch East Indies. Egypt France Germany Japan Mauritius	161, 240 17, 146 286, 154 880, 136 721, 986 283, 872 1, 117, 271 119, 735 537, 935 1, 052, 917 1, 212, 423	331,065 866,892 908,534 254,150 1,058,978 110,933 761,106	15,317 391,607 842,331 1,130,141 319,894 54,809 525,279 94,158	Penang Perak Philippine Islands Russia Selangor Singapore United Kingdom United States Other countries	1 621, 161 202, 904 191, 799 269, 727 1 192, 304 1 965, 390 771, 512 229, 812 1,397, 593	1,279,688 756,144 255,064 1,070,098	481,576 199,700 178,438 1,305,701 254,568
---	--	---	---	--	--	--	---

¹ Data for 1912.

STATISTICS OF CROPS OTHER THAN GRAIN CROPS, 1916.

POTATOES.

Table 76.—Potatoes: Area and production of undermentional countries, 1913-1915.

		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA. United States	A cres. 3,668,000	A cres. 3,711,000	A cres. 3, 734, 000	Bushels. 331,525,000	Bushels. 409,921,000	Bushels. 359,721,000
Canada: Prince Edward Island. Nova Scotis. New Brunswick. Quebec. Ontario. Maintoba. Saskatchawan. Alberta. British Columbia.	152,000	32,000 32,000 44,000 115,000 154,000 27,000 31,000 26,000 15,000	31,000 34,000 40,000 117,000 155,000 28,000 30,000 27,000 16,000	6, 219, 000 5, 369, 000 10, 629, 000 20, 504, 600 13, 105, 000 5, 120, 000 5, 138, 600 4, 350, 000 3, 110, 000	6, 506, 000 7, 165, 000 10, 524, 000 21, 811, 000 25, 772, 000 3, 172, 000 4, 055, 000 5, 652, 000 2, 675, 000	3,558,000 4,759,000 5,772,000 17,510,000 14,362,000 3,104,000 4,428,000 5,155,000 3,956,000
Total Canada	474,000	476,000	478,000	78, 544, 000	85, 672, 000	62,604,000
Aexico. New foundland.	(3) (3)	(3) (3)	(3) (3)	1 924,000 2 1,524,000	(3) (3)	(3) (3)
Tot 31				412, 517, 000		
SOUTH AMERICA.						
Argeotina. Chile.	278, 000 78, 000	293,000 81,000	306,000 (³)	38, 029, 000 8, 753, 000	(°) 9,169,000	(3) 9, 482, 00 0
y'otal	371,000	387,000		46, 782, 000		
EUROPE.						
Austria-Hungary: Austria Hungary proper Criticshieme Creaticshieme Denia Hungayina	3, 152, 000 1, 513, 000 194, 000 67, 000	41,774,000 1,513,000 (3) (3)	(3) (3) (3)	424, 457, 000 179, 133, 000 21, 140, 000 2, 998, 000	4 255, 070, 000 195, 266, 000 (3) (3)	(3) (3) (3) (3) (2)
Total Austria- Hungary	4, 926, 000			627, 728, 000		
Belgium. Bulgaria. Denmark Finland France Germany Italy Luxemburg Malta. Netherlands Norway Roumania6 Do.7	395,000 \$ 8,009 \$ 151,000 (3) 3,825,000 8,432,000 722,000 (4) \$ 4,000 420,000 102,000 60,000	411,000 (3) 5 151,000 (3) 3,676,000 8,367,000 727,000 (8) (3) 424,000 (3) 26,000 56,000	(3) (3) (3) (4) (3) (3) (3) (2) (4) (4) (4) (4) (4) (4) (5) (4) (5) (6) (7) (7) (8) (9) (10) (10) (10) (10) (10) (10) (10) (10	117, 613, 000 2 503, 000 42, 221, 000 23, 424, 000 49, 194, 000 1, 988, 591, 000 7, 637, 000 2 750, 000 109, 280, 000 227, 780, 000 24, 780, 000 25, 233, 000 1, 066, 000	(*) (3) 37, 335, 000 37, 344, 000 1, 673, 370, 000 61, 104, 000 5, 288, 000 (3) 120, 780, 000 27, 548, 000 2, 654, 000 1, 083, 000	(3) (2) (2) (3) (42, 350, 000 (4) (3) (3) (4) (126, 741, 000 (18, 589, 000 (3, 765, 000 (865, 000
Russia, European: Russia proner. Pol.u i. Northern Caucasia.	8, 664, 000 2, 7, 12, 000 194, 000	S, 652, 000 (8) 204, 000	8,210,000 (3) 8 167,000	873, 999, 000 383, 736, 000 16, 720, 000	891, 579, 000 (3) 17, 907, 000	713, 908, 000 (3) 8 15, 897, 000
Total Russia, European	11,520,000			1, 274, 455, 000		

¹ Data for 1908. 2 Production for 1912. 3 Nove collectivities. 4 Galicia and Bukowina not included.

⁵ Area for 1912. 6 Grown alone. 7 Grown with corn.

⁸Includes one government of Transcaucasia.

Table 76.—Potatoes: Area and production of undermentioned countries, 1913–1915—Continued.

		Area.			Production.	,
Country.	1913	1914	1915	1913	1914	1915
EUROPE—continued. Serbia Spain Sweden. Switzerland.	Acres. 1 31,000 1 632,000 383,000 137,000	Acres. (2) 688,000 376,000 137,000	Acres. (2) (2) (2) (2) 382,000 159,000	Bushels. 3 2,173,000 93,089,000 58,206,000 31,783,000	Bushels, (2) 76, 657, 000 48, 817, 000 22, 046, 000	Bushels. (2) (2) (2) 78,806,000 38,672,000
United Kingdom: England Scotland Wales Ireland	417,000 149,000 25,000 582,000	436,000 152,000 25,000 583,000	437,000 144,000 26,000 591,000	102, \$34, 000 36, 243, 000 5, 233, 000 139, 602, 000	104, 504, 000 40, 230, 000 5, 445, 000 128, 642, 000	100, 881, 000 36, 291, 000 5, 821, 000 138, 509, 000
Total United Kingdom	1,173,000	1, 196, 000	1,201,000	283, 912, 000	279, 121, 000	281, 502, 000
Total				5, 257, 659, 000		
ASIA. J apan	186,000	204,000	194,000	26, 139, 000	32, 312, 000	25, 077, 000
Russia, Asiatic: Central Asia (4 governments of) Siberia (4 governments of) Transcaucasia government of)	99,000 298,000 2,000	110,000 441,000 2,000	4 109, 000 296, 000 (5)	5, 230, 000 27, 773, 000 148, 000	8, 111, 000 47, 075, 000 90, 000	4 9, 076, 000 24, 308, 000 (3)
Total Russia, Asiatic	399,000	553,000		33, 151, 000	55, 276, 000	
Total	585,000	757,000		59, 290, 000	87, 588, 000	
AFRICA.						
· Algeria Union of South Africa	48,000 6 62,000	(2) (2)	(2) (2)	2, 119, 000 § 3, 685, 000	(2) (2)	(2) (2)
Total	110,000			5,804,000		
AUSTRALASIA.						
Australia: Queensland New South Wales. Victoria. South Australia Western Australia Tasmania.	9,000 34,000 48,000 9,000 5,000 7 25,000	10,000 39,000 75,000 11,000 5,000 31,000	8,000 39,000 65,000 8,000 5,000 32,000	612.000 3,145,000 7,135,000 1,235,000 506,000 7 2,711,000	618,000 3,573,000 6,593,000 1,230,000 665,000 3,001,000	598, 000 3, 989, 000 7, 056, 000 673, 000 550, 000 2, 946, 000
Total Australia	130,000	171,000	157,000	15,344,000	15, 680, 000	15, 812, 000
New Zealand	23,000	29,000	22,000	5, 514, 000	5, 869, 000	4, 952, 000
Total Australasia	153,000	200,000	179,000	20, 858, 000	21, 549, 000	20, 764, 000
Grand total				5,802,910,000		

Table 77.—Potatoes: Total production of countries mentioned in Table 76, 1900-1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1900 1901 1902 1903	Bushels. 4,382,031,000 4,669,958,000 4,674,000,000 4,409,793,000	1904 1905 1906 1907	Bushels. 4, 298, 049, 000 5, 254, 598, 000 4, 789, 112, 000 5, 122, 078, 000	1908 1909 1910 1911	Bushels. 5, 295, 043, 000 5, 595, 567, 000 5, 242, 278, 000 4, 842, 109, 000	1912 1913 1914 1915	Bushels. 5, 872, 953, 000 5, 802, 910, 000

Area for 1912.
 No official statistics.
 Production for 1912.
 Includes Province of Oural.

⁵ Included in Northern Caucasia.
⁶ Census of 1911.
⁷ Includes Federal territory.

Table 78.—Potatoes: Average yield, per acre, of undermentioned countries in 1900-1915.

Year.	United States.	Russia (Euro- pean).1	Ger- many.1	Austria.¹	Hungary proper.1	France.	United King- dom. ¹
Average (1900-1909)	Bushels. 91.4	Bushels, 99.9	Bushels. 200.0	Bushels. 151.1	Bushels. 118.7	Bushels. 133.8	Bushels. 193.8
1006 1907 1908 1909 1910 1911 1911 1912 1913 1914 1914	95. 4 85. 7 106. 8 93. 8 80. 9 113. 4	94. 9 102. 4 102. 9 111. 5 121. 1 104. 2 121. 5 110. 6 102. 8	193. 3 205. 3 209. 2 208. 9 196. 1 153. 9 223. 5 235. 8 200. 1	158. 4 173. 2 154. 0 157. 3 160. 0 137. 2 149. 0 134. 7 160. 7	128. 7 126. 6 96. 6 125. 2 117. 4 106. 3 129. 2 118. 4 129. 0	99. 5 136. 2 163. 7 160. 3 81. 9 121. 8 142. 9 127. 3	192. 2 171. 0 231. 1 222. 1 209. 1 241. 5 177. 0 242. 0 233. 3 234. 1
Average (1906–1915)	97.5						215.3

¹ Bushels of 60 pounds.

Table 79.—Potatoes: Acreage, production, value, exports, etc., in the United States, 1849-1916.

Note: Proving in Paragraph of Agriculture, in the content of Agriculture, is the content of a content of Agriculture, is the content of a content of Agriculture, is the content of the proceeding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

Year.	Year. Acreage. Aver age yield per acre.		Production.	Average farm price per bushel	Farm value Dec. 1.	busl	ago cas nel, fair mber.	r to fan Follo	e per ey.1	Domestic exports, fiscal year be- ginning	during fiscal year be- ginning
		acro.		Dec. 1.		Low.	High.	Low.	High.	July 1.	July 1.
1849	A cres.	Bush.	Bushels. 65,798,000 111,149,000	Cts.	Dollars.					Bushels. 155,595 380,372	Bushels.
1866 1867 1868	1,069,000 1,192,000 1,132,000 1,222,000		107,201,000 97,783,000 106,090,000 133,886,000 143,337,000	47. 3 65. 9 59. 3 42. 9	50,723,000 64,462,000 62,919,000 57,481,000					512,380 378,605 508,249 596,968	198, 265 209, 555 138, 470
1871 1872 1873	1,325,000 1,221,000 1,331,000 1,295,000 1,310,000	86.6 98.7 85.3 81.9 80.9	114,775,000 120,462,000 113,516,000 196,089,000 105,981,000	65. 0 53. 9 53. 5 65. 2 61. 5	74,621,000 64,905,000 60,692,000 69,154,000 65,223,000		i	1	ĺ	552 070	458,758 96,259 346,840 549,073 188,757
1876 1877 1878	1,510,000 1,742,000 1,792,000 1,777,000 1,837,000	110.5 71.7 94.9 69.9 98.9	166,877,000 124,827,000 170,092,000 124,127,000 181,626,000 169,459,000	34.4 61.9 43.7 58.7 43.6	57,358,000 77,320,000 74,272,000					704,379 529,650 744,409	92,148 3,205,555 528,584 2,624,149 721,868
1880 1881 1882 1883 1884	2,042,000 2,172,000 2,289,000	91.0 53.5 78.7 90.9 85.8	167,660,000 109,145,000 170,973,000 208,164,000 190,642,000	48. 3 91. 0 55. 7 42. 2 39. 6	81 062 000			į		628 840	2,170,372 8,789,860 2,362,362 425,408 658,633
1885 1886 1887 1888 1889	2,533,000	77. 2 73. 5 56. 9 79. 9 77. 4	175,029,000 168,051,000 134,103,000 202,365,000 204,881,000 217,546,000	44.7 46.7 68.2 40.2 35.4	78,153,000 78,442,000 91,507,000 81,414,000 72,611,000			33 65 65 24 30	50 90 85 45 60	494,948 434,864 403,880 471,955 406,618	1,937,416 1,432,490 8,259,538 883,380 3,415,578
1890 1891 1892 1893 1894	2,652,000 2,715,000 2,548,000 2,605,000 2,738,000 2,955,000	55. 9 93. 7 61. 5 70. 3 62. 4	148,290,000 254,424,000 156,655,000 183,034,000 170,787,000	35. 8 66. 1 59. 4 53. 6 26. 6	112,342,000 91,013,000 103,568,000 108,662,000 91,527,000 78,985,000	82 30 60 51 43 18	93 40 72 60 58 24	95 30 70 64 40 10	110 50 98 88 70 23	341,189 557,022 845,720 803,111 572,957 680,049	5,401,912 186,871 4,317,021 3,002,578 1,341,533 175,240

¹ Burbank to 1910.

Table 79.—Potatoes: Acreage, production, value, exports, etc., in the United States, 1849—1916—Continued.

		Aver-		Aver-			ago cas hel, fai			Domestic	
Year.	Acreage.	age yield per acre.	Production.	farm price per bushel	Farm value Dec. 1.	December.		Following May.		exports, fiscal year be- ginning July 1.	during fiscal year be- ginning July 1.
				Dec. 1.		Low.	High.	Low.	High.	Jany 21	, a., a.
1896 1897 1898 1899	A cres. 2,767,000 2,535,000 2,538,000 2,581,000 3,939,000	Bush. 91.1 64.7 75.2 88.6 93.0	Bushels. 252, 235, 000 164, 016, 060 192, 308, 000 223, 783, 000 273, 318, 000	Cts. 28. 6 54. 7 41. 4 39. 0	Dollars. 72,182,000 89,643,000 79,575,000 89,329,000	Cts. 18 50 30 35	Cts. 26 62 36 46	Cts. 19 60 33 27	Cts 26 87 52 39	Bushels. 926,646 605,187 579,833 809,472	Bushels. 246,178 1,171,378 530,420 155,861
1900 1901 1902 1903 1904		80. 8 65. 5 96. 0 84. 7 110. 4	210,927,000 187,598,000 281,633,000 217,128,000 332,830,000	43. 1 76. 7 47. 1 61. 4 45. 3	90,811,000 143,979,000 134,111,000 151,638,000 150,673,000	40 75 42 60 32	48 82 48 66 38	35 58 42 95 20	60 100 60 116 25	741,483 528,484 843,075 484,042 1,163,270	371,911 7,656,162 358,505 3,166,581 181,199
1905 1906 1907 1908 1909	3,128,000 $3,257,000$	87. 0 102. 2 95. 4 85. 7 106. 8 106. 1	260,741,000 308,033,000 298,262,000 278,985,000 376,537,000 389,195,000	61. 7 51. 1 61. 8 70. 6	160, 821, 000 157, 547, 000 184, 184, 000 197, 039, 000 210, 662, 000	55 40 46 60	66 43 58 77	48 55 50 70	73 75 80 150	1,000,326 1,530,461 1,203,894 763,651	1,948,160 176,917 403,952 8,383,966
1910 2 1911 1912 1913 1914 1915 1916	3,668,000 3,711,000 3,734,000	93.8 80.9 113.4 90.4 110.5 96.3 80.4	349,032,000 292,737,000 420,647,000 331,525,000 409,921,000 359,721,000 285,437,000	55.7 79.9 50.5 68.7 48.7 61.7 146.1	194,566,000 233,778,000 212,550,000 212,550,000 199,460,000 221,992,000 417,063,000	30 70 40 50 30 53 125	48 100 65 70 66 95 190	35 90 33 60 34 80	200 70 90	2,383,887 1,237,276 2,028,261 1,794,073 3,135,474 4,017,760	218,984 13,734,695 337,230 3,645,993 270,942 209,542

¹ Burbank to 1910.

Table 80.—Potatoes: Acreage, production, and total farm value, by States, 1916.
[000 omitted.]

			[000 012				
State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
Maine New Hampshire Vermont Massachusetts Rhode Island	23 25	Bushels. 25,500 1,800 2,576 2,275 370	Dollars. 36,210 2,988 3,581 3,981 684	North Dakota. South Dakota. Nebraska Kansas. Kentucky.	105 70	Bushels. 6,975 4,290 7,665 4,970 4,116	Dollars, 8,021 5,877 11,498 8,200 5,845
Connecticut New York New Jersey Pennsylvania Delaware	320 85 272	2,090 22,400 10,370 19,040 900	3,658 35,392 16,074 28,179 1,125	Tennessee. Alabama Mississippi Louisiana Texas	20	2,952 1,800 780 1,625 2,000	4,398 3,042 1,248 2,714 3,800
Maryland. Virginia. West Virginia. North Carolina. South Carolina	125 48 34	4,085 16,250 4,224 3,230 750	5,433 22,262 6,674 4,522 1,312	Oklahoma Arkansas Montana Wyoming Colorado	25 39 18	1,802 1,625 4,875 2,340 6,900	3,514 3,088 5,850 2,995 9,315
Georgia Florida Ohio Indiana Illinois	15 140 74	900 1,110 6,300 3,256 7,250	1,575 2,220 11,466 5,763 12,978	New Mexico	1 20 14	816 115 3,600 2,660	1,428 207 4,680 3,458
Michigan. Wisconsin. Minnesota. Iowa.	290	15, 360 13, 630 16, 800 4, 830	24,576 20,036 21,840 8,452	Idaho. Washington. Oregon. California	55	4,050 9,900 8,250 10,575	5,144 9,702 7,425 14,805
Missouri	91	5, 460	9,828	. United States	3,550	285, 437	417,063

² Figures adjusted to census basis.

Table 81.—Potatoes: Condition of crop, United States, on first of months named, 1895-1916.

Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.
1895 1896 1897 1893 1599 1990 1991 1902 1903 1904 1904 1905	P. ct. 91. 5 99. 0 87. 8 95. 5 93. 8 91. 3 87. 4 92. 9 88. 1 93. 9 91. 2	P. ct. 89. 7 94. 8 77. 9 83. 9 93. 0 88. 2 62. 3 91. 8 87. 2 94. 1 87. 2	P. ct. 90.8 83.2 66.7 77.7 86.3 80.0 52.2 89.1 84.2 91.6 80.9	P. ct. S7. 4 81. 7 61. 6 72. 5 81. 7 74. 4 54. 0 82. 5 74. 3	1906 1907 1908 1908 1909 1910 1911 1912 1913 1914 1915 1915	P. ct. 91.5 90.2 89.6 93.0 86.3 76.0 88.9 86.2 83.6 91.2 87.8	P. ct. 89.0 SS. 5 S2.9 S5.8 75.8 62.3 87.8 79.0 79.0 92.0 80.8	P. ct. \$5.3 \$0.2 73.7 \$0.9 70.5 59.8 87.2 69.9 75.8 82.7 67.4	P. ct. \$2.2 77.0 68 7 78.8 71.8 62.3 85.1 67.8 78.3 74.2 62.6

Table 82.—Potatoes: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

							- ' '		4									,	
				Yie	ld pe	er acı	e (bu	shel	s).			F	arm		e per nts).		hel	ac	e per re ars).1
State.	10-year aver- age, 1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	10-year aver- age, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911–1915.	1916
Me N. H Vt Mass R. I	206 126 124 116 122	115 120 120 120 120 110	225 100 73 95 150	225 130 155 125 125	220 150 130 125 136	93 110	198 140 140 130 113	127 105	260 159 168 155 165	179 95 108 120 110	204 120 112 91 74		55 61 55 75 77	53 83 72 85 90	33 60 47 71 70	81 94	166 139 175	96.21 8 3 .57 99.78	289. 68 199. 20 155. 68 159. 25 136. 90
Conn N. Y N. J. Pa Del	104 94 102 83 89	100 98 120 88 99	80 82 72 72 82	120 120 90 78 96	125 102 105 88 103	85 74 73 56 60	107 106 108 109 100	92 74 95 88 87	80	95 62 130 72 95	70 90	85 78 79	78 58 66 57 70	87 80 82 80 75	65 44 61 58 70	75	158 155 148 125	60.38 77.84 59.90 64.02	166. 25 110. 60 189. 10 103. 60 112. 50
Md	86 90 86 78 79	95 80 83 89 70	77 88 84 79 81	80 92 98 74 85	95 98 92 89 90	45 45 45 48 70	112 87 112 85 90	87 94 83 80 80	78 65 54 52 70	97 125 117 90 80	95 130 88 95 75	86 88 122	58 65 62 76 112		60 77 81 92 125	61 65 73 115	137 158 140 175	60.25 62.15 59.12 93.94	126.35 178.10 139.04 133.00 131.25
GaFlaOhioIndIll.	74 84 79 77 75	83 80 76 87 87	78 83 77 57 71	81 95 93 95 91	82 90 82 84 75	72 90 65 58 50	78 93 112 114 101	81 76 64 53 46	60 80 95 80 60	65 80 82 95 110	60 74 45 44 58	110 125 78 76 81	87 110 53 50 60	85 84 89	105 113 53 56 61	115 70 56 59	200 182 177 179	100.82 55.22 50.00 49.61	105.00 148.00 81.90 77.88 103.82
Mich	90 97 99 79 68	90 91 101 85 82	72 80 76 80 80	105 102 115 89 85	105 95 61 72 86	94 116 115 74 27	105 120 135 109 84	96 109 110 48 38 85	114 86 45	59 87 106 105 98	48 47 60 42 60	55 54 72 86	41 34 28 46 69		30 30 32 59 73	39 54 60	147 130 175 180	47.90 50.19 42.50	69.09 78.00
N. Dak S. Dak Nebr Kans Ky	95 82 73 64 77	89 84 73 65 80 85	90 78 80 62	110 80 78 79 92	41 44 60 57 92 80	120 72 52 22 39	105 80 82 101 88	78 48 40 49	45	90 115 105 83 126	93 66 73 71 84 82	93 84	28 36 51 73 67	56 63 78 91 102	42 47 54 77 84	35 42 74 55	137 150 165 142	43.98 42.68 45.75 53.30	90.42 109.50 117.15 119.28
Tenn	73 83 84 68 59	95 90 67 73	85 91 82 71 78	75 80 87 75 50	80 85 55 51	41 78 83 69 57	81 89 73 63	64 84 80 70 52 60	43 79 80 70 61 70	88 80 90 51 65 85	90 65 65 50	106 102 100	70 90 90 83 105	100 96	91 101 95 97 101	84 95 105		80.99 81.43 62.63 65.58	122. 18 152. 10 104. 00 108. 55 95. 00 103. 35
OklaArkMontWyoColoN. Mex	72 146 133 127	70 150 200 150 100	82 138 158 125	70 180 160 160 85	84 120 100 100 47	55 150 42 35	70 165 140 95	72 140 140 115 68	60 140 108 120	90	53 65 125 130 138 102	102 67	92 40 60 41 65	100	97 64 70 50	76 50 60 55	190 120 128 135	65.25 87.58 79.88 56.52	123.50 150.00 166.40 186.30
Ariz Utah Nev Idaho	105 153 164 158	140 100 200 145	110 160 120 130	90 180 180 200	92 142 150 142	95 140 160	125 185 178 185	75 180 160	110 140 130 155	95 125 172 125	115 180 190 150	133 67 82 60	125 49 60 29	135 58 68 50	120 60 70 48	100 63 70	180 130 130	123.50 95.36 115.16	207.00 234.00 247.00
Wash Oreg Cal	145 127 130	150 125 145	120 99 107	170 160 130	131 105 130	160 130 135	167 155 130	123 135 119	128 97 138	135 115 130	165 150 141	61 62 84	36 31 65	60 58 70	55 60 70	53 60 75	98 90 140	76. 93 68. 13 96. 68	161. 70 135. 00 197. 40 117. 48
0.0	20.4	VU. 1	JU. 7	100.0	20.0	30.0	110.4	20.4	110.0	30.0	00.4	30.9	100.0	00.1	20. 1	37.1	140. I	55.11	111.40

¹ Based upon farm price Dec. 1.

Table 83.—Potatoes: Farm price per bushel on first of each month, by geographical divisions, 1915 and 1916.

Month.	Uni Sta	ited tes.	No: Atla Sta	ntic	Sou Atla Sta	ntic	N. Ce States of Mis	s east	N. Ce States of Mis	west	Sou Cen Sta		Far V ern S	
	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915
January February March April May June	Cts. 70. 6 88. 0 94. 4 97. 6 94. 8 98. 8	50.4 50.4 47.8 50.5	106.4 109.2 113.6 109.8	38 4 40.2	Cts. 77.4 88.4 94.1 100.2 102.6 108.0	Cts. 81.1 79.3 81.4 80.5 80.3 78.1	Cts. 67.5 87.4 88.7 90.5 87.7 91.9	Cts. 37. 2 37. 4 36. 1 35. 9 36. 5 35. 3	Cts. 57.9 73.4 82.4 85.1 81.1 84.3	Cts. 49.5 52.3 54.4 51.7 54.5	112.3 107.9	$104.4 \\ 102.3$	Cts. 63.0 76.1 87.8 90.4 91.1 97.1	Cts. 56. 7 66. 0 65. 7 66. 9 79. 0 89. 2
July August September October November December	102.3 95.4 109.3 112.0 135.7 146.1	52.1 56.3 50.5 48.8 60.8 61.7	101.5 106.8 110.7 146.5	39.3 44.1 49.3 54.7 78.9 77.1	85.3 91.9 93.8	68.2 56.2 57.8 62 0 66.7 67.3	96.0 128 1	36.6 ·50.4 42.8 38.7 50.7 55.2	105.0 112.0 130.9	58.8 64.0 45.7 39.9 40.1 46.1	88.3 105.6 126.4 148.5	79.5 84.0	102.0	95.8 87.3 67.7 54.9 54.8 60.9

Table 84.—Potatoes: Wholesale price, 1912-1916.

	New	York.	Chie	ago.		eapo-	St. I	ouis.	Cinci	nnati.	Den	ver.	San cis	Fran- co.
Date.		and	fancy	r to , per hel.	Per b	ushel.		oank, ushel.	Per b	ushel.		100 nds.	River	oank, rs, per ounds.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
			\$0.50 .32	\$2.00 1.15			\$0.90 .35	\$1.52 1.20	\$0.88 .50	\$1.50 1.15				
JanJune July-Dec	\$1.70 1.75	\$2.87 2.37	.15 .50	.70 .82	\$0.33 .50	\$0.60 1.00	.30 .45	.87 .93	.30 .65	1.00 1.00	\$0.50 .60	\$4.00 2.50	\$0.20 .50	1.65 1.25
1914. JanJune July-Dec	2.00 1.25	3.00 2.12	.56 .28	1.75 1.65	.55 .28	1.35 1.50	. 65 . 33	1.60 1.50	. 65	1.15 1.70	1.00 .90	2.50 2.75	.80 .60	1.65 1.30
1915. January February March April May June	1.25 1.25	1.65 1.50 1.50 1.75 1.45	.30 .35 .30 .30 .34 .18	.50 .50 .50 .47 1.50 1.50	.33 .33 .30 .37 .32 .32	.48 .65 .50 .45 .55	.42 .38 .40 .48 .44 .52	.54 .54 .53 .55 .48 .52	.45 .45 .45 .45 .45 .42 .30	.50 .50 .50 .50 .50 .50	.90 .90 1.00 1.25 1.50 1.50	1. 25 1. 25 1. 75 1. 75 1. 75 2. 25	1.10 1.20 1.20 1.30 2.25 1.00	1. 25 1. 35 1. 30 1. 30 3. 50 1. 75
JanJune.	1.00	1.75	.18	1.50	.30	. 65	.38	.55	.30	.50	.90	2. 25	1.00	3.50
July. A, Schoolber Color of November December	1.75 2.00	2.50 2.50 3.00	.17 .45 .32 .37 .38 .53	.85 .63 .60 .70 .68 .95	.40 .27 .25 .35 .40 .40	1.00 .50 .36 .65 .60	.22 .27 .32 .40 .43 .65	.55 .56 .55 .60 .70	.30 .35 .35 .50 .55 .65	.35 .45 .50 .75 .70	1.50 1.00 .85 .85 .90 1.10	2. 25 2. 00 1. 35 1. 25 1. 40 1. 60	.90 .95 .85 .90 1.00 1.25	1.00 1.15 1.00 1.15 1.25 1.50
July-Dec	1.75	3.00	.17	. 95	. 25	1.00	.22	.96	.30	.90	. 85	2.25	.85	1.50
1916. January. February. March A pril. May June	3.30	3.85 3.60 3.75 3.85 3.90 3.90	.80 .80 .80 .60 .80	1.30 1.30 1.05 1.00 1.10 1.30	.75 .87 .77 .62 .75	1.35 1.25 1.20 1.10 1.25 1.20	. 94 . 88 . 73 . 78 . 92 1. 03	1.13 1.03 1.09 1.06 1.28 1.35	.65 1.05 1.00 .85 .85 1.15	1.18 1.10 1.12 1.12 1.30 1.30	1.40 1.50 1.50 1.50 1.65 1.65	2. 15 2. 15 2. 00 2. 00 5. 00 3. 25	.90 1.00 1.00 1.25 1.00 1.35	1. 60 1. 60 1. 75 1. 75 1. 60 2. 25
JanJune.	2.85	3.90	.60	1.30	.62	1.35	. 73	1.35	.65	1.30	1.40	5.00	.90	2, 25
July	3.40 4.50	5.00 5.25 5.25	.65 .65 .95 1.00 1.35 1.25	1. 05 1. 90 2. 00 1. 90 1. 85 1. 90	.75 .90 1.05 1.00 1.50 1.40	1. 10 1. 05 1. 50 1. 50 1. 75 1. 70	1.50 1.55 1.90 11.10 1.53 1.38	.83 2.00 2.10 1.73 1.80 1.85	.80 .80 .90 1.25 1.50 1.65	1. 25 1. 15 1. 30 1. 70 1. 75 1. 90	1.65 1.65 1.75 1.75 2.50 2.25	3.25 3.00 2.50 3.00 3.00 3.00	1.30 1.15 1.00 1.25 1.85 1.96	1. 90 2. 25 2. 00 2. 50 2. 40 2. 27
July-Dec	3.40	5.25	. 65	2.00	.75	1.75	.50	2.10	.80	1.90	1.65	3.25	1.00	2.50

¹ Bulk home grown Early Ohio.

Table 85.—Potatoes: International trade, calendar years 1913-1915.

[See "General note," Table 10.]

EXPORTS.

[000 omitted.]

Country.	1913	1914 (prelim.)	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (prelim.).
Argentina. Austria-Hungary Belgium Cun.d. China Denmark France. Germany Italy. Japan.	9,067 2,012 346 510 6,654	Bushels. 544 1,116 272 769 3,976 630 396	375 3,865	Netherlands	3,007 2,502 911 1,817 1,745	Bushels. 15, 234 672 1,007 1,743 1,893 2,715 995 31,962	2,102 1,231 3,900
			IMPO	ORTS.			
Algeria Arçentina, Austria-Hungary, Belgium Brazil Canada Cuba Egypt. Finland France. Germany, Netherlands,	314 4,506 4,683 1,095 400 2,225 549 385	1. 079 421 697 664 2, 298 540 409 8, 745	348 2,751 400 412 1,330	Norway. Philippine Islands. Portugal. Russia. Sweden. Switzerland. United Kingdom. United States. Other countries. Total.	176 330 686 395 735 3,443 17,444 3,171 2,508	174 311 1,291 493 452 4,573 6,184 800 1,298 32,041	317 317 31,117 4,011 236

SWEET POTATOES.

Table 86.—Sweet potatoes: Acreage, production, and value, in the United States, 1849-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Petimates of acres are obtained by applying estimated percentages of increase or decrease to be not lightly with each of the preceding year, except that a revised by east red for applying percentage estimates whenever new census data are available.

Year.	Acreage.	Average yield per acre.	Production.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
1849 1859 1869 1879			21,710,000		Dollars.
1899. 1900. 1901. 1902. 1903.	544,000 547,000 532,000	79. 1 88. 9 81. 7 85. 2 89. 2	42,517,000 48,346,000 44,697,000 45,341,000 48,870,000	46.7 50.6 57.5 58.1 58.3	19,870,000 24,478,000 25,720,000 26,358,000 28,478,000
1904	548,000	88. 9	48, 705, 000	60. 4	29,424,000
1905	551,000	92. 6	51, 034, 000	58. 3	29,734,000
1906	554,000	90. 2	49, 948, 000	62. 2	31,063,000
1907	565,000	88. 2	49, 813, 000	70. 0	34,858,000
1908	599,000	92. 4	55, 352, 000	66. 1	36,564,000
1909	641,000	92. 4	59,232,000	69. 4	41,052,000
1910	641,000	93. 5	59,938,000	67. 1	40,216,000
1911	605,000	90. 1	54,538,000	75. 5	41,202,000
1912	583,000	95. 2	55,479,000	72. 6	40,264,000
1913.	625,000	94. 5	59,057,000	72.6	42,884,000
1914.	603,000	93. 8	56,574,000	73.0	41,294,000
1915.	731,000	103. 5	75,639,000	62.1	46,980,000
1916.	774,000	91. 7	70,955,000	84.8	60,141,000

SWEET POTATOES-Continued.

Table 87.—Sweet potatoes: Acreage, production, and total farm value, by States, 1916.
[000 omitted]

State.	Acreage.	Produc-	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
New Jersey Party Jersey Maryland Virginia West Virgin North South Carolina Georgia Florida	1 5 9 39 2 87 66 9 4	Bushels. 2,300 100 625 1,124 5,070 280 9,309 5,676 7,520 2,500	Dollars. 2,760 135 506 998 4,563 353 6,982 4,825 6,091 2,150	Missouri Kansas Kentucky Tonnessee Alabama Missisippi Louisiana Tevas Oklahoma Arkansas	4 10 27 85 77 64 80 13	Bushels. 490 368 900 2,700 6,290 6,314 5,760 7,120 962 3,185	Dollars. 735 552 900 2, 349 4, 655 4, 230 3, 802 6, 408 1, 299 2, 866
Ohio Indiana Illinois Tow a	3 8	99 300 720 273	148 450 900 524	California		930 70.955	960 60,141

Table 88.—Sweet potatocs: Condition of crop, United States, on first of months named, 1896-1916.

Year.	July.	Λug.	Sept.	Oci.	Year.	July.	Aug.	Sept	Oct.	Year.	July.	Aug.	Sept.	Oct.
1500					1903									
1897	86.5	86.4	85.4		1904	87.3	88.5	89.9	86.1	1911	78. 4	77. 7	79.1	78.1
1899 1900	85.1	84.1	80.7	74.9	1906	90.9	91. 2	88.7		1913 1914	86.5	85.8	81.4	80. 1 80. 7
1901 1902	93.1	80.7		79.0	1908	89.8	88.8	88.7	85. 5	1915 1916	88.7	85. 5	87.5	85. 0 79. 2

Table 89.—Sweet potatocs: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

				Yield	per	acte	(bu	shels).			F	ırm j	price (cer	per	bush	ıeI	ac	e per ere ars).
State.	10-year average, 1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	10-year average, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911-1915.	1916
N. J. Pa. Del. Md. Va.	124 106 123 120 100	105 100 93 100 86	133 102 125 110 95	123 88 125 115 100	140 105 115 110 100	130 121 140 115 90	125	138 110 135 141 108	100 105 120 125 92	155 105 135 130 110	100 100 125 126 130	86 91 68 70 72	84 75 68 63 75	78 90 60 60 70	70 70	62	88	97. 02 85. 66 85. 62	120.06 135.00 101.25 110.88 117.00
W. Va. N. C. S. C. Ga. Fla.	102 96 91 86 110	86 90 83 95 105	72 93 88 86 115	100 99 95 93 105	101 105 91 83 108	110 86 84 81 108	115 90 105 90 112	91 100 92 87 110	92 90 85 85 120	110 105 105 85 112	107	97 61 69 67 75	90 62 68 66 73	100 61 75 68 75	65 70 69	65 61	126 75 85 81 86	57.66	64.80
Ohio Ind. Ill. Iowa Mo	100 98 93 94 85	85 90 90 75 82	83 71 80 93 91	110 101 110 110 90		113 114 89 105 91	98	90 78 70 80 56	100 84 100		91	98 122	108	106 103 106 150 105	95 127	98 90 82 108 82	150 150 125 192 150	95.32 87.04 112,46	148. 50 150. 00 112. 50 174. 72 105. 00
Kans Ky. Tenn Ala. Miss	90 90 88 92	82 80 92	84 89 85	88 87 80	85	85 97 85	90 90 100 97	75 80 95	105 100 93	105 105 90	90 100 74	82	85 72 71	110 94 80 67 62	77 69 65	100 70 59 57 55	100 87 74	96. 21 77. 17 64. 70 62. 47 58. 16	87.00 54.76
La Tex Okla Ark Cal	. 84	85 75	86 88 88 100 105	50 70 58	56 70 98	90 71 75 92 140	92 88	80 64 90	101 102 95	92 98 115 130 135	89 74 91	92 104 80	104 109 90	70 95 104 80 100	87 89 77	50 70 73 61 80	90 135 90	75, 82	80.10
U.S	93. 3	88. 2	92.4	90. 1	93.5	90. 1	95. 2	94.5	93.8	103.5	91. 7	71. 5	72.6	72.6	73.0	62.1	84.8	67.70	77.70

¹ Based upon farm price Dec. 1.

SWEET POTATOES-Continued.

Table 90.—Sweet potatoes: Wholesale price per barrel, 1912-1916.

		and a second						Nevr Y	fork.	
Date.	Baltii	more.	St. L	ouis.	New O	ileans.i	Jer	39;".	South	hern.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
JanJune July-Dec.	\$2.00 1.00	£1.50 6.00	\$1,50 .75	\$3, 50 5, 00	\$1.75 2.00	\$2,00 2,00	\$2, 50 1, 50	\$3.50 3.50	\$2.00 .50	\$3.00 6.00
1913. JanJune July-Dec.	2.00 .75	3.50 7.00	1.63 .88	3.75 6.25	2.00 2.00	2.00 2.00	2.00 1.25	3.00 3.50	1.75 .40	2, 50 5, 50
I914. JanJune July-Dec.	1.00 1.00	2. 50 5 50	1. 50 1. 75	2, 50 4, 50	1,00 .80	3.20 3.50	1.50 2.00	2.00 3.50		1, 50 , 5, 60
1915. January. Febiuary March April May May June	1.50 1.50 1.50 1.50 1.50 4.00	3. 25 2. 50 4. 00 5. 50 5. 00	2. 50 2. 50 2. 50	3. 25 3. 00 4. 50	1.00 1.00 1.00 1.50 1.80 2.50	1. 20 1. 60 2. 00 2. 00 2. 50 3. 00		3.00	2.00 2.50	3, 5 0 3, 5 0
JanJune	1.50	5.50	2.50	4.50	1.00	3.00	2, 50	3.00	2.00	3.50
July August. September October November December	3. 50 2. 25 1. 25 1. 00 1. 25 . 75	6. 50 4. 00 2. 50 2. 00 2. 00 2. 25	1. 50 1. 90 1. 90 2. 00	3. 40 2. 40 2. 25 2. 75	2.50 2.00 1.00 .70 .70 1.00	3.00 3.00 1.80 2.10 1.20 1.60	1. 25 . 30 1. 75	2. 25 2. 25 2. 25 2. 50	2.00 1.00 1.00 1.00 1.00	5.00 3.50 2.37 2.00 2.25
July-Dec	.75	6.50	1.50	3.40	.70	3,00	. 50	2.50	.50	5,00
1916, January. February March April May June	1.00 1.50 1.50 1.50 1.75 1.75	2. 25 2. 25 2. 50 2. 75 3. 00 2. 25	1. 75 1. 85 1. 50 1. 50 1. 50 2. 25	2. 65 2. 25 2. 10 1. 75 1. 50 2. 25	1.00 .50 .80 .80 .70	1.70 1.70 1.50 1.30 1.30 1.20	1.75 1.75	2.50 2.50	1.00 1.50 1.50	2.00 2.00 2.00
JanJune	1.00	3.00	1.50	2.65	. 50	1.70	1.75	2.50	1.00	2.00
July	4.00 1.75 1.25 1.50 1.75 2.50	5. 50 4. 25 2. 35 2. 25 3. 00 4. 00	2. 50 2. 35 2. 25 2. 85 2. 00	3. 25 2. 80 2. 90 2. 85 3. 00	. S0 1. 00 1. 00 1. 00 1. 00 1. 00	1.20 2.00 2.50 1.50 1.50 1.70	2.00 2.50	3. 50 3. 25	3.50 1.00 1.25 1.25 1.75 2.00	5. 50 5. 00 3. 50 3. 00 3. 50 4. 25
July-Dec	1. 25	5.50	2.00	3.25	.80	2.50	2.00	3.25	1.00	5. 30

¹ Prices as quoted were per half-barrel sack of 80 pounds; barrel prices obtained by doubling same.

HAY.

Table 91.—Hay: Acreage, production, value, exports, etc., in the United States, 1849-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a review of the properties of applying percentage estimates whenever new census data are available.

		7 Act-		Aver-		Chicag per t	o prices on, by	No. 1 ti carload	imothy lots.	Domestic
Year.	Acreage.	gge yield per	Production.	farm price per	Farm value Dec. 1.	Dece	nber.		owing	exports, fiscal year be- ginning
		acre.		Dec. 1.		Low.	High.	Low.	High.	July 1.
1849	Acres.	Tons.1	Tons.1 13,839,000 19,084,000	Dolls.	Dollars.	Dolls.		Dolls.	Dolls.	Tons.2
1866	20,021,000	1 23 1.31 1 21 1.42	21,779,000 26,277,000 26,142,000 26,420,000 27,316,000	10. 14 10 21 10. 08 10 18	220, S36, 000 268, 301, 000 263, 589, 000 268, 933, 000					5, 028 5, 645 6, 723
1870 1871 1872 1873 1874	19,862,000	1. 23 1. 17 1. 17 1. 15 1. 15	24,525,000 22,239,000 23,813,000 25,085,000 25,134,000	12 47 14 30 12 94 12, 53 11, 94	305, 743, 000 317, 940, 000 308, 025, 000 314, 241, 000 300, 222, 000					
1875 1876 1877 1878 1879 1879	23, 508, 000 25, 283, 000 25, 368, 000 26, 931, 000 27, 485, 000 50, 631, 000	1. 19 1. 22 1. 25 1. 47 1. 29 1. 15	27,874,000 30,867,000 31,629,000 39,608,000 35,493,000 85,151,000	10. 78 8. 97 8. 37 7. 20 9. 32	300, 378, 000 276, 991, 000 264, 880, 000 285, 016, 000 330, 804, 000	9. 50 8. 00 14 00	10 50 8. 50 14. 50	9.00 9.75 9.00 14.00	10.00 10 75 11.50 15.00	7,528 7,287 9,514 8,127 13,739
1880 1881 1882 1883	25, 864, 000 30, 889, 000 32, 340, 000	1. 23 1. 14 1. 18 1. 32 1. 26	31,925,000 35,135,000 38,138,000 46,864,000 48,470,000	11. 65 11. 82 9. 73 8. 19 8. 17	371, S11, 000 415, 131, 000 371, 170, 000 383, 834, 000 396, 139, 000	15 00 16.00 11.50 9.00 10.00	15. 50 16. 50 12 25 10. 00 11. 50	17 00 15.00 12.00 12.50 15.50	19.00 16 50 13 00 17.00 17.50	12,662 10,570 13,309 16,908 11,142
1885 1886 1887 1888 1889 1889	37,665,000 38,592,000 52,949,000	1 12 1.15 1.10 1.21 1.26 1.26	44,732,000 41,796,000 41,454,000 46,643,000 66,831,000 66,831,000	8.71 8.46 9.97 8.76 7.04	389, 753, 000 353, 438, 000 413, 440, 000 408, 500, 000 470, 394, 000	11.00 9.50 13.50 11.00 9.00	12.00 10.50 14.50 11.50 10.00	10 00 11.00 17.00 10.50 9.00	12.00 12.50 21.00 21.00 14.00	13,390 13,873 18,198 21,928 36,274
1890 1891 1892 1893	50,713,000 51,044,000 50,853,000 49,613,000 48,321,000	1. 19 1. 19 1. 18 1. 33 1. 14	60, 198, 000 60, 818, 000 59, 824, 000 65, 766, 000 54, 874, 000	7.87 8.12 8.20 8.68 8.54	473, 570, 000 494, 114, 000 490, 428, 000 570, 883, 000 468, 578, 000	9.00 12.50 11.00 10.00 10.00	10.50 15.00 11.50 10.50 11.00	12.50 13.50 12.00 10.00 10.00	15. 50 14 00 13. 50 10. 50 10. 25	. 28,066 35,201 33,084 54,446 47,117
1895 1896 1897 1898 1890	43, 260, 000 42, 427, 000 42, 781, 000 41, 328, 000	1.06 1.37 1.43 1.55 1.37 1.25	47,079,000 59,282,000 60,665,000 66,377,000 56,656,000 53,828,000	8, 35 6, 55 6, 62 6, 00 7, 27	393, 186, 000 388, 146, 000 401, 391, 000 398, 061, 000 411, 926, 000	12.00 8.00 8.00 8.00 10.50	12.50 8.50 8.50 8.25 11.50	11.50 8.50 9.50 9.50 10.50	12.00 9.00 10.50 10.50 12.50	59,052 61,658 81,827 64,916 72,716
1900 1901 1902 1903 1904	39, 133, 000 39, 391, 000 39, 825, 000	1. 28 1. 28 1. 50 1. 54 1. 52	50,111,000 50,591,000 59,858,000 61,306,000 60,696,000	8. \$9 10 01 9. 06 9. 07 8. 72	445, 539, 000 506, 192, 000 542, 036, 000 556, 276, 000 529, 108, 000	11.50 13 00 12 00 10.00 10.50	14.00 13.50 12.50 12.00 11.50	12.50 12.50 13.50 12.00 11.00	13.50 13.50 15.00 15.00 12.00	89,364 153,431 50,974 60,730 66,557
1905 1906 1907 1908 1909	45,744,000	1.54 1.35 1.45 1.52 1.42 1.35	60, 532, 000 57, 146, 000 63, 677, 000 70, 050, 000 64, 938, 000 68, 838, 000	8. 52 10. 37 11. 68 9. 02	515, 960, 000 592, 540, 000 743, 507, 000 631, 683, 000 722, 385, 000	10.00 15.50 13.00 11.50	12.00 18.00 17.50 12.00	11. 50 15. 50 13. 00 12. 00	12.50 20.50 14.00 13.00	70,172 58,602 77,281 64,641 55,007
1910 ³ 1911 1912 1913 1914	51,015,000 48,240,000 49,530,000	1.36 1.14 1.47 1.31	69, 378, 000 54, 916, 000 72, 691, 000 64, 116, 000 70, 071, 000		842, 252, 000 784, 926, 000 856, 695, 000 797, 077, 000 779, 068, 000	16.00 20.00 13.00 14.50 15.00	19.00 22.00 18.00 18.00 16.00	18. 50 24. 00 14. 00 15. 00 16. 50	23.50 28.00 16.50 17.50	55, 223 59, 730 60, 720 50, 151 105, 508
1915 1916	51, 108, 000 54, 965, 000	1.68 1.64	85,920,000 89,991,000	10.63 11.21	913, 644, 000	14.50 15.00	16.50 17.50	17.50	20.00	178,336

^{1 2,000} pounds.

² 2,240 pounds.

³ Figures adjusted to census basis.

HAY—Continued.

Table 92.—Hay: Acreage, production, and total farm value, by States, 1916.
[000 omitted.]

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
Maine New Hampshire Vermont Massachusetts Rhode Island	980	Bushels. 1,740 767 1,666 749 81	Dollars. 21,576 11,122 20,992 14,231 1,620	North Dakota. South Dakota. Nebraska Kansas Kentucky.		Bushels. 884 1,387 4,070 2,604 1,415	Dollars. 5,304 7,490 28,897 19,790 17,829
Connecticut New York New Jersey Pennsylvania Delaware	375	574 7, 290 585 5, 208 116	10,619 86,751 10,296 71,870 1,844	Tennessee. Alabama Misser ind Louisiana Texas.	1,050 275 275 260 480	1,449 358 371 429 576	21,735 4,654 4,081 4,719 6,048
Maryland Virginia Virginia North Carolina South Carolina	' 790 825	688 1,066 1,270 507 325	9,632 15,990 18,415 8,872 5,428	Oklahoma Arkansas Montana Wyoming Colorado	550 - 375 825 580 970	825 469 1,402 1,044 1,988	7,425 5,862 15,422 12,528 21,868
Georgia	300 56 3,100 2,300 3,100	375 70 4,867 3,312 4,495	6,075 1,120 51,590 36,101 50,794	New Mexico	185 165 384 225	370 627 845 540	5, 180 9, 092 12, 675 5, 184
Michigan	2,600 1,890	4,372 4,420 3,496 5,796	43,720 51,272 24,472 52,164	Idaho	725 836 850 2,500	1,812 2,006 1,955 4,375	21, 925 27, 683 21, 310 55, 125
Missouri		4,355	40, 502	United States.	54,965	89,991	1,008,894

Table 93.—Hay: Yield per acre, price per ton Dec. 1, and value per acre, by States.

			Ave	rage	yiel	d per	acr	e (to	ns).			Fa	rm pr	ice pe	r ton	(dolla	rs).		lue acre iars).1
State.	10-year average, 1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	10-year average, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911-1915.	1916
Me. N. H. Vt. Mass. R. I.	1.13 1.36 1.28	1.35 1.60 ! [0	. 92 1 11 1 20	1. 25 1. 15	1.20 1.35 1.25	1.05 1.30 1.05	1. 25 1. 50 1. 25	1.00 1 28 1.21	1.15 1.20 1.2	1.00	1.45 1.79 1.53	16.38 13.96 20.21	15.00 14.00 21.70	17. 20 14. 50 21. 20	17.00 14.60 21.00	17.40 15.50 22.0	14.50 12.60	27, 73	17. 98 21. 02 21. 42 21. 64 27. 00
Comm N. Y N. J. Pts Del.	1 24 1 40 1.36	1, 25 1, 45 1, 45	1, 20 1, 60 1, 70	1, 05 1, 25 1, 20	1. ; : 1. ; ; ; 1. ; ; \$	1.02 1.03 1.03	1, 25 1, 4 1, 23	1.14 1.20 1.52	1, 25 1, 55 1, 28	1, 30 1, 45 1, 20	1 62 1,55 1 60	14 60 15 28 15.18	14, 60 20, 00 45, 0)	15.30 19 91 14.30	14 00 15 50 14.50	15. 70 15. 00 15. 60	11.90 17.60 13.80	25. 20 18. 45 26 0.1 20. 48 19. 85	19.28 27.46 22.08
Md	1.17 1.26 1.38	1.40 1.45 1.50	1.30 1.45 1.50	1.30 1.25 1.38	1. 19 1. 20 1. 50	.64 .66 1.05	1. 20 1. 38 1. 30	1. 27 1. 25 1. 31	. 72 . 92 1. 15	1.35 1.50 1.85	1.35 1.54 1.30	15. 49 15. 14 16. 03	15. 20 15. 00 16. 70	15. 50 14. 90 16. 50	17.20 17.20 17.10	15. 70 15. 00 16. 50	15.00 14.50 17.50	16.92 18.17	22.33 22.75
FlaOhioIndIll	1.31 1.36 1.28 1.26	1. 35 1. 45 1. 35 1. 40	1.35 1.53 1.50 1.53	1.38 1.43 1.40 1.45	1.33 1.39 1.30 1.33	1.30 .98 .94 .82	1.25 1.36 1.37 1.30	1.35 1.30 1.00 .98	1.35 1.13 1.00 .85	1. 20 1. 44 1. 50 1. 54	1.25 1.57 1.44 1.45	16.05 12.52 12.15 12.13	13 10 13. w 11. 40 12. 60	18.27 12.8. 14.10 14.10	17, 20 13 40 14, 10 14, 40	16 00 12 10 11, 00 10, 80	10.60 10.90 11.30	22, 73 17, 25 15, 22 14, 60	16.64 15.70 16.38
Minn Iowa	1. 52 1. 58 1. 43	1.35 1.70 1.40	1.70 1.68 1.70	1.53 1.75 1.64	1.00 1.00 1.05	1.20 1.00 .80	1.60 1.53 1.40	1.62 1.50 1.48	1.75 1.89 1.38	1.75 1.91 1.80	1.70 1.85 1.61	11.38 7.24 8 98	12.10 6.40 9.50	11.10 6.60 9.60	9.30 6.10 10.10	9.90 6.40 8.70	11.60 7.00 9.00	16. 56 17. 93 11. 07 13. 42 10. 37	19. 72 12. 95 14. 49

¹ Based upon farm price Dec. 1.

HAY—Continued.

Table 93. Hay: Yield per acre, price per ton Dec. 1, and value per acre, by States—Continued.

			Ave	erage	yiel	d pei	r aer	e (to	ns).			Fai	rm pr	ice pe	r ton	(dolla	rs).	per	lue acre ars).
State.	10-year average, 1907-1916.	1907	1908	1909	1910	1161	1912	1913	1914	1915	1916	10-year average, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911-1915.	1916
N. Dak S. Dak Nebr Kans Ky	1 40 1 56 1,39	1.40 1.50 1.15	1.50 1.55 1.50	$\begin{bmatrix} 1.50 \\ 1.50 \\ 1.45 \end{bmatrix}$.80 1.00 1.15	.55 .85	1.46 1.35 1.50	1.20 1.34 .90	1.70 1.69 1.51	$\begin{bmatrix} 2.00 \\ 2.60 \\ 2.30 \end{bmatrix}$	1.50 2.20 1.55	5 93 7. 26 7. 74	6.10 8.40 7.60	6. 50 8. 70 12. 50	5.70 6.90 7.40	5.30 5.80 5.60	5.40 7.10 7.60	7.62 8.34 11.60 11.02 16.07	10. 26 15. 62 11. 78
Tenn Ala Miss La Tex	$144 \\ 145 \\ 1.64$	1 80 1.60 2 00	1.60 1.50 1.40	1.50 1.47 1.50	1.43 1.42 1.75	1.40 1.50 1.30	1.25 1.48 1.65	1.36 1.33 1.50	1.31 1.45 1.90	1.45 1.40 1.75	1.30 1.35 1.65	13. 52 11. 87 11. 87	12 70	14. 20 13. 50 12. 50	13.80 12.00 12.00	12.40 11.00 10.30	13.00 11.00 11.00	18.31 17.15 19.23	16.90 14.85 18.15
OklaArkMontWvoColo	1. 28 1. 88 2 11	1 25 1,70 2,10	$\frac{1}{2} \frac{50}{00}$	$\begin{array}{c} 1.25 \\ 1.79 \\ 2.40 \end{array}$	1.35 1.40 2.40	1.15 2 00 2 10	1.90 1.90	1.20 1.80 1.90	$\begin{bmatrix} 1.05 \\ 2.50 \\ 2.30 \end{bmatrix}$	$\begin{array}{c} 1.60 \\ 2.00 \\ 2.20 \end{array}$	1.25 1.70 1.80	$\begin{vmatrix} 11.75 \\ 9.54 \\ 8.92 \end{vmatrix}$	12.00 8 30 8 60	13.50 9.60 6.70	12.90 8.70 7.50	10.30 7.50 7.80	12.50 11.00 12.00	15. 19 17. 96 17. 02	15.62 18.70 21.60
N. Mex Ariz Utah Nev	3. 30 2. 56 2. 73	2. 90 2. 10 1. 75	3. 20 2. 50 2. 00	$\begin{array}{c} 3.30 \\ 2.90 \\ 2.35 \end{array}$	3.00 3.40	3.86 2.50 3.40	3 40 2 78 3.00	4.00 2 33 2.75	$\begin{array}{c} 3.20 \\ 2.75 \\ 3.25 \end{array}$	$\begin{array}{c} 3.20 \\ 2.50 \\ 3.00 \end{array}$	3.80 2.20 2.40	11. 99 8 92 9. 47	12.00 8.00 8.70	11.00 9.10 11.00	8.80 7.70 8.30	9 60 8.00 7.50	14 50 15. 00 9. 60	38 00 21, 42 27, 63	55. 10 33. 00 23. 04
	2 24 2.10 1.69	2 10 2.00 1.75	2. 25 2. 00 1. 35	$ \begin{array}{c} 2.10 \\ 2.05 \\ 1.70 \end{array} $	2. 10 2. 10 1. 83	2.40 2.10 1.75	2. 20 2. 20 1. 53	2.30 2.10 1.50	2. 20 2. 00 1. 95	2.30 2.20 1.80	2.40 2.30 1.75	12. 43 9. 98 11. 70	10.10 8 30 13.70	10.90 9.00 13.50	9. 20 8. 20	10.80 9.50 11.20	13.80 10.90 12.60	25. 03 19. 32 19. 29	33. 12 25. 07 22. 05
U. S	1.44	1.45	1.52	1.42	1.36	1.14	1.47	1.31	1.43	1.68	1.64	11.49	11.79	12. 43	11.12	10.63	11.21	16. 72	18.36

¹ Based upon farm price Dec. 1.

Table 94.—Hay: Farm price per ton on first of each month, by geographical divisions, 1915 and 1916.

Month.		ited tes.	Atla	rth intic tes.	Atla	uth intic tes.	State	entral s east ss. R.		entral s west ss. R.	Cen	uth itral tes.	Far V ern S	Vest- tales.
	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915
January February March April May June	10.94 11.40 11.62 11.78 12.22	11. 29 11. 69 11. 71 11. 74 11. 82	16.26 16.64 16.48 17.19 17.91	15.39 15.94 15.79 15.41 15.59	15.86 16.66 16.25 16.54 16.87	16.97 17.15 17.69 17.79 18.35	11. 43 11. 82 11. 91 12. 20 12. 70	12.43 12.57	Dolls. 7. 17 7. 63 7. 42 7. 51 7. 76 7. 63	8.80 9.09 9.38 9.72 9.66	10.74 11.15 11.36 11.61 11.89	13.06 13.50	9. 93 10. 47 11. 86 11. 48 11. 89	Dolls. 8.30 8.84 8.53 8.74 8.70 9.08
July August Stylender Stylender Noverler December	10 68 10 42 10.35 10.68	11. 02 10. 80 10. 69 10. 83	15. 43 13. 66 13. 47 13. 33	16.64 16.64 16.22 16.16	15. 03 15. 11 15. 10 15. 04	16.57 16.20 15.85 15.85	10. 29 10. 47 10. 39 10 41	11.31 11.04 11.00 11.00	7.69 6.94 7.23 7.08 7.58 7.91	7.59 7.19 7.07 7.11		11. 98 11. 41 11. 00 10. 73	10. 98 10. 69 10. 86	8. 55 8. 32 8. 19 8. 40 9. 60 9. 15

HAY—Continued.

Table 95.—Hay: Wholesale price (baled) per ton, 1912-1916.

	Chie	cago.	Cinci	nnati.	St. I	onis.	New	Yor c.	Gan Ii	ingisco.
Pare.	No.1 t	imothy.	No.1 t.	imothy.	No.14	imothy.	No.1 ti	mothy,"		wheat, bales.
	Low.	Eigh.	Low.	High.	Low.	High.	Low.	High	Low.	Пıgh.
July-Dec.	\$17.50 13.00	528. 00 22. 00	\$21.50 15.50	\$31.00 27.00	\$19.50 13.00	\$31.00 24.50	\$25, 00 21 50	\$32.00 29.00		
1913. JanJune July-Dec	13.00 13.50	18.50 19.50	14.00 15.25	19.00 21.00	12.00 13.50	18.50 24.00	19.50 29.00	23 00 22.00		
1914, JanJune July-Dec	13. 50 13. 00	17.50 18.50	17.50 17.50	21.00 21.50	15.00 14.59	23.00 22.50	19.50 18.50		\$13,00 { 57,50 { 11,00	821.0 3 } 14. 00
1915. January February March April May June	15: 00 15: 00 14: 50 14: 50 16: 50 17: 00	17. 59 16. 00 16. 00 18. 00 17. 50 18. 00	18.00 18.00 18.00 18.00 19.00	19. 25 19. 00 19. 50 20. 00 21. 00 22. 00	17. 00 16. 00 17. 50 18. 00 18. 00 17. 00	19.50 21.00 22.00 21.00 22.00 22.00 20.50	21. 00 20. 50 18. 00 20. 50 22. 00 23. 50	22, 50 21, 50 22, 00 22, 50 25, 00 25, 00	11. 00 11. 00 11. 00 11. 00 11. 50 11. 50	12. 00 12. 00 12. 00 12. 50 12. 50 14. 00
JanJune	14.50	18.00	18.00	22.00	16.00	22.00	18.00	25. 00	11.00	14.00
July	17. 50 12. 00 14. 00 14. 00 14. 50 14. 50	21.00 21.09 17.00 18.00 16.50 16.50	1S. 00 16. 00 16. 00 13. 00 18. 50 18. 00	22. 50 23. 00 19 00 21. 00 19. 50 20. 00	12.50 12.00 12.00 13.00 13.00 14.00	24.00 23.09 18.00 18.00 18.00 19.00	24. 00 26. 00 24. 50 24. 00 25. 00 24. 00	29, 00 31, 50 26, 00 26, 00 26, 00 26, 00	13. 00 13. 50 13. 50 14. 50 17. 00 17. 00	14. 50 14. 50 16. 00 18. 00 18. 00
July-Dec	12.00	21.00	13.00	23.00	12.00	24.00	24.00	31.50	13.00	18.00
1916. January. February. March April May June	15. 50 14. 50 15. 00 17. 50 17. 50 17. 50	17. 00 16. 50 18. 50 20 00 20. 00 19. 00	18.00 19.00 19.50 20.00 21.00 18.00	21.00 21.00 20.50 22.00 24.00 22.00	15. 00 15. 00 15. 00 14. 00 16. 50 15. 00	20. 00 19. 00 20. 00 20. 50 21. 00 20. 00	24. 00 25. 00 26. 00 26. 00 26. 50 27. 00	26. 00 26. 00 23. 00 28. 00 28. 00 30. 00 31. 00	16. 00 16. 00 17. 00 17. 00 17. 00 14. 50	18.00 19.00 18.00 18.00 18.00
JanJune	14.50	20.00	18.00	24.00	14.00	21.00	24.00	31.00	14.50	19.00
July August Scriember November December	14. 00 9. 50 12. 50 14. 50 13. 00 15. 00	18.00 18.00 18.00 17.00 17.00 17.50	18.00 15.00 16.00 14.25 15.00 15.50	18.50 18.00 16.50 16.50 16.50 16.50	11, 00 11, 50 13, 00 14, 00 14, 50 15, 50	19. 50 18. 00 17. 25 17. 00 17. 50 18. 50	24. 00 24. 00 20. 00 18. 00 18. 50 19. 00	28. 00 25. 00 26. 00 20. 00 23. 00 22. 00	14.50 15.00 16.00 17.50 17.50 18.00	16. 50 17. 00 18. 50 18. 50 19. 00 20 00
July-Dec	9. 50	18.00	14.25	18.50	11.00	19.50	18.00	28.00	14.50	20.00

¹ Per hundred pounds, 1900, 1901, and 1907.

r New hay.

CLOVER AND TIMOTHY SEED.

Table 96.—Clover and timothy seed: Wholesale price, 1912-1916.

		Clo	over (bushe	els of 60) poun	ds).					Tim	othy.			
		ein- ti.	Chic	eago.	Tol	edo.			Cin na	cin- ti.	Chic	eago.	Milv ke		St.I.	ouis.
Date.	Pri	me.		or to		or to	Det	roit.	Pour	hel 45	cho (per	or to pice 100 ads).	Per pou		pr (pe	or to ime r 100 nds).
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1912. JanJune July-Dec	10.00	13.00	5.40	Dols. 13. 80 10. 80	Dols. 4.00 3.00	Dols. 14.20 11.72	12.00	14.00	4.00	6.50	11.50	16.25	Dols. 5.00 2.50	15.50	2.50	15.50
1913. JanJune July-Dec		11.50 9.00		13.20 9.60		13.85 12.75	11.15 7.50	13.40 9.45	1.50 2.50	1.80 5.40	2.50 3.50	5.40 5.90		4.60 5.50		4.00 5.50
1914. JanJune July-Dec				15.00 18.50		9.45 11.40		9.40 11.25	1.40 1.40		3. 00 3. 50		3.00 3.50		2. 00 3. 25	5.35 7.00
1915. January February March April May June	7.40 7.40 7.00 6.90 6.50 6.50	9. 65 9. 65 9. 65 8. 50 8. 40 8. 25	9.00 7.50 7.00 7.00	14. 75 14. 75 14. 25 13. 00 13. 00 12. 75	8.40 7.80 7.45 7.25	9. 55 9. 25 8. 90 8. 25 7. 75 7. 90	9.30 8.90 8.15 7.90 7.85 7.85	9.35 9.15 8.40 8.00	2. 60 2. 60 2. 00 2. 00 2. 00 2. 00 2. 00	3.60 3.60 3.25 3.25	4.50 4.00 4.00 4.75	7.00 6.75 6.50 6.75	4.50 4.50 4.50 4.75	5.50 6.00	3.50 3.50 3.00 3.00	6.50 5.88 6.00 6.25
JanJune.	6.50	9.65	7.00	14.75	7.25	9.55	7.85	9.60	2.00	3.60	4.00	7.00	4.50	7.00	3.00	7.00
July August September October November December	6.50 6.75 9.20 8.60	8. 35 8. 50 8. 50 11. 00 12. 20 12. 15	9.00 9.50 9.00 9.00	13.50 16.25 19.25 20.50 19.25 19.75	7.85 8.85 11.20 11.00	8. 15 9. 55 12. 60 13. 10 12. 00 12. 30	7.70 8.20 9.35 11.75 11.90 12.00	9.60 11.65 12.40 12.25	2.10	3.30 3.30 3.60 3.75	4.50 4.50 4.50 5.50	7.25 7.75 7.50 7.75	4.50 5.00 4.75 4.75	7.50 7.75 7.75	5. 25 4. 75 5. 00 3. 75 3. 00 4. 00	7.42 <u>1</u> 7.40
July-Dec.	6.50	12.20	7.00	20.50	7.40	13.10	7.70	12.55	1.90	3. 75	4. 50	8.00	4.50	8.00	3.00	7.50
1916. January February March April May June	8.75 7.75 7.00 6.50	11.50 11.25 9.00 8.40	9.00 10.00 7.00 8.00	22.00 20.50	11.65 11.95 10.65 8.30 8.45 8.70	12. 10 13. 70 12. 75 10. 70 8. 85 9. 00	10.75 8.75	13. 25 12. 75 10. 75 8. 85	2.30 2.00 1.85 1.80	3.30 3.20 3.00 2.80	4.50 4.00 4.00 4.50	8.50 8.00 8.00 8.50	4.75 4.00 4.00 4.50	8.50 7.75 7.75	6.00 5.75 3.75 5.00 4.00 4.00	7.15 6.50 6.25 7.25
JanJune.	6.50	11.50	6.00	22. 00	8.30	13.70	8. 75	13. 25	1.80	3.30	4.00	8.50	4.00	8.50	3.75	7.50
July August September October November December	7.00 7.00 8.50	9.50 9.00 9.25 10.00	7.00 6.00 8.00 12.00	ተጻ. ሱሳ	8.40 8.80 9.623 10.45	11.10 10.05 10.85 11.15	8.60 8.75 9.50	9.30 10.75 9.70 10.60 11.00 10.85	1.20 1.20 1.20 1.30	2.50 1.90 2.00 2.15	3.00 3.00 3.00 3.00	5.50 5.00 5.50 5.50	4.50 4.35 3.50 3.75	5.00 5.25 5.50 5.50	3.00 3.25 3.00 3.50	5.40 4.65 4.75 4.90
July-Dec	6.50	10.00	6.00	18.00	8.40	11.15	8.60	11.00	1. 20	2.80	3.00	7.50	3.50	8.00	3.00	6.80

COTTON.

Table 97.—Cotton: Area and production of undermentioned countries, 1913-1915.

[Bales of 478 pounds, net.]

		Area.			Production.	
Country.	1913	1914	1915	1913	1911	1915
NORTH AMERICA. United States1	A cres. 37,089,000 (2)	A cres. 36,832,000	Acres. 31,412,000	Bales. 14,156,000 3 569	Bales. 16, 135, 000 3 693	Bales. 11, 192, 000 3 739
Total						
West Indies: Dritish— Bahamas. Barbados. Grenada. Jamaica. Leeward Islands. St. Lucia. St. Vincent. Trinidad and Tobago. Danish (St. Croix). Dominican Republic. Haiti.	(2) 3,970 (2) (2) (2) (2) 5,444 (2) (2) (2) (2) (2)	(2) 2.985 (2) (2) (2) (2) (3) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (3) (3) (3) (4)	4 28 \$\$8 4 330 4 145 4 2,574 4 8 1 018 4 15 4 745 4 1,140 4 8,970	598 4 7:49 4 67 4 2,637 4 11 958 4 290 4 771 (2)	443 4 648 4 772 4 88 4 2, 413 4 7 4 791
SOUTH AMERICA,						
Argentina. Brazil Chile. Ecuador Peru	6,919 (2) 334 (2) (2)	5,478 (2) (2) (2) (2) (2)	8, 154 (2) (2) (2) (2) (2)	(2) 320,000 740 4 757 4 110,314	(2) 385,000 4 165 4 105,617	(2) 440,000 (2) (2) (2) (2)
EUROPE.						
Bulgaria	1,730 1,042	1,730 1,006	(2) (2)	(2) 473	(2) 411	(2) 384
ASIA. India: British 6 Native States	22, 028, 000 1, 472, 609	25,023,000 1,787,407	24, 595, 000 (²)	3,858,000 (²)	4, 239, 000 (²)	4,359,000 (2)
Total	23, 500, 609	26, 810, 407				
Ceylon Cyprus. Dutch East Indies Indo-China. Japanese Empire:	(2) (2) (2) (2) (2)	(2) (2) (2) (2) (2)	(2) (2) (2) (2) (2)	4 28 9, 655 18, 966 (2)	9,498 (2) (2)	5,619 (2) (2)
Japan	6,178 141,844 5 7,544	5,887 (2) 5 7,544	(2) (2) 5 7, 544	4, 462 32, 787 5 6, 098	4,582 (2) 5 6,098	(2) (2) 5 6,098
Russia, Asiatic: Turkestan Transcaucasia.	1,382,743 310,466	1,442,757 364,460	1,516,980 269,970	953, 281 119, 821	1, 176, 477 132, 198	1,424.114 132,649
Total	1,693,209	1,807,217	1,786,950	1,073,102	1,308,675	1,556,763
Siam	(2)	(2)	(2)	4 6, 411	(2)	(2)
AFRICA.						
British Africa: Northern Rhodesia Nyasaland Protectorate East Africa Gold Coast Nigeria Uganda Union of South Africa	(2) (2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2) (2) (2)	4 483 4 5, 023 4 282 4 19 13, 308 23, 733 4 68	4 475 5,541 37 4 16 11,820 27,461 4 87	4 264 4 6,413 (2) 4 8 5,642 20,837 243

¹ Linters not included. Quantity of linters produced: 638,881 bales in 1913, 856,900 in 1914, and 880,780, in 1915.

2 No official estimates.
2 Exports to foreign countries plus shipments to the United States.
4 Exports.
5 Census of 1902.
6 Includes Foundations States.

⁶ Includes Feudatory States.

^{54159°---} твк 1916-----40

COTTON—Continued.

Table 97.—Cotton: Area and production of undermentioned countries, 1913-1915—Continued.

		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
Egypt Frenen Africa: Dahomey Guinea. Ivory Coast German Africa: East Africa. Togo Italian Africa—Eritrea. Sudan (Anglo-Egyptian).	A cres. 1,788,000 (1) (1) (1) (1) (1) (1) (1) (1)	1,822,000 (1) (1) (1) (1) (1) (1) (1) (1) (1)	Acres. 1,231,072 (1) (1) (1) (1) (1) (1) (1) (1)	Balcs. 1,588,000 2,790 2,230 2,84 2,10,109 2,322 2,322 2,751 2,10,737	Bales. 1,425,000 2 621 2 168 2 339 (1) (1) 2 378 7,901	Bales, 1,349,242 (1) (1) (1) (1) (1) (1) (1) (1)
OCEANIA. British: Queensland. Solomon Islands. French: New Caledonia. Tahiti.	(1) (1) (1) (1)	(1) (1) (1) (1)	(1) (1) (1) (1)	25 2 24 2 1, 109 73	14 (1) 21,596 (1)	(1) .13 2 2, 124 (1)

¹ No official estimates.

Table 98.—Cotton: Total production of countries for which estimates were available, 1900-1910.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1900 1901 1902 1903	Bales.1 15, S93, 591 15, 926, 048 17, 331, 503 17, 278, 881	1904 1905 1906 1907	Bales. ¹ 21,005,175 18,342,075 22,183,148 18,328,613	1908 1909 1910 1911	Bales. ¹ 23, 688, 292 20, 679, 334 22, 433, 269	1912 1913 1914	Bales.1

¹ Bales of 478 pounds, net.

Table 99.—Cotton: Acreage harvested, by States, 1907-1916.

[Thousands of acres.]

State.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916 1
Vircinia. Nei 'a Catolia. South Carolina. Georgia. Florida.	23 1,408 2,485 4,566 209	28 1,458 2,545 4,848 265	25 1,359 2,492 4,674 237	33 1,478 2,534 4,873 257	43 1,624 2,800 5,504 308	47 1,545 2,695 5,335 224	47 1,576 2,790 5,318 188	45 1,527 2,861 5,433 221	34 1, 282 2, 516 4, 825 193	44 1, 432 2, 834 5, 314 197
Alabama. Mississippi Louisiana Texas Arkansas.	3,148 3,081 1,540 8,478 1,902	3,591 3,395 1,550 9,316 2,296	3,471 3,291 930 9,660 2,218	3,560 3,317 975 10,060 2,238	4,017 3,340 1,075 10,943 2,363	3,730 2,889 929 11,338 1,991	3,760 3,067 1,244 12,597 2,502	4,007 3,054 1,299 11,931 2,480	3, 340 2, 735 990 10, 510 2, 170	3, 219 3, 114 1, 203 11, 517 2, 635
Tennessee. Missouri. Oklahoma. California All other	693 63 2,064	754 87 2,311	735 79 1, 767	765 100 2, 204 9	837 129 3,050 12	783 103 2,665 9	865 112 3,009 14	915 145 2,847 47 20	772 96 1,895 39 15	878 132 2, 593 72 25
United States.	29,660	32,444	30,938	32,403	36,045	34,283	37,089	36,832	31, 412	35,239

¹ Preliminary estimate.

² Exports.

COTTON-Continued.

Table 100.—Cotton: Production of lint (excluding linters) in 500-pound gross weight bales, by States, and total value of crop, 1907 to 1916.

State.	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916 1
Virginia. North Carolina. South Carolina. Georgia. Florida	9	12	10	15	30	24	23	25	16	29
	605	647	601	706	1,076	866	793	931	699	616
	1,119	1,171	1,100	1,164	1,649	1,182	1,378	1,534	1,134	920
	1,816	1,931	1,804	1,767	2,769	1,777	2,317	2,718	1,969	1,845
	50	62	54	59	83	53	59	81	48	43
Alabama	1, 113	1,346	1,024	1,194	1,716	1,342	1,495	1,751	1,021	525
Mississippi	1, 468	1,656	1,083	1,263	1,204	1,046	1,311	1,246	954	809
Louisiana	676	470	253	246	385	376	444	449	341	440
Texas	2, 300	3,815	2,523	3,049	4,256	4,850	3,945	4,592	3,227	3,775
Arkansas	775	1,033	714	821	939	792	1,073	1,016	816	1,145
Tennessee	275	344	247	332	450	277	379	384	303	373
	36	62	45	60	97	56	67	82	48	62
	862	691	545	923	1,022	1,021	840	1,262	640	\$35
	3	2	2	10	17	11	32	64	36	68
United States.	11, 107	13,242	10,005	11,609	15, 593	13,703	14, 156	16, 135	11,192	11,511
Total value of crop	\$613,630	\$588,810	\$688,350	\$809,710	8749, 890	\$786,800	\$885,350	\$591,130	\$627,940	

¹ Preliminary estimate.

Table 101.—Cotton: Condition of crop, United States, monthly, 1895-1916.
[Prior to 1901 figures of condition relate to first of month following dates indicated.]

Year.	May 25.	June 25.	July 25.	Aug. 25.	Sept. 25.	Year.	May 25.	June 25.	July 25.	Aug. 25.	Sept. 25.
1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905	81. 5 95. 1 74. 1	P. ct. 82.3 92.5 86.0 91.2 87.8 75.8 81.1 84.7 77.1 88.0 77.0	P. ct. 77. 9 80. 1 86. 9 91. 2 84. 0 76. 0 77. 2 81. 9 79. 7 91. 6 74. 9	P. ct. 70. 8 64. 2 78. 3 79. 8 68. 5 68. 2 71. 4 64. 0 81. 2 84. 1 72. 1	P. ct. 65. 1 60. 7 70. 0 75. 4 62. 4 67. 0 61. 4 58. 3 65. 1 75. 8	1906	P. ct. 84.6 70.5 79.7 81.1 82.0 87.8 78.9 79.1 74.3 80.0 77.5	P. ct. 83.3 72.0 81.2 74.6 80.7 88.2 80.4 81.8 79.6 80.3 81.1	P. ct. 82. 9 75. 0 83. 0 71. 9 75. 5 89. 1 76. 5 79. 6 76. 4 75. 3	P. ct. 77. 3 72. 7 76. 1 63. 7 72. 1 73. 2 74. 8 68. 2 78. 0 69. 2 61. 2	P. ct. 71. 6 67. 7 69. 7 58. 5 65. 9 71. 1 69. 6 64. 1 73. 5 60. 8 50. 3

Table 102.—Cotton: Yield per acre, price per pound Dec. 1, and value per acre, by States.

	r																		
			Y	ield p	er acı	re (po	unds	of lin	t).			F	arm	price (cer	per its).	pou	nd	Value per acre (dollars).	
State.	10-year average, 1907-1916.	1907	1908	1909	1910	1911	1912	1913	1914	1915	19162	10-year average, 1907-1916.	1912	1913	1914	1915	1916	5-year average, 1911-1915.	1916
Va N. C S. C Ga Fla	243 244 221 194 124	205 215	211 219 190	210 210 184	227 216 173	315 280 240	267 209 159	239 235 208	290 255 239	225 260 215 189 120	215 155 165	11. 8 11. 9 12. 0	12. 0 12. 2 12. 4 12. 4 15. 7	12.6 12.7 12.8	6.9 6.9 6.9	11. 2 11. 3 11. 4	19.4 19.6 19.9	27. 91 24. 46 21. 15	61. 11 41. 71 30. 38 32. 84 32. 55
Ala Miss La Tex Ark	165 183 164 163 191		233 145 196	157 130 125	182 120 145	172 170 186	206	204 170 150	195 165 184	165 147	123 175 157	12. 1 11. 6 11. 5	12. 1 12. 3 11. 5 11. 5 12. 3	12.6 11.7 11.5	6.8 6.9 6.8	11.5 11.2 11.1	20. 5 19. 1 19. 4	19. 05 17. 42 17. 15	15. 21 26. 24 33. 42 30. 46 40. 77
Tenn Mo Okla Cal	200 281 169 422	190 275 200	340	271	285	360	183	286 132	270 212	188 240 162 3 80	225 154	11. 4 11. 2	12. 4 11. 3 11. 3 12. 5	11.5 11.4	6.5	$\frac{11.0}{11.3}$	19.0 19.0	27. 58 16. 12	40. 17 42. 75 29. 26 80. 00
U.S.	181.5	178.3	194.9	154.3	170.7	207. 7	190. 9	182.0	209. 2	170.3	156.3	11.8	11.9	12.2	6.8	11.3	19.6	19.36	30.64

¹ Based upon farm price Dec. 1.

² Preliminary.

COTTON—Continued.

Table 103.—Cotton: Farm price per pound on first of each month, by geographical divisions, 1915 and 1916.

Month.	United States.		South Atlantic States.		N. Cent. States west of Miss. R.		South Sta	Central tes.	Far Western States.	
	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915
January February March April May June	Cts. 11. 4 11. 5 11. 1 11. 5 11. 5 12. 2	Cts. 6.6 7.4 7.4 8.1 9.1 8.6	Cts. 11.5 11.5 11.1 11.6 11.6 12.3	Cts. 6.7 7.6 7.5 8.3 9.4 8.9	Cts. 10. 7 11. 2 9. 0 10. 6 11. 2 11. 0	Cts. 6. 2 6. 9 7. 1 7. 0 8. 0 8. 0	Cls. 11. 4 11. 5 11. 1 11. 5 11. 4 12. 2	Cts. 6.5 7.3 7.4 8.0 9.0 8.5	Cts.	Cts. 10.0 8.6 7.0 9.1
July August September October Necember	12, 5 12, 6 14, 6 15, 5 18, 0 19, 6	S. 6 8. 1 8. 5 11. 2 11. 6 11. 3	12. 6 12. 8 14. 8 15. 6 18. 4 19. 9	8.7 8.2 8.6 11.5 11.9 11.4	11. 1 12. 2 12. 0 18. 0 19. 0	8. 0 8. 2 8. 5 10. 8 11. 8 11. 0	12. 4 12. 5 14. 6 15. 5 17. 8 19. 5	8.5 8.0 8.5 11.1 11.7 11.2	20.0	7.0

Table 104.—Cotton: Closing price of middling upland per pound, 1912-1916.

	New	York.	New O	rleans.	Men	iphis.	Galv	eston.	Sava	nnah.	Charl	eston.
Date.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low	High.
1912. JanJune July-Dee	9.35 10.75	12.00 13.40	915 1015	12½ 13¼	9 <u>.7</u> . 11	12½ 13¼	93 103	12½ 13½	85 1016	12 12 ³ / ₄	83 11	11 ₇ 8 123
JanJune July-Dec	11.70 11.90	13. 40 14. 50	$\frac{12\frac{1}{8}}{11\frac{7}{8}}$	13 14	12 113	13½ 13¾	12 11 3	13 14 3	11 7 11½.	123 148	113 128	125 132
JanJune July-Dec	12.30 7.25	14. 50 13. 25	125 6½	1315 13 18	13 6½	13 <u>2</u> 13 <u>2</u>	12½ 6§	14 135	123 6½	137 137	$12\frac{1}{6}$	13½ 8½
1915. January. February. March April. May June	7. 90 8. 35 8. 25 9. 80 9. 50 9. 45	8. 70 8. 70 9. 65 10. 60 10. 40 9. 85	73 7.75 7.75 9.06 9.00 9.00	81 81 81 9.06 9.68 9.43 9.38	71 7.76 7.88 8.87 9.12 8.75	8½ 8 8.87 9.50 9.50 9.12	7½ 8.30 8.25 9.35 9.00 8.95	8 ⁷ / ₆ 8½ 9.35 10.10 10.00 9.35	73 8 8 8 8 8 945 815	8 8 8 9 9 9 9 9 9	71 734 7789 7894 9	818 818 818 999 999
JanJune	7. 90	10.60	7ء	9.68	7½	9.50	78	10.10	73	93	71	95
July	8. 90 9. 20 9. 75 11. 85 11. 60 11. 95	9. 60 9. 85 12. 40 12. 75 12. 50 12. 75	8.50 8.69 9.31 11.75 11.25 11.69	9. 00 9. 38 11. 75 12. 13 12. 00 12. 13	8. 62 8. 75 9. 25 11. 75 11. 38 11. 75	8. 82 9. 25 11. 75 12. 25 11. 88 12. 25	8. 50 8. 75 9. 50 11. 75 11. 50 12. 00	9.00 9.50 11.90 12.45 12.40 12.60	81 85 95 111 112 12	818 9 115 121 121 121 128	9 11½ 11½ 11¼	8½ 115 12 12 12 12
July-Dec	8. 90	12.75	8.50	12.13	8.62	12. 25	8.50	12.60	Sž	12½	9	12
1916. January February March April May June	11. 80 11. 20 11. 45 11. 95 12. 30 12. 65	12.60 12.15 12.15 12.20 13.35 13.45	11.75 11.13 11.13 11.88 12.00 12.63	12. 19 11. 62 12. 00 11. 88 12. 94 13. 06	12.00 11.38 11.38 12.00 12.12 13.00	12, 38 12, 00 12, 00 12, 00 13, 00 13, 25	12. 05 11. 45 11. 60 12. 20 12. 40 12. 95	12.50 12.10 12.35 12.35 13.30 13.75	12 111 111 117 118 12 128	12½ 12 12½ 12½ 12 12¾ 13	115 11 11 115 115 1125 128	12 115 114 1124 124 124
JanJune	11. 20	13. 45	11.13	13.06	11.38	13. 25	11. 45	13.75	11½	13	11	123
July	16.60	13. 30 16. 40 16. 30 19. 30 20. 95 20. 30	13.00 13.13 14.69 16.00 18.13 17.25	13. 13 15. 63 15. 63 18. 75 20. 38 20. 25	13. 12 13. 37 15. 15 16. 00 18. 75 18. 00	13. 25 15. 75 15. 75 18. 75 20. 50 20. 50	13. 65 13. 75 15. 05 16. 25 18. 60 17. 00	13. 75 16. 00 16. 00 18. 90 20. 85 20. 40	13 13 144 164 184 184	13 15½ 15½ 19 20½ 20½	128 13 14½ 16 18½ 19½	123 15½ 15½ 15½ 18¾ 20½ 20½
July-Dec	12.90	20.95	13.00	20.38	13. 12	20.50	13.65	20.85	13	20§	12 §	20½

COTTON-Continued.

Table 105.—Cotton: International trade, calendar years 1913-1915.

[Expressed in bales of 500 pounds gross weight, or 478 pounds net. The figures for cotton refer to ginned and unginned cotton and linters, but not to mill waste, cotton batting, scarto (Egypt and Sudan). Wherever unginned cotton has been secured by string in the original reports it has been reduced to ginned cotton rithms. Leader at characteristic lands and pounds angain that bound gimed. See "General note," Table 10.]

EXPORTS.

[000 omitted.]

Country.	1913	1914 (prelim.).	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (prelim.).
Belgium Brazil British India China Egypt France Germany	2, 223 206	Bales. 140 2,791 188 1,225 209	Bales. 24 2,103 202 1,430 41	Netherlands	Bales. 150 117 110 9,376 234 14,842	Bales. 111 105 106 6,873 111 11,859	Bales. 190 9, 126
			IMPO	RTS.			
A. Tinner Ganada France Germany Italy Japan México Netherlands	953 647 166 1,518 2,404 931 1,821 20 317	152 949 879 1,705	197 1,055 1,343 2,015	Russia Spain Sweden Switzerland United Kingdom United States Other countries	908 407 99 126 4,010 220 339	801 389 107 101 3,447 332 287 9,394	244 660 580 147 4, 820 424

¹ Year beginning Mar. 21.

COTTONSEED OIL.

Table 106.—Cottonseed oil: International trade, calendar years 1913-1915.

[See "General note," Table 10.]

EXPORTS.

[000 omitted.]

			[000 01	11110011			
Country.	1913	1914 (prelim.).	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (prelim.)
Belgium China Egypt France	Gallons. 1,014 1,182 619 271	Gallons. 2,261 491 135	Gallons. 2,303 1,253 160	United Kingdom United States Other countries	Gallons. 7, 626 35, 304 59	Gallons. 8.213 28,841 315	Gallons. 7, 82 47, 01
Netherlands	31	143	4, 265	Total	46, 106	40, 399	
		<u> </u>	IMPO	ORTS.		1	
Algeria Australia Austria-Hungary Belgium Brazil	2,005 440	189 383	377	Mexico. Netherlands. Norway. Roumania Senegal	3, 869 7, 765 1, 542 481 451		19, 040 3, 520
Canada Egypt France Germany Italy	2,604 4,786	4,079 74 1,410	4. 083 3 3, 547	Serbia 3 Sweden United Kingdom Other countries	396 702 4, 990 6, 466	940 6,193 5,410	8, 33
Malta 2. Martinique	278	285	320	Total	45, 539	28,015	

¹ Data for 1912

⁹ Year beginning Apr. 1.

⁸ Data for 1911.

TOBACCO.

Table 107.—Tobacco: Area and production of undermentioned countries, 1913-1915.

Country		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA. United States Porto Rico	Acres. 1, 216, 100 17, 808	A cres. 1, 223, 500 18, 040	A cres. 1,369,900	Pounds. 953, 734, 000 3 9, 244, 490	Pounds. 1,034,679,000 2 9,285,333	$Pounds. \ 1,062,237,000 \ {}^{(1)}$
Canada: Ontario Quebec	6,000 5,000	5,000 4,750	4,500 4,500	8,000,000 4,500,000	6,000,000 5,000,000	4, 950, 000 4, 050, 000
Total	11,000	9, 750	9,000	12, 500, 000	11,000,000	9,000,000
Costa Rica Cuba. Dominican Republic. Genterala i 1.4: Mexico. SOUTH AMERICA,	(1) (1) (1) (1) (1) (1) 1,144 (1)	2,734 (1) (1) (1) 1,236 (1) (1)	(1) (2) (3) (4) (4)	73, 087, 800 28, 000, 000 (1) (1) (1)	(1) 80,770,080 28,169,253 (1) (1) (1)	(1) 50, 077, 92 8, 050, 000 (1) (1) (1)
Argentina Brazil Chile Uruguay	23, 860 (1) 3, 430 4, 159	36,744 (1) (1) (2,503	37, 955 (1) (1) (1)	(1) 2 64, 788, 421 8, 523, 645 3, 062, 062	2 59, 481, 096 6, 282, 228 1, 737, 805	259,734,874 (1)
EUROPE. Austria-Hungary: Austria. Hungary. Croatia-Slavonia Bosnia-Herzegovina.	8, 263 117, 429 190	4 4, 262 (1) (1) (1) (1)	(1) (1) (1) (1)	13, 692, 771 105, 489, 669 106, 703 13, 227, 600	4 6, 908, 555 (1) (1) (1)	(1) (1) (1) (1)
Total				132, 516, 743		
Belgium Bulgaria Denmark France Germany Italy Netherlands Roumania	9,941 17,297 (1) 38,906 34,996 18,060 1,149 27,122	10, 309 (1) (1) (38, 135 25, 587 18, 038 929 27, 070	(1) (1) (1) (2) (2), 313 18, 532 860 32, 232	19, 702, 290 13, 227, 600 (1), 57, 324, 891 56, 953, 423 18, 739, 100 (2), 941, 275	(1) 33,069,000 (1) 53,291,796 50,191,866 20,943,700 (1) 16,970,129	(1) (1) (1) (1) (1) (1) (1) (1) 18,566,921
Russia: Russia proper Poland. Northern Caucasia Serbia. Sweden Switzerland.	95,588 20,731 (1) (1) 791	95,324 31,254 (1) (1) 618	(1) (1) (1) (1) (1) (1)	180, 877, 567 21, 111, 362 (1) 1, 746, 043 1, 327, 169	147, 744, 290 33, 978, 353 (1) 1, 444, 013 815, 702	(1) (1) (1) (1) (1) (1) 947, 978
ASIA. India: British Native States	964, 726 68, 717	1,001,710 36,546	(I) (I)	(1) (1)	(1) (1)	(1) (1)
Total	1,033,443	1,038,256				
British North Borneo Ceylon Dutch East Indies:	(1) 12,968	(1) (1)	(1) (1)	3, 621, 754 2 4, 273, 136	(1) (1)	(1) (1)
Java and Madura Sumatra, East Coast	413, 185	394, 636	(1)	2 134, 017, 760	2 108, 979, 540	(1)
of Japanese Empire: Japan l'ormosa Chosen Philippine Islands Russia, Asiatic	(1) 77, 176 839 48, 135 170, 477 37, 993	(1) 88, 670 (1) (1) (1) 150, 459 57, 960	(1) 75, 479 (1) (1) 131, 808 (1)	43, 944, 757 111, 955, 049 959, 477 31, 357, 538 101, 544, 736 31, 462, 230	46, 632, 068 126, 206, 328 (1) 103, 024, 183 42, 950, 903	(1) 105, 820, 800 (1) (1) 84, 442, 714 (1)
AFRICA. Algeria. Tunis Nyasiand Rhodesia. Union of South Africa. OCEANIA.	(1) (1) 10,499 5,000 5 19,364	(1) 297 (1) (1) 5 19, 364	(1) 314 (1) (1) 5 19, 364	(1) 2 3, 763, 014 3, 000, 000	(1) 376, 325 (1) (1) (1)	(1) (1) (1) (2)
Australia Fijí	2, 745 144	3,007 (¹)	(1) (1)	1,869,392 81,312	2,599,408 (1)	(1) (1)

No official statistics.
 Exports.

Exports year beginning July 1.
 Excluding Galicia and Bukowina.

⁵ Census of 1911.

TOBACCO-Continued.

Table 108.—Tobacco: Total production of countries for which estimates were available, 1900-1911.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1901 1902	Pourds. 2,251,193,000 2,270,213,000 2,376,054,000 2,401,208,000	1905 1906	Pounds. 2,146,641,000 2,279,728,000 2,270,298,000 2,391,061,000	1908 1909 1910	2,382,601,000 2,742,560,000 2,833,729,000	1913 1914	

Data for 1911 not strictly comparable with earlier years.

Table 109.—Tobacco: Acreage, production, value, condition, etc., in the United States, 1849-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the pre-eding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

	Acre- age	Aver-	Produc-	Aver- age farm	Farm value Dec. 1	Domestic exports of unmanu-	Imports of un- manufac-	Condition of growing crop.				
Year.	(000 omit- ted).	yield per aere.	tion (000 omitted).	price per pound Dec. 1.	(000 omit- ted).	factured, fiscal year beginning July 1.	fiscal year beginning July 1.	July 1.	Aug.	Sept.	When har- vested.	
1849	Acres.		Lbs.	Cts.	Dolls.		Pounds.	P. ct.	P. ct.	P. ct.	P. ct.	
1859			434.209									
1809			262, 785									
1879 1889		789.7 702.5	479,661		· · · · · · · ·							
1899		788.5										
			, i									
1900 1901		778. 0 788. 0		6.6 7.1		315, 787, 782 301, 007, 365					76. 1 81. 5	
1902		797. 3	821,824		57.564	368, 184, 084						
1903	1,038	786.3	815, 972	6.8	55, 515	311, 971, 831	31, 162, 636	85.1	82.9	83.4	82.3	
1904	806	819.0	660, 461	8.1	53,3 83	334, 302, 091	33, 288, 378	85.3	83.9	83.7	85.6	
1905		815.6	633,034		53,519	312, 227, 202	41, 125, 970		84.1			
1906	796 821	857. 2 850. 5	682, 429	10.0 10.2	68,233	340, 742, 864 330, 812, 658	40,898,807			86. 2 82. 5		
1907 1908	875	820.2		10.2		287, 900, 946			85.8			
1909	1,180	804.3	949, 357									
1909	1,295					357, 196, 074	46, 853, 389				81.3	
1910 I	1,366	807.7			102, 142	355, 327, 072	48, 203, 288				80.2	
1911 1912		893. 7 785. 5		9.4 10.8	85, 210	379, 845, 320 418, 796, 906	54,740,380 67,977,118	72. 6 87. 7			80.5 81.8	
1912	1,226 1,216	784. 3	952, 855	12.8	122,481	449, 749, 982	61, 174, 751	82.8				
1914	1,224	845.7	1,034,679	9.8	101.411	348, 346, 091	45, 764, 728	66.0	66. 5	71.4	81.8	
1915	1,370			9.1	96, 281	441, 569, 581	48,013,335	85.5				
1916	1,412	815.0	1,150,622	14.7	169,008			87.6	84.4	85.5	85.6	

¹ Figures adjusted to census basis.

Table 110.—Tobacco: Acreage, production, and total farm value, by States, 1916.

State.	Acreage.	Production.	Farm value Dec. 1.	State.	Acreage.	Production.	Farm value Dec. 1.
New Hamp Vermont Mass Connecticut New York		Pounds. 165,000 160,000 12,118,000 36,186,000 4,551,000 49,096,000	Dollars. 28,000 30,000 3,030,000 9,770,000 592,000 6,972,000	OhioIndianaIllinoisWisconsinMissouri	A cres. 100, 000 14, 800 700 43, 900 3, 200 484, 000	Pounds. 95,000,000 13,764,000 525,000 55,753,000 3,040,000 435,600,000	Dollars. 12, 350, 000 1, 789, 000 52, 000 6, 969, 000 456, 000 55, 321, 000
Maryland Virginia We Virginia	25,500 190,000 14,100	19,635,000 129,200,000 12,690,000	3, 142, 000 18, 863, 000 1, 904, 000	Tennessee Alabama Louisiana	102, 200 200 200	81,760,000 60,000 90,000	8, 258, 000 18, 000 25, 000
N. Carolina S. Carolina Georgia Florida	320,000 39,000 1,300 2,500	176, 000, 000 20, 280, 000 1, 534, 000 3, 025, 000	35, 200, 000 2, 839, 000 414, 000 908, 000	TexasArkansas	200 500 1,411,800	140,000 250,000 1,150,622,000	28, 000 50, 000 169, 008, 000

TOBACCO—Continued.

Table 111.—Tobacco: Yield per acre, price per pound December 1, and value per acre, by States.

Value per acre (dollars).	5-year 1916 1916 1915 1915	17. 0 274. 02 280. 50 19. 0 262. 90 301. 00 25. 0 306. 21 415. 00 27. 0 325. 05 440. 10 13. 0 139. 31 159. 90	14.2 119.12 193.12 16.0 60.73 123.20 14.6 76.97 99.28 15.0 80.48 125.00 20.0 89.94 110.00	14.0 78.93 72.80 27.0 252.68 318.60 30.0 206.90 363.00 13.0 79.91 128.50 13.0 73.56 120.90	10 0 75 50 75 00 12.5 113.46 158.75 15.0 112.51 142.50 12.7 70.25 114.30 10.1 56.90 80.80	30.0 153.70 90.00 28.0 171.60 126.00 20.0 128.26 110.00 20.0 101.48 105.00	17 C11 84 58 7 F1
Parm price per pound (cents).	1915	12.0 11.0 14.5 17.0 9.5	9 2 8.5 9.4 10.0 11.2	23.0 23.0 23.0 9.0 7.3	9.0 6.0 7.8 6.3	22. 0 30. 0 27. 0 17. 0	6
ponnod	1914	18.0 17.7 18.5 18.5 12.0	8.5 8.0 9.0 11.0	9.7 25.0 30.0 8.8 9.0	12.0 11.0 13.0 8.4 7.5	28.0 35.0 21.0 15.0	8
se per 1	1913	18.0 18.0 21.0 21.0 12.3	7.5 9.3 13.9 12.0	13.8 31.0 31.0 11.4 11.0	11.5 12.0 12.7 10.0 8.4	25.0 25.0 22.0 16.4	19.8
rm pric	1912	18.5 18.5 23.9 24.1 12.6	8.5 8.0 12.0 11.0 16.0	10.9 30.0 30.0 9.1 9.1	9.0 11.0 12.0 8.7 7.1	35.0 30.0 17.5 18.0	5 5
Far	10-year avriage 1907– 1916.	15.6 15.5 17.5 19.0 10.2	9.4 8.7 10.6 11.4 13.0	10. 29.3 30.9 9.7 9.9	0.0.0.0.0 8 0 73 4 8	26.4 23.1 16.1	10 6
	1916	1, 650 1, 600 1, 660 1, 630 1, 230	1, 360 770 680 550	520 1,180 1,210 950 930	1, 270 1, 270 950 900 800	200 450 500	0 21 20
	1915	1, 400 1, 300 1, 100 1, 350 1, 200	1,350 740 750 870 620	880 910 840	850 900 810 750	500 500 600	756.4
	1914	1,770 1,700 1,750 1,750 1,300	1, 450 800 650 820 650	1,000 1,000 900 900	780 1,180 1,200 1,200 820	700 400 580 610	0.1E 7
	1913	1, 650 1, 550 1, 550 1, 550 1, 620	1, 200 740 770 680 670	1,000 1,000 1,000 750 750	1, 130 1, 130 760 760 720	700 450 600 650	9 101
spunod	1912	11,1,1,1,1,00 30,1,00 30,100 30,100	1, 450 660 760 620	820 820 800 800 800	1, 290 1, 000 1, 000 660	750 300 700 650	100
acre (I	1911	1,700 1,700 1,650 1,625 1,330	1, 420 735 800 750 710	810 900 940 925 910	1, 250 880 880 810	700 450 650 600	000
Yield per acre (pounds)	1910	1,720 1,600 1,730 1,730 1,730 1,250	1, 500 780 640 690	680 680 810 880	1,050 1,050 1,050 1,810 760	500 550 600 650	007 7
Yie	1909	1, 700 1, 675 1, 600 1, 650 1, 175	985 710 775 875 600	800 700 710 925 950	750 1,180 885 835 730	650 650 600	201.2
	1908	1,800 1,735 1,650 1,680 1,175	1, 325 700 815 750 670	865 975 990 670 700	1, 130 1, 130 875 815 800	850 850 610	6 068
	1907	1,650 1,625 1,525 1,525 1,510 1,150	1, 260 660 760 720 625	900 925 940	1, 190 825 890 890	450 350 570	650 8
	10-year average 1907– 1916.	1,674 1,618 1,592 1,620 1,620 1,213	1,330 720 738 776 632	730 920 865 865	768 1,153 914 839 765	565 477 648 604	010 9
	State.	New Hampshire. Vermont. Massachuserts. Compedient.	Pennsylvania. Maryland Virginia. Wosth Carolina.	South Carolina Georgia Driorda Onio Indiana	Illimois. Wiscousin Wiscouri Kentucky Temnossee	Alabama. Louisiana. Louisianas. Arkanssa.	Timited Chates

¹ Based upon farm price Dec. 1.

Table 112.—Tobacco: Acreage, production, and farm value, by types and districts, 1915 and 1916.

· Type and district.		eage sands res).	Yield per acre (pounds).		(thou	iction sands inds).	farm per p De	rage price ound c. 1 its).	Total farm value (tl.ou- sands of dollars).1	
	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915
I. CIGAR TYPES.										i
New England New York Pennsylvania Ghio-Mami Valley Wisconsin Georgia and Florida.	29. 7 3. 7 36. 1 60. 0 43. 9 3. 8	4. 4 31. 4 60 3 41. 0	1,270	1,200 1,350 900 900	4,551 49,096 58,200 55,753	42,390 54,270 36,900	26. 2 13. 0 14. 2 12. 0 12. 5 29. 0	9. 5 9. 2 9. 0 6. 0	6,972 6,984 6,960	502 3,900 4,881
II. CHEWING, SMOKING, SNUFF, AND EXPORT TYPES.										
Burley district	265. 0	244. 2	970	890	257,050	217, 338	15. 5	9.5	39, 843	20,647
nessee: Paducah district. Henderson or stemming district. One-Sucker district. Clarksville and Hopkinsville dis-	100. 0 107. 0 48. 0	95.0	780 890 870	730 760 780	95, 230	67, 963 70, 680 29, 952	9.8 10.0 10.0	6.0	7,644 9,523 4,176	4,078 4,240 1,647
trict. Virginia sun-cured district. Virginia dark district. Bright vellow district:	125. 0 12. 0 65. 6		790 690 820	750 850 840		10,200	10. 8 14. 0 10. 4	8.0	10, 665 1, 159 5, 594	816
Old belt—Virginia and North Caro- lina New belt—Eastern North Carolina	240. 0	255. 0	570	640	136, 800	163, 200	18. 9	10. 5	25, 855	17, 136
and South Carolina Maryland and eastern Ohio export Perique-Louisiana Scattering	230. 0 30. 0 . 2 11. 8		550 780 450	620 760 420	23,400		28.0	10. 6 8. 5 30. 0	25	15, 773 1, 544 38 1, 017

¹ Based upon farm price Dec. 1

Table 113.—Tobacco: Wholesale price per pound, 1912-1916.

	1 1 1 ,											
Date.	Cincumati, leaf, plug, stock, common to good red.		com	nsville, af, mon ine.	leaf (E dark com	sville, Burley, red), mon ood.	Clarksville, leaf, common to fine.		Richmond, leaf, smokers, common to good.3		Baltimore, leaf (Maryland), medium to fine red.	
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1912. JanJune July-Dec	Cents. 6.00 5.00	Cents. 13.00 14.00	Cents. 8.00 9.00	Cents. 16.00 16.00	Cents. 7. 50 7. 00	Cents. 12.00 13.00	Cents. 9. 50 9. 50	Cents. 15. 00 15. 00	Cents. 6.00 6.00	Cents. 12. 00 12. 00	Cents. 8. 50 8. 50	Cents. 13.00 15.00
1913. JanJune July-Dec	5. 50 5. 50	13. 75 13. 75	1 7. 00 1 8. 75	14.00 14.00	7. 00 9. 00	14. 00 16. 00	9. 00 8. 50	14. 00 15. 00	6. 00 7. 00	16.00 16.00	8. 50 8. 50	15. 00 15. 00
1914. JanJune July-Dec	5. 50 5. 50	14.00 13.00	1 8. 00 1 7. 50	14. 00 14. 00	9. 00 9. 00	16.00 16.00	9. 50 7. 50	16. 00 16. 00	7. 00 7. 00	20. 00 20. 00	8. 50 8. 00	15. 00 15. 00
1915. January February March April May June	6.00 6.00 6.00 6.00 6.00 6.00	13. 00 13. 00 13. 00 13. 00 13. 00 13. 00	2 4. 00 5. 00 5. 00 5. 50 5. 50 5. 50	12. 50 12. 50 12. 00 12. 25 11. 50 10. 50	9. 00 9. 00 9. 00 8. 00 8. 00 8. 00	14.00 14.00 14.00 14.00 14.00 14.00	6.00 6.00 6.00 6.00 6.00 6.00	13. 00 13. 00 13. 00 12. 00 12. 00 12. 00	7. 00 7. 00 7. 00 7. 00 7. 00 7. 00	20. 00 20. 00 20. 00 20. 00 20. 00 20. 00	8. 00 8. 00 8. 00 8. 00 8. 00 8. 00	13.00 13.00 13.00 13.00 13.00 13.00
JanJune	6. 00	13.00	4,00	12. 50	8. 00	14.00	6.00	13.00	7.00	20.00	8.00	13.00

Common to good, February to November, inclusive.
 All grades, January to November, inclusive.
 Brights, smokers, common to fine 1913 to 1916, inclusive.

TOBACCO-Continued.

Table 113.—Tobacco: Wholesale price per pound, 1912-1916—Continued.

Date.	Cincinnati, leaf, plug, stock, common to good red.		le	nsville, af, mon ine.	leaf (1 dark com	Louisville, leaf (Burley, dark red), common to good.		Clarksville, leaf, common to fine.		Richmond, leaf, smokers, common to good.2		more, af land), um to red.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1915. July August September Gctober November December	Cents. 6. 00 6. 00 5. 00 5. 00 5. 00 5. 00	Cents. 13. 00 13. 00 13. 00 13. 00 13. 00 13. 00	Cents.		Cents. 10 00 10.00 10.00 10.00 10.00 10.00	Cents. 15. 00 15. 00 15. 00 15. 00 15. 00 15. 00	Cents. 6.00 6.00	Cents. 12.00 12.00 13.00	Cents. 7.00 7.00 7.60 7.00 7.00 7.00	Ccnts. 20, 00 20, 00 20, 00 20, 00 20, 00 20, 00	Cents. 8.00 8.00 8.00 8.00 9.00	Cen*s. 14.00 14.00 14.00 14.00 14.60 14.60
July-Dec	5. 00	13. 00	5. 50	10.00	10.00	15.00	6.00	13.00	7.00	20.00	8.00	14.00
1916. January February March April May June JanJune	5. 00 5. 00 5. 00 5. 00 5. 00 7. 50 5 00	14. 00 14. 00 14. 00 14. 00 16. 00 16. 00 16. 00	5. 09 5. 50 5. 00 6. 00 7. 00 5. 00	10. 25 10. 50 11. 75 11. 75 14. 00	10. 00 10. 00 10. 00 10. 00 11. 00 11. 00	15. 00 15. 00 15. 00 16. 00 16. 00 16. 00 18. 00	1 7. 50 4. 50 4. 50 4. 50 4. 50 4. 50 4. 50	13. 00 13. 00 10. 00 10. 00 12. 00 12. 00 13. 00	7. 00 7. 00 7. 00 9. 00 9. 00 9. 00 7. 00	20. 00 20. 00 20. 60 18. 00 18. 00 20. 00	9. 00 9. 00 9. 00 9. 00 9. 00 9. 50	14. 00 14. 00 14. 00 14. 00 15. 00 16. 00
July August September Octor November December	7. 50 9. 00 9. 00 9. 00 9. 00 9. 00	17. 00 17. 00 17. 00 17. 00 17. 00 17. 00 17. 00	7. 50 9. 50	14. 00	11. 00 11. 00 11. 00 11. 00 11. 00 11. 00	16. 00 16. 00 16. 00 16. 00 16. 00 19. 00	4. 50 4. 50 4. 50	12.00 10.00 10.00	9. 00 9. 00 9. 00 9. 00 9. 00 9. 00	18. 00 18. 00 18. 00 18. 00 18. 00 18. 00	11.00 13.03 16.00 17.00 17.00 17.00	17. 00 19. 00 21. 00 21. 00 21. 00 21. 00
July-Dec	7. 50	17. 00	7.50	14.50	11. 00	19 00	4. 50	12.00	9.00	18.00	11.00	21. 00

Table 114.—Tobacco (unmanufactured): International trade, calendar years 1913-1915. [Tobacco comprises leaf, stems, strippings, and tombac, but not snuff. See "General note," Table 10.7 EXPORTS. [000 omitted.]

Country.	1913	1914 (prelim.).	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (prelim.)
Aden 1 Algeria Austria-Hungary Brazil British India Bulearia Ceylon Cuba Dominican Repub- lic Dutch East Indies.	19, 247 64, 788 35, 843 23, 578	Pounds. 7,047 10,356 59,481 23,349 4,821 36,868 8,169 145,268	Pounds. 14, 282 59, 735 32, 877 3,118 38, 799 13, 747	Greece. Mexico. Netherlands. Paraguay Persia 3 Philippine Islands. Russia. United States. Other countries.	3,593	Pounds. 21,876 3,663 9,993 1,493 29,533 9,955 347,295 -46,462 765,629	Pounds. 20, 347 7, 053 15, 782 24, 663 6, 139 435, 895
			IMPO	ORTS.			
Aden¹ Argentina. Australia. Austria-Hungary Belgium	17, 917 15, 805 48, 174	9,822 17,040 10,688	17,644	Italy. Netherlands. Norway Portugal Nigeria	56, 160 65, 913 4, 044 7, 013 2 6, 602	41,425 59,708 4,645 7,662	36, 693 58, 592 4, 591

Aden¹ Argentina Australia Austria-Hungary Belgium	17, 917 15, 805 48, 174 21, 597		17,644	Italy. Netherlands. Norway. Portugal Nigeria.	4,044	41, 425 59, 708 4, 645 7, 662	36, 693 58, 592 4, 591
British India. Canada China Denmark Egypt Finland France Germany.	7,048 21,958 21,545 10,407 19,613 9,450	16, 934 15, 781 17, 077 10, 674 61, 349	5, 315 18, 245 10, 230 15, 472 13, 719 51, 425	Spain Sweden Switzerland United Kingdom United States Other countries Total	60, 279 10, 319 18, 470 158, 668	35, 677 9, 383 22, 300 154, 437 57, 407 41, 245 599, 168	17,630 190,606 41,304

 ¹ Common to good throughout 1916.
 2 Brights, smokers, common to fine, 1913 to 1916, inclusive.

³ Year beginning Mar. 21.

APPLES.

Table 115.—Apples: Production, and prices Dec. 1, by States, 1910-1916.

State.	P	roduet	ion, be	rrels o mitted	f 3 bus	heis (0	00		Fari	n pri	ce pe ents		shel	-
2.4.0.	1910	1911	1912	1913	1914	1915	1916	1910	1911	1912	1913	1914	1915	1916
Maine. New Hampshire. Vermont Massachusetts. R hode Island.	1,183 600 900 967 100	533 750	733 867 1,100	267 233 767	667 1,067	720 353 324 885 59	532 1,104 1,150	80 80 92 90 89	55 79 78 89 62	50 55 79 76 82	134	65	89 90 94 90 108	75 90 90 90 107
Connecticut New Yor New Jersey Cenusylvania Delaware	5,667 5,667 557 3,867 117	1,033	14,667 507 4,233	700	833 16,533 1,133 7,700 167	777		80 100 78 75	70 59 60 54 85	75 50 72 70 82	94 95 85 89 117	45 55 50	97 78 80 71 70	100 73 100 80 100
Maryland Virgino We i delica North Carolina South Carolina	900 4,033 2,367 2,400 247	2,600	3,433	333	1,167 5,100 4,133 3,000 267	2,513	848 4,433 3,344 2,358 196	65 80 78 98 100	52 74 71 88 126	60 60 55 75 100	100 86 130 95 145		63 63 64 75 117	78 76 80
Georgia Ohio Indiana Illinois Michigan	1,967 1,633 267 1,400	$\begin{bmatrix} 2,967 \\ 3,533 \end{bmatrix}$	1,400 1,933	2,200 2,733	667 4,433 1,433 1,233 5,733	625 5,984 3,883 4,716 3,150	1,307 1,616	105 93 90 115 102	118 54 68 68 70	101 67 84 79 50	108 110 88 94 82	80 63 70 84 49	90 55 5 3 47 7 4	100 120
Wisconsin, Minnesota, Iowa, Missouri, South Dakota,	133 50 67 2,533 10	433 3,167	233 500 6,400	1,333 600 2,367 2,633 107	733 233 533 4,167 67	1,473 412 3,220 6,287 100	878 422 1,575 2,700 116	112 162 130 85 150	93 102 81 70 114	88 98 101 53 104	95 105 112 93 145	90 90 97 71 117	75 102 · 70 51 115	145 145 105
Nebraska Kansas Kentuelty Tennessee Alabama	467 2,200 1,767 1,733 333	1,200 800 2,033 967 233	2,233 $3,200$	767 900 2,300 1,300 300	400 1,033 3,000 2,867 533	1,267 2,125 4,170 2,025 532	567 1,040 2,147 1,772 380	98 78 100 92 90	83 100 92 104 130	88 71 85 81 100	108 110 92 106 115	96 95 78 75 94	66 76 69 81 95	140 130 113 107 140
Mississippi Texas Oklahoma Artanas Vonsta	110 133 400 900 140	80 67 350 1,000 300	567 1,700	123 100 367 1,333 280	167 167 500 1,667 300	141 187 780 1,183 347	116 156 275 1,018 256	125 130 107 105 120		106 115 92 92 103	112 130 122 102 142	95 108 90 83 76	105 100 94 70 70	120 135 145 100 110
Wyoming Colorado New Mexico Arizona Utah	500 113 53 137	7 900 227 37 153	250 43	1,100 217 30 203	1,500 300 32 267	693 273 40 142	46	115 140 191 130	119 195	80 120 204 89	150 108 128 217 96	138 70 98 186 63	145 70 87 170 95	180 94 160 182 160
Nevada Idaho Washington, Oregon California	53 417 1,933 1,267 1,533	500	2,567 1,367	53 467 2,300 1,167 1,000	67 567 2,767 1,200 2,000	1,043	16 147 3,225 1,285 1,918	145 99 80 100 82	151 112 118 111 92	124 85 70 69 90	132 98 93 85 117	125 78 64 81 76	135 85 80 75 85	175 114 80 85 98
United States	47, 213	71,340	78, 407	48,470	84, 400	76, 670	67,415	89.6	72.1	66.3	98.1	59.4	69.0	91.8

APPLES—Continued.

Table 116.—Approximate relative production of principal varieties of apples, expressed as percentages of a normal crop of all apples.

Variety.	United States.	Maine.	New York.	Pennsylvania.	Virginia.	West Virginia.	Ohio.	Michigan.	Illinois.	Missouri.	Kentucky.	Arkansas.	Washington.	Oregon.	California.
Arkansas (Mammoth Black Twig) Arkansas Black Baldwin Ben Davis Early Harvest	P. ct. 0. 7 . 9 13, 4 13. 3	34. 5	P. ci.	0.3 .2 17.8	3.1 .7 2.8	0.7 .8 5.8	0.6 .1 15.1	0.0	.9 2.7	1.5	0.9 3.0 2.9	3.0	0.3 2.3 7.8	P. ct.	P. ct. 0.3 1.0 3.2 3.9
(Prince's Harvest)Fall PippinFameuse (Snow)GanoGolden RussetGravenstein.	2. S 1. 7 1. 3 1. 6 1. 4 1. 1	3. 5 3. 3	.9 1.7 2.4 .2 2.0 .9		4.7 1.8 .1 .6 .3	3.9 1.5 .0 1.6 1.6	1.3	1.8 1.6 3.0 3.7	1.1 1.5 3.8	6.5 .3	6.4 2.4 .0 .2 1.0	.1	.8 .8 .8 .8 .3	1. 0 7. 3	$.0 \\ .2 \\ .1$
Grimes (Grimes Golden) Horse (Vellow Horse) Josephan	2.2 .9 3.6	. 2	.1	2. 6 1. 4	2.6 1.0 1.0	4.6 .0 1.7	5.0 .0 1.8	1. 2 . 0 2. 2	.2	3.6 .5 10.4	2.6 2.1 2.5	2. 1 1. 5 3. 7	1.6 13.8	.4 .1 4.4	.1
Limbertwig) McIntosh (McIntosh	1.6	.0 3.7	.0 1.6		2.5 .1	.8	.3	.3	.6	1.5 .1	4.0	5.8		. 2	.3
Red). Maiden Blush Missouri (Missouri Pip-	2.0	.3	1.0	3.0	1.5	2. 5	4.5	2.6	2.3	2.8	4.5	1.0	.3	.2	. 4
pin)	.8 6.1	7.1		.0 11.4	.2 .8	.1 4.2	7. 7	17.9		3.0 1.1	. 5 1. 4	1. 4 . 5	. 5 3. 8	7.4	.9 .6
Olderhilm Thishese	.9	.3	. 9	.4	.0	. 4	.6	1.9			. 4		1.0	. 1	.2
Red Astrachan Red June (Carolina	1.9 1.9	2. 9 3. 9	2. 2 2. 1	1.1 3.5	.8	2. 1	1.0 2.7	5. 0 2. 8	1.7	.8	.1	5	1.1 1.7	2. 2	3.3
Red June)	1.6		.7	.3	1.8	1.3	.2	.0	1.2	1.9	4.3	2. 7	1.3	1.3	1.4
ing (Greening) Rome Beauty Stayman Winesap Tolman (Talman	4.7 3.1 1.5	4.1 .1 .6	14. S . 3 . 1	5. 5 2. 1 1. 8	.3 1.2 5.3	1. 4 18. 7 1. 9	5.7 10.8 1.3	5. 4 . 2 . 1	.8 3.8 .5	.3 1.7 1.8	. 2 9. 6 1. 9	. 6 1. 8 1. 7	2. 2 12. 2 2. 7	2. 6 5. 6 1. 8	2.7 2.4 .9
Sweet) Tompkins King	1.0	2. 6	2.1	1.1	.1	. 4	.5	2. 4	.3	.2	.3		.9		.0
(King of Tompkins Co.). Wealthy White Pearmain	1. 4 2. 2	2. 4 5. 4	4.1 1.8	1.5 1.2	.0	. 5 1. 1	. 6 1. 2	2. 1 3. 7	.1 1.6	.1 1.3	.0	·i	2.7 1.5	5. 1 1. 1	1.1
(White Winter Pearmain). Winesap Wolf River. Yellow Bellflower Yellow Newtown (Al- bemarle; Newtown	.5 5.1 .9 1.4	.5 1.4 1.7	.1 .1 .3 .3	.0 1.8 .3 2.3	20.7 .2 .2	1.8 .6 1.5	.1 1.8 .5 1.3	.0 .4 1.5 1.2	5.6 .4	.7	.3 14.0 .3 .6	8. 4 1	.6 7.1 .8 1.9	. 5 2. 9 1. 7 3. 4	7.5 1.4 .1 18.6
Pinnin Yellow Transparet York Imperial (John-	1.6 1.5	.0 1.1	.2	.6 1.7	7.0 1.5	.3 3.2	. 4 2. 1	.3 1.4	.2 2.1	. 1 1. 1	. 2 3. 2	4	2.9 1.5	11.3 1.6	28. 7 . 2
son Fine Winter) Other varieties	2. 1 10. 4	7.0	.1 8.9	7.5 12.8		5. 0 13. 4	1.3 10.1	.3 11.0	.8 7.4	1.1 8.2	. 1 12. 5	. 1 8. 2	. 2 12. 5	. 9 15. 5	8. 2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note.—In important apple-producing States not included in table, the principal varieties and their respective percentages of all contesting a respective percentages and their respec

PEACHES.

Table 117.—Peaches: Production, and prices Sept. 15, by States, 1910-1916.

	I	roduc	tion, b	ushels	(000 01	nitted).	F	`arm	price j	per bu	ishel (cents).
State.	1910	1911	1912	1913	1914	1915	1916	1910	1911	1912	1913	1914	1915	1916
New Hampshire Massechusetts Hibdal, "i Connecticut New York	56 68 18 291 1,762	22 249	128	44 105 29 263 1,742	3 31 14 142 530	58 152 29 325 2,106	134	137	275 200 142	221	190 180 175 147 140	180 170 175 160	150 120 103 96 90	200 226 148 190 140
New Jersey	810 1,533 810 1,080 1,075	249 492	660 521 672	483 922 312 480 312	1,541 608	$\begin{bmatrix} 2,044\\ 842\\ 1,248 \end{bmatrix}$	1,069 346 600	137 91	175 180 138 138	150 140	180 125 105	95	39 35	150 150
West Virginia North Carolina South Carolina Georgia Florida.	598 1,955 1,204 5,395 178	230 437 649 2,145 126	6,175	132 598 405 1,950 112	1,166	1,955 864	897 545				210 120 125 130	105 95 110 100 100	75 90 100 100 75	150 138 105 155 200
Ohio Indiana Illinois Michigan Towa	1,239 703 140 1,215 16	1,735 1,147 2,310 2,228 240	185 82		1,755	2,448 648 874 2,360 112	888 780 2,010	137 165	140 118 84 111 152	144 169 146 165 133	115	140 110 105 140 135	120 110	155 135 150 124 200
Missouri Nebraska Kansas Kentucky Tennessee	1,440 150 2,432 770 1,440	2,700 36 851 770 360	240 2,016 1,210	4,320 210 875 1,430 1,140	192 1,760 1,980	120 2,442 1,320	30 150 880	133	98 125 124 109 125		93 150 150 90 110	90 150 120 75 · 78	85 140 100 95 80	105 225 180 110 95
Alabama. Mississippi. Louisiana Texas Oklahoma.	1,980 1,340 488 3,400 1,460	840 460 190 1,204 656	1,800 693 4,140	1,020 460	2,310 1,440 356 1,196 220	2,640 1,540 456 4,081 2,408	975 567 2,860	85 98 100 106 95	100 121 83 148 128	100 96 150 97 68	100 98 110 120 120	100 85 100 140 130	90 83 88 87 57	100 88 75 100 120
Arkansas	2,000 346 50 42 195	2,346 363 86 51 208		3,120 360 52 57 284	3,180 1,025 106 60 380	5,940 650 154 60 212	405 40	100 180 128	107 175 85 225 183	78 100 137 215 106	90 124 150 200 115	87 60 130 175 71	63 125 65 95	87 125 170 200 125
Nevada. Idaho. Washington. Oregon. California	2 60 348 317 9,765	10 81 320 190 7,412	292	92 446 311 7,150	9 120 486 387 10,387	566 432	415 276	137	154 106 174 111	134 76 133 94	120 110 130 182	100 96 110 80	84	165 96 100 80
United States	48, 171	34,880	52,343	39, 707	54,109	64,097	36,939	107.9	122. 1	102. 0	131. 6	97. 7	80.0	114.0

HOPS.

Table 118.—Hops: Area and production of undermentioned countries, 1913-1915.

Court		Атеа.		Production.					
Country.	1913	1914	1915	1913	1914	1915			
NORTH AMERICA. United States 1		A cres. (2) (2)	A cr+8. (2) (2)	Pounds. 62,898,718 \$1,208,450 64,107,168	Pounds. 43,415,352 (2)	Pounds. 59,320,295			

¹ Commercial movement for years beginning July 1. ² No official statistics. ³ Census of 1910.

HOPS-Continued.

Table 118.—Hops: Area and production of undermentioned countries, 1913-1915—Con.

		Area.	,	Production.					
Country.	1913	1914	1915	1913	1914	1915			
EUROPE.									
Austria-Hungary: Austria Hungary CrounSlavon:	Acres. 50, 149 5, 444 751	Acres. 145,664 (2) (2)	A cres. (2) (2)	Pounds. 19,102,859 4,623,928 292,991	Pounds. 136, 252, 442 (2) (2)	Pounds. 17,857,269 2,755,750			
Total	56,344		(2)	24,019,778					
Belgium France Germany Russia United Kingdom: England	5, 943 7, 292 66, 836 (²) 35, 676	6,140 6,748 68,410 (2) 36,661	(2) 6,511 58,654 (2) 34,744	7,395,331 8,028,492 23,408,222 16,973,016 28,631,792	7,560,000 7,034,438 51,227,408 14,083,992 56,812,896	(2) 5,363,139 32,106,251 (2) 28,516,208			
Total				108, 456, 631	172, 971, 176				
AUSTRALASIA.									
Australia: Victoria South Australia Tasmania	131 5 1,247	117 3 1,353	(2) (2) (2)	155,344 2,240 1,920,576	107,632 4,480 1,554,560	(2) (2) (2)			
Total	1,383	1,473	(2)	2,078,160	1,666,672				
Grand total				174,641,959					

¹ Galicia and Bukowina not included.

Table 119.—Hops: Total production of countries named in Table 118, 1895-1915.

Year.	Production.	Year.	Production.	Year.	Production.
1895 1898 1897 1898 1898 1809 1000	168, 509, 000 189, 219, 000 166, 100, 000 231, 563, 000 174, 683, 000	1902	174,457,000 178,802,000 277,260,000 180,998,000 215,923,000	1909	188, 951, 000 163, 810, 000 224, 493, 000 174, 642, 000

Table 120.—Hops: Wholesale price per pound, 1912-1916.

	New York.		Cincinnati.		Chicago.		San Francisco.						
Date.	Choi Stat		Prime.1		Pacific coast, good to choice.		Sacramento Valley, choice.		Willamette Valley, choice.2		Eastern Washing- ton, schoice.		
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	
JanJune July-Dec	Cts. 37 22	Cts. 56 42	Cts. 41 22½	Cts. 49 34	Cts. 40 20	Cts. 50 30	Cts. 40 17	Cts. 50 20½	Cts. 38 18½	Cts. 50 21	Cts. 36 18½	Cts. 50 21	
JanJune July-Dec	17 17	32 48	18 18	23 32	15 17	24 31	18 18	20 28	19 18	21 30	19 19	21 30	
JanJune July-Dec	36 23	48 50	21 13½	27 1 22	18 13	27 22	16 10	28 19	16 11	30 20	16 10	30 20	

² No official statistics.

¹ Choice 1912-1913. 2 1912 quotations are for all grades. Called "Oregon" hops in 1916. 3 Called "Washington" hops in 1916.

HOPS-Continued.

Table 120.—Hops: Wholesale price per pound, 1912-1916—Continued.

	New	York.	Cinci	nnati.	Chic	ago.			San Fr	ancisco).	
Date.		oice ate.	Pri	me.	coast.	nfic cood loice.	Val	nento ley,	Val	mette ley, ice.1	Eastern Washing- ton, ² choice.	
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1915. January. February March April May June	Cts. 21 16 16 15 13 13	Cts. 25 23 17 17 15 14	Cts. 17 16½ 17 17 17 17	Cts. 17 16½ 17 17 17 17	Cts. 12 12 12 12 12 11 10	Cts 15 16 16 18 15 13	Cts. 111 111 13 13 9 9 9	Cts. 12½ 14 15 15 10 10	Cts. 12 12 14 10 10 10	Cts. 13 15 16 16 11 11	Cts. 11 11 13 10 10 10	Cts. 12 14 15 15 11 11 11
JanJune	13	25	16	17	10	18	9	15	10	16	10	15
July August September October November December	13 13 13 28 28 28 26	14 14 30 30 30 30 30	16 16 16 15 15 15 16	16 16 16 151 152 16	10 12 12 12 12 12 12	14 16 16 15 16 16	9 11½ 13 9 8 7½	3 12 14 14 14 14 11 11	10 11½ 15 11 11 11	12½ 16 16 16 16 13 13	10 11 14 10 10 10	5 13 15 15 13 13
July-Dec	13	30	15½	16	10	16	$7\frac{1}{2}$	14	10	16	10	15
1916. January February March April May June	24 24 22 19 18 20	27 25 23 23 23 20 22		•••••	14 14 15 15 14 14	16 16 17 17 16 16	7½ 8 8 8 8 8	11 11 11 11 11 11	9 10 10 10 10 10	12½ 12½ 12½ 12½ 12½ 12½	9 10 10 10 10 10	12 <u>1</u> 12 <u>1</u> 12 <u>1</u> 12 <u>1</u> 12 <u>1</u> 12 <u>1</u>
JanJune	18	27			14	17	71/2	11	9	12½	9	122
July August September October November December	16 15 3 28 3 53 49 47	21 18 55 55 55 53 50			14 13 12 14 11 10	16 15 14 18 17 16	8 8 8 13 10 10	11 11 14 14 14 14	10 10 7 13 9	12½ 12½ 14 14 14 11 11	10 10 8 12 8 7	12½ 12½ 13 13 14 14
July-Dec	15	55		•••••	10	18	8	14	7	14	8	13

¹ Called "Oregon" hops in 1916.

Table 121.—Hops: International trade, calendar years 1913-1915.

[Lupulin and hopfenmehl (hop meal) are not included with hops in the data shown. See "General note," Table 10.]

EXPORTS. [000 omitted.]

			•	• •			
Country.	1913	1914 (prelim.).	1915 (prelim.).	Country.	1913	1914 (p r elim.).	1915 (prelim.)
Austria-Hungary Belgum France General Section 18	Pounds. 15,306 5,908 340 14,299 2,704 498	Pounds. 212 1,301 389	Pounds. 1,259 486	Russia United Kingdom United States. Other countries Total	Pounds. 3,873 1,263 25,701 306 70,198	Pounds. 254 1,117 11,056 44 14,373	Pound : 286 928 20,865
			IMPC	ORTS.			
Austrolia Au. (14.1)ungary (6.1/4.17) Egyts - India 13 Usu South Africa Canada Denmark France	162	1,058 118 442 1,613	141 458 955	Netherlands. Russia. Sweden Switzerland United Kingdom. United States Other countries.	4,085 1,165 1,018 1,125 27,562 7,313 4,929	3,287 235 1,428 1,420 9,362 7,483 3,147	967 22, 327 6, 767
Germany	5,541	2,000	102	Total	70, 149	31,951	

² Called "Washington" hops in 1916.

⁸ New crop.

BEANS.

Table 122.—Beans: Area and production of undermentioned countries, 1913–1915.

~		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA.	Acres.	Aeres.	Acres.	Bushels.	Bushels.	Bushels.
United States	1 80; , 000	(2)	(2)	111, 251, 000	(2)	(2)
Canada: Nova Scotia New Brunswick Quebec. Ontario British Columbia.	1,000 (3) 5,000 40,000 (3)	1,000 (3) 5,000 38,000 (4)	1,000 (3) 5,000 37,000	22,000 4,000 97,000 670,000 8,000	18,000 6,000 89,000 684,000	15,000 6,000 103,000 600,000
Total Canada	47,000	44,000	43,000	801,000	797,000	703,000
SOUTH AMERICA.						
Argentina	65,000 83,000	72,000 76,000	(2) (2)	1,551,000	1,377,000	(2) 1,876,000
EUROPE.						
Austria-Hungary: Austria 4 Hungary 6 Do 7 Croatia-Slavonia 6 Do 7	664,000 28,000 1,471,000 24,000 411,000	5 265,000 (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	8,725,000 393,000 7,865,000 337,000 1,760,000	5 4,989,000 (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Total Austria-Hungary	2,598,000			19,080,000		
Belgium ⁸ . Bulgaria ⁸ . Denmark ⁴ France Italy Luxemburg Netherlands Roumania ⁶ Do ⁷ .	20,000 212,000 \$ 10,000 583,000 2,838,000 60,000 108,000 1,366,000	(2) (2) (2) (2) 547,000 2,705,000 (2) 59,000 161,000 1,409,000	(2) (2) 7,000 (2) 2,702,000 (2) 58,000 186,000 1,455,000	514,000 2,482,000 255,000 10,235,000 61,000 1,821,000 1,303,000 4,454,000	(2) (2) 211,000 9,354,000 16,997,000 (2) 1,946,000 2,122,000 3,666,000	(2) (2) 192,000 24,629,000 (2) (2) 1,793,000 3,573,000
Russia: 9 Russia proper Poland Northern Caucasia	1,111,000 25,000 6,000	1,175,000 (2) 9,000	1,157,000 (2) (2)	12,199,000 439,000 79,000	8,482,000 (2) 94,000	8,304,000 (2) (2)
Total European Russia.	1,142,000			12,717,000		
Serbia Spain Sweden	(2) 1,139,000 5,000	1,149,000 6,000	1,194,000 (2)	(2) 11,737,000 164,000	12,527,000 75,000	13,217,000 148,000
United Kingdom: England Wales Scotland Ireland	258,000 1,000 6,000 1,000	283,000 1,000 6,000 1,000	257,000 1,000 5,000 1,000	7,517,000 31,000 230,000 64,000	8,907,000 36,000 243,000 57,000	7,353,000 29,000 201,000 42,000
Total United Kingdom	266,000	291,000	264,000	7,842,000	9, 243, 000	7,625,000
ASIA.			·			
India: British 4 Native States	11,707,000 3,522,000	8,950,000 (2)	13, 757, 000 (²)	10 124 ,09 6 ,000	1069,888,000 (2)	10141,755,000 (2)
Total India	15, 229, 000					
Japan. Formosa ⁴ Russia (9 governments)	1,618,000 86,000 3,000	1,570,000 92,000 3,000	(2) (2) (2) (2)	20,906,000 703,000 18,000	25,927,000 681,000 36,000	(2) (2) (2) (2)
AFRICA.						
AlgeriaEgypt	(2) 496,000	(2) 445,000	647,000	(2) (2)	(2) (2)	(2) (2)

¹ Census for 1909. ² No official statistics. ² Less than 500 acres. ² Includes other pulse.

<sup>Galicia and Bukowina not included.
Grown alone.
Grown with corn.
1912 figures.</sup>

⁹ Includes lentils. 10 Incomplete.

BEANS—Continued.

Table 122.—Beans: Area and production of undermentioned countries, 1913-1915—Con.

		Area.	9.00	Troduction.				
Country.	1913	1914	1915	1913	1914	1915		
AUSTRALASIA.	1							
Australia: 1 Queensland New South Wales Victoria South Australia Western Australia Tasmania	Acres. (2) (2) (12,000 9,000 1,000 17,000	A cres. (2) (2) 13,000 9,000 2,000 15,000	Acres. (2) (2) (2) 10,000 2,000 (3)	Pounds. 2,000 16,000 240,000 134,000 8,000 476,000	Pounds. 1,000 10,000 234,000 112,000 7,000 201,000	Pounds. (3) (2) (3) 17,000 6,000		
Total Australia	40,000	39,000		876,000	668,000			

¹ Includes peas.

Table 123.—Beans: Wholesule price per bushel, 1912-1916.

	The process pr							
	Bo:	lon.	Chie	cago.	Del	roit.	San Fr	ancisco.
Date.	Pe	ea.	Pe	ea.	P	ea.	Small (per 10	white 00 lbs.).
	Low.	High.	Low.	High.	Low.	High.	Low.	High.
JanJune. July-Dec.	Doll's 2. 55 2. 55	Dolls. 3.05 3.10	Dolls. 2 35 1.90	Doll: 2.98 3.20	Doll's, 2, 32 2, 15	Doll: 2.70 2.70	Dolls. 4 00 4.00	Dolls. 4.75 4.80
JanJune	2 35 2.15	2.60 2.40	1.25 1.15	2. 50 2. 25	1.80 1.75	2 20 2.05	4.50 4.50	5.85 5.85
JanJune	2.10 2.15	2.35 3.10	1.60 1.95	2.30 3.10	1.80 1.85	2.10 2.90	4.75 4.00	5.50 6.00
January. February March. April May. June	3.30 3.15 3.10 3.20	3 25 3.50 3.40 3.30 3.30 3.30	2. 40 3. 00 3. 00 2. 80 2. 90 2. 95	3. 25 3. 50 3. 50 3. 25 3. 25 3. 25	2. 70 3 00 2. 85 2. 15 3. 00 2. 90	3.05	4 50 5. 50 5. 50 5. 50 5. 50 4. 85	5, 50 5, 70 5, 70 5, 70 5, 70 5, 70
JanJune	2.95	3.50	2.40	3.50	2.70	3.10	4.50	5.70
July August September October November December.	3. 00 2. 85 3. 20 3. 10 3. 75 3. 95	3.15 3.15 3.30 3.90 4.10 4.10	2. 62 2. 62 2. 62 2. 75 3. 25 3. 70	3. 25 3 00 3. 25 4. 00 4. 10 4. 10	2,65 2 60 2,95 3,15 3 30 3,55	2.90 3.00 3.10 3.50 3.60 3.60	4.85 4.50 4.50 4.60 5.50 6.10	4.85 4.85 4.60 5.50 6.15 6.40
July-Dec	2.85	4.10	2.62	4.10	2.60	3.60	4.50	6.40
January. February March April May June	3. 95 3. 90 3. 80 3. 80 3. 80 4. 00	4.10 4.10 4.00 4.10 4.35 5.85	3.85 3.55 3.45 3.00 3.50 3.75	4.15 4.15 4.60 4.60 4.25 8.00	3.55 3.60 3.50 3.65 3.80 4.10	3.70 3.70 3.65 3.75 4.10 6.00	6. 35 6. 35 6. 35 6. 25 6. 65 7. 25	6.40 6.40 6.40 6.65 7.25 11.50
JanJune	3.80	5.85	3.00	8.00	3.50	6.00	6.25	11.50
July August September October November December	5. 00 4. 50 4. 50 4. 50 6. 75 6. 50	6.50 6.00 5.75 6.75 7.25 7.25	5. 00 5. 00 5. 00 5. 40 6. 50 6. 40	8. 00 7. 00 6. 25 6. 25 7. 50 7 50	5. 50 5. 50 4. 90 4. 90 6. 00 5. 75	7.00 5.75 5.75 6.50 6.75 6.40	10.00 7.50 8.00 7.50 9.50 10.50	11.00 10.00 8.50 9.50 10.50 10.50
July-Dec	4.50	7.25	5.00	8.00	4.90	7.00	7.50	11.00

² Less than 500 acres.

No official stati ties.

PEAS.

Table 124.—Peas: Area and production of undermentioned countries, 1913-1915.

		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA. United States	A cres. 1 1,305,000	Acres.	Acres.	Bushels. 17,129,000	Bushels.	Bushels.
Canada: Prince Edward Island Nova Scotia. New Brunswick. Quebec. Ontario Manitoba Saskatchewan. Alberta	(3) (5) 1,000 26,000 190,000 (3) (3) (3)	(3) (3) (3) 24,000 179,000 (3) (5) (5)	(3) (3) (3) (24,000 169,000 (3) (3) (3)	2,000 7,000 11,000 451,000 3,431,000 7,000 8,000 35,000	3,000 4,000 10,000 432,000 2,864,000	1,000 3,000 7,000 404,000 3,007,000
Alberta British Columbia.	1,000	1,000	1,000		8,000 41,000	9,000 39,000
Total Canada	219,000	206,000	196,000	3,952,000	3,362,000	3,479,000
SOUTH AMERICA.	35,000	27,000	(2)	501,000	373,000	(2)
EUROPE.	=======================================	27,000		501,000	=======================================	(+)
Austria. Hun rr ' ' roalr'. o. 6 Belgium France 6. Ltaly ' Luxemburg 6. Netherlands. Roumania 6	(4) 30,000 10,000 7 12,000 66,000 (2) 2,000 68,000 61,000	(5) (2) (2) (2) 61,000 (2) (2) (55,000 56,000	(5) (2) (2) (2) (2) (2) (2) (2) (2) (45,000	(5) 426,000 117,000 7 400,000 1,178,000 4,167,000 28,000 1,488,000 1,076,000	(3) (2) (2) (2) (2) 1,116,000 3,698,000 (2) 1,871,000 869,000	(5) (2) (2) (2) (2) (3),020,000 (2) (2) (755,000
Russia: Russia proper Poland. Northern Caucasia.	2,265,000 367,000 5,000	2,183,000 (2) 5,000	1,792,000 (2) 3,000	26, 930, 000 5, 776, 000 82, 000	17, 329, 000 (2) 72, 000	12,744,000 (2) 72,000
Total Russia, European.	2,637,000			32, 788, 000		
Serbia Spain 4 Sweden	1,244,000 56,000	(2) 1,268,000 57,000	1,346,000 (2)	70,000 9,298,000 1,317,000	11,016,000 717,000	(2) 11,382,000 1,150,000
United Kingdom: England Wales Scotland Ireland	127,000 (3) (3) (3) (3)	129,000 (3) (3) (3) (3) (3)	98,000 (3) (3) (3)	3,470,000 10,000 5,000 7,000	3,063,000 10,000 5,000 9,000	2, 461, 000 8, 000 3, 000 6, 000
Total United Kingdom.	128,000	130,000	98,000	3, 492, 000	3,087,000	2, 478, 000
ASIA. Japan, Russia (9 Governments)	106, 000 75, 000	121,000 82,000	(2) (2)	1,935,000 775,000	2,168,000 995,000	(2) (2)
AFRICA.	7 26, 000	(2)	(2)	7 277, 000		
AUSTRALASIA.						
Australia New Zealand	(⁵) 20, 000	(5) 14,000	(5) 13,000	(5) 524, 000	(⁵) 453, 000	(⁵) 367, 000

¹ Census for 1909. 2 No official statistics. 3 Less than 500 acres. 4 Includes chick-peas, lentils, and vetches.

⁵ Included under beans. ⁶ Includes lentils. ⁷ 1912 figures.

SUGAR.

Table 125.—Sugar: Production in the United States and its possessions, 1856-57 to 1916-17.1

[Data for 1912-13 and subsequently beet sugar, also Louisiana and Hawaii cone sugar, estimated by United States Department of Agriculture: Porto Rico, in Tre in the continuous of Porto Rico; Philippine Islands, exports for pears on ling June 30. For sources of divades of the years, see Yearbook for 1912, p. 650. A short ton is 2,000 pounds.]

	Beet		Cane sı	ıgar (chief	y raw).		
Year,	sugar (chiefly refined).	Louisi- ana.	Other States.2	Porto Rico.	Hawaii.	Philip- pine Islands.3	Total.
Average: 1856-7 to 1860-61 1861-62 to 1885-66 1866-67 to 1870-71 1871-72 to 1875-76 1876-77 to 1880-81 1881-82 to 1885-86	269 448 403 470	Short tons. 132, 402 74, 036 44, 768 67, 341 104, 920 124, 868	Short tons. 5,978 1,945 3,818 4,113 5,327 7,280	75,364	(4) 27,040 76,075	46, 446	Short tons. 260, 190 202, 503 226, 633 279, 020 383, 403 485, 633
$\begin{array}{c} 1886 - 87 \text{ to } 1890 - 91 \\ 1891 - 92 \text{ to } 1895 - 96 \\ 1896 - 97 \text{ to } 1890 - 1890 \\ 1891 - 27 \text{ to } 1995 - 6 \\ 1996 - 7 \text{ to } 1910 - 11 \\ \end{array}$	19, 406 58, 287 239, 730	163, 049 268, 655 282, 399 352, 053 348, 544	8, 439 6, 634 4, 405 12, 126 13, 664	70, 112 63, 280 61, 292 141, 478 282, 136	125, 440 162, 538 282, 585 403, 308 516, 041	186, 129 286, 629 134, 722 108, 978 145, 832	555, 091 807, 142 823, 690 1, 257, 673 1, 785, 370
1901-2 1902-3 1903-4 1904-5 1905-6.	218, 406	360, 277 368, 734 255, 894 398, 195 377, 162	4, 048 4, 169 22, 176 16, 800 13, 440	103, 152 100, 576 138, 096 151, 088 214, 480	355, 611 437, 991 367, 475 426, 248 429, 213	75, 011 123, 108 82, 855 125, 271 138, 645	1,082,705 1,252,984 1,107,100 1,359,715 1,485,861
1906-7 1907-8 1908-9 1909-10 1910-11	463, 628	257, 600 380, 800 397, 600 364, 000 342, 720	14,560 13,440 16,800 11,200 12,320	206, 864 230, 095 277, 093 346, 786 349, 840	440, 017 521, 123 535, 156 517, 090 566, 821	132, 602 167, 242 123, 876 140, 783 164, 658	1,535,255 1,776,328 1,776,409 1,892,328 1,946,531
1911-12 1912-13 1913-14 1914-15 1915-16 1916-17 (preliminary)	733, 401 722, 054 874 220	352,874 153,573 292,698 242,700 137,500 304,700	8,000 9,000 7,800 3,920 1,120 7,000	371, 076 398, 004 351, 666 346, 490 483, 590	595, 038 546, 524 612, 000 646, 000 592, 763	205, 046 234, 000 235, 000 206, 000 344, 000	2, 131, 534 2, 033, 657 2, 232, 565 2, 167, 164 2, 433, 193

¹ Census returns give production of beet sugar for 1899 as 81,729 short tons; for 1904, 253,921; 1909, 501,682; production of cone sugar in Louisiana for 1839, 59,974 short tons; 1849, 223,901 hoghed circles 1849, 21,726 hogsheads; 1869, 31,726 census; 1879, 171,706 hogsheads; 1889, 146,062 structure; 1878, 27,527 short tons; 1889, 155,853; and 1909, 325,516 short tons; cane sugar in other States, 1839, 491 short tons; in 1849, 21,576 hogsheads; in 1859, 9,256 hogsheads; in 1859, 6,337 hogsheads; in 1879, 7,166 hogsheads; in 1889, 4,580 short tons; in 1899, 1,691 and in 1909, 3687 short tons.

2 Includes Texas only, subsequent to 1902-3. Unofficial returns.

⁴ Complete open not available for this period. Production in 1878-79, 1,254 short tons; in 1879-80, 1,304 short tons.

Table 126.—Sugar beets and beet sugar: Production in the United States, 1911-1916. [Figures for 1916 are based upon returns made before the end of the season, and are subject to revision.]

	ries.	of cam-	(chiefly	S	ugar be	ets used.		Analy bee		Recov sucr	ery of ose.4	
State and year.	Number of factories.	Average length of paign.	Sugar made (refined).	Area har- vested.	Average yield pet acre.	Quantity worked.	Average price per ton.	Percentage of sucrose.2	Purity coeffi- cient.	Percentage of weight of beets.	Percentage of total sucrose in beets.	Loss.5
California: 1916	Num- ber, 11 11 10	97	Short tons. 243,800 195,343 169,004	A cres. 144, 200 122, 737 104, 000	10.2	Short tons. 1,439,000 1,249,111 1,082,000	5.86	17.82	Per cent, \$2.65 82.70	Per cent. 16.9 15.64 15.62	Per cent. 87.77 84.62	Per cent. 2.18 2.84
1916 1915 1914 Idahe:	14 14 13	104	261,200 273,780 220,799	189,600 171,222 135,400	10. 6 11. 0 12. 6	2, 015, 000 1, 888, 860 1, 706, 300	6.36 5.88 5.68	16.53	84.84 84.22	13. 0 14. 49 12. 94	87.66 84.30	
1916 1915 1914 Michigan:	5 4 4	100	54, 100 51, 225 39, 613	45, 100 35, 068 25, 300	9.5 9.7 10.5	427, 000 339, 859 264, 400	5.78 5.08 4.96	17. 85 17. 78	87. 14 87. 74	12.7 15.07 14.98	84. 43 84. 25	
1916 1915 1914	15 15 15	78 68	81,600 129,997 110,630	99, 300 122, 000 101, 300	6. 1 8. 2 8. 5	604,000 997,972 857,100	5.91	15. 45 15. 78	84. 08 82. 85	13.5 13.03 12.91	84.34 81.81	
1916 1915 1914 Utah:	4	80 56	22,500 33,472 21,425	24, 600 25, 684 17, 800	7. 5 10. 9 10. 4	183,000 279,427 184,700	5.29	14.19	\$1.99 83.82	12.3 11.98 11.60	84. 43 80. 00	
1916 1915 1914 Other States:	11 8 7	96 100	116,400 85,014 78,619		13. 0 11. 2 13. 7	941, 000 629, 204 564, 600	4.91	16.43		12. 4 13. 51 13. 92		
1916 6	11 8	84	139, 200 105, 389 81, 964	78, 364	10. 2 9. 8 10. 8	1,062,000 765,860 629,500	5.67	16.38	84. 24 83. 35	13. 1 13. 76 13. 02	84. 00 82. 40	2. 62 2. 78
United States: 1916	67 60 71	92 85 85 86	733, 401 692, 556	611,301 483,400 580,006 555,300	10. 1 10. 9 9. 76 9. 41	6, 671, 000 6, 150, 293 5, 288, 500 5, 659, 462 5, 224, 377 5, 062, 333	5.45	16.49 16.38 15.78 16.31	84.38 83.89	13.65 12.96 13.26	83.33 82.13 81.12	

Acreage and production of beets are credited, as in former reports, to the State in which the beets were made into sugar.

2 Based upon weight of beets.

Table 127.—Cane-sugar production of Louisiana, 1911-1916.

[Figures for 1916 are from returns made before the end of the season, and are subject to revision.]

Year of cane har-	Factories	Sugar	Average sugar	Can	e used for	sugar.	Molasses made.1		
vest.	vest. in operation. m		made, per ton of cane.		Average per acre.	Production. Total.		Per ton of sugar.	
1911 1912 1913 1914 1915 1916	149	Short tons. 352,874 153,573 292,698 242,700 137,500 304,700	Pounds. 120 142 139 152 135 146	Acres. 310,000 197,000 248,000 213,000 183,000	Short tons. 19 11 17 15 11	Short tons. 5,887,292 2,162,574 4,214,000 3,199,000 2,018,000 4,172,000	Gallons. 35,062,525 14,302,169 24,046,320 17,177,443 12,743,000	Gallons. 99 93 82 71 93	

¹ Figures for molasses, 1911-1914, are as reported by the Louisiana Sugar Planters' Association; figures for 1915 as reported by Bureau of Crop Estimates, U. S. Department of Agriculture.

Based upon weight of beets.

Percentage of sucrose (pure sugar) in the total soluble solids of the beets.

Percentage of "proce a "to", extracted by factories.

Percentage of "process" and pulp.

Includes 3 factories in Nebraska, 3 in Wisconsin, 2 in Wyoming, and 1 each in Indiana, Illinois, Minnesota, Kansas, Montana, and Oregon.

Table 128.—Cane-sugar production of Havaii, 1913-1916.

	Facto-	Average		Cane	used for	sugar.		Average extraction of sugar.			
Island, and year ending Sept. 30	ries in opera-	length of cam- paign.	Sugar made.	Area harvested.	Average yield per acre.	Production.	Total arevin cane.	Per cent	Per short ton of cane.		
Hawaii: 1916 1915 1914 1913	23	196 174	Short tons. 197, 130 240, 300 213, 000 197, 212	Acres. 52,027 50,800 51,000 53,600	Short tons. 33 41 36 32	Short tons. 1,713,759 2,009,000 1,854,000 1,703,000	Acres. 98,787 100 200	Per cent. 11. 50 11. 45 11. 49 11. 58	Poinds. 230 229 230 232		
Kauai: 1916 1915 1914 1913	9	191 203 214 108	108,032 115,700 121,000 100,340	21,392 21,000 21,000 20,800	43 45 50 42	927.970 941,000 1,087,000 811,000	51,712 49,200	11.71 12.30 11.11 11.93	234 246 222 239		
Maui: 1916 1915 1914 1913	7	168 174 167 152	150.311 1(0,300 145,000 124,820	19,911 19,800 19,400 19,700	55 57 54 47	1,098,2 7 1,126,000 1,054,000 929,000		13.76	274 285 275 209		
Oahu: 1916 1915 1914 1913 Territory of	7	179 205 188 157	136,690 129,700 133,000 124,152	21,489 21,600 20,700 20,500	52 47 44 49	1,119,448 1,019,000 903,000 1,003,000	46,000	12.21 12.73 14.73 12.38	244 255 295 248		
Hawaii: 1910 1915 1914 1913	46	195 183	592,763 646,000 612,000 546,524	115,489 113,200 112,700 114,00	42 46 43 39	4,859 424 5,185 000 4,900.000 4,476,000	239, 800	12. 20 12. 46 12. 40 12. 21	244 249 250 244		

Table 129.—Sugar: Wholesale price per pound, on New York market, 1912-1916.

		Ra	w.						Refi	ned.				
Date.	89° T	asses. olari- ion.	96° p	ifugal olari- ion.	Cut	louf.	Powe	dered.	fine	ılated, e cr lard.		sugar). 1.		sugar . 15.
	Low	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1912. JanJune July-Dec	Cts. 3 33 3. 23	Cts. 4 30 3.86	Cts. 3.83 3.73	Cts. 4.50 4.36	Cts. 5.80 5.70	Cts. 6.65 5.90	Cts. 5.10 5.00	Cts. 5.90 5.20	Cts. 5.00 4.90	Cis. 5.85 5.15	Cts. 4.85 4.65	Cts. 5.65 4.95	Cts. 4. 25 4. 05	Cts. 5.05 4.35
1913. Jan.–June July–Dec	2. 75 2. 62	3.23 3.30	3. 25 3. 12	3.73 3.80	5.05 5.05	5.70 5.60	4.35 4.25	5.00 4.90	4.25 4.15	4.95 4.85	4.00 4.05	4.65 4.55	3.40 3.45	4.05 3.95
1914. JanJune July-Dec	2. 27 2. 61	2.98 5 87	2.92 3.26	3 43 6,52	5. 05 5. 25	5. 25 8. 40	3 95 4.40	4.40 7.60	3.85 3.85	4.35 7.55	3.60 4.10	4.10 7.30	3.00 3.50	3.50 6.70
1915. January Fobruary March April May June	3.45 3.81 3.84	3.46 4.27 4.18 4.12 4.12 4.18	3. 95 4. 20 4. 58 4. 61 4. 64 4. 89	4. 20 5. 02 4. 95 4. 89 4. 89 4. 95	5. 85 5. 95 6. 65 6. 80 6. 90	5, 95 6, 65 6, 80 6, 90 6, 90 7, 00	5. 05 5. 15 5. 85 6. 00 6. 10	5. 15 5. 85 6. 00 6. 10 6. 10 6. 20	5.95 5.05 5.75 5.90 6.00 6.00	5. 10 5. 80 5. 95 6. 05 6. 05 6. 15	4.70 4.80 5.50 5.65	4.80 5.50 5.65 5.75 5.75 5.85	4. 10 4. 20 4. 90 5. 05	4. 20 4. 90 5. 05 5. 15 5. 15 5. 25
JanJune.	3.20	4.27	3.95	5.02	5.85	7.00	5.05	6.20	5.05	6.15	4.70	5.85	4.10	5.25
July August September October November December	2.98 2.73	4.27 4.18 4.00 3.68 4.37 4.43	4. 64 4. 39 3. 75 3. 50 4. 39 4. 45	4. 95 4. 95 4. 77 4. 45 5. 14 5. 20	6. 70 6. 50 5. 80 5. 80 6. 25 6. 85	7.00 6.70 6.50 6.15 6.90 7.05	5. 90 5. 70 5. 00 5. 00 5. 45 6. 05	6.20 5.90 5.70 5.35 6.10 6.25	5.80 5.00 4.90 4.90 5.35 5.95	6. 15 5. 85 5. 65 5. 30 6. 05 6. 20	5.55 5.35 4.65 4.65 5.10 5.70	5.85 5.55 5.35 5.00 5.75 5.90	4. 95 1. 75 4. 05 4. 05 4. 50 5. 10	5. 25 4. 95 4. 75 4. 40 5. 15 5. 30
July-Dec	2.73	4. 43	3.50	5. 20	5.80	7.05	5.00	6.25	4.90	6.20	4.65	5.90	4.05	5.30

Table 129 .- Sugar: Wholesale price per pound, on New York market, 1912-1916-Con.

		Re	ıw.						Refl	ned.				
Date.		asses olari- ion.	96° p	nfugal, oolari- ion.	Cut loaf		Powdered.		Granulated, fine or standard.		Soft sugar No. 1.		Soft sugar No. 15.	
	Low.	High.	Low	High.	Low.	High.	Low	High.	Low.	High.	Low.	High.	Low.	High.
1916. January February March April May June	Cts. 3.56 3.93 4.12 5.06 5.25 5.25	Cts. 4 00 4 31 5, 25 5 69 5 75 5 63	Cts. 4 33 4 70 4 83 5 83 6 02 6 02	Cts. 4 77 5.08 6.02 6 46 6 52 6 40	Cls. 6 65 6.90 7.40 8.15 8.55 8.80	Cts. 6 85 7.40 8.15 8.55 8.80 8.80	Cts. 5 85 6.10 6 35 7.10 7 50 7.75	Cts. 6 05 6.35 7.10 7.50 7.75 7.75	Cts. 5 75 6 00 6.25 7.00 7.40 7.65	Cts. 6.00 6.30 7.05 7.45 7.70 7.70	Cts. 5 50 5.75 6.10 6.85 7 25 7.50	Cts. 5.70 6.10 6.85 7.25 7.50 7.50	Cts. 4.90 5.15 5.50 6.25 6.65 6.90	Cts. 5.10 5.50 6.25 6.65 6.90
JanJune.	3.56	5 75	4.33	6.52	6.65	8.80	5.85	7.75	5.75	7.70	5 50	7 50	4.90	6.90
July	4. 09 5. 00 4. 87 4. 25	5. 63 5. 50 5. 25 5. 88 5. 75 4. 87	6 08 4.89 4.89 5.77 5.61 5.02	6 40 6.27 6 02 6 65 6 52 5.61	\$ 80 \$ 15 7.40 7.90 \$.65 8.00	8.80 8.80 8.15 8.65 8.65 8.65	7 75 7.10 6.35 6.85 7.60 6.95	7.75 7.75 7.10 7.60 7.60 7.60	7.65 7.00 6.25 6.75 7.50 6.85	7.70 7.70 7.05 7.55 7.55 7.55 7.55	7.50 6.85 6.10 6.60 7.35 6.70	7.50 7.50 6.85 7.35 7.35 7.35	6. 90 6. 25 5. 50 6. 00 6. 75 6. 10	6. 90 6. 90 6. 25 6. 75 6. 75
July-Dec	4.09	5.88	4 80	6.65	7.40	8.80	6.35	7.75	6.25	7.70	6.10	7.50	5.50	6.90

Table 130.—Sugar: International trade, calendar years 1913-1915.

[The following kinds and grades have been included under the head of sugar: Brown, white, candied, caramel, chancaca (Per 1), crystal cube, maple, muscovado, pancla. The following have been excluded: "Candy" (meaning confectionery), confectionery, glucose, grape sugar, jaggery, molasses, and sirup. See "General note," Table 10.]

EXPORTS.

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Country.	1913	1914 (prelim.)	1915 (prelim.)	Country.	1913	1914 (prelim.)	1915 (prelim.)
1MPORTS.	Austria-Hungary. Barbados Belgium Brazil British Guiana British India. China Cuba. Dominican Republic. Dutch East Indies.	131 2, 368, 765 22, 375 251, 935 11, 832 195, 807 53, 181 14, 555 5, 476, 901 173, 832 2, 823, 310	142,616 66,006 70,239 239,988 43,207 19,040 5,574,683 223,610 2,912,062 29,308 206,331	118, 658 130, 235 34, 474 32, 950 5, 731, 998 226, 634 58, 939	Guadeloupe Martinique Mauritius Netherlands Peru Philippine Islands Reunion Russie Trinidad and To- byo United States Other countries	2, 462, 020 58, 722 88, 542 414, 372 440, 817 315, 041 346, 858 85, 918 324, 887 73, 147 52, 492 784, 382	87, 340 39, 000 638, 200 333, 000 389, 488 521, 383 72, 941 281, 218 107, 718 33, 975 1, 296, 815	85, 814 327, 449 465, 199 77, 710 206, 240 11, 292
				1MPC	ORTS.			-

Australia British India	166, 578 167, 690 ,922, 009 60, 480 670, 234 197, 073 948, 230 26, 888 72, 609 105, 106 253, 435 15, 345	48,883 691,166 185,425	1,091,344 17,379 599,701 156,612 636,877	Japan Netherlands New Zeeland Norway Persia Portugal Sir - F Svi - Willed United Kingdom United States 2 Other countries Total	137, 790 118, 049 234, 308 85, 631 1 224, 529 258, 513 3, 872, 309 4, 762, 014 792, 360	3, 761, 740 5, 417, 995 450, 551	130, 347 194, 564
-------------------------	---	------------------------------	--	--	---	--	--------------------------

Data for 1912. Not including receipts from Hawaii, amounting in 1913 to 1,075,591,712; in 1914 to 1,210,862,124, and in 1915 to 1,212,360,888 pounds; and from Porto Rico, in 1913 to 750,428,443; in 1914 to 641,754,932 and in 1915 to 638,101,561 pounds.

Table 131.—Sugar production of undermentioned countries, campaigns of 1913-14 to 1915-16.

BEET SUGAR (RAW).

		I	BEET SUG	AR (RAW).			
Country.	1913–14	1914-15	1915–16	Country.	1913–14	1914–15	1915-16
NORTH AMERICA.				EUROPE—cont'd.			
United States 1 Canada 1	Short tons. 733, 401 11, 982	Short tons. 722, 054 13, 773	Short tons. 874, 220 18, 419	Germany Italy Netherlands ¹	Shorttons. 2,993.704 336.823 231.073	Short tons. 2, 755, 750 184, 084 316 455	1,895,956
Total	. 745,383	735, 827	892,639	Roumania Russia	41, 240 1, 681, 217	33,259	1,699,485
EUROPE.				Serbia	7, 165 186, 680	2,000	
Austria-Hungary: Austria Hungary	1,287,787 566,382	}1,766,215	1, 212, 530	Spain Sweden Switzerland	150,760 4,861	169, 836 4, 134	140, 340 2, 646
Belgium Denmark France ¹	251, 023 158, 865	225, 064	124,501	Total	8,688,400	8,027,651	5,956,269
France 1	158, 865 790, 790	167, 803 339, 368	163, 552	Grand total	9, 433, 783	8,763,478	6,848,908
			CANE	SUGAR.			
NORTH AMERICA.				EUROPE.			
United States: Louisiana	293,000	243,000	138,000	Spain	8,000	8,000	
Texas 2	8,000	4,000	1,000	ASIA.			
Texas 2	612,000 364,000	646,000 346,000	484,000	British India Formosa Japan	213, 000	2, 757, 440 222, 000	408, 822
Central America: Costa Rica Guatemala Nicaragua Salvador	5,000	2, 926 43, 108		Japan Java Philippine Islands	73,000 1,502,852 408,000	60,000 1,436,818 421,192	
Mexico 2	143,000	121,000		Total		4,897,450	
West Indies: British—	3 12,000	10,248	0.207	AFRICA.			
An'irin. I'i' ados. Jamaica. St. Christopher-	15,000	32, 932	72,800	Egypt	76,000 275,000 97,000	83,000 275,250	243, 262
Nevis St. Lucia 3	13,000 5,000	10,080		Natal Portuguese East Africa Reunion	38,000		
Trinidad and Tobago	1	l		Reunion	41,000	44,000	
Cuba	2,891,000 6,000	2, 967, 427 5, 833	71,931 3,368,865 4,497	Total	527,000	562,250	
Dominican Republic 3	117,000			OCEANIA.	297, 000	235 200	
Guadaloupe³ Martinique³	44,000 43,000	41,000 44,000		Australia Fiji	110,000	106, 794	95,831
Total	4,644,147	ļ		Total	407,000	341,994	
SOUTH AMERICA.				Total cane sugar	11, 270, 200	11,621,619	
Argentina Brazil Guiana:	304,000 2 228,000	370,324 2 269,000	137, 788	Total beet and cane sugar			
British 3	15,000	13,000		bugut	., 100, 0		
Peru	2, 821 251, 385	1,694 289,729	277,780			į	
Total	921, 201	1,080,638					

¹ Refined sugar.

² Unofficial figures.

³ Exports.

Table 132.—Sugar: Total production of countries mentioned in Table 131, 1895-96 to 1914-15.

***	Production.				Production.				
Year.	Cane.1	Beet.	Total.	Year.	Cane.1	Deet.	Total.		
1895-96. 1896-97. 1897-98. 1898-99. 1899-1900. 1900-1901. 1901-2. 1902-3. 1903-4. 1904-5.	3, 206, 000 3, 355, 000 3, 389, 000 4, 084, 000 6, 818, 000 6, 782, 000	Short tons. 4,832,000 5,549,000 5,457,000 5,616,000 6,262,000 6,795,000 7,743,000 6,454,000 6,835,000 5,525,000	Short tons. 8,091,000 8,720,000 8,663,000 8,971,000 9,651,000 14,561,000 13,236,000 13,744,000 13,187,000	1905-6 1906-7 1907-8 1907-8 1908-0 1909-10 1910-11 1911-12 1912-13 1913-14 1914-15	7,926,000 8,654,000 9,423,000 9,540,000 10,275,000 10,908,000 211,270,200	Short tons. 8,030,000 7,587,000 7,390,000 6,991,000 9,042,000 7,072,000 9,500,760 9,433,783 8,763,478	Short tons. 15,611,000 15,952,000 15,316,000 16,004,000 16,414,000 18,582,000 20,518,000 20,703,983 20,385,097		

Table 133.—Beet and sugar production of undermentioned countries.

			Dect	s used for s	ugar.	A verage of st	extraction igar.
Country and year.	Factories in opera- tion.	Sugar made, raw.	Area harvested.	A verage yield per acie.	Quantity wor. ed.	Percent- age of weight of beets used.	Per short ton of beets used.
Austria-Hungary: i910-11 1911-12 1912-13	210	Short tons. 1.549,102 1.180,605 2,093,439	Acres. 918,201 968,771 1,088.088	Short tons. 11. 95 8. 18 13. 00	Short tons. 11,038,503 8,623,578 13,911,305	Per cent. 17. 5 16. 6 14. 8	Pounds. 281 274 301
Belgium: 1910-11 1911-12 1912-13 1913-14		299, 035 258, 780 309, 308 249, 395	Area culti- vated. 148,858 145,119 152,913 129,527	13. 41 11. 45 12. 47 11. 85	Produced. 1.996.977 1,660.872 1.907.358 1,534.311	P. c. of wt of beets produced. 14.97 15.58 16.22 16.25	Pcr ton of bects produced. 299 312 324 325
Denmark: 1910-11 1911-12 1912-13 1913-14	8 9	110, 792 128, 032 148, 447 179, 002	79,986		817, 381 809, 616 1, 159, 369 1, 025, 140	13, 56 15, 81 12, 80 17, 46	271 316 256 349
France: 1910-11 1911-12 1912-13 1913-14 1914-15 1915-16	213 206 69	Refined. 717,033 512,986 967,440 790,790 333,953 149,801	Area har- vested. 549,969 555,575 566,539 534,230 242,781 146,305	10. 76 8. 09 12. 99 12. 24 11. 92 8. 65	Worked. 6, 426, 226 4, 669, 083 7, 960, 092 6, 539, 725 2, 892, 878 1, 265, 518	P.c. of wt. of bects used. 11. 80 11. 41 13. 15 12 09 11. 54 11. 84	Per ton of beets used. 236 228 263 242 231 237
Germany: ¹ 1910-11 1911-12 1912-13 1913-14	342 342	Raw. 2,770,001 1.551,797 2.901,564 2,885,572	1,180,913 1,247,213 1,353,181 1,316,655	14. 72 8. 03 13. 56 14. 19	17, 360, 003 9, 987, 473 18, 344, 738 18, 672, 939	15. 96 15. 54 15. 82 15. 45	319 311 316 309
Italy: 1910-11 1911-12 1912-13 1913-14	37 37 37 37	190, 901 174, 894 218, 628 336, 823	Area culti- vated. 124,044 131,260 133,434 152,700	14. 92 13. 30 14. 40 19. 70	1.698.551 1,621.760 1.879.328 2,994.816	11. 24 10. 78 11. 63 11. 25	225 216 233 225

The production of sugar in Germany, including refined from imported raw sugar, was 2,983,085 short tons in 1912-13 and 2,593,704 in 1915-14.

Table 133.—Beet and sugar production of undermentioned countries—Continued.

			Beet:	s used for s	ugar.		Average extraction of sugar.		
Country and year.	Factories in opera- tion.	Sugar made, raw.	Area har- vested.	Average yield per acre.	Quantity worked,	Percent- age of weight of lects used.	Pershort ton of beets used.		
Netherlands: 1910-11. 1911-12. 1912-13. 1913-14. 1914-15. 1915-16 (prelim.).	27	Short tons 1efined. 219,947 265,401 315,775 231,073 316,346 240,828	Acres culti- vited. 138, 554 137, 388 160, 180 119,001 150, 251 139,644	Shortons. 12.94 16.06 14.99 12.27 14.06 13.52	Short tons, 1, 678, 803 1, 896, 187 2, 228, 851 1, 705, 878 2, 193, 577 1, 755, 904	Per cent. 13. 10 14. 00 14. 17 13. 55 14. 42 13. 71	Pounds. 202 280 283 271 288 274		
Russia: 1910-11 1911-12 1912-13 1913-14 1914-15 1915-16	276 281 287 293 265 235	Raw. 2.074,410 2.036,990 1.361,842 1.680,893 1.958,975 1.697,356	1.631,188 1.923,539 1.847,313 1.756,160 1,941,122 1,748,466	8 9 7.8 6.4 7.7 7.4 7.0	14, 437, 305 14, 754, 312 11, 538, 078 13, 436, 058 13, 979, 662 12, 324, 612	14. 61 13. 84 11. 73 12. 51 14. 01 13. 77	292 277 235 250 280 275		
Spain: 1910-11 1911-12 1912-13 1913-14 Sweden:	33 32 33 31	68,743 102,859 171,839 186,680	(1) 90,787 105.213 146,745	(1)	$\left\{\begin{array}{c} 532,882\\ 872,834\\ 1,302,871\\ 1,478,114 \end{array}\right.$	12.90 11.78 11.33 12.62	258 236 264 252		
1910–11 1911–12 1912–13	24 24 24	191, 713 140, 409 145, 462	86,816 71,790 66,900	13. 56 14. 83 13. 95	1, 218 166 908, 372 922, 083	15. 53 15. 27 15. 59	315 309 316		
United States: 1910-11 1911-12 1912-13 1913-14 1914-15 1915-16 1916-17 (prelim.)	61 66 73 71 60 67 74	Refined. 510.172 599.500 692,556 733,401 722,054 862,800 918,800	Arca harvested. 398,029 473,877 555,300 580,006 483,400 624,000 680,000	10. 17 10. 68 9. 41 9. 76 10 9 10. 4 9 S1	4 047, 292 5.062, 333 5.224, 377 5.659, 462 5.289, 500 6.462,000 6,671,000	12. 61 11. 84 13. 26 12. 96 13. 65 13. 4 13. 8	252 237 265 259 273 267 276		

¹ No data.

Table 134.—Cane and sugar production of undermentioned countries.

THE TOTAL CONTROL	a cagai 1		.,			
Country and year.	Factories	Sugar	Cane	ugar.	Average extrac- tion of sugar.	
	tion.	made.	Area harvested.	Average per acre.	Quantity worked.	Per ton 1 of cane used.
Argentina: 1910-11 1911-12 1912-13 1913-14 1914-15	(1) 39 38	Short tons. 163, 701 198, 515 162, 313 304, 389 370, 324	A cres culti- vated. 178,060 230,866 232,830 263,656 269,833	Short tons. (1) (1) (1) (1) (1) (1) (1)	Short tons. (1) (1) 2,338,594 3,451,321 4,027,067	Pounds. (1) (1) 139 176 184
Australia: 1910-11. 1911-12. 1912-13.	53 53 50	253, 131 210, 292 144, 776	Harvested. 100,237 101,010 84,279	22. 36 18. 65 15. 09	Produced. 2,240,849 1,884,120 1,271,358	226 223 228
Cuba: 1910-11. 1911-12. 1912-13. 1913-14.		1,670,151 2,142,420 2,737,264 2,891,281	Cultivated. (2) (2) (1,340,139 1,334,070	(2) (2) (2) (2) (2)	14,736,981 20,679,593 25,137,684 25,644,949	227 207 218 226
		¹ No data.				

Table 134.—Cone and sugar production of undermentioned countries—Continued.

Country and year.	Factories Sugar made. –		Can	e used for s	ugar.	Average extrac- tion of sugar.
County and your	tion.	made.	Area har- vested.	Average per acre.	Quantity worked.	Per ton of cane used.
Hawaii: 1911-12 1912-13 1913-14 1914-15	Number. (1) (1) (1) 46 45	Short tons. 595,038 546,524 612,000 646,000	Acres culti- vated. 113,000 114,600 112,700 113,200	Shorttons. 42.0 39.0 45.0 46.0	Short tons. 4,774,000 4,476,000 5,094,000 5,185,000	
Japan: 1910-11 1911-12 1912-13 1913-11		72, 454 75, 797 68, 867 72, 613	Cultivated. 49, 166 52, 153 51, 293 53, 300	18. 49 18. 16 17. 15 17. 91	892, 662 941, 550 879, 624 954, 758	162 161 157 152
Java (factory plantations): 1910-11. 1911-12. 1912-13.	189 193 191	1,583,178 1,424,657 1,527,584	Harvested. 321,720 336,021 340,739	46. 43 40. 71 45. 11	14,936,035 13,679,962 15,370,765	212 208 199
Spain: 1910-11 1911-12 1912-13 1913-14	27 23 21 22	22, 371 17, 831 14, 585 8, 131	Cultivated. 11,666 9,983 9,844 4,581	21. 9 16. 5 15. 6 17. 4	258, 138 167, 092 153, 707 79, 719	173 213 190 204
United States (Louisiana); 1911-12 1912-13 1913-14 1914-15 1915-16 1916-17 (preliminary)	188 126 153 149 136	352, 874 153, 573 292, 698 242, 700 137, 500 304, 700	Harvested for sugar. 310,000 197.000 248.000 213.000 183.000	19. 0 11. 0 17. 0 15. 0 11. 0	5.887,292 2.162,574 4.214,000 3.199,000 2.018,000 4,172,000	120 142 139 152 136 146

¹ No data,

Table 135.—Sugar beets: Area and production of undermentioned countries, 1913-1915.

		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA. United States. Canada. Total. EUROPE.	Acres. 580,000 17,000	Acres. 483,000 12,000 495,000	Acres. 611,000 18,000	Short tons. 5,886,000 148,000 6,031,000	Short tons. 5,585,000 109,000 5,694,000	Short tons. 6,511,000 141,000 6,652,000
Austria-Hungary: Austria. Hungary Croatia-Slavonia. Bosnia-Herzegovina.	629,000 439,000 11,000 3,000	1 (00,000 439,000 (2) (2)	1 435,000 266,000 (2) (2)	7,674,000 5,264,000 98,000 13,000	17,468,000 4,425,000 (2) (2)	2,743,000 (2) (2)
Total Austria-Hungary	1,082,000			13,049,000		
Belgium. Bulgaria Denmark England France. Germany Haly Netherlands Roumania	130,000 9,000 \$ 80,000 4,000 616,000 1,317,000 153,000 149,000 32,000	130,000 (2) (2) (2) 2,000 4 331,000 1,406,000 101,000 156,000 37,000	109,000 (2) 79,000 2,000 4 208,000 917,000 123,000 -140,000 34,000	1, 334,000 94,000 1,025,000 (2) 6,547,000 18,673,000 3,000,000 1,835,000 311,000	(2) (2) 1,066,000 (2) 14,135,000 18,650,000 1,488,000 2,198,000 248,000	(2) (2) 910,000 (2) 1,663,000 (2) 1,639,000 1,889,000 204,000

¹ Galicia and Bukowina not included.

No official statistics.
 Census of 1912.

Table 135 .-- Sugar beets: Area and production of undermentioned countries, 1913-1915-Continued.

		Area.		Production.				
Country.	1913	1914	1915	1913	1914	1915		
EUROPE-continued.								
Russia: Russia proper Poland.	$^{Acres.}_{1,578,000}_{170,000}$	Acres. 1,873,000	A cres. 1,871,000	Short tons. 12,119,000 1,399,000	Short tons. 13,716,000	Short tons. (1) (1)		
Northern Caucasia (Ku-	8,000	10,000	11,000	84,000	72,000	(¹)		
Total Russia, European.	1,756,000	1,883,000	1,882,000	13,602,000	13,788,000	(1)		
Serbia Spain Sweden Switzerland	7,000 147,000 71,000 2,000	(1) 79,000 80,000 2,000	(1) (1) 79,000 2,000	7,000 22,956,000 946,000 21,000	3 709,000 967,000 30,000	(1) (1) 856, 000 28, 000		
Total	5,555,000			63,009,000				
Grand total	6, 152, 000			69, 643, 000				

No official statistics.

TEA.

Table 136.—Tea: International trade, calendar years, 1913-1915.

["Tea" includes tea leaves only and excludes dust, sweepings, and yerba maté. See "General note,".

Table 10.]

EXPORTS.

[000 omitted.]

Country.	1913	1914 (prehm.).	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (prelim.).
British India. Ceylon China	192,122	Pounds. 292, 607 193, 584 197, 785 70, 344	Pounds. 319,864 233,474	Japan Singapore Other countries	Pounds. 30,128 1 2,913 6,997	Pounds. 35,077 2,717 7,787	Pounds. 41,441
Formosa	23,931	22, 936		Total	797,712	822,837	
		<u> </u>		ORTS.			
Argentina. Australia. Australia. Austria-Hungary British India. British South Africa Canada. Chile China. Dutch East Indies. France.	4,148 37,349 3,575 8,653 6,567 35,927 3,849 25,889 7,889 2,660	3,103 41,622 8,816 6,374 39,035 2,787 22,778 9,127 4,366	3.012 12,101 6,664 42,885 3,017 24,337	German New Zealand. Persia. Russia. Singapore. United Kingdom. United States. Other countries.	9,458 12,052 7,069 10,414 167,140 16,692 305,690 89,018 36,685	14, 244 9, 952 6, 302 172, 558 6, 290 317, 664 97, 810 20, 925	15,556 9,150 169,667 317,429 106,106
French Indo-China.	5,320	2,634		Total	786,053	786,387	

¹ Data for 1912.

Beets entered in factories during sugar campaign of 1913-14.
 Beets entered in factories up to December 31, 1914 for sugar campaign of 1914-15.

TEA-Continued.

TABLE 137 .- Tea: Wholesale price per pound, on New York market, 1912-1916.

Date.	Tooche to f		Formo to ch		Japan: fire	s, pan- ed.	India pel	orange	Ceylon pek	orange
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
JanJune July-Dec	Cts. 11½ 11	Cts. 223 21	Cts. 20 23	Cts. 39 39	Cts. 15 15	Cts. 21 18	Cts. 18 18	Cts. 25 25	Cts. 20 20	Cts. 26 26
1913. JanJune July-Dec	12 12	22 22	24 24	39 30	13½ 13½	35 28	181 181	21 21	18} 18½	24 24
1914. JanJune July-Dec	12 12]	22 22	24 23	39 39	12 <u>1</u> 12 <u>1</u>	30 38	18 <u>1</u> 18 <u>1</u>	21 27	18½ 18½	24 26
1915. January February March April May June	15 15 15 15 15 15 15 16	22 22 22 22 22 22 22 22	23 23 23 23 23 23 23	39 39 39 39	18 18 18 19 19 23	28 28 33 33 35 35	(t) (t) (t)	(1) (t) (t)	21 21 25 27 27 27	22 27 30 30 30 30
JanJune	15	22	23	39	18	35			21	30
July. August. September October November December	17 18 18 18 18 18	22 21 21 21 21 21 21	23 23 23 23 23 23 23	39 39 39 39 39	23 20 20 19 19 19	35 40 40 40 40 40	31 28 24 21 24 24 24	32 32 29 26 26 26	20 27 24 24 24 21 24	31 31 28 26 26 26
July-Dec	17	22	23	33	18	40	24	32	24	31
1916. January February March April May June	18 18 18 18 18 17 1	21 21 21 21 21 21 21	23 23 23 23 23 23 23	39 39 39 39 39 39	18 18 16 <u>1</u> 16 16	18 18 35 35 35 35 35	24 26 26 27 27 27 28	26 28 30 30 30 30	24 26 27 27 27 27 28	26 28 30 30 30 30
JanJune	171	21	23	39	16	35}	21	30	24	30
July August September October November December	175 175 175 175 175 175 175 175	21 21 21 21 21 21 21	23 23 23 23 23 23 23 23	39 39 39 39 39 39	16 16 16 16 16 16	35 35 35 35 35 35 35	28 28 28 28 29 28 28 28	30 30 30 30 30 30 30	. 28 28 28 28 28 28 28	30 30 30 30 30 30 30
July-Dec	173	21	23	33	13	\$5	23	30	28	30

¹ Nominal.

COFFEE.

Table 138.—Coffee: International trade, calendar years 1913-1915.

{The item of coffee comprises unhulled and hulled, roasted, erround, or otherwise prepared, but imitation or "surrogate" coffee and chicory are excluded. The translations," Table 10.1

EXPORTS. [000 omitted.]

Country.	1913	1914 (prelim.).	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (prelim.).
Belgium Brazil British India Colombia Costa Rica Dutch East Indies Guatemala Haiti Jamaica Mexico	22,073 134,993 28,702 63,799 93,014 57,594 6,518	Pounds. 1,490,715 39,973 136,500 39,064 71,238 84,298 8,932	Pounds. 2,256,818 22,441 149,423	Netherlands Nicaragua Salvador Singapore United States¹ Venezuela Other countries	63,471 ² 4,842 52,905 142,016 61,603	Pounds. 244,270 22,817 76,425 3,256 48,179 121,350 45,351 2,432,368	Pounds. 372,359- 20,134 47,226- 137,967

¹ Chiefly from Porto Rico.

² Data for 1912.

COFFEE-Continued.

Table 138.—Coffee: International trade, calendar years 1913-1915—Continued.

IMPORTS.
[000 omitted.]

Country.	19r3		1915 (prelim.).	Country.	1913	1914 (prelim.).	1159 (preli m.) .
Argentina. Austria-Hungary Belgium British SouthAfrica Cuba. Denmark Egypt. Finland France. Germany Italy Notherlands	130,960 118,195 26,910 25,108 36,091 13,975 28,371 254,157 371,131	1	Pounds. 36, 142 32, 275 21, 215 18, 701 28, 820 304, 874 88, 119 458, 314		Pounds. 30, 193 27, 862 16, 527 33, 365 75, 484 25, 470 28, 100 852, 529 115 296 2, 615, 092	Pounds. 26, 231 18, 309 5, 051 30, 280 64, 724 23, 864 28, 846 1, 011, 072 84, 096	Pouuds. 53,246 20,729 25,219 29,092 32,723 1,228,762

¹ Data for 1912

Table 139.—Coffee: Wholesale price per pound, on the New York and New Orleans markets, 1912–1916.

	markets, 1912-1910.															
						New	York						1	lew O	riean	s.
Date.	Rio I	No. 7.	Sar No	ntos . 7.	Мо	cha.	Pad	ang.		uta, hed.		ican loba, hed.!	Rio I	vo. 7.		itos . 7.
	Low.	High.	Low.	Uigh.	Low.	High.	Low.	High.	Low.	High.	Low.	IIIgh.	Low.	High.	Low.	High.
JanJune July-Dec	Cts. 137 14	Cts. 15 15‡	Cts. 141 142	Cts. 151 164	Cts. 18½ 18½	Cts. 193 21	Cts. 20 19½	Cts. 22 22	Cts. 153 158	Cts. 18½ 18½	Cts. 173 153	Cts. 181 181	Cts. 135 135	Cts. 15 15 ¹ ₁	Cts. 14½ 14¾	Cts. 15\$ 16\$
Jan -June July-Dec	91 87	14 115	103 103	158 134	18 18.	21 20	19 21	22 23	12 11 3	173 173	15 15	18 16}	9 <u>5</u> 9	1-1 11 ²	115 105	15 12 §
Jan –JuneJuly–Dec	83 64	93 93	101 81	117 123	17½ 19½	21 30	21 21	23 24	141 11	18 184	15 ¹ 12	16 <u>!</u> 17 <u>!</u>	85 65	93 103	101 82	113 13½
I915. January. February March. April. May. June.	745 75887415 775	\$2.584.58 8.584.58	S1275 S12 S12 S12 S12 S12 S12 S12 S12 S12 S12	9 9 9 9 1 9 1 9	21½ 23 23 23 23 23 23 23	30 30 30 30 30 30 30	21 21 21 21 21 21 21 21	$ \begin{array}{c c} 23\frac{1}{2} \\ 23 \\ 23 \\ 23 \\ 23 \\ 23 \\ 22 \end{array} $	121 123 123 13 115 114	154 154 155 155 155 155 115	12 12 12 12 12 11 11	145 145 14 14 14 14 14 135	7:00424004 7:00424004 7:00424004 7:00424004	8 8 8 8 8 8 7 7 7 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 84514578434 9 86 86 86 86	9111581 91111 91111 91111 91111
JanJune	7	8}	83	91	211	30	21	231	111	153	11	141	7	8§	83	9 5
July An tri Seperit October November December	7 7 7 6 6 7 7 1 9 6 7 7 1 9 6 7 7 9 6 7 7 9 6 7 7 9 6 7 7 9 6 7 7 9 6 7 7 9 6 7 9 9 9 9	71475 7 717588 7 727588	885555555 775547 775	9 9 81 8 81 81 83	23 25 25 25 25 25 25 25	30 27 27 27 27 27 27	21 21 21 21 22 22 22 22 22	22 22 22 23 23 23 23	11½ 11 11 11 11½ 11½	$14\frac{1}{2}$ $14\frac{1}{2}$ 14 15 $15\frac{1}{4}$	11 10 10 10 11 11 11	13 13 13 13 13 13 13 13 13 13	78 7 65 7 7 7 7 7 7	71 75 74 74 75 75 75 75	8747 7777 7777 8518 878	9 State Stat
July-Dec	65	77	7{	9	23	30	21	23	11	151	10}	131	678	8	75	9
1916. January. February. March. April. May. June.	75 81 91 91 92 9	8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	77888 9 9 9149	89999999999999999999999999999999999999	25 19 19 19 19 <u>1</u> 19 <u>1</u>	27 27 221 221 221 22 22	22½ 22½ 22½ 25 26 26	23 23 26 26 26 26 26 26 26 26 26 26 26	$\begin{array}{c} 11\frac{1}{2} \\ 12 \\ 12\frac{1}{2} \\ 13 \\ 13 \\ 12 \end{array}$	15½ 16 16½ 16½ 16½ 16¼ 16¼	11½ 12 12½ 12¼ 13 12½ 12	132 14 145 145 145 145 145	7881401-0014148 998448	810 934 944 978 1028 988	Harde-Archard-An	87 97 97 97 10 97
JanJune	75	97	77	97	19	27	22½	261	1112	$16\frac{1}{2}$	111	143	7 5	101	81	10
July August Septemler October November December	91 95 95 95 95 95 95	945-50-50-50-50-50-50-50-50-50-50-50-50-50	91-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	93 108 11 103 103 103 103	19 183 183 183 183 183 183	20½ 20½ 20 20 20 20 20 20	25 25 25 25 25 25 25 25 25	26½ 26 26 26 26 26 26 26	12 12 12 12 12 12 12 12 12 12	144 144 145 145 145 144 143	1134 1134 1144 114 114 114 114 114	131 131 131 131 13 13	20 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	95 105 105 10 10 93 93	919 95 101 103 93 93	10 101 102 103 103 103
July-Dec	9	101	91	11	183	201	25	26½	12	143	1113	131	87	101	91	107
1 De	000 n	omine	1 Ivan	21700 0	fame	llarr	ivale	(Tanı	arv t	o San	tomb	ar ind	ducir	۵)		

¹ Prices nominal because of small arrivals (January to September, inclusive).

OIL CAKE AND OIL-CAKE MEAL.

Table 140.—Oil cake and oil-cake meal: International trade, calendar years 1913-1915.

[The class called here "oil cake and oil-cake meal" includes the edible cake and meal remaining after making oil from such products as cotton seed, flaxseed, peanuts, corn, etc. See "General note," Table 10.]

EXPORTS.

[000 omitted.]

Country.	1913	1914 (prelim.).	1915 (prelim.)	Country.	1913	1914 (prelim.).	1915 (prelim.).
Argentina. Austria-Hungary. Belgium British India. Canada. China Denmark Egypt. France. Germany.	125, 241 400, 818 65, 530 175, 073 21, 061 334, 141 30, 567 183, 581		32,730 164,212	Italy Mexico. Netherlands P = 1 1	27, 848 228, 492 1, 620, 106 52, 711 1, 952, 151 97, 345	73,295 1,579,171 53,484	160,666 25,829 1,458,452
			IMPO	ORTS.			
Austria-Hungary Belgum Canada Denmark Dutch East Indies Finland France Germany Italy	11,090 $1,250,972$ 465 $25,533$ $223,928$ $1,826,618$		22, 215 88, 810 8, 344 5, 997	Japan Netherlands Norway Sweden Switzerland United Kingdom Other countries Total	766, 498 60, 407 351, 106 54, 955 904, 606 21, 776	256, 968 564, 275 83, 716 284, 538 38, 818 731, 264 32, 506 2,195, 738	197, 822 538, 478 71, 156 38, 226 936, 681

ROSIN

Table 141.—Rosin: International trade, calendar years 1913-1915.

[For rosin, only the resinous substance known as "rosin" in the exports of the United States, is taken. See "General note," Table 10.]

EXPORTS. [000 omitted.]

Country.	1913	1914 (prelim.).	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (prelim.).
Austria-Hungary Belgium France Germany Greece Netherlands	Pounds. 2,327 57,491 90,159 56,884 3,982 59,713	9,174	Pounds.	Russia ¹ . Spain United States Other countries Total	18,328 729,419		
			IMPO	ORTS.			-
Argentina Australia Australia Austria-Hungary Belgium Brazil British India Canada Chile Cuba Denmark Dutch East Indies France Germany	16, 924 74, 208 82, 426 41, 730 5, 705 28, 462 7, 832 4, 771 3, 513 17, 287 7, 594 1, 966	29,340 3,535 22,883 4,515 4,239 15,448 4,923 1,256	40, 682 3, 914 27, 314 4, 200 5, 391	Italy. Japan. Netherlands. Norway. Roumania. Russia Serhaa ² Spain Switzerland. United Kingdom. Other countries. Total	15, 649 79, 452 8, 104 4, 811 81, 373 586 683 5, 209 187, 934 17, 928	645 4,236 154,655 10,170	54,541 17,809 13,256 21,238 431 7,723 173,360

¹ In former editions of the Yearbook exports from Russia of *smola drevyesnaya* (tar) were erroneously included in this table as "rosin." ² Data for 1911.

TURPENTINE.

Table 142.—Turpentine (spirits): International trade, calendar years 1913-1915.

["Spirits of turpentine" includes only "spirits" or "oil" of turpentine and, for Russia, skipidar, it excludes crude turpentine, pitch, and, for Russia, terpentin. See "General note," Table 10.]

EXPORTS.

[000 omitted.]

Country.	1913	1914 (prelim.)	1915 (prelim.)	Country.	1913	1914 (prelim.)	1915 (prelim.)
Belgium France Germany Netherlands Russia	578	Gallons. 2,004 2,883 1,337	Gallons. 1,475 7 113	Spain	741	Gallons. 1,052 11,118 617	
			IMPO	ORTS.		<u> </u>	<u></u>
Argentina. Australia. Austria-Hungary. Belgium. Canada Chile. Germany.	524 2,668 2,994 1,253 180	489 471 1,152 140	524 1,113 114	New Zealand	200 363 158 592 8,356 1,161	81 243 110 375 5,031 783	130 180 395 7,446
Italy Netherlands		874 3,632	968 27	Total	3 6, 998	13, 381	

INDIA RUBBER.

Table 143.—India rubber: International trade, calendar years 1913-1915.

[Figures for india rubber include "india rubber," so called, and caoutchouc, caucho, jebe (Peru), hule (Mexico), borracha, massaranduba, mangabeira, manicoba, sorva and seringa (Brazil), gomelustick (Dutch East Indies), caura, sernambi (Venezuela). See "General note," Table 10.]

EXPORTS.

[000 omitted.]

			10000-				
Country.	1913	1914 (prelim.).	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (prelim.)
Angola. Del ion Konro. Bellion Bellion Boilion Braul Cevion Dutch East Indies Ecuador France France French Guinea French Kongo Germany Gold Coast Ivory Coast	24, 456 11, 339 79, 876 27, 518 15, 910 20, 733 3, 209 3, 866	13, 415 73, 924 37, 344 22, 908 325 14, 358 2, 037 397	48,804	Kamerun Mexico Netherlands Peru Senegal Singapore Nigoria Negri Sembilan Perak Solanar Veneguel Other countries Total	8,549 12,368 6,131 193 18,472 7,505 8,951 17,160 26,618	5,009 4 28,474 373 11,881 24,732 32,041 252	18,316 37,325 43,053 380
			IMPO	ORTS.			
Austria-Huncery Belte en tite to France Germany Italy Netherlands	32, 492 4, 802 33, 836 45, 188		29,317	Russia United Kingdom United States Other countries Total		25, 086 41, 596 143, 065 30, 925 293, 707	23, 040 33, 760 221, 482

SILK.

Table 144.—Production of raw silk in undermentioned countries, 1911-1915.

[Estimates of the Silk Merchants' Union of Lyons, France.]

		,			
Country.	1911	1912	1913	1914	1915 (prelimi- nary).
Western Europe: Italy. France. Spain. Austria. Hungary.	Pounds. 7,694,000 886,000 194,000 772,000	Pounds. 9,050,000 1,113,000 172,000 { 410,000 238,000	Pounds. 7,804,000 772,000 181,000 331,000 271,000	Pounds. 8, 950, 000 893, 000 161, 000 388, 000 278, 000	Pounds. 6,345,000 287,000 110,000 225,000 143,000
Total	9,546,000	10,983,000	9.359,000	10,670,000	7,110,000
Levant and Central Asia: Broussa and Anatolia. Syria and Cyprus. Other Provinces of Asiatic Turkey. Turkey in Europe 1. Saloniki and Adrianople.	1,290,000 1,157,000 353,000 827,000	844,000 882.000 254,000 573,000	1,025,000 1,080,000 298,000 187,000	761,000 948,000 242,000 132,000	386,000 772,000 143,000 66,000
Balkan States (Bulgaria, Serbia, and Roumania) Greece, Salonikh, and Crete Caucasus Fersia (exports) Turkestan (exports) ²	375,000 137,000 1,058,000 1,329,000	320.000 110,000 871.000 500,000 569,000	298 000 408,000 849,000 463,000 496,000	386,000 309,000 794,000 176,000 187,000	220,000 176,000 276,000 88,000 110,000
Total	6, 526, 000	4,923,000	5, 104, 000	3, 935, 000	2, 237, 000
Far East: China— Exports from Shanghai. Exports from Canton. Japan— Exports from Yokohama Dirigit In II.— Exports from Bengal and Cashmere	3,814,000 20,657,000	14, 198, 000 4, 983, 000 23, 957, 000 370, 000		9, 116, 000 4, 233, 000 20, 922, 000 75, 000	12, 213, 000 4, 321, 000 24, 802, 000 179, 900
Indo-China— Exports from Saigon, Haiphong, etc	35,000	33,000	26,000	35,000	31,000
Total	38,095,000	43,541,000	45, 767, 000	34, 381, 000	41,546,000
Grand total	54, 167, 000	59,447,000	60, 230, 000	48, 986, 000	50,893,000

¹ Prior to 1913 Turkey in Europe included the Vilayet of Saloniki, which now belongs to Greece. ² Including "Central Asia" subsequent to 1911.

Table 145. — Total production of raw silk in countries mentioned in Table 144, 1900-1915.

Year.	Production.	Year.	Production.	Year.	Production.
1900	Pounds. 40,724,000 42,393,000 41,368,000 39,981,000 45,195,000 41,513,000	1906. 1907. 1908. 1909. 1910.	Pounds. 46, 106, 000 48, 634, 000 53, 087, 000 54, 035, 000 54, 002, 000	1911 1912 1913 1914 1914 1915 (preliminary).	Pounds. 54, 167, 000 59, 447, 000 60, 230, 000 48, 986, 000 50, 893, 000

WOOD PULP.

Table 146. — Wood puip: International trade, calendar years 1913-1915.

[All kinds of pulp from wood have been taken for this item, but no pulp made from other fibrous substances. See "General note," Table 10.]

EXPORTS.

[000 omitted.]

Country.	1913	1914 (prelim.).	1915 (prelim.).	Country.	1913	1914 (prelim.).	1915 (prelim.).
Austria-Hungary Belgium Canada Finland Germany	74,351 596,339	Pounds. 849,765 221,420	Pounds. 728, 341 213, 843	Sweden Switzerland United States Other countries	14,659 39,552	Pounds. 2,054,813 15,573 24,674 121,167	Pounds. 22,877 40,575
NorwayRussia	1,558,473	1,407,299 6,515	1,614,870	Total	5,591,098	4,701,227	
			TMLC	ris.			
Arcaring Angle - It in a graph of the second	291,900 130,654 1,025,025 121,124 212,241	51,441 702,640 193,943 100,764	627, 499 135, 084 119, 307	Russia. Spain Sweden Switzerland United Kingdom. United States Other countries	134,352 10,601 26,602 2,153,077 1,082,914	62,880 87,233 10,616 16,115 2,201,302 1,351,130 205,803	176, 700 111, 302 21, 839 2, 131, 945 1, 145, 717
Portugal	21, 192	17,129	110,007	Total	5,655,114	5,000,996	

54159°-YBK 1916-42A

LIVE STOCK, 1916, AND MISCELLANEOUS DATA. FARM ANIMALS AND THEIR PRODUCTS.

Table 147.—Live stock in principal and other countries.

[Latest census or other official forces on Table, with comparison for earlier years. Census returns are in italias, or or other diagrees are in Roman type.]

PRINCIPAL COUNTRIES.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
United States: On farms	Jan. 1,1917 Jan. 1,1916 Jan. 1,1915 Apr. 15,1910 Apr. 15,1910	Thou- sund. 63,617 61,920 58,329 61,804 1,879	Thou-sand.	Thou- sand. 67,423 67,766 64,618 58,186 1,288	Thou- sand. 48, 483 48, 625 49, 956 52, 448 391	Thou- send. (1) (1) (1) (2,915 115	Thou- sand. 21, 120 21, 159 21, 195 19, 833 3, 183	Thou- sand. 4,+39 4,573 4,479 4,210 270	Thon- sand. (1) (1) (1) (1) (1) 106 17
Alaska (on farms and not on farms)	Jan. 1,1910	1	2 32	(3)	(3)	(3)	2	(3)	(1)
Hawaii (on farms and not on farms)	Apr. 15,1910	149		31	77	5	. 28	9	3
Porto Rico (on farms and not on farms) Algeria	Apr. 15,1910 Dec. 31,1912 Sept., 1910 Sept., 1905 Sept., 1900	316 1,107 1,128 1,067		106 114 109 91 82	6 8,338 9,042 9,063 6,724	3,772 3,990 4,030 3,563	58 221 230 221 202 202	192 192 174 147	271 276 278 263
Argentina	Sept., 1895 Dec. 31,1913 May 1,1908 May, 1895 1888	30,796 29,124 21,702 21,962		3, 197 1, 404 653	7,892 81,485 67,384 74,580 66,706	3,545 4,564 8,947 2,749 1,894	9,366 7,538 4,447 4,234	1 42 584 465 285	287 345 285 198
Australia	Dec. 31, 1915 Dec. 31, 1914 Dec. 31, 1910 Dec. 31, 1905 Dec. 31, 1895 Dec. 31, 1895	9,924 11,051 11,745		760 862 1,026	69,706 78,600 92,047 74,541 70,603 90,690 97,331	314 (1) (1) (1) (1) (1)	2,305 2,521 2,166 1,675 1,610 1,686 1,522	(1)	3 (1) 5 (1) (1) (1) (1) (1)
Austria-Hungary: Austria	Dec. 31,1910 Dec. 31,1900 Dec. 31,1890	9,159 9,511 8,644	(1) (1)	6,489 4,683 3,550	2,428 2,621 3,187	1 257 1,020 1,036	1,803 1,716 1,548	2! 20 17	5 3 46 41
Hungary	Dec. 31,1880 Apr., 1913 Feb. 28,1911 Nov. 20,1895 1884		(1) 169 -5; 880 879	6,416	3,841 6,560 7,698 7,527 10,595	1,007 269 331 237 270	1,463 2,005 2,001 1,997 1,749	1 1	50 16 18
Croatia-Slavonia	Mar. 24, 1911 Dec. 31, 1895	Ĩ,	135 09	4,804 1,164 883	850 596	96 22	350 311		3
Bosnia - Herzego vina	{Oct. 10} Non 10}1910	1,309	1	537	2,499	1,393	222	(3)	6
Belgium.	Apr. 22 May 22 Dec. 31, 1913 Dec. 31, 1910 Dec. 31, 1895 Dec. 31, 1880	1,416 1,849 1,880 1,421 1,388		662 1,412 1,494 1,163 646	3, 231 (1) 185 236 365	1,447 (1) 218 241 (1)	231 267 317 272 272		5 11 7 1- (1)
Brazil Bulgaria.	1913 Dec. 31,1910 Dec. 31,1905 Dec. 31,1900 Dec. 31,1892	1,535 30,705 1,603 1,696 1,596 1,426 5,917	415 477 431 842	18,399 527 465 368 469	10,658 8,632 8,131 7,015 6,868 1,965	10,049 1,459 1,384 1,405 1,264	7,289 478 538 495 344	3, 12 12 9 8	208 118 124 107 82
Canada	June 30, 1916 June 30, 1915 June 1, 1911 June 31, 1901 1891 1881	5,917 6,066 6,533 5,576 4,121 3,515		2,354	1,965 2,039 2,175 2,510 2,564 3,049	(1) (1) (1) (1) (1) (1)	2,991 2,996 2,596 1,577 1,471 1,059	(1) (1) (1) (1) (1) (1) (1)	(1) (1) (1) (1) (1) (1)

¹ No official statistics.

² Reindeer.

³ Less than 500.

⁴ Dec. 31, 1913.

Table 147.—Live stock in principal and other countries—Continued.

PRINCIPAL COUNTRIES-Continued.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
Denmark	Fcb. 29,1916 May 15,1915 July 15,1914 July 15,1903 July 15,1903 July 15,1898	Thou-sand. 2,290 2,417 2,463 2,254 1,840	Thou-sand.	Thou- sund. 1,983 1,919 2,497 1,468 1,457	Thou- sund. 255 538 515 727 877	Thou- sand. (1) (1) (1) 40 39	Thou- sand. 515 526 568 535 487	Thou-sand. (1) (1) (1) (1) (1) (1)	Thou-sand. (1) (1) (1) (1) (1) (1)
Finland	July 15,1898 1910 1905 1900 1890	1,745 1,573 1,481 1,428	2 120 2 142 2 119 2 86	1,168 418 220 211 194	1,074 1,309 938 985 1,054	\$2 13 6 8 15	449 361 324 311 293		(1) (1) (1) (1) (1)
France	*July 1,1916 *Dec. 31,1915 *Dec. 31 1914	1,428 1,305 12,724 12,514 12,668 14,807		4,448 4,916 5,926 7,048	12,079 12,379	(1) 1,230 1,317	2,317 $2,156$	163 144 152 193	317 324 337 360
Germany	$D\epsilon c$, 1,1914	14,533 14,521 13,709 12,997 13,819 20,517		6,900 6,740 7,421 7,147 6,038 17,287 25,341	16, 213 17, 111 20, 180 21, 116 23, 809 29, 550 5, 073 5, 471	1,418 1,558 1,845 1,851 1,726 3,408 3,538	2,105 3,231 3,198 2,903 2,795 2,838 2,914 4,3,435 3,227	193 205 217 251 (1) (1) (1)	361 356 869 296 (1) (1) (1) (1)
	Dcc. 1,1913 Dec. 2,1912 Dec. 2,1907 Dcc. 1,1904 Dcc. 1,1907 Dcc. 1,1897 Dcc. 1,1892 Jan. 10,1883	20,994 20,182 20,631 19,332 18,940 18,491 17,556 15,787		25,659 21,924 22,147 18,921 16,807 14,275 12,174 9,206 227	5,521 5,803 7,704 7,907 9,693 10,867 13,590 19,190	5,548 3,410 3,534 3,330 3,367 (1) 3,092 3,641 2,638	4,345 4,345 4,267 4,195 4,038 3,836 3,528	(1) (1) (1)	3 1 1 (1) 8 1 (1) 7
GreeceIndia:	1914	į	(1)	227	3,547	2,638	149	80	133
British	1913-14 1910-11 1904-5 1899-1900	5 72, 666	616,628 612,871 612,120	(1) (1) (1) (1)	23,092 22,922 17,562 17,805 17,260	30, 673 28, 518 24, 803 19, 005 15, 272	1,643 1,524 1,278 1,308	86 110 54	$ \begin{array}{r r} 1,501 \\ 1,342 \\ 1,177 \\ \hline 227 \end{array} $
Native states 7	1894-95 1913-14 1909-10 1904-5 1900-1	5 12, 236 5 10, 391	6 1,765 6 1,559 6 1,347	(1) (1) (1) (1) (1)	17, 260 8, 3 7, 1 6, 3 4, 8 13,	15, 272 306 129 318	1,308 1,134 175 141 92 85		227 102 181 155 129 115
Italy	1914 Mar. 10, 1908 Feb. 13, 1881		646	2,722 2,508 1,164	13, 11,163 8,596	82 1 2,715 2,016	956 058	2, 235 888 294	850
Japanese Empire: Japan	Dec. 31,1914 Dec. 31,1913 Dec. 31,1910 Dec. 31,1905 Dec. 31,1913 Dec. 31,1910	1,387 1,389 1,384 1,168	(1) (1) (1) (1) (1) (1)	332 310 279 228	3 3 4	95 89 92 72	1,579 1,582 1,565 1,368	(1) (1) (1) (1)	(1) (1) (1) (1)
Chosen (Korea)	Dec. 31, 1913	1,168 1,261 1,211 704		181 761 566	2	60 10	1,542 51		1 (1)
Formosa (Taiwan)	Dec. 31, 1914	1 2	(1) 398 341	1,313 1,018	(8) (8)	7 125 108	(8) (8)	(1)	(1)
Mexico Netherlands		(8) 5,142 2,390 2,097		616 1,487 1,350	3, 424 (1) 842	4, 206 (1) 232	(1) 334	854 (1) (1)	288 (1) (1)
New Zealand	June 20) 1910 Dec. 31, 1904 Dec. 31, 1900 Dec. 31, 1890 Apr. 30, 1916 Apr. 1, 1911	2,027 1,691 1,656 1,533 2,020		1,260 862 747 579	889 607 771 819 24,608	224 166 180 165	227 295 205 273 404	(1) (1) (1) (1)	(1) (1) (1) (1) (1) (8)
	Oct., 1905 Apr. 30,1900 Oct., 1900	1,811 1,257			19, 131	(1)	327 266	(8)	(8)
	Apr., 1895 1895 1891	1,048		240 309	19,827	(1)	237 211	(8)	(8)

No official statistics.
 Reiadeer.
 Excludes invaded area.
 Excluding Army horses.

Including calves and young buffaloes.
 Not beautiful worm, buffaloes.
 The result is worm, buffaloes.
 Less than Ju.

Table 147.—Live stock in principal and other countries—Continued.

PRINCIPAL COUNTRIES-Continued.

Country.	Dat	e.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
Norway	Sept. 30 Sept. 30 Sept. 30 Dec. 31 Dec. 31	0, 1914 0, 1910 0, 1907 1909 1890 1, 1915	2, 545 2, i	Thow-sand. (1) (1) (1) (2) 2 143 2 100 2 170 1, 222 757 644 (1) (2) (3) 308	Thou-sand. 209 209 334 807 148 2,521 1,682 1,179 1,111 1,382 1,021 1,709 926 886	Thou- sund. 1, 320 1, 321 1, 388 1, 321 1, 989 1, 418 129 94 80 3, 075 7, 811 5, 299 5, 105 6, 655 5, 002 4, 655	Thouserd. 240 247 288 396 215 272 644 441 124 1,024 9,77 191 233 210 245	T'kou- send. 186 182 168 164 173 131 223 144 88 87 1,219 825 808 864 595 595	Thou- sand. (1) (1) (1) (1) (1) (1) (1) (1) (1) (3) 58 51 (3)	5
Russian Empire: Tin-sia, Luropean Poland Russia, Asiatic (33 govern-	In summer.	1913 1910 1900 1890 1881 1913 1910 1930 1830	\$1,974 \$1,315 \$1,661 25,528 22,122 2,011 2,301 2,823 3,013 5,055	2 605 2 462 2 350 (1) (3) (3) (3) (3)	13, 458 12, 049 11, 761 9, 554 9, 265 491 612 1, 402 1, 499 706	41, 426 40, 734 47, 628 46, 052 45, 522 45, 522 1, 050 2, 823 3, 755 3, 375	873 857 1,017 (1) 1,157 9 11 (1) 10	22,771 21,868 19,744 19,779 15,534 1,116 1,222 1,392 1,207 1,037	6 5 1 (3) (3) (3) (3) (3) (1)	(3) (3) (3) (3) (3) (3) (1) (1)
ments of the Caucusus, Central Asia, and Siberia) Serbia Spain Sweden	Dec. 3	1, 1905 1914 1913 1, 1910 1, 1906 1891 1, 1914 1, 1913	13, 404 953 963 2, 879 2, 309 2, 497 2, 761 2, 721 2, 748 2, 583 2, 399 2, 399	(1) 7 7 2 273 2 226 2 232	2, \$95 866 908 2, \$10 2, 710 2, 424 2, 080 1, 928 1, 015 968 957 830 830	38,696 3,819 5,160 16,128 16,441 15,117 13,481 13,359 988 1,004 1,074 1,261	4, 791 631 510 3, 265 3, 294 3, 216 2, 440 2, 534 77 77 69 67 80	11, 959 153 174 525 549 520 440 397 603 596 587 555 533) 1 1 984 948 886 802 768 (1) (1) (1) (1) (1) (1)	(1) 1 1 841 849 868 744 754 (1) (1) (1) (1) (1) (1) (1) (1) (1)
Turkey. European and Asiatic. Union of South Africa.	Apr. 1 Apr. 2 Apr. 2 Apr. 1 Dec. 3	1890 (9, 1916 (1, 1911 (20, 1906 (9, 1901 1912 1910 1905	2,389 1,616 1,443 1,340 (1) (1) (1) (1) (1) (1) 5,797 3,500	(1) (1) (1) (1) (1) (1) (1) (1)	645 544 570 549 555 73 175 196 (1) 1,082 670	1,351 172 161 210 27,095 27,662 23,614 35,711 30,657 16,323	87 858 341 863 855 20,269 21,283 16,411 11,521 11,763 9,771	487 137 144 135 125 (1) (1) (1) (1) (1) (1) 450	(1) 3 3 3 3 3 (1) (1) (1) (1) (1) (1) (1) (1) (1)	(1) (1) (2) 2 2 2 (1) (1) (1) (1) (1) (1) (1) 3877 142
United Kingdom: Great Britan Treland	June June June June June June June June	5, 1916 4, 1915 4, 1914 4, 1913 4, 1910 4, 1900 4, 1880 1, 1916 1, 1915 1, 1914 1, 1913 1, 1910 1, 1890 1, 1880	7, 442 7, 288 7, 093 6, 964 7, 037 6, 805 6, 509 5, 912 4, 970 4, 933 4, 689 4, 241 3, 921		2,315 2,579 2,634 2,234 2,350 2,350 2,744 2,001 1,290 1,060 1,200 1,200 1,570 1,570 850	24, 990 24, 598 24, 286 23, 931 27, 103 26, 592 27, 272 26, 619 3, 764 3, 600 3, 601 3, 621 3, 980 4, 387 4, 324	(1) (1) (1) (1) (1) (1) (1) (293 243 242 246 243 306 327 266	1,567 1,213 1,296 1,324 1,545 1,545 1,421 590 614 619 614 613 567 585 557	(1) (1) (1) (1) (1) (1) (1) (1) (2) 28 31 30 31 30 25	(1) (1) (1) (1) (1) (1) (1) (2) 227 245 243 241 242 241 242 213 186

No official statistics.
 Reindeer.

³ Less than 500. 4 Exclusive of the Government of Radom.

Table 147.—Live stock in principal and other countries—Continued.

PRINCIPAL COUNTRIES-Continued.

Country.	Date,	Cattle.	Buffa- loes.	Swine.	Sheep.	Gosts.	Horses.	Mules.	Asses.
United Kingdom— Continued. Isle of Man and Channel Islands Uruguay	June 5,1916 1908 1900 1860	Thou- sand. 40 8,193 6,827 2,632	Thou- sand.	Thou- sand. 11 180 94 6	Thou- sand. 78 26,286 18,600 1,900	Thou- sand. (1) 20 20 5	Thou- sand. 10 556 561 518	Thou- sand. (1) 18	Thou-sand.

Azores and Madeira Islands	1900	89	93	87	38	2	3	9
Basutoland Bechuanaland Pro-	1911	477	(1)	1,369	(1)	88	(1)	(t) °
tectorale	1.911	324	(1)	35	3		4	
Bolivia British East Africa 2.	1910	735	114	1, 455	473	97	45	174
British Guiana	1915	900 (1)	4 11	6, 555 20	4, 020 15	$\begin{array}{c c} 2 \\ 1 \end{array}$	(1) 2	(1) 6
Ceylon	1914	1,484	84	64	190	4	(1)	(1)
	Dec. 31,1913	1,969	221	4,602	299	458	38	33
Costa Rica	1914 Dec. 31, 1914	3.395	$^{64}_{(1)}$	(3) (1)	(1)	52 673	$\frac{2}{50}$	(3)
Cyprus		61	39	263	244	010	68	3
Dutch East Indies:	*		00	_0,		1	1	
Jova and Madura.	1913 1905	4,786 449 447	(1)	(1)	(1)	274	(1)	(1)
Other possessions. Dutch Guiana		449 447 8 (1)	(1)	(3)	(¹) 3	(3)	(3)	(1) 1
		601 568					22	632
Egypt	Sept., \(\int_{1014}^{1914} \)		(1)	(1)	(1)	40		
Falkland Islands	1914 1914	8	(3) (3)	701 112	(1) (3)	(1) 3	(1)	(1) (1)
Figi	1914	53	(0)	3	16	7	(9)	83
French Guiana	1914	400	(1)	150	110	3	(1)	(t)
French Indo-China:	1914	215 (1)	(1)	(1)	(1)	71.	713	
Annam Cochin-China	1914	215 (1) 109 212	(1) 709	(1) 3	(1)	(1)	(1)	(1) (1)
Guam	1913	6	(1)	(1)	(1)	(1)	(1)	$\langle i \rangle$
Gambia	1907	83	(1)	(1)	(1)	4	(1)	(ι)
Guatemala	Dec. 31,1914 1913	655 3,994	177	402	59 25	(3)	(3)	25
German S. W. Africa.	1913	206	6 8	$6,440 \mid 555 \mid$	517	16	(2) 14	
Honduras	1914	439	180	6	23	68	25	
IcelandJamaica	1912 1914	26 115 '		601	1	46	. (1)	(1)
Luxemburg		115	31 137	11 5	18 10	55 19	(1)	(r)
Madagascar	Dec. 31, 1914	4 6, 784	643	247	168	2	(3)	(3)
Malta		5	4	21	21		9 .	
Mauritius Morocco (western)	1913 1915	675	17 16	$\frac{2}{3,175}$	37 1,052	2 12	. 1	(¹) 228
Newfoundland	1911	39	27	98	17	14	(1)	(1)
Nicaragua	1908	252	12	(3)	1	28	6	ľ
Nyasaland Protecto- rate	1915	82	22	28	137	(3)	(3)	(2)
Panama.	1905	65 1	28	(1)20	3	17	(*) 2	(3) (1)
Rhodesia	1911	500	2	300	602		20	()
Salvador	1906 January, 1915	284	423	21	(1)	74	(1)	(1)
Straits Settlements	1914	2,398 1,999	(1)	35	18	92	(1) (1)	(1) (1)
Swaziland	1915	90	9	20		1	(i)	\i\
Togo 2	1913	65 (1)	(1)	(1)	(1)	(1)	(1)	(1)
Trinidad and Tobago. Tunis.	July 31,1915	269	12	1,119	499	5 38	30	(¹) 86
Uganda Protectorate 2	1914	845	1	67		(3)	(3)	3) 00
Venezuela	1912	2,004	1,618	177	1,667	191	89	313

¹ No official statistics.

² Figures incomplete.

⁸ Less than 500.

⁴ Zebus.

Table 148.—Hides and skins: International trade, calendar years 1913-1915.

(This table gives the classification as found in the original returns, and the summary statements for "All countries" represent the total for each class only so far as it is disclosed in the original returns. The following kinds are included: Alligator, buildlo, calf, camel, cattle, deer, goat and kid, horse and colt, kangaroo, mule and ass, sheep and lamb, and all other kinds except furs, bird skins, showships with wool on, skins of rabbits and hares, and tanned or partiy tanged and rate in the limit of pounds computed from stated number of hides and skins. See "General note," Table 19.1

EXPORTS.

Country and classification.	1913	1914 (prelim.)	1915 (prelim.)	Country and classi- fication.	1913	1911 (prelim.)	1915 (prelim.)
Argentina:	Pounds.	Pounds.	Pounds.	Germany:	Pounds.	Pounds.	Pounds.
Cattle, dried	46,779	31,984	56,391	Calf		1 ou iuis.	
Ca 1, tared	144,963	140, 118	141,641	Cattle			
Dee:	1	1	6	Goat			
Goat	4,387	3, 193	5,203	Horse	14.594	 -	
Horse, dried	2,297	2,464	5,203 4,782	Cacle I al	947		
Horse, salted	310	610	835	Chele d'admin	1,296	·	
Kid	995	406	342	laiy:		!	
Sheep and lamb	47,920	33,329	50,705	Catale	43,094	53, ±13 5, 379	16,576
Austria-Hungary:			'	Calf Goat	7, 110	3,379	428
Calf, dried	3,177			Goat	1,191	398	192
Calf, green	22,004 7,795			Kid	989	644	63
Cattle, dried	7,795			Lamb	2,207	2,043	
Cattle, green	27,371			Sheep Unclassified	782	517	1,32
Goat	2,014			Marian Marian	1,316	1,067	1,34
Horse, dried	1,230			Mexico:			
Horse, green				Alligator	34		
Kid				Cattle Teer	606		
Lamb	5,884			Goat	4,641		
Sheen	1,351			Netherlands:	4,041		
Forth siled Belgium: Use la or l	1,001			Hidas dried	24.161	16,791	1, 164
Billion i	116,608			Hides, dried Eides, fresh	162	79	1
Drogile	1 110,000	,		Hides, salted	42,399	28,435	10, 268
Brazii:	20,460	19.589	34, 595	Sheep	993		
Cattle, dried	56,866	19,569 49,730	47, 153	New Zealand:	000	1,2.0	:
Cattle, green	387	284	305	Sheep	20,671	21,923	24,97
Goat	5,062	3,786	6,873	Uncrassified	7,004	5,130	6,010
Sheen	1,594	1,337	2,796	Peru:	.,	1 0,200	-,
Sheep. Unclassified	82	76	109	Carila	6,930	4, 326	
British India:	-			Goat Sheep Unclassified.	872	944	,
Cattle	124,525	97,586	59,443	Sheep	172	151	
Cont	52, 438 7, 160	46,906	42,477	Unclassified		1	
Unclessified	7,160	5,755	5,496	Russia:		1	i
British anath Africa.	1			Hides, large	51,411	31,097	12, 278
Cittle	21,515	14,765 7,944	15,415	Hides, small	36,676	12,723	
Goat	9,105	7,944	8,324 37,282	Sheep and goat	23, 471	15, 614	111
Sheep	32,319	30,403	37,282	Singapore:		!	ī.
Canada:			1	Unclassified	2 7, 163	5,154	
Sheep	36			Spain:	1 000	1 010	0.17
Unclassified 1	60,000	53,000	42,000	Goat	1,923	1,019	2, 473 5, 033
China:	00 40*		E2 210	Sheep Unclassified	9, 203	8,597 2,678	611
Buffalo	66,405	58,259	58,319 1,851		6,470	2,010	01.
Horse	1,518 22,176	1,542 17,646	22,652	Sweden:	91 250	24,703	1
Goat	1,105	825	1,325	Cattle, wet	21,359	166	
Sheep Chosen (Korea):	1,100	020	1,020	Cattle, dry	366 813		
Cattle	4,649	5,628		Horse, wet	1	1,331	
Cuba:	3,010	0,020		Horse, dry Goat, kid, lamb,	1	1 2	,
Cattle	14,207	14,458	16, 539	and sheep, wet.	633	851	i
Unclassified	322	264		Goat, lamb, and	033	001	
Perm wie	022	1		sheep, dry	157	132	I
Tret, Ret. Pytch F. v. Ediss.	20,814	1		Unclassified, dry.	8	2	,
Potch L. & Udlesi	,	1		Unclassified, wet.	175	166	
Unclassified	16,011	11,609		Switzerland:			1
Egypt:		1	1	Unclassified	23,851	24, 138	11,671
Cattle and camel.	7,029	6,883	5, 100		20,001	1 21,100	1 .,,,,,,
Sheep and goat	2,946	2,211	2,573	United Kingdom:	0.177	- 589	Ì
France:		1		Cattle	2,175 17,837	14,055	9,560
Calf	34,164	21, 150	10,050	Sheepskins	22,213	17,583	11, 03
Goat	5,411 2,601	3,964	900	Unclassified	22,213	11,000	11,00
Kid	2,601	1,045	166	United States:	F00	700	001
Lamb	1,983	1,144	1,284	Call	583	798	19,40
Sheep Unclassified	13,030	6,943	1,437	Calf	14,454	15,310 5,476	2, 196
I impole and fined	82,304	61,493	30, 180	c nciassmed	7,119	3, 1/0	الا رغ -

I Unofficial estimate.

² Data for 1912.

Table 148.—Hides and skins: International trade, calendar years 1913-1915—Contd.

EXPORTS-Continued.

[000 omitted]

Country and classification.	1913	1914 (prelim.)	1915 (prelim.)	Country and classification.	1913	1914 (prelim.)	1915 (prelim.)
Uruguay: Calf. Cattle, dried. Cattle, salted. Horse, dried. Horse salted. Lamb. Sheep. Yearling, dried.	80 1 678 23,674 1,116	9,563 1,195	Pounds.	Other countries—Con. Skins—Contd. Sheep and lamb Sheep and goat, mixed. Unclassified Total.	Pounds. 17, 861 11, 687 54, 370	Pounds. 17,977 1,035 24,637 1,268,346	Pounds.
Yearling, salted. Yenezuela: Cattle Deer Goat Unclassified. Other countries: Hides— Cattle and buffalo Horse Skins— Alligator Calf Deer Goat and kid	108, 630 361 7,033 1,441	272 6,587 362 2,041 93,018 158 4,307 1,295 8,115	7,644 200 1,612 200	All countries: Hides— Cattle and buffalo. Horse. Skins— Alligator. Calf. Deer. Goat and kid Shirt in the country in the cou	25, 015 106 90, 753 2, 789 137, 924 202, 037 38, 949 593, 446	649, S50 6, 148 55 31, 862 98, 251 150, 098 19, 846 310, 294 1, 268, 346	

IMPORTS.

Austria-Hungary: Calf, dried 1,071	•			IMI	1010.			
Calf, dried	Austria Tungary				Crosse:			
Calf.	Colf dried	1 071				5 210	4 086	
Catle, Green	Call green	1 591				0,210	7,000	
Cattle, green	C. The Colon					1 211	726	2 144
Sheep	Cattle green	37 440				47, 615		
Horse, dried	Gost	1,500				4, 270		
Horse, green 243							2,002	288
Lamb 10, 124 Unclassified 184 162 871 164 162 871 164 162 871 164 162 871 164 16								
Sheep	Kid							
Sheep	Lamb	10.124			Unclassified	184	162	871
Cattle	Sheep							
Belgium: 107,072	Confession 1	608			Cattle	7,171	5,949	15,053
Netherlands:	Belgium:				Deer			
Hides, fresh 25 32 32 32 34 38 37 35 35 35 35 35 35 35		197,072			Netherlands:			
Canada: Unclassified		·			Hides, dried	41,384	26,450	13,695
Canada: Unclassified 44,667 50,782 60,297 Norway: Hides, dry. 3,507 2,011 2,933 Denmark: 10,766 Hides, dry. 3,507 2,011 2,933 Finland: 10,766 Hides, dry. 9,338 8,504 8,221 Hides, dried 6,200 2,563 646 Hides, salted 688 550 Hides, green 6,374 2,945 11,063 Hides, salted 29 32 Sheep 310 109 91 Hides, dried 5,895 4,404 France: Calf 5,123 3,205 1,022 Roumania: 80 Goat 19,131 16,699 5,095 Horse, green 339 104 Kid 4,515 3,092 1,092 Horse, green 7 Sheep, lamb, and Sheen 31,148 86,609 43,348 Hides, green 14,110 11,006 61 Calf, green 75,846 Goat and kid 3,399 <t< td=""><td>va delli</td><td></td><td></td><td>8,477</td><td>Hides, fresh</td><td></td><td></td><td></td></t<>	va delli			8,477	Hides, fresh			
Unclassified		5,737	5, 255	5,544	Hides, salted	34,189	25,369	6,453
Denmark: Unclassified 10,766					_Sheep	4,812	2,894	
Unclassified 10,766 Hides, green 9,386 8,504 8,221 Finland: Hides, dried 6,200 2,563 646 Hides, green 6,374 2,945 11,063 Sheep 310 109 91 France: Calf 5,123 3,205 1,022 Goat 19,131 16,639 5,095 Kid 4,151 3,092 1,094 Lamb 334 257 79 Sheep 3,398 3,729 398 Vinclassified 10,641 3,348 Germany: Germany: Hides, dried 5,826 Lamb 334 257 79 Sheep 3,399 1,044 Horse and swine 5,44 Russia: Hides, green 102,700 59,212 506 Calf, dried 10,641 Gastan Cattle, dried 120,063 Sheep 10,078 12,162 567 Cattle, green 249,518 Singapore: Vinclassified 10,965 Cattle, green 24,226 Cattle, green 24,226 Horse, green 25,096 Unclassified 18,236 11,977 28,194 Sheep and lamb 2,552 Sweden		44,667	50,782	60, 297				
Finland: Hides, dried 6,200 2,563 646 Unclassified 29 32 Hides, green 6,374 2,945 11,063 Sheep 310 109 91 Hides, dried 5,895 4,404 France: Calf. 5,123 3,205 1,022 Goat 19,131 16,609 5,095 Lamb. 334 257 79 Sheec 3,139 3,729 398 Unclassified 5,326 5,326 Unclassified 6,326 Horse and swine. 7 Sheec, 131,148 86,609 43,348 Germany: Calf, dried 10,641 Russia: Hides, green 102,700 59,212 506 Cattle, dried 120,063 Sheep 10,078 12,162 867 Cattle, dried 120,063 Sheep 10,078 12,162 867 Cattle, green 249,518 Goat, withhairon 24,426 Unclassified 18,236 11,977 28,194 Horse, green 25,096 Unclassified 18,236 11,977 28,194 Sheep and lamb 2,5852 Sweep:						3,507		2,933
Hides, dried		10,766				9,336		8,221
Hides, green		0.000			Hides, salted			
Sheep. 310 109 91		6,200				29	32	
France: Calf 5,123 3,205 1,022 Bides, green 339 104 Rounania: Boumania: Buffalo and cattle 6,326 Horse and swine. 7 Sheep, lamb, and goat 514 Streen 339 104 Russia: Buffalo and cattle 6,326 Horse and swine. 7 Sheep, lamb, and goat 514 Streen 3,139 3,729 398 Streen 131,148 86,609 43,348 Russia: Hides, dry 14,110 11,006 61 Germany: Hides, green 102,700 59,212 500 Catfle, dried 10,641 Hides, green 102,700 59,212 500 Cattle, dried 120,063 Sheep 10,078 12,162 867 Cattle, green 240,426 Singapore: Unclassified 10,642 Spain: Unclassified 10,965 8,942 Spain: Unclassified 110,965 8,942 Spain: Sheep and lamb 2,582 Sweden: Singapore Sweden: Sweden:			2,945					
Calf.		310	109	91				
Gost 19,131 16,699 5,095 Buffalo and cattle Kid 4,151 3,092 1,094 Horse and swine. 7 Sheep, lamb, and 514 11,006 61 120,063 131,148 86,609 43,348 Hides, green 102,700 59,212 506 Calf, dried 10,641	Prance:	E 100	2 005	1 000		559	104	
Horse and swine. 7 Sheep, lamb, and 514 Sheep Sheep and lamb 25,786 Sheep and lamb 25,886 Sheep and la			3,205	1,022		a 20a		
Lamb 334 257 79 Sheep, lamb, and goat 514	7754			3,095				
Sheep	Lamb		0,092	1,094		•		
I'ulcssic.e1 131,148 86,600 43,348 Russia: Russia: Hides, dry. 14,110 11,006 61 Calf, dried. 10,641 Hides, green. 102,700 59,212 506 Cattle, dried. 120,063 Sheep. 10,078 12,162 867 Cattle, green. 249,518 Singapore: 10,078 12,162 867 Goat,withhairon. 24,426 Unclassified 10,965 8,942 Horse, dried. 4,333 Spain: Spain: 10,965 8,942 Horse, green. 25,096 Unclassified 18,236 11,977 28,194 Sheep and lamb. 2,552 Sweden: Sweden: 10,000 <td>Shoon</td> <td></td> <td>3 720</td> <td></td> <td></td> <td>514</td> <td></td> <td></td>	Shoon		3 720			514		
Germany: Germany: Hides, dry. 14,110 11,006 61 Calf, dried. 10,641 Hides, green. 102,700 59,212 506 Calf, green. 75,846 Goat and kid. 3,399 2,244 4 Cattle, dried. 120,063 Sheep. 10,078 12,162 867 Cattle, green. 249,518 Singapore: Unclassified. 110,965 8,942 110,965 8,942 110,965 110,96	Timulcesif o.1		86 600			011		
Calf, dried. 10, 641 Hides, green. 102, 700 50, 212 500 Calf, green. 75, 846 Goat and kid. 3, 399 2, 244 4 Cattle, dried. 120, 063 Sheep. 10, 078 12, 162 807 Cattle, green. 249, 518 Singapore: Unclassified. 1 10, 965 8, 942 Horse, dried. 4, 333 Spain: Horse, green. 25, 096 Unclassified. 18, 236 11, 977 28, 194 Sheep and lamb. 2, 582 Sweden:		101,110	00,000	10,010		14 110	11 006	61
Calf, green 75,846 Goat and kid 3,399 2,244 4 Cattle, dried 120,063 Sheep 10,078 12,162 867 Cattle, green 249,518 Singapore: Unclassified 110,965 8,942 Horse, dried 4,333 Spain: Unclassified 18,236 11,977 28,194 Sheep and lamb 2,552 Sweden: Sweden:		10.641						
Cattle, dried 120, 063 Sheep 10,078 12,162 867 Cattle, green 249,518 Singapore: Unclassified 10,965 8,942 Gost, withhairon 24,426 Unclassified 10,965 8,942 Horse, dried 4,333 Spain: Unclassified 18,236 11,977 28,194 Sheep and lamb 2,552 Sweden:		75, 846			Goat and kid.			
Cattle, green 249,518 Singapore: Goat, with hairon 24,426 Unclassified 110,965 8,942 Horse, dried 4,333 Spain: Horse, green 25,096 Unclassified 18,236 11,977 28,194 Sheep and lamb 2,582 Sweden: Sweden:	Cattle, dried	120,063				10,078		
Goat with hair on 24,426 Unclassified 110,965 8,942 Horse, dried 4,333 Spain: Unclassified 18,236 11,977 28,194 Sheep and lamb 2,552 Sweden:	Cattle, green					,	1,	00.
Horse, dried 4,333 Spain: Horse, green 25,096 Unclassified 18,236 11,977 28,194 Sheep and lamb 2,552 Sweden:	Goat, withhairon.	24,426			Unclassified	1 10,965	8,942	
Horse, green	Horse, dried	4,333			Spain:	,,,,,	,	
Sheep and lamb. 2,582 Sweden:	Horse, green	25,096			Unclassified	18,236	11,977	28,194
Unclassified 2,239	Sheep and lamb					-		
	Unclassified	2,239	1		Cattle, wet	19,159	17,187	

¹ Data for 1912.

 ${\tt Table 148.--} \textit{Hides and skins: International trade, calendar years 1913-1915--Contd.}$

IMPORTS—Continued.

[000 omitted.]

Country and classification.	1913	1914 (prelim.)	1915 (prelim.)	Country and classi- fication.	1913	1914 (prelim.)	1915 (prelim.)
Sweden—Contd. Catile, dry. Horse, wet. Goat, kid, lamb, and sheep, dry. Unclassified United Kingdom: Calf, dry. Calf, wet. Goat. Hides, dry and wet. Sheep. United States: Calf, dry. Calf, green or nice-led. C is a si b:	Pounds. 7,000 26 343 365 665 24 666 7,203 105,165 1,717 26,302 50,152 77,625 158,655 64,509 25,168 9,726 7,425 1,309 27,552 40,654 8,803	3, 206 196 374 363 32	1,094 13,287 164,881 2,426 22,703 26,211 140,944 281,141 62,721 16,566 5,452 4,475 963 36,801 38,286 9,991	Other countries: Hides— Cattle and buffalo. Horse. Skins— Deer. Goat and kid. Sheep and lamb Sheep and goat, mixed. Unclassified. All countries: Hides— Cattle and buffalo. Horse. Skins— Calf. Deer. Goat and kid. Kangaroo. Sheep and lamb Sheep and goat, mixed. Unclassified.	\$01,966 47,155 172,617 521 150,794 1,309 110,785 1,457 813,791	1,149,429 403,341 10,830 72,059 585 105,544 1,008 90,418 824 464,820	Pounds.

HORSES AND MULES.

Table 149.—Horses and mules: Number and value on farms in the United States, 1867-1917.

Norr.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the consus of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

		Horses.		Mules.				
Jan. 1—	Number.	Price per head Jan. 1.	Farm value Jan. 1.	Number.	Price per head Jan. 1.	Farm value Jan. 1.		
1867. 1864 1859 1870. 1870, census, June 1.	5, 401, 000 5, 757, 000 6, 333, 000 8, 249, 000 7, 145, 370	\$59.05 54.27 62.57 67.43	\$318,924,000 312,416,000 395,222,000 556,251,000	822,000 856,000 922,000 1,180,000 1,125,415	\$66. 94 56. 04 73. 23 90. 42	\$55,048,000 47,954,000 73,027,000 106,654,000		
1871 1872 1873 1874 1874	8,702,000 8,991,000 9,222,000 9,334,000 9,504,000	71. 14 67. 41 66. 39 65. 15 61. 10	619, 039, 000 606, 111, 000 612, 273, 000 608, 073, 000 580, 708, 000	1,242,000 1,276,000 1,310,000 1,339,000 1,394,000	91. 98 87. 14 85. 15 81. 35 71. 89	114, 272, 00 111, 222, 00 111, 546, 00 108, 953, 00 100, 197, 00		
1876 1877 1878 1879 1880 1880, ce asus, June 1	9, 735, 000 10, 155, 000 10, 320, 000 10, 939, 000 11, 202, 000 10, 857, 488	57, 29 55, 83 56, 63 52, 86 54, 75	557,747,000 567,017,000 584,999,000 572,712,000 613,297,000	1,414,000 1,414,000 1,638,000 1,713,000 1,730,000 7,812,808	66, 46 64, 07 62, 03 56, 00 61, 26	94,001,00 92,482,00 101,579,00 95,912,00 105,948,00		
1881	11, 430, 030 10, 522, 000 10, 838, 000 11, 170, 000 11, 505, 000	58, 44 58, 53 70 59 74, 61 73, 70	667, 954, 000 615, 825, 000 765, 041, 000 833, 734, 000 852, 283, 000	1,721,000 1,835,000 1,871,000 1,914,000 1,973,000	69. 79 71. 35 79. 49 84. 22 82. 38	120,096,00 130,915,00 148,732,00 161,215,00 162,497,00		
1886 1887 1888 1889 1890, census, June 1	12,078,000 12,497,000 13,173,000 13,663,000 14,214,000 14,969,467	71. 27 72. 15 71. 82 71. 89 68. 84	\$60, \$23, 000 901, 686, 000 946, 096, 000 982, 195, 000 978, 517, 000	2,053,000 2,117,000 2,192,000 2,258,000 2,331,000 2,205,538	79. 60 78. 91 79. 78 79. 49 78. 25	163, 381, 00 167, 058, 00 174, 854, 00 179, 444, 00 182, 394, 00		
1891 1892 1893 1894 1895	14 057 000	67. 00 65. 01 61. 22 47. 83 36. 29	941, 823, 000 1,007, 594, 000 992, 225, 000 769, 225, 000 576, 731, 000	2,297,000 2,315,000 2,331,000 2,352,000 2,333,000	77. 88 75. 55 70. 68 62. 17 47. 55	178, 847, 00 174, 882, 00 164, 704, 00 146, 233, 00 110, 928, 00		
1896 1897 1898 1899 1900 1900, census, June 1	15,124,000 14,365,000 13,961,000 13,665,000 13,538,000 18,267,020	33. 07 31. 51 34. 26 37. 40 44. 61	500, 140, 000 452, 649, 000 478, 362, 000 511, 075, 000 603, 969, 000	2,279,000 2,216,000 2,190,000 2,134,000 2,086,000 8,264,615	45. 29 41. 66 43. 38	103, 204, 0 92, 302, 0 90, 110, 0 95, 963, 0 111, 717, 0		
1901 ¹		52. 86 58. 61 62. 25 67. 93 70. 37	885, 200, 060 968, 935, 000 1, 030, 706, 000 1, 136, 940, 000 1, 200, 310, 000	2,864,060 2,757,000 2,728,000 2,758,000 2,889,000	63. 97 67. 61 72. 49 78. 88 87. 18	183, 232, 0 186, 412, 0 197, 753, 0 217, 533, 0 251, 840, 0		
1906. 1907. 1908. 1909. 1910. 1910, census, A pr. 15.	18,719,000 19,747,000 19,992,000 20,640,000	80. 72 93. 51 93. 41 95. 64	1,510,890,000 1,846,578,000 1,867,530,000 1,974,052,000 2,142,524,000	3,404,000 3,817,000 3,869,000 4,053,000 4,123,000 4,209,769		334, 681, 0 428, 004, 0 416, 939, 0 437, 082, 0 506, 049, 0		
1011 ¹		111. 46 105. 94 110. 77 109. 32 103. 33	2, 259, 981, 000 2, 172, 694, 000 2, 278, 222, 000 2, 291, 638, 000 2, 190, 102, 000 2, 149, 786, 000 2, 174, 629, 000		125. 92 120. 51 124. 31 123. 85 112. 36	544, 359, 0 525, 657, 0 545, 245, 0 551, 017, 0 503, 271, 0 522, 834, 0 548, 864, 0		

¹ Estimates of numbers revised, based on census data.

HORSES AND MULES-Continued.

Table 150.—Horses and mules: Number and value on forms Jan. 1, 1916 and 1917, by States.

]	Horses.					33	Iules.		
State.	Nun (thous Jan.	ands)	price	rage e per ad, . 1—	Farm (thous doll Jan	value ands of ars)		nber sands) . 1—	prie he	eraga e per ad, .1—	Farm (thous of dol Jan.	ands lars)
	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916
Me N. H Vt Mass R. I	109 44 89 59 8	109 44 89 60 9	\$152.00 135.00 134.00 156.00 155.00	\$142.00 132.00 130.00 146.00 151.00	\$16,568 5,940 11,926 9,204 1,240	\$15,478 5,808 11,570 8,760 1,359						
Conn N. Y N. J Pa Del	46 609 92 596 36	46 609 92 602 36	147. 00 139. 00 149. 00 126. 00 90. 00	146.00 139.00 144.00 124.00 95.00	6,762 84,651 13,708 75,096 3,240	6,716 84,651 13,248 74,648 3,420	4 4 43 6	4	\$155.00 169.00 137.00 116.00	\$148.00 164.00 137.00 114.00	\$020 076 6,576 696	\$592 656 3,439 684
Md Va W.Va. N. C S. C	169 361 196 185 85	169 361 194 185 84	105.00 100.00 107.00 125.00 136.00	105.00 99.00 108.00 122.00 135.00	17,745 36,100 20,972 23,125 11,560	17,745 35,739 20,952 22,570 11,340	25 64 12 200 174	25 64 12 200 171	127.00 122.00 117.00 150.00 162.00	121.00 120.00 116.00 140.00 161.00	3,175 7,808 1,404 30,000 28,188	3,025 7,680 1,392 28,000 27,531
Ga Fla Ohio Ind Ill	127 60 892 845 1,452	125 59 901 854 1,452	129.00 120.00 119.00 108.00 106.00	126.00 112.00 116.00 104.00 103.00	16,383 7,200 106,148 91,260 153.912	15,750 6,608 104,516 88,816 149,556	324 31 26 95 150	315 29 26 95 152	163. 00 166. 00 120. 00 114. 00 115. 00	156.00 154.00 119.00 111.00 111.00	52,812 5,146 3,120 10,830 17,250	49,140 4,466 3,094 10,545 16,872
Mich Wis Minn . Iowa Mo		680 712 890 1 ,584 1 ,060	121.00 120.00 109.00 107.00 92.00	128.00 124.00 109.00 105.00 90.00	82, 280 85, 800 98, 100 166, 064 95, 680	87,040 88,288 97,010 166,320 95,400	4 3 6 62 350	4 3 6 61 340	122.00 117.00 110.00 116.00 104.00	133.00 120.00 116.00 110.00 99.00	488 351 660 7, 192 36, 400	532 360 696 6,719 33,660
N. Dak S. Dak Nebr. Kans. Ky	774 1,018	801 759 1,028 1,109 434	106.00 93.00 95.00 99.00 93.00	110. 00 93. 00 94. 00 97. 00 90. 00	87, 450 71, 982 96, 710 110, 880 40, 362	88, 110 70, 587 96, 632 107, 573 39, 060	9 15 112 265 224	9 15 98 255 229	122.00 108.00 106.00 108.00 112.00	124.00 109.00 104.00 105.00 102.00	1,098 1,620 11,872 28,620 25,088	1,116 1,635 10,192 26,775 23,358
TennAla Miss La Tex	150 243	349 150 243 193 1,180	105.00 99.00 87.00 86.00 78.00	101.00 101.00 88.00 82.00 78.00	36,750 14,850 21,141 16,770 90,168	35, 249 15, 150 21, 384 15, 826 92, 040	270 278 292 139 760	272 281 292 132 768	120.00 118.00 109.00 125.00 103.00	113.00 121.00 110.00 121.00 100.00	32,400 32,804 31,828 17,375 78,280	30,736 34,001 32,120 15,972 76,800
Okla Ark Mont Wyo Colo	743 275 452 191 365	743 270 430 185 361	86.00 87.00 92.00 80.00 93.00	85. 00 82. 00 86. 00 82. 00 90. 00	63, 898 23, 925 41, 584 15, 280 33, 945	63, 155 22, 140 36, 980 15, 170 32, 490	276 250 4 3 20	282 240 4 3 19	104.00 114.00 107.00 97.00 104.00	98.00 102.00 98.00 99.00 101.00	28,704 28,500 428 291 2,080	27,636 24,480 392 297 1,919
N. Mex Ariz Utah Nev	129 138	234 124 146 77	62. 00 75. 00 87. 00 76. 00	58. 00 71. 00 86. 00 75. 00	15,500 9,675 12,006 5,548	13,572 8,804 12,556 5,775	19 8 2 3	17 7 2 3	89.00 104.00 79.00 85.00	85.00 99.00 78.00 75.00	1,691 832 158 255	1,445 693 156 225
Idaho. Wash. Oreg Cal	239 305 286 468	241 308 295 493	93. 00 98. 00 98. 00 97. 00	90.00 91.00 89.00 96.00	22, 227 29, 890 28, 028 45, 396	21,690 28,952 26,255 47,328	18 10 70	17 10 70	100.00 111.00 103.00 116.00	95.00 106.00 93.00 110.00	400 1,998 1,030 8,120	380 1,802 903 7,700
U.S.	21, 126	21, 159	102.94	101. 60	2, 174, 629	2, 149, 786	4, 639	4, 593	118.32	113. 83	548, 864	522.834

HORSES AND MULES.

Table 151.—Prices of horses and mules at St. Louis, 1900-1916.

	Rang	ge of pr	ices.		Ra	nge (of pr	ices.		Ra	nge o	of pri	ces.
Year and month.	Horses grade good t choice draft	gra 0 16 t	les, de, o 161 nds.	Year and month.		ice	gr: 16 t	iles, ide, o 16½ nds.	Year and month,	gra goo cho	ses, de, d to oice	gra	016}
	L. II	I. L.	H.		L.	H,	L.	II.		L.	Н.	L.	H.
1. 1 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912	160 1 160 1 175 2 175 2 175 2 175 2 175 2 140 2 165 2 165 2 165 2	.5 110 85 120 85 120 00 135 25 125 25 125 25 125 30 125 25 130 40 150 40 160	165 160 175 200 210 215 250 200 225 275 275 285	1915. Jer Fee Mar Apr May June July Ang Sept Oct. Nov Dec	185 175 175 175 175 180 185	225 225 220 220 220 220 225 225 225 225	125 120 120 125 125 135 135 135 135	250 265 265 265 265 265 265 275 275	1916. Jan. Feb Mar Apr Miay. June July. Aug. Sept. Oct. Nov. Dec	150 150 150 160 160	185 190 200 200 225 225 225 220 220	135 150 150 150 150 140 140 140	275 275 275 275 275 270 250 250 235 235
1913 1914	$\begin{vmatrix} 200 & 2 \\ 175 & 2 \end{vmatrix}$	$ \begin{array}{c c} 50 & 160 \\ 20 & 120 \end{array} $		Year, 1915.	100	225	120	275	Year, 1916.	150	225	135	275

Table 152.—Average price per head for horses on the Chicago horse market, 1901-1916.

Date.	Drafters.	Carriage teams.	Drivers.	General.	Bussers, tram- mers.	Sad- dlers.1	Southern chunks.
1901 1502 1903 1904 1905	\$157.00 166.00 171.00 177.00 186.00	\$400.00 450.00 455.00 475.00 486.00	\$137.00 145.00 150.00 150.00 156.00	\$102.00 117.00 122.00 140.00 132.00	\$121.00 135.00 140.00 140.00 145.00	\$147.00 151.00 156.00 160.00 172.00	\$52,00 57,00 62,00 64,00 70,00
1906 1907 1908 1909 1910	188.00 194.00 180.00 194.00 200.00	486.00 482.00 450.00 482.00 473.00	158.00 165.00 156.00 165.00 172.00	154.00 137.00 129.00 137.00 144.00	147.00 152.00 138.00 152.00 161.00	174.00 172.00 164.00 172.00 177.00	72.50 77.50 69.00 77.00 87.00
1911 1912 1913 1914	205. 00 210. 00 213. 00 208. 00	483.00 473.00 493.00 483.00	182.00 177.00 174.00 169.00	155.00 160.00 165.00 160.00	170.00 175.00 176.00 171.00	190.00 195.00 189.00 184.00	92, 00 97, 00 98, 00 93, 00
January 1915. February March April May June July August September October November December	205. 00 215. 00 220. 00 220. 00 215. 00 210. 00 205. 00 195. 00 190. 00 195. 00 190. 00	440.00 490.00 510.00 510.00 510.00 510.00 480.00 470.00 455.00 440.00 440.00	165.00 170.00 175.00 175.00 175.00 165.00 165.00 165.00 155.00 155.00 155.00	150.00 155.00 160.00 160.00 155.00 150.00 145.00 145.00 145.00 145.00 140.00 140.00	160.00 170.00 175.00 175.00 175.00 165.00 165.00 160.00 165.00 160.00 160.00	180.00 190.00 195.00 195.00 195.00 185.00 185.00 175.00 170.00 165.00 165.00	90.00 95.00 100.00 100.00 95.00 95.00 85.00 80.00 75.00 80.00 90.00
Year	205,00	473.00	164.00	155.00	166.00	179.00	88.00
1916. January February March April May June July August September October November ² December ²	225. 00 250. 00 275. 00 275. 00 250. 00 225. 00 225. 00 250. 00 250. 00 275. 00 263. 00 263. 00	No sales.	150.00 290.00 150.00 150.00 200.00 150.00 150.00 175.00 200.00 175.00 200.00 145.00	160.00 160.00 160.00 160.00 160.00 160.00 160.00 160.00 160.00 160.00 162.00	165. 00 165. 00 165. 00 165. 00 165. 00 165. 00 165. 00 165. 00 165. 00 175. 00	125.00 125.00 125.00 125.00 125.00 125.00 115.00 115.00 115.00 142.00	110.00 110.00 110.00 110.00 110.00 110.00 110.00 110.00 110.00 12.00 102.00
Year	252,00) l	166.00	160.00	167.00	124.00	·109.00

¹ Cavalry horses, 1916.

² Mean of low and high quotations.

HORSES AND MULES-Continued.

 ${\tt Table~153.--Number~of~horses~and~mulcs~received~at~principal~line-stock~markets.}$

	[From	reports	of	stockyards	companies.	í
--	-------	---------	----	------------	------------	---

1999 1901 1901 1902 1903 1904 1905 1906 1908 1909 1910 1911 1911 1012 1913 1914 1914 1915 January February March	99,010 109,353 102,100 100,603 105,949 127,250 122,979 102,055 92,138 91,411 83,439	St. Louis (National Stock Yards, III.) 144, 921 128, 880 100, 295 128, 615 181, 341 178, 257 165, 363 117, 379 109, 203 122, 471	Kansas Cuy. 103, 308 96, 657 76, 814 67, 274 67, 502 65, 582 60, 629 62, 841 56, 335	59,643 33,391 42,075 52,825 46,840 45,425 42,236
1901 1902 1903 1904 1905 1906 1909 1909 1910 1911 1912 1913 1914 1915 February February March	109, 353 102, 100 100, 603 105, 949 127, 250 126, 979 102, 055 92, 138 91, 411 83, 439	128, 880 100, 295 128, 615 181, 341 178, 257 160, 303 117, 379 100, 393	96,657 76,814 67,274 67,562 65,582 69,629 62,841 56,335	35,391 42,079 52,829 46,843 45,421 42,309
1908 1909 1909 1910 1911 1912 1913 1914 1914 1915. January February March	126, 979 102, 055 92, 138 91, 411	165,393 117,379 109,393	69, 629 62, 341 56, 335	42, 209
1911 1912 1913 1914 1914. 1915. January February			67,793	39,995 31,71
January February March	92,977 90,615 106,282	130, 271 170, 379 163, 973 156, 825 148, 128	69,628 84,861 73,445 82,110 87,155	29,73 31,77 32,52 31,58 30,68
April May June July August September October Notember	11, 213 12, 616 14, 930 10, 895 13, 831 14, 978 11, 726 14, 931 18, 004 17, 742 14, 339	25, 554 22, 970 25, 794 23, 849 25, 944 25, 627 21, 400 16, 543 14, 426 27, 458	16, 671 11, 800 12, 820 13, 748 11, 425 4, 917 4, 425 3, 930 7, 424 6, 714	4,98 4,23 4,42 3,35 3,35 3,49 3,75 2,65 4,55
December. Total, 1915.	10,048	16,972 270,612	5, 189 102, 153	41,67
January. February March April May June July August September October November December	12,983 15,913 17,469 14,882 18,240 17,557 18,990 23,896 21,132 18,952 14,342 11,090	25, S09 20, 114 17, 599 14, 881 20, 695 15, 785 26, 574 23, 292 26, 655 31, 147 22, 244 22, 023	7, \$86 4, 735 5, 012 7, 073 8, 171 7, 156 11, 027, 13, 414 13, 349 17, 145 13, 093 15, 080	1, 44 2, 13 2, 95 1, 69 3, 03 2, 33 2, 17 3, 15 3, 33 2, 04 1, 45

HORSES AND MULES-Continued.

Table 154.—Horses and mules: Imports, exports, and prices, 1893-1916.

	In	nports of ho	rses.	Ex	ports of hors	es.	E	kports of m	ules.
June 30- Num- Value. imp	Average import price.	Num- ber.	Value.	Average export price.	Num- ber.	Value.	A verage export price.		
1893	15, 451	\$2,388,267	\$154.57	2,967	\$718,607	\$242. 20	1,634	\$210, 278	\$128.69
	6, 160	1,319.572	214.01	5,246	1,108,995	211. 40	2,063	240, 961	116.80
	13, 098	1,055,191	80.56	13,984	2,209,298	157. 99	2,515	186, 452	74.14
	9, 991	662,591	66.32	25,126	3,530,703	140. 52	5,918	406, 161	68.63
	6, 998	464,808	66.42	39,532	4,769,265	120. 64	7,473	545, 331	- 72.97
1898	3,085	414,899	134, 49	51, 150	6,176,569	120.75	8,098	664,789	82.09
1809	3,042	- 551.050	181, 15	45, 778	5,444,342	118.93	6,755	516,908	76.52
1900	3,102	- 596,592	192, 32	64, 722	7,612,616	117.62	43,369	3,919,478	90.38
1901	3,785	- 985,738	260, 43	82, 250	8,873,845	107.89	34,405	3,210,267	93.31
1902	4,832	1,577,234	326, 41	103, 020	10,048,046	97.53	27,586	2,692,298	97.60
1903	4,999	1,536,296	307. 32	34,007	3,152,159	92. 69	4,294	521,725	121. 47
1904	4,726	1,460,287	308. 99	42,001	3,189,100	75. 93	3,658	412,971	112. 90
1905	5,180	1,591,083	307. 16	34,822	3,175,259	91. 19	5,826	645,464	110. 79
1906	6,021	1,716,675	285. 11	40,087	4,305,981	108. 91	7,167	989,639	138. 08
1207	6,080	1,978,105	325. 35	33,882	4,359,957	131. 99	6,781	850,901	125. 48
1903 1903 1910	5,487 7,984 11,620 9,593	1,604,392 2,007,276 3,296,022 2,692,074	292, 40 283, 35 283, 65 280, 63	19,000 21,616 28,910 25,145	2,612,587 3,386,617 4,081,157 3,845,253	137. 50 156. 67 141. 17 152. 92	6,609 3,432 4,512 6,585	990,667 472,017 614.094 1,070,051	149. 90 137. 53 136. 18 162. 50
1912	5,697	1,923,025	291. 06	34,828	4,764,815	136, 81		732.095	149.30
1913	10,908	2,125,875	212. 42	28,707	3,960,102	137, 95		733,795	154.68
1914	33,919	2,005,029	78. 89	22,776	3,388,819	148, 79		690,974	141.51
1915	12,652	977,380	77. 25	289,340	64,046,534	221, 35		12,726,143	193.44
1916	15,556	1,618,245	104. 03	357,553	73,531,146	20 5, 65		22,946,312	205.03

CATTLE.

Table 155.—Cattle (live): Imports, exports, and prices, 1893-1916.

		Imports.		Exports.				
Year ending June 30	Number.	Value.	Average import price.	Number.	Value.	Average export price.		
893 894 895 895 896 897	1,592 149,781 217,826	\$45,682 18,704 765,853 1,509,856 2,589,857	\$13.87 11.75 5.11 6.93 7.87	287,094 359,278 331,722 372,461 392,190	\$26,032,428 33,461,922 30,603,796 34,560,672 36,357,451	\$90.6 93.1 92.2 92.7 92.7		
398. 899. 900. 901. 902.	199,753 181,006 146,022	2,913,223 2,320,362 2,257,694 1,931,433 1,608,722	9 99 11, 62 12, 47 13, 23 16, 75	439, 255, 389, 490 397, 286 459, 218 392, 884	37,827,500 30,516,833 30,635,153 37,566,980 29,902,212	86. 1 78. 3 77. 1 81. 8 76. 1		
903 904 905 906 907	66, 175 16, 056 27, 855 29, 019 32, 402	1,161,548 310,737 458,572 548,430 565,122	17. 55 19. 35 16. 46 18. 90 17. 44	402,178 593,409 567,806 584,239 423,051	29,848,936 42,256,291 40,598,048 42,081,170 34,577,392	74. 2 71. 2 71. 5 72. 0 81. 7		
1908 1909 1910 1911	92,356 139,184 195,938 182,923	1,507,310 1,999,422 2,999,824 2,953,077	16. 32 14. 37 15. 37 16. 14	349, 210 207, 542 139, 430 150, 100	29, 339, 134 18, 046, 976 12, 200, 154 13, 163, 920	84.0 86.9 87.5 87.7		
1912. 1913. 1914. 1915.	318, 372 421, 649 868, 368 538, 167 439, 185	4,805,574 6,640,668 18,696,718 17,513,175 15,187,593	15. 09 15. 75 21, 53 32. 54 34. 58	105,506 24,714 18,376 5,484 21,666	8,870,075 1,177,199 647,288 702,847 2,383,765	84. 6 47. 6 35. 2 128. 1 110. 0		

CATTLE-Continued.

Table 156 .- Cattle: Number and value on forms in the United States, 1867-1917.

Note.—Figures in *italies* are census returns; figures in roman are estimates of the Department of Agriculture—Estimates of numbers are obtained by anything estimated percentages of increase or decrease to the published numbers of the preceding year, except the a revised base is used for applying percentage estimates whenever new census data are a lattice—It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

		Milch cow	rs.		Other cart	i-)
Jan. 1—	Number	Price per head Jan. 1.	Form value Jan. 1.	Number.	Price per head Jan. 1	Farri value Jan 1.
1967. 1898. 1349. 1870. 1870. census Junc 1.	8,319,000 8,692,000 9,248,000 10,096,000 8,935,433	\$28.74 26.56 29.15 32.70	\$239, 947, 000 230, 817, 000 269, 610, 000 330, 175, 000	11,731,000 11,942,000 12,185,000 15,388,000 13,783,005	\$15,79 15,06 13,73 13,57	\$187, 251, 000 179, 888, 000 228, 181, 000 290, 101, 000
1871. 1872. 1878. 1874. 1875.	10,023,000 10,304,000 10,576,000 10,705,000 10,907,000	33, 89 29, 45 26, 72 25, 63 25, 74	\$39,701,600 \$03,438,000 282,559,660 274,326,000 280,701,000	16, 212, 000 16, 390, 000 16, 414, 600 15, 218, 000 16, 313, 000	18 12	336,860 000 296,982,000 296,148,000 281,706,000 275,872,000
1976. 1877. 1878. 1879. 1880. 1880. census June 1.	11, 085, 000 11, 261 000 11, 300, 000 11, 826, 000 12, 027, 000 12, 143, 120	25. 61 25. 47 25. 74 21. 71 23. 27	283, 879, 000 285, 778, 000 290, 898, 000 256, 721, 000 279, 899, 000	16,785,000 17,926,000 19,223,000 21,408,000 21,231,000 52,483,550	17.00 15.00 16.72 15.38 16.10	285, 387, 000 287, 156, 000 321, 346, 000 329, 251, 000 341, 761, 000
1891 1882 1883 1884 1855	12,069,000 12,612,000 13,126,000 13,591,000 13,905,000	23 95 25.89 30 21 31.57 29.70	296, 277, 000 326, 489, 000 396, 575, 000 423, 457, 000 412, 303, 000	20, 939, 009 23, 250, 000 28, 016, 000 29, 046, 000 29, 867, 600	17. 33 19. 89 21. 81 23. 52 23. 25	362, 862, 000 163, 070, 000 611, 549, 000 683, 229, 600 694, 333, 000
1836 1837 1852 1859 1859 1890, census June I	14, 235, 000 14, 522, 000 14, 856, 000 15, 299, 000 15, 953, 000 16, 511, 950	27, 40 26 08 24, 65 23 91 22, 14	389, 986 000 378, 790, 000 386, 252, 003 386, 226, 009 353, 152, 000	31, 275, 009 38, 512, 000 34, 378, 000 35, 052, 000 36, 849, 000 32, 734, 128	21 17 19 79 17.79 17.05 15.21	661,956,000 663,138,000 611,751,000 597,237,000 569,625,000
1891 1892 1893 1893 1891	16,416,000	21 62 21.40 21.75 21.77 21.97	3 'n, 393, 090 351, 378, 900 357, 300, 000 358, 999, 090 262, 602, 000	36, 876, 000 37, 631, 000 35, 954, 000 36, 608, 000 34, 364, 000	15 16	511, 123, 000 570, 749, 000 517, 882, 000 546, 790, 000 482, 999, 000
1896. 1897. 1898. 1899. 1900. 1900. census June I.	16, 128, 000 15, 942, 000 15, 841, 000 15, 990, 000 16, 292, 000 17, 135, 633	22, 55 23, 16 27, 45 29, 66 31, 60	263, 956, 000 369, 240, 000 431, 814, 000 474, 231, 000 514, 812, 000	32,085,000 30,508,000 29,261,000 27,994,000 27,610,000 50,585,777	15.86 16.65 20.92 22.79 21.97	508, 928, 000 507, 920, 000 612, 297, 000 637, 931, 000 689, 186, 000
1901 1 1902 1903 1904 1905	16, 834, 000 16, 697, 000 17, 105, 000 17, 420, 000 17, 572, 000	30.00 29.23 30.21 29.21 27.41	505,093,000 488,130,000 516,712,000 508,841,000 482,272,000	45, 500, 000 44, 728, 000 41, 659, 000 43, 629, 000 13, 669, 000	19 93 18.76 18.45 16.32 15.15	906, 614, 000 839, 126, 000 824, 055, 000 712, 178, 000 661, 571, 000
1996 1997 1998 1998 1910 1910 1910, census Apr. 15	19,791,000 20,968,000 21,194,000 21,720,000 21,501,000 20,625,432	29 44 31.00 30.67 32.36 35.29	582, 789, 000 645, 497, 000 650, 057, 000 702, 915, 000 727, 802, 000	47,068,000 51,566,000 50,073,000 49,379,000 47,279,000 41,178,434	15.85 17.10 16.89 17.49	746, 172, 000 \$81, 557, 000 \$15, 938, 000 \$63, 754, 000 785, 261, 000
1911 ¹ 1912 1913 1914 1915 1916 1916	20,823,000 20,699,000 20,497,000	39. 97 39. 39 45. 02 53. 94 55. 33 53. 92 59. 66	832, 209, 000 815, 114, 000 922, 783, 000 1, 118, 487, 000 1, 176, 338, 000 1, 191, 9*5, 000 1, 358, 435, 000	39,679,000 37,260,000 36,030,000 35,855,000 37,067,000 50,812,000 40,849,000	20. 54 21. 20 26. 36 31. 13 33. 38 33. 53 35. 88	815, 184,000 790,064,000 949,645,000 1,116,333,000 1,237,376,000 1,334,928,000 1,465,780,000

¹ Estimates of numbers revised, based on census data.

CATTLE—Continued.

Table 157.—Cattle: Number and value on farms Jan. 1, 1916 and 1917, by States.

0			Mi	leh eov	vs.				Otl	er catt	le.	
State.		nber sands) . 1—	Ave price he Jan	ad	(thouse	Farm value (thousands of dollars) Jan. 1—			pric he	rage per ad . 1—	Farm value (thousands of dollars) Jan 1—	
	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916
Maine. New Hampshire. Vermont. Massachusetts. Rhode Island.	162 97 281 160 22	273 158 22	62 50 75. 00 77. 00	100 10	17,562 12,000	\$7,950 5,820 14,742 10,744 1,694	110 63 172 88 11	105 170 170 85 11	25.70 29.60	\$24 60 28.30 25.40 28.30	\$3,069 1,991 4,420 2,605 344	\$2,583 1,796 3,961 2,159 311
Connecticut. New York. New Jersey. Pennsylvania. Pel vicie.	121 1,539 155 980 43	119 1,539 152 971 42	73. 50 66. 00 76. 00 62. 50 56. 00	57. 20 71. 00 56. 50	8,894 101,574 11,780 61,250 2,408	8,128 88,031 10,792 54,862 2,226	73 939 74 664 21	72 939 73 657 21	31.00 34.00 30.80	26.90 32.50 27.10	2, 248 29, 109 2, 516 20, 451 670	2, 138 25, 259 2, 372 17, 805 588
Maryland. Virginia Vi	183 373 245 315 189	181 359 241 321 189	58. 00 46. 50 53. 50 39. 00 40. 00	52. 00 41. 50 50. 00 34. 00 34. 50	17,344 13,108	9,412 14,898 12,050 10,914 6,520	125 486 369 364 215	125 472 362 375 215	32, 20 31, 80 38, 70 19 40 18, 30	28. 20 36. 30 16. 80	4,025 15,455 14,280 7,062 3,931	3,600 13,310 13,141 6,300 3,311
Georgia Florida Ohio Indiana Illinois	418 141 950 706 1,057	414 136 922 672 1,047	37. 00 43. 00 60. 00 58. 50 68. 00	56.00		13,041 5,440 51,632 36,621 63,029	086 865 863 735 1,251	686 800 872 728 1,239	16. 20 16. 50 36. 40 39. 00 43. 30	14.00 33.80 36.80	11,113 14,272 31,413 28,665 54,168	9, 261 11, 920 29, 474 26, 790 47, 702
Michigan. Wisconsin Miunesota. Iowa Missouri.	865 1,750 1,302 1,405 845	847 1,673 1,240 1,391 837	61. 50 65. 00 58. 00 66. 50 58. 50	55.00 51.00	53,198 113,750 75,516 93,432 49,432	47,601 92,125 63,240 81,374 45,533	720 1,340 1,340 2,754 1,600	735 1,313 1,275 2,737 1,555	30. 20 29. 80 26. 50 43. 20 40. 90	27. 30 25. 20 22. 40 38. 30 38. 90	21,744 39,932 35,510 118,973 65,440	20,066 33,088 28,560 104,827 60,490
North Dakota South Dakota Nebraska Kansas Kentucky	410 524 676 900 418	373 485 650 835 406	61. 50 67. 00 68. 00 64. 50 49. 50	59.00 60.00	25, 215 35, 108 45, 968 58, 050 20, 691	21, 261 28, 615 39, 000 50, 601 18, 189	029 1, 181 2, 349 2, 115 570	577 1,064 2,237 2,160 570	38. 20 43. 70 44. 30 43. 10 33. 70	38.40	24,028 51,610 104,061 91,156 19,209	20, 195 40, 858 90, 598 90, 072 17, 556
TennesseeAlabamaMississippiLouisianaTexas	405 450 274	366 405 447 271 1,119	43. 00 36. 50 38. 00 42. 00 54. 50	32.00 33.50	15,738 14,782 17,100 11,508 64,038	14,457 12,960 14,974 10,027 57,069	528 534 535 475 5,482	518 534 535 475 5,428	25, 50 14, 70 16, 40 20, 00 32, 60	14.10	13,464 7,850 8,774 9,500 178,713	11,707 6,942 7,544 7,980 179,667
Oklahoma	535 402 148 55 237	519 402 129 50 219	60, 00 44, 00 79, 00 81, 50 73, 50	38.00 77.50	32,100 17,688 11,692 4,482 17,420	28,545 15,276 9,998 4,025 15,768	1, 222 550 983 825 1, 150	1,186 523 894 750 1,096	38. 90 19. 20 53. 10 52. 70 44. 70	. 17. 00 50. 40	47,536 10,560 52,197 43,478 51,405	44,949 8,891 45,058 39,525 49,101
New Mexico Arizona Utah Nevada	85 81 91 26	76 58 96 25	68.00 85.00 61.00 76.00		5,551	5,092 4,524 5,9 52 1,900	1, 145 864 408 470	1,090 838 408 472	39.70 37.30 34.90 39.50	40. 10 34. 20 35. 80 39. 70	45, 456 32, 227 14, 239 18, 565	43,709 28,660 14,606 18,738
Idaho Washington Oregon California	263	263	63. 50 59. 50 55. 00 67. 00	60.50 55.00	15,648 12,210	8,316 15,912 11,880 3 9,192	418 275 577 1,636	406 255 553 1,558	38. 60 30. 40 37. 30 38. 10	30.30 32.20	16, 135 8, 360 21, 522 62, 332	15,672 7,726 17,807 56,555
United States.	22,768	22, 108	59.66	53.92	1,358,435	1,191,955	40, 84 9	39,812	35. 88	33, 53	1,465,786	1,334,928

CATTLE—Continued.

Table 158.—Cattle: Wholesale price per 100 pounds, 1912-1916.

	CI. :		Qii-	:	G4 T		77	0.4	1		
	Chic	eago.	Cinci	nnati.	St. 1	ouis.	Mansa	s City.	Om	aha.	
Date.	Inferior to prime.		Fair to medium.			o choice steers.		non to me.	Native beeves.		
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	
1912. January-Juno July-December	\$1.75 2.25	\$9.60 11.25	\$4.10 4.05	\$6, 25 6, 75	\$7.35 8.30	\$9.50 11.00	\$4.60 5.50	\$9.50 12.40			
1913. January-June July-December	3.00 3.00	9. 50 10. 25	4.65 4.50	7.65 7.00	8. 00 8. 50	9. 25 10. 00	4.75 4.50	9.00 10.00	\$3. 25 3. 00	\$8.80 9.60	
1914. January–June July–December	6.60 4.85	9. 75 11. 25	5.35 4.65	7. 25 7. 25	8. 00 8. 00	9. 00 9. 50	5. 20 4. 50	9.40 11.35	6. 50 6. 00	9. 25 10. 75	
1915. January. February. March April. May June	4.60 4.25 4.50 4.65 4.90 4.75	9. 65 9. 25 9. 15 8. 90 9. 65 9. 95	4. 85 5. 00 5. 10 5. 00 5. 25 5. 35	6. 25 6. 65 6. 50 6. 50 7. 00 7. 00	8. 50 7. 40 8. 50 7. 35 8. 50 9. 00	9. 25 8. 85 9. 00 8. 85 9. 30 9. 40	6,00 6,00 6,00 6,00 6,00 6,00	9. 75 8. 85 8. 65 9. 00 9. 25 9. 35	8.50 8.30 8.45 8.50 9.00 9.35	8. 50 8. 30 8. 45 8. 50 9. 00 9. 35	
JanJune	4.25	9. 95	4.85	7.00	7.35	9. 40	6.00	9.75	8.30	9. 35	
July	4.50 4.50 4.25 4.00 4.50 4.50	10. 40 10. 50 10. 50 10. 60 10. 55 13. 60	5. 25 4. 60 4. 15 4. 00 4. 50 4. 50	7. 00 6. 65 6. 00 5. 80 5. 75 6. 00	9. 60 9. 25 10. 00 10. 00 9. 75 8. 80	10. 35 10. 00 10. 00 10. 35 10. 30 10. 40	6. 60 6. 60 6. 60 6. 60 6. 00 5. 50	10.10 10.00 10.10 10.25 10.25 10.35	10.10 9.85 9.85 9.90 10.00 10.00	10. 10 9. 85 9. 85 9. 90 10. 00 10. 00	
July-Dec	4.00	13.60	4.15	7.00	8.80	10.40	5. 50	10.35	9.85	10.10	
1916. January. February. March April. May. June.	5. 50 5. 70 6. 75 7. 25 7. 50 7. 15	9.85 9.75 10.05 10.00 10.90 11.50	5. 00 5. 00 5. 50 6. 00 6. 25 6. 25	6. 25 6. 40 7. 40 7. 75 9. 25 8. 50	8. 40 8. 50 9. 00 9. 25 9. 55 10. 60	9.60 9.00 10.00 10.00 10.35 11.35	7.15 6.90 7.10 7.50 7.50 8.00	9.75 9.75 10.05 10.00 11.05 11.50	6.00 6.25 7.00 7.25 7.65 7.25	8. 75 8. 65 9. 40 9. 50 10. 65 11. 00	
JanJune	5, 50	11.50	5.00	9. 25	8.40	11.35	6.90	11.50	6.00	11.00	
JulyAugust. September October November December	6.00 5.60 5.50 5.65	11. 30 11. 50 11. 50 11. 65 12. 40 13. 00	6. 00 6. 00 5. 75 5. 50 5. 50 6. 00	8.00 7.50 7.25 7.00 7.35 7.75	9. 60 9. 20 10. 35 10. 60 9. 00 8. 00	11.00 10.50 10.85 11.15 9.85 11.50	7.75 7.75 9.50 7.75 6.00 6.00	11. 30 11. 35 11. 25 10. 50 11. 75 12. 00	6.75 6.50 6.50 6.50 6.50 7.00	10. 40 10. 60 10. 85 11. 10 11. 10	
July-Dec	5.50	13.00	5.50	8.00	8.00	11.50	6.00	12.00	6.50	11.50	

54159°-- үвк 1916----43А

BUTTER AND EGGS.

Table 159.—Butter: Wholesale price per pound, 1912-1916.

	El	gin.		Chic	ago.		Cinci	onati,	Milwa	ukee.	New	York.	
Date.	Creamery, extra.			Creamery, extra.		Dairies, firsts to extras.		C'reamery, extra.		Creamery,		Creamery, extra.	
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	
January-June	Cts. 25 25	Cts. 40 35½	Cts. 25 24	Cts. 40 37	Cts. 22 22	Cts. 34 33	Cts. 27½ 27½	Cts. 42½ 39	Cts. 25 25	Cts. 40 35}	Cts. 26 26	Ots. 41 38	
1913. January-June. July-December	26} 26	35 35}	25 24	36 36	24 24	33 33	31 30	40 39 <u>1</u>	27 26	35 35 <u>}</u>	26½ 26	42 371	
1914. January-June July-December	231 26	35½ 34	24 26	35½ 34	20 22	33 33 <u>}</u>	27½ 30	391 38	23 ½ 26	35 <u>1</u> 34	24½ 26¾	50 36 1	
January. February March. April. May June	30 29 28½ 28 25½ 26⅓	34 32 29 31½ 28 28	30 29 28 27½ 26 27	34 32 29½ 31 28½ 27½	27½ 26 22 22 22 21 23	32 30 28 30 27 27	34 34 32 32 294 302	38 36 343 353 323 323	30 30 28 28 28 25 26 26	34 32 30 31½ 28 28½	32 24 28½ 29 27½ 28	36 30 32 32 31 28	
January-June	25}	34	26	34	21	32	29½	38	251	34	24	36	
July August. September October November December	24½ 24 24½ 26 28 33	27 25 26 28 33 34	25 24 24 26½ 28 32	27 25 26½ 28 32 34	22 21 21 21 22 23 25	26 25 24 27 30 30	28½ 28 28 28 30 32 37	31 29 30 32 37 38	25 24 24 26 28 33	26½ 24½ 26 28 33 34	26 25 25 25 28 28 28 28 33	28½ 26½ 28½ 29 34 36½	
July-December	24	34	24	34	21	30	28	38	24	34	25	36 <u>1</u>	
January February March April May June	30 30 34 32 28 28	31½ 34 36 36 36 32 29	30 30 34 32½ 28½ 27½	32 33½ 36½ 36 32 29	25 25 28 31 27 25	30 31½ 35 35 35 32 29	35 34 38 37 32 32	35½ 37 40 40 37 33	30 30 34 33 28 28	31½ 34 36 36 36 32 29	31 30½ 36 33½ 30 29	33½ 36 38 37½ 34 30½	
January-June	28	36	271	36 1	25	35	32	40	28	36	29	38	
July August. September October November December.	27½ 28 31½ 34 35 37	28 31 34 35 42 42	27½ 28½ 31½ 34 35 37	28 31½ 34 35 42 40	25	271	31½ 32 35 37 39 41	32 35 37 39 46 46	27½ 28 31 34 35 37	28 31 33 35 42 42	28½ 30 33 35½ 36 37	30 33½ 34 36½ 42½ 41½	
July-December	271	42	271	i2	2 5	27½	31 <u>÷</u>	46	''	12	281	423	

TABLE 160.—Butter: International trade, calendar years 1913-1915.

(Butter includes all butter made from milk, melted and renovated butter, but does not include margarine cocoa butter, or ghee. See "General note," Table 10.]

EXPORTS.

[000 omitted]

Country.	1913	1914	1915 (prelim.)	Country.	1913	1914	191 5 (prelun.)					
Argentina Austrolia Austrolia Austria-Hungary Belgium Canada. Deumark Finland France Germany Italy	Pounds. 8,342 76,334 3,039 2,147 1,220 200,670 27,867 38,360 602 6,031	Pounds. 7,676 56,163 2,500 24,567 44,619 9,310	Pounds. 10, 192 3, 593 20, 015 50, 337 7, 89	Netherlands. New Zealand. Norway. Russia. Sweden United States Description Total.	Pounds. \$1,702 41,693 2,346 172,003 43,330 3,115 4,033 712,837	Pounds. 84, 407 48, 616 1, 575 113, 997 41, 911 3, 688 2, 619 413, 708	Pounds. 93, 113 47, 056 3, 607 111, 950 17, 941					
	IMPORTS.											

Austria-Hungary, Belgium Brazil British SouthAfrica Canada, Denmark Dutch East Indies Egypt, Finland France.	14,522 4,336 3,910 7,886 6,242 4,550		732 2,030 5,661 1,194 4,916 1,710		5,529 3,382 432 11,155	3, 880 2, 969 189 8, 900 436, 019 29, 019 518, 038	901 1,517 5,700 426,355
--	---	--	--	--	---------------------------------	--	----------------------------------

Table 161.—Butter: Average price received by farmers on first of each month, by States, 1916.

					Butte	er, cent	s per p	ound.				
State and division.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Maine New Hampshire Vermont Massachusetts Rhodo Island	32 34 33 35 36	31 34 34 35 34	31 33 34 36 34	32 30 35 36 37	32 32 36 38 35	32 34 34 36 36 34	31 32 32 34 32	33 33 32 36 36	31 34 34 37 37	34 36 34 37 40	35 39 37 41 40	37 39 39 41 40
Connecticut New York New Jersey Pennsylvania Delaware	35 33 36 34 36	34 32 34 32 30	34 32 36 32 32	34 32 34 33	35 34 36 32 30	35 32 35 29 32	35 30 34 28 38	34 30 34 29 36	36 32 35 31 32	38 34 37 34	37 36 39 36	40 39 41 39 38
Maryland Virginia West Virginia North Carolina South Carolina	29 26 28 25 26	30 26 27 24 25	28 26 26 24 26	29 26 27 23 26	28 26 28 24 24 28	26 25 24 24 24 27	24 23 23 24 24 28	26 23 25 24 28	28 26 26 25 27	29 26 27 26 28	32 28 30 26 32	35 30 32 29 31
Georgia. Florida Ohio Indiana Illinois.	25 35 29 25 28	25 34 27 24 27	25 36 27 24 27	26 34 28 25 25	25 34 28 25 27	25 35 26 24 26	25 34 26 24 26	25 36 26 24 26	26 35 27 25 28	28 37 29 26 29	29 36 31 29 30	30 39 35 32 34
Michigan Wisconsin Minnesota Iowa Missouri	28 33 30 28 24	28 31 30 29 24	27 31 29 27 23	28 33 29 29 24	28 32 31 29 25	26 30 29 27 24	25 28 28 26 26 23	26 28 27 27 27 23	28 30 29 28 24	30 32 30 30 26	32 35 33 32 28	36 40 37 36 31
North Dakota South Dakota Nebraska Kansas Kentucky	29 29 26 27 22	28 27 25 26 21	26 26 25 25 25 22	24 26 25 25 21	25 28 26 26 26 22	26 27 25 25 25 21	24 26 24 25 21	24 25 24 25 21	25 26 25 26 26 22	28 29 27 28 23	30 32 29 30 24	35 36 33 33 27
Tennessee Alabama Mississippi Louisiana Texas	21 22 24 30 25	21 22 24 28 24	20 21 24 28 23	20 23 24 29 23	20 22 23 28 28 23	19 22 23 29 23	18 22 23 29 22	19 22 24 29 23	19 24 24 29 24	21 24 24 23 24	23 25 25 23 33 27	26 27 27 32 31
Oklahoma Arkansas Montana Wyoming Colorado	26 25 35 33 30	25 24 35 32 29	24 23 35 31 28	24 23 32 29 28	25 24 33 30 29	25 23 31 27 27	24 23 28 28 28 27	24 24 31 30 27	25 25 29 29 29	28 25 32 31 30	29 27 39 35 33	32 29 39 38 36
New Mexico Arizona Utah Nevada	35 38 28 33	34 38 28 34	33 35 28 32	34 36 28 37	33 35 28 36	31 37 25 32	34 39 26 34	33 38 28 32	32 37 30 34	33 38 29 36	34 38 36 41	37 42 37 39
Idaho. Washington Oregon. California	31 34 32 32	32 33 33 32	30 33 32 32	29 32 33 29	30 32 32 27	28 29 29 29 29	27 29 28 27	27 29 29 28	29 31 31 29	31 32 32 31	35 37 34 32	38 39 38 37
United States	28.3	27.6	27:1	27.6	27.9	26.5	25.7	26.1	27.4	29.0	31.1	34.4
North Atlantic. South Atlantic. N. Central E. Miss. R N. Central W. Miss. R. South Central Far Western	33. 5 26. 5 28. 5 27. 3 23. 7 32. 0	32.3 26.1 27.3 27.0 23.0 31.9	32. 4 25. 8 27. 1 25. 9 22. 5 31. 5	32.8 26.0 28.2 26.5 22.6 30.2	33. 4 26. 4 27. 9 27. 5 22. 7 29. 5	31. 4 25. 1 26. 3 26. 1 22. 2 28. 6	29. 9 24. 4 25. 7 25. 3 21. 8 27. 6	30. 5 25. 0 26. 0 25. 3 22. 4 28. 4	32.1 26.3 27.5 26.4 23.2 29.8	34. 3 27. 2 29. 1 28. 4 23. 9 31. 2	36. 3 29. 0 31. 3 30. 6 25. 8 34. 1	39.0 31.0 35.3 34.3 28.6 37.5

Table 162.—Butter: Receipts at seven leading markets in the United States, 1891-1916.

[From Board of Trade, Chamber of Commerce, and Merchants' Exchange reports.]

[000 omitted.]

Year.	Boston.	Chicago.	Mil- waukee.	St. Louis	San Fran- cisco.	Total 5 cities.	Cincin- nati.	New York.
Averages:	Pounds.	Pounds.	Pounds.	Pounds.	Pounds.	Pounds.	Packages.	Packages.
1891–1895.	40,955	145, 225	3,996	13,944	15, 240	219, 360	88	1,741
1890–1900.	50,790	232, 289	5,096	14,582	14, 476	317, 233	157	2,010
1901–1905.	57,716	245, 203	7,164	14,685	15, 026	339, 794	177	2,122
1900–1910.	66,612	286, 518	8,001	17,903	13, 581	392, 615	169	2,207
1901	57, 500	253,809	5,590	13,477	14,972	345, 348	238	2,040
	54, 574	219,233	7,290	14,573	14,801	310, 471	223	1,933
	54, 347	232,032	6,857	14,080	13,570	320, 886	121	2,113
	55, 435	249,024	7,993	15,727	14,336	342, 515	147	2,170
	66, 725	271,915	8,091	15,566	17,450	379, 747	155	2,355
1906	65,152	248, 648	8,209	13, 198	9,282	344, 489	205	2,242
	63,589	263, 715	8,219	13, 453	16,725	365, 701	187	2,113
	69,843	316, 695	8,798	18, 614	13,528	427, 478	166	2,175
	65,054	284, 547	7,458	21, 086	14,449	392, 594	150	2,250
	69,421	318, 986	7,319	23, 163	13,922	432, 811	135	2,257
1911	72,109 70,737 73,028	334,932 286,213 277,651 307,899 341,202 344,381	8,632 7,007 9,068 9,496 8,624 7,705	24,839 20,521 24,726 24,614 21,331 16,435	17,606 28,172 23,122 22,421 28,349 28,029	449, 883 414, 022 405, 304 437, 458 481, 905 475,855	162 109 103 82 130 2 56	2,405 2,436 2,517 2,513 2,734 2,929
January. February. March April May June July August. September October November December	3,769 2,912 4,052 8,864 16,361 13,375 9,681 6,629 5,188 3,149	18, 499 17, 549 20, 884 20, 652 29, 918 49, 795 49, 244 35, 309 31, 123 30, 571 22, 223 18, 614	453 453 542 444 644 1,252 1,016 811 672 692 342 384	1,080 1,010 1,306 1,270 1,176 1,761 1,688 1,225 1,752 1,457 1,393 1,291	1,791 1,766 2,469 3,404 3,259 3,066 2,212 2,284 2,141 1,881 1,856 1,900	24, 672 24, 573 28, 113 29, 822 43, 861 72, 255 67, 535 49, 310 42, 317 39, 789 28, 963 24, 665	129 5 11 6 10 16 13 16 6 11 15 18	150 152 207 185 204 443 371 319 2699 254 163 153

Table 163.—Eggs: Average price received by farmers on first of each month, by States, 1916.

	1											
					Egg	s, cent	s per d	ozen.				
State and division.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Maine New Hampshire Vermont. Massachusetts Rhode Island	37 41 39 44 47	31 35 33 36 36 36	27 28 29 35 30	23 22 26 28 27	21 23 21 26 26	24 25 22 28 27	26 29 24 34 31	29 31 26 34 35	35 37 33 44 43	39 41 37 52 44	42 46 41 49 50	50 51 50 60 63
Connecticut. New York. New Jersey Pennsylvania. Delaware.	44 41 45 37 34	37 34 37 29 24	28 27 33 25 22	28 24 28 22	22 22 25 20 21	25 23 26 21 24	29 25 28 24 27	33 28 31 26 29	40 33 35 29 30	44 39 42 33	52 44 50 38	61 50 55 44 46
Maryland Virginia. West Virginia. North Carolina. South Carolina.	31 29 31 26 26	26 23 27 21 22	21 20 22 17 18	19 18 19 16 18	19 18 18 16 16	20 19 18 17 19	21 19 20 18 19	22 20 21 18 19	26 24 24 22 22	31 28 27 26 25	33 30 33 27 29	42 36 36 31 34
Georgia Florida Ohio Indiana Illinois	28 33 32 30 31	21 26 25 26 29	17 24 20 19 22	17 20 18 17 18	16 22 18 19 18	17 22 20 19 19	17 23 21 19 20	19 24 23 21 20	· 23 27 26 22 23	26 30 30 28 27	29 32 34 32 31	34 37 40 38 38
Michigan. Wisconsin. Minnesota. Iowa. Missouri.	31 31 31 28 26	28 29 28 27 25	23 25 24 22 18	19 18 17 17 17	19 19 18 18 18	20 20 19 19 18	20 20 19 19 18	23 21 20 20 17	25 24 22 21 18	27 26 26 26 26 25	32 31, 31 30 28	38 36 36 34 34
North Dakota. South Dakota. Nebraska Kansas Kentucky	31 29 27 26 26	30 26 25 25 23	28 23 19 17 17	17 16 15 16 16	15 16 16 17 17	16 17 17 17 17	16 18 17 17 17	16 18 17 17 18	19 20 18 18 20	23 25 24 25 25 25	28 29 28 29 28	36 35 34 35 35 34
Tennessee. Alabama. Mississippi Louisiana Texas	24 23 26 27 27	22 20 21 22 22 22	17 16 17 18 16	15 14 15 16 14	15 14 16 17 15	16 15 16 18 15	16 16 16 17 14	16 15 16 18 16	19 19 20 22 18	24 24 23 24 23	27 25 25 29 27	33 30 31 31 35
Oklahoma. Arkansas. Montana Wyoming Colorado	25 26 46 39 36	24 23 41 38 31	16 16 36 32 25	15 14 22 21 18	16 15 19 20 19	16 15 21 22 21	15 16 23 22 21	15 16 25 25 22	15 18 26 28 25	22 23 30 29 30	28 26 41 37 36	35 32 46 42 42
New Mexico. Arizona Utah. Nevada	37 45 35 55	29 38 31 37	27 28 25 30	23 23 18 26	20 27 17 25	24 28 20 28	24 29 20 27	25 35 22 30	26 34 24 35	28 40 27 38	31 38 35 45	39 48 42 51
Idaho Washington Oregon California	39 40 36 40	37 35 35 33	32 30 27 25	20 20 20 19	19 20 20 20 20	21 22 22 23	22 23 23 25	24 26 24 26	24 30 28 31	30 32 31 35	36 42 37 46	44 47 45 49
United States	30.6	26.8	21.2	17.9	18.1	19.0	19.7	20.7	23.3	28.1	32. 2	38.1
North Atlantic. South Atlantic. N. Central E. Miss. R. N. Central W. Miss. R. South Central Far Western.	39. 9 29. 0 31. 1 27. 5 25. 7 39. 1	32. 5 23. 4 27. 2 26. 0 22. 2 33. 9	27. 4 19. 5 21. 4 20. 1 16. 5 27. 0	23. 9 17. 9 18. 0 16. 5 14. 8 19. 5	21. 7 17. 7 18. 5 17. 4 15. 5 19. 8	23. 1 18. 6 19. 5 18. 0 15. 8 22. 3	25. 9 19. 4 20. 1 18. 0 15. 6 23. 6	28. 3 20. 3 21. 6 18. 2 16. 2 25. 2	33. 1 23. 9 24. 0 19. 4 18. 7 28. 8	38. 2 27. 4 27. 9 25. 2 23. 5 32. 5	42. 8 30. 2 32. 1 29. 1 26. 9 41. 4	49.5 35.8 38.3 34.5 33.2 46.4

Table 164.—Eggs: Receipts at seven leading markets in the United States, 1891-1913.

[From Board of Trade, Chamber of Commerce, and Merchants' Exchange reports.]

Year.	Boston.	Chicago.	Cincin- nati.	Milwau- kee.	New York,	St. Louis.	San Fran- cisco.	Total.
A verages: 1891-1895	912, 807 1, 155, 340	Cases. 1, 879, 065 2, 196, 631 2, 990, 675 4, 467, 040	Cases. 288, 548 362, 262 418, 842 509, 017	113,327 139,718	Cases. 2, 113, 946 2, 664, 074 3, 057, 293 4, 046, 360	Cases. 557, 320 852, 457 1, 000, 935 1, 304, 719	Cases. 166, 059 194, 087 304, 933 334, 766	Cases. 5,318,244 7,295,645 9,067,741 12,360,259
1901 1902 1903 1904 1905	1,122,819	2, 783, 709 2, 659, 340 3, 279, 248 3, 115, 858 3, 117, 221	493, 218 464, 799 338, 327 377, 263 420, 604	129, 278 166, 409	2,909,194 2,743,642 2,940,091 3,215,924 3,477,638	959,648	277, 500 295, 058 335, 228 319, 637 307, 243	8, 655, 001 8, 146, 735 9, 146, 597 9, 532, 034 9, 858, 338
1906. 1907. 1908. 1909.	1,594,576 1,436,786 1,417,397	3, 583, 878 4, 780, 356 4, 569, 014 4, 557, 906 4, 844, 045	484, 208 583, 636 441, 072 519, 652 511, 519	176,826 207,558	2, 981, 013 4, 262, 153 3, 703, 990 3, 903, 867 4, 380, 777	1, 238, 977 1, 439, 868	379, 439 347, 436 340, 185	11, 106, 390 13, 070, 963 12, 145, 724 12, 295, 412 13, 182, 811
1911. 1912. 1913. 1914. 1915. 1916.	1,580,109 1,589,399 1,531,329 1,766,185	4, 707, 335 4, 556, 643 4, 593, 800 4, 083, 163 4, 896, 246 5, 452, 737	605, 131 668, 942 594, 954 461, 783 806, 834 1,534, 622	136, 621 187, 931 221, 345 199, 521	5, 021, 757 4, 723, 558 4, 666, 117 4, 762, 174 4, 582, 218 4, 864, 343	1, 391, 611 1, 397, 962 1, 470, 716 1, 452, 856	638, 920 574, 222 619, 508 629, 571	14, 275, 271 13, 696, 401 13, 604, 385 13, 150, 018 14, 333, 431 15, \$20, 207
1916. January. February. March. April. May. June. July. Angust. September. October. November. December.	73, 422 179, 855 304, 205 296, 241 199, 615 132, 195 120, 476 94, 509 84, 632	158, 955 109, 848 604, 538 1, 144, 454 1, 034, 105 717, 803 495, 437 354, 444 297, 417 262, 791 177, 343 95, 602	\$12,371 \$,922 92,332 166,331 100,003 83,337 91,841 52,310 7,863 37,378 35,266 47,148	4, 280 5,710 12, 414 47, 365 47, 365 32, 848 16, 295 18, 783 12, 670 10, 153 7, 350 6,575	179, 639 212, 250 537, 975 786, 620 785, 132 601, 601 432, 170 407, 619 299, 902 296, 315 188, 686 136, 434	64, 476 82, 606 289, 879 314, 177 216, 134 165, 267 110, 304 74, 630 66, 236 55, 338 45, 448 37, 310	31, 996 58, 400 85, 474 80, 870 70, 974 36, 836 39, 143 42, 373 36, 436 31, 297 27, 689 33, 526	1, 325, 131 551, 152 1, 802, 467 2, 844, 042 2, 549, 954 1, 337, 307 1, 317, 385 1, 070, 635 814, 533 777, 954 531, 355 398, 286

Table 165.—Eggs: Wholesale price per dozen, 1912-1916.

	Chic	ago.			St. I	ouis	Milwa	ukee.	New	York.
Date.	Fre	esh.	Cinci	nati.	Avera; fre	ge best sh.	Fre	esh.	Avera; fre	ge best sh.
	Low.	High.	Low.	High.	Low.	High.	Low.	Ifigh.	Low.	High,
JanJune July-Dec	Cents. 17 17 ¹ / ₂	Cents. 40 27½	Cents. 17 18	Cents. 40 36	Cents. 16 14}	Cents. 39 27	Cents. 15 16	Cents. 38 30	Cents. 20½ 23	Cents. 48 60
1913. Jan -June July-Dec	16 <u>1</u> 16	27½ 37	15½ 18½	27½ 42	14 <u>1</u> 12	25 35	14 13	25 35	20 23	40 65
1914. Jan.–June July–Dec	17 18	32 <u>}</u> 36	16 <u>}</u> 18 <u>}</u>	36 38½	14 18	31 25	15 16	30 32	20 24	50 62
1915. January February March April May June	29 21 17 18 ¹ 16 ¹ 16	38 28 191 191 181 181	20 16 14 14 12 12 12 12	40½ 27 20 19½ 18 18½	28½ 20 17 17¼ 16 15½	37½ 28 181 19 18 161	25 20 16 16] 16 15]	34 29 20 <u>1</u> 18 <u>1</u> 18	30 33 181 191 18 18	44 40 203 22 21½ 21
JanJune	16	38	12½	401	15 ¹ / ₄	37½	$15\frac{1}{2}$	34	18	44
July August September October November December	16 16 21 23 27 26½	17½ 21½ 24 27½ 30½ 30½	11 10 17 17 17 17	19 24 27 30 36 34½	14½ 15½ 20 21½ 26 24½	15½ 20 22 25½ 30 29½	15} 15½ 19½ 20⅓ 24 26	16 21 22½ 26 30 32	18 18 24 27 30 31	21 24 ½ 29 34 40 37
July-Dec	16	30}	10	36	14}	30	153	32	18	40
1916. January February March April May June	27 203 184 194 202 204	32½ 29½ 22 21 213 21¾ 22½	18 18½ 17½ 17 17 17½ 18	34½ 28½ 23 21 21½ 21½ 22½	24½ 19 17 18½ 19	31 30 20½ 20 20½ 20½ 20	25 20½ 17 17½ 18½ 19	31 28 21 19 20 20	26 22 213 203 211 22	35 301 283 221 234 245
JanJune	18 1	321	17	34½	17	31	17	31	201	35
July	213 23 25½ 30 31½ 37	23 26 30½ 32½ 39½ 41	17½ 18½ 21 25½ 28 31	24 30 31½ 35½ 43 47	22 24 28 31 36	26 28 31 39 38	19 19 21 22 27 33	22 25 27 30 38 38	233 261 31 321 351 411	27½ 34 35 37 46 47
July-Dec	213	41	17½	47	22	39	19	38	231	47

CHEESE.

Table 166.—Cheese: International trade, calendar years 1913-1915.

Cheese includes all cheese made from milk; """ """ "" "" of course, is included. See "General note," $\Gamma_{\rm ch}(r,r)$ ",

EXPORTS.

[000 omitted.]

Country.	1913	1914 (prelim.)	1915 (prelim.)	Country.	1913	1914 (prelim.)	1915 (prelim.)
Bulcarin France Germany Italy Notherlanda New Zestanu	1,603	Pounds. 138,265 26,576 66,004 149,574 96,743	Pounds. 160,660 16,242 65,781 190,107 91,533	Russia Switzerland United States Other countries Total	Pounds. 8,373 78,739 2,654 13,903 575,720	Pounds. 3,827 77,573 3,797 12,206 574,565	Pounds. 74,775 63,227
			IMPO	ORTS.			
Alegricant of Attached Attached Attached Attached Belgium Brazil British South Africa Cuba. Denmark	365 13,200 35,845 4,196 5,694 5,200	6,719 8,453 230 3,288 5,300 4,229	4,614 7,306 2,300 4,012 2,839	Germany Italy Russia Spain Switzerland United Kingdom United States Other countries	12,355 4,545 5,749 7,763	9,838 4,190 5,150 4,717 266,591 55,477 11,343	3, 472 3, 716 3, 202 3, 410 299, 920 38, 919
EgyptFrance	6,378	5,953 45,521	5,785 46,743	Total	558,563	436, 999	

¹ Data for 1912.

CHICKENS.

Table 167.—Chickens: Average price received by farmers on first of each month, by States, 1916.

				(Chicke	ns, cen	ts per	pəun•l				
State and division.	Jan.	Feb.	Mar.	Apr.	May.	June,	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Me N. H Vt Mass R. I	13. 5 15. 1 15. 0 16. 7 17. 5	14. 8 14. 8 14. 3 17. 0 16. 0	14. 6 15. 3 14. 2 16. 8 15. 5	14. 5 13. 5 15. 4 16. 6 18. 3	15. 5 16. 5 15. 3 17. 6 18. 3	16. 0 16. 0 15. 9 17. 4 19. 0	15. 6 18. 0 14. 8 20. 1 18. 5	17. 0 19. 7 16. 6 21. 0 23. 5	17. 2 17. 8 15. 7 18. 2 23. 0	16. 4 17. 0 16. 5 19. 5 23. 0	17. 2 17. 0 16. 3 18. 9 20. 0	16. 9 19. 4 17. 0 20. 9 20. 0
Conn N. Y N. J Pa Del		16. 5 15. 5 18. 2 14. 2 14. 0	17. 2 15. 7 17. 3 14. 5 13. 5	18. 2 15. 8 17. 9 15. 3	13. 3 16. 9 13. 2 15. 4 15. 0	18. 5 16. 9 19. 6 15. 8 16. 0	18.6 17.1 18.9 15.8 18.0	20. 0 16. 8 18. 3 16. 1 18. 0	19. 2 17. 4 18. 9 16. 4 19. 0	20. 8 17. 8 19. 4 16. 3	20. 2 17. 2 21. 0 16. 0	21. 0 16. 8 21. 0 15. 7 17. 0
Md. Va. W. Va. N. C S. C	14. 4 13. 5 12. 5 11. 6 14. 3	14. 7 13. 8 12. 8 12. 0 13. 0	15. 9 14. 5 12. 9 12. 1 12. 6	16. 1 14. 8 13. 1 12. 2 13. 3	17. 0 15. 0 13. 5 13. 1 14. 0	18. 7 16. 4 14. 0 13. 6 14. 9	19. 0 16. 7 13. 7 14. 2 14. 6	19.6 16.6 14.9 13.7 14.2	17. 5 16. 2 14. 8 13. 6 13. 8	18. 5 16. 6 14. 7 13. 7 15. 0	17. 4 16. 2 14. 7 14. 2 14. 7	17. £ 16. 3 15. 0 14. 1 14. 5
Ga. Fia. Ohio. Ind. Ill	17. 1 11. 6 11. 0	13.3 15.6 12.3 11.6 i1.8	13. 0 17. 3 13. 2 12. 3 11. 8	13. 3 15. 8 13. 6 12. 8 12. 6	12. 6 16. 3 14. 5 13. 1 13. 3	13. 3 17. 3 14. 3 14. 0 13. 5	13. 9 15. 5 14. 4 14. 0 14. 0	13. 5 17. 2 15. 0 14. 1 13. 9	14. 0 17. 1 14. 9 14. 2 14. 0	14. 4 16. 6 15. 8 11. 5 14. 5	14.9 16.8 14.8 14.4 14.6	14.7 19.8 14.0 14.0 14.2
Mich Wis Minn Iowa Mo	11. 0 10. 9 9. 7 10. 0 10. 2	12. 1 11. 4 10. 0 10. 7 11. 0	12. 5 12. 0 10. 1 10. 7 11. 0	13. 1 12. 7 10. 8 11. 4 12. 2	13. 5 13. 4 11. 0 11. 9 12. 8	13. 8 13. 4 11. 3 11. 8 13. 2	13. 4 12. 8 11. 6 12. 2 14. 0	14. 0 13. 9 11. 5 12. 4 13. 1	14. 4 13. 7 12. 3 13. 1 13. 0	14. 2 13. 1 12. 1 13. 7 13. 9	14. 1 13. 7 12. 1 13. 6 13. 8	13. 8 13. 5 12. 2 13. 6 13. 3
N. Dak. S. Dak Nebr Kans Ky	8.6 9.1	10. 3 9. 4 10. 2 10. 2 11. 1	9. 5 8. 9 10. 4 10. 3 11. 4	9.8 9.8 10.8 10.7 11.9	10.3 9.9 11.5 11.3 12.8	10. 2 9. 6 11. 5 11. 6 13. 3	10. 2 11. 0 11. 6 12. 1 14. 4	15. 5 10. 6 11. 9 12. 1 14. 3	11. 1 10. 5 12. 3 12. 2 13. 4	10. 7 11. 6 12. 2 12. 9 14. 1	11. 4 11. 6 12. 7 12. 8 14. 0	11. 1 11. 9 12. 2 12. 4 13. 0
Tenn Ala Miss La Tex	9.9 11.2 11.0 12.9 10.3	11. 2 11. 6 11. 6 14. 5 10. 0	11. 5 11. 5 11. 7 13. 9 10. 6	12.0 11.4 11.8 13.9 10.8	12. 8 11. 9 12. 8 14. 3 10. 8	13. 5 12. 6 12. 7 15. 9 11. 1	13. 7 13. 2 12. 9 14. 8 11. 4	13. 2 12. 7 12. 4 15. 4 11. 3	13. 1 12. 8 12. 5 15. 2 11. 4	12.9 13.4 13.5 16.0 12.3	13. 4 13. 7 13. 7 18. 1 12. 2	13. 0 13. 8 14. 1 16. 0 13. 9
Okla Ark Mont Wyo Colo	10.3	10. 1 10. 2 13. 5 13. 0 11. 5	9. 9 9. 5 14. 8 13. 0 13. 0	10. 5 10. 0 14. 8 11. 9 12. 3	11. 3 11. 7 13. 7 13. 3 13. 2	11. 6 11. 9 15. 2 14. 4 13. 1	12. 3 12. 7 14. 1 15. 5 13. 5	11. 6 11. 4 14. 9 15. 1 13. 7	11. 6 11. 9 15. 2 15. 7 13. 3	11. 8 11. 9 16. 0 16. 5 13. 7	12. 7 12. 3 15. 6 15. 9 13. 6	12. 4 12. 6 14. 6 15. 0 13. 0
N.Mex. Ariz. Utah. Nevada	13.0 18.5 12.9 22.0	14.0 17.6 12.9 19.3	14.4 16.7 12.5 18.7	12.0 17.7 13.0 21.3	12.6 17.6 12.2 21.1	13. 4 18. 1 13. 0 20. 4	12.6 17.9 13.0 21.2	14.0 17.8 13.9 20.0	13, 3 19, 3 14, 2 24, 0	13.0 17.4 14.7 22.0	13. 1 16. 3 13. 7 18. 0	14. 1 19. 0 13. 5 21. 0
Idaho. Wash Oreg Cal.	12. 2 11. 9 16. 3	11. 2 13. 0 13. 1 16. 2	10. 6 12. 7 12. 7 15. 6	10.6 13.0 13.0 15.4	12. 1 15. 0 12. 7 16. 9	12.0 14.4 13.8 16.0	10. 9 14. 4 13. 2 15. 9	11. 3 15. 2 13. 0 15. 5	11. 9 15. 0 13. 0 15. 9	11. 8 15. 0 12. 5 15. 7	12. 2 14. 0 12. 9 16. 6	11. 9 13. 5 13. 5 17. 0
U.S	11.4	11.9	12. 2	12.6	13. 2	13.5	13.8	13.8	13.9	14.3	14. 3	14, 2
North Atlantic South Atlantic N. Central E. Miss. R. N. Central W. Miss. R. South Central Far Western.	13. 4 11. 2 9. 8	15. 2 13. 3 11. 9 10. 5 11. 0 14. 3	16. 0 13. 6 12. 4 10. 5 11. 1 14. 1	15. 8 13. 8 13. 0 11. 2 11. 4 14. 0	16. 4 14. 1 13. 6 11. 7 12. 0 14. 9	16. 7 15. 1 13. 8 11. 9 12. 5 14. 8	16. 9 15. 3 13. 8 12. 4 12. 9 14. 6	17. 2 15. 3 14. 2 12. 3 12. 5 14. 6	17. 3 15. 1 14. 3 12. 6 12. 5 14. 8	17. 5 15. 4 14. 6 13. 1 13. 0 14. 7	17. 3 15. 3 14. 4 13. 1 13. 4 14. 9	17. 3 15. 5 14. 0 12. 9 13. 6 15. 1

SHEEP AND WOOL.

Table 168.—Sheep: Number and value on farms in the United States, 1867-1917.

Note.—Figures in *italies* are consus returns, figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the procedure year, except that a revised base is used for applying percentage estimates whenever new or a procedure year, except that a revised base is used for applying percentage estimates whenever new or a procedure year available. It should also be observed that the consus of 1919 giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

Year.	Number.	Price per head Jan. 1.	Farm value Jan. 1.	Year.	Number.	Price per head Jan. 1.	Farm = doe Jan 1
1867. 1868. 1870. 1870. 1870. 1870. 1871. 1871. 1873. 1874. 1875. 1876. 1877. 1878. 1878. 1879. 1880. 1880. 1880. 1881. 1881. 1882. 1883. 1884. 1885. 1886. 1887. 1888. 1889. 1889.	88, 992, 0,30 40, 852, 000 28, 477, 971 31, 851, 000 23, 477, 971 31, 851, 000 33, 002, 000 33, 083, 080 33, 183, 080 33, 184, 000 40, 766, 000 40, 766, 000 40, 766, 000 40, 766, 000 41, 779, 000 42, 500, 000 44, 779, 000 44, 789, 000 44, 789, 000 44, 789, 000 44, 386, 000 44, 386, 000	\$2, 50 1, 82 1, 64 1, 96 2, 14 2, 61 2, 71 2, 43 2, 55 2, 37 2, 13 2, 21 2, 27 2, 21 2, 39 2, 37 2, 13 2, 21 2, 14 1, 91 2, 05 2, 13 2, 21 2, 21 2	\$95, 644, 000 71, 053, 060 71, 053, 060 62, 037, 090 68, 310, 000 82, 768, 000 82, 768, 000 82, 768, 000 82, 253, 000 76, 362, 000 76, 362, 000 78, 965, 000 90, 231, 000 104, 071, 000 106, 596, 000 110, 903, 000 107, 961, 000 92, 444, 000 89, 280, 000 90, 640, 000 100, 660, 000	1892. 1893. 1894. 1895. 1896. 1897. 1898. 1899. 1990. 1890. 1890. 19901. 19903. 19904. 19905. 19906. 19907. 19908. 19909. 1910. 1810, census, Apr. 15. 1911. 1912. 19913. 1914. 1915. 1916.	11, \$\sigma\$, \$000 61, 703, 713 59, 757, 000 62, 039, 030 63, 965, 000 51, 630, 000 45, 1770, 000 53, 210, 000 54, 631, 000 57, 216, 000 52, 448, 000 57, 216, 000 52, 483, 000 53, 463, 800 52, 362, 000 51, 482, 000 49, 976, 000 49, 976, 000 49, 976, 000 48, 625, 000	2.46 2.75 2.93 2.98 2.65 2.63 2.59 2.82 3.54 3.83 3.83 3.43 4.12 3.91 4.02 4.50 5.17	38, 126, 000 86, 587, 000 86, 587, 000 87, 221, 000 92, 721, 000 121, 303, 000 178, 372, 000 178, 372, 000 178, 372, 000 179, 362, 000 170, 166, 000 201, 210, 000 201, 210, 000 201, 210, 000 201, 210, 000 201, 235, 000 181, 170, 000 202, 779, 000 202, 779, 000 203, 535, 000 223, 537, 000 231, 534, 000 231, 534, 000 231, 534, 000
Fane I 1891	35,935,364 43,431,000	2. 50	108, 397, 000	1917	48,483,000	7.14	346,064,000

¹ Estimates of numbers revised based on census data.

Table 169.—Sheep: Number and value on farms Jan. 1, 1916 and 1917, by States.

State.	Number (t	thousands) -	Average pri	ce per head,	Farm value	e (thousands
	Jan	. 1—	Jan	. 1—	of dollars	s) Jan. 1—
State.	1917	1916	1917	1916	1917	1916
Maine. New Hampshire Vermont Massachusetts. Rhode Island	157	160	\$6.30	\$4, 80	\$989	\$768
	35	35	6.70	5, 50	234	192
	100	100	7.30	5, 90	730	590
	25	26	6.70	5, 50	168	143
	5	6	7.20	5, 90	36	35
Connecticut New York New Jersoy Penasylvania Delaware.	18	18	7.60	5. 80	137	104
	840	849	8 40	6. 20	7,056	5, 264
	29	20	7.20	6. 40	209	186
	835	835	7.10	5. 60	5,928	4, 676
	8	8	5.90	5. 30	47	42
Maryland	223	223	6.60	5.40	1,472	1,204
Virginia.	686	700	6.50	4.90	4,459	3,430
West Virginia	715	720	6.60	5.10	4,719	3,672
North Carolina.	140	155	3.90	3.20	546	496
South Carolina	30	30	3.20	2.70	96	81
Georgia	$\begin{array}{c} 150 \\ 119 \\ 2,944 \\ 1,005 \\ 898 \end{array}$	161	2.80	2 40	420	386
Florida		119	2.70	2.30	321	274
Ohio		3,067	7 20	5.40	21,197	16,562
In tiana		1,005	8.20	6.10	8,241	6,130
Illinois		907	8.20	5.90	7,364	5,351
Michigan Wisconsin Minnesota Iowa Missouri	$\begin{array}{c} 1,834\\ 645\\ 541\\ 1,240\\ 1,370 \end{array}$	$\substack{1,931\\664\\536\\1,240\\1,416}$	7.50 7.50 7.60 8.80 7.70	5.70 5.30 4.80 6.30 5.80	14,305 4,838 4,112 10,912 10,549	11,007 3,519 2,573 7,812 8,213
North Dakota	250	240	7.40	5.10	1,850	1,224
South Dakota	658	604	7.40	5.20	4,869	3,141
Nebraska	381	374	7.50	5.40	2,858	2,020
Kansas	348	341	7.60	5.60	2,645	1,910
Kentucky.	1,155	1,155	7.10	4.90	8,200	5,660
Tennessee.	650	650	5,80	4, 10	3,770	2,665
Alabama.	121	119	3,20	2, 60	387	309
Mississippi	193	208	3,00	2, 50	579	520
Louisiana	240	185	2,90	2, 30	696	426
Texas.	2,328	2,1 56	4,40	3, 70	10,243	7,977
Oklahoma	104	95	6.30	5.00	655	475
Arkansas	124	124	3.90	2 90	484	360
Montana	3,744	3,941	7 10	5.10	26,582	20,099
Wyoming	4,381	4,338	7.60	5.60	33,296	24,293
Colorado	1,950	1,839	7.50	5.20	14,625	9,563
New Mexico.	3,300	3,440	5.80	4.30	19,140	14,792
Arizona	1,632	1,700	6.30	4.70	10,282	7,990
Utah.	2,089	2,089	7.90	5.40	16,503	11,281
Nevada	1,455	1,532	8.20	5.80	11,931	8,886
Idaho	3, 195	3,102	8. 20	5.60	26,199	17,371
Washington	585	568	7. 10	5.30	4,154	3,010
Oregon	2, 484	2,435	8. 10	5.20	20,120	12,662
California	2, 524	2,450	6. 70	5.00	16,911	12,250
United States	48,483	48,625	7.14	5.17	346,064	251,594

Table 170.—Sheep: Imports, exports, and prices, 1893-1916.

		Imports.			Exports.	
Year ending June 30—	Number.	Value.	Average import price.	Number.	Value.	Average export price.
1893	459, 484	\$1,682,977	\$3.66	37, 260	\$126,394	\$3.39
1894	242, 568	788,181	3.25	132, 370	832,763	6.29
1895	291, 461	682,618	2.34	405, 748	2,630,686	6.48
1895	322, 692	853,530	2.65	491, 565	3,076,384	6.26
1896	405, 633	1,019,668	2.51	244, 120	1,531,645	6.27
1898.	392,314	1,106,322	2.82	199,690	1,213,886	6. 08
1899.	345,911	1,200,081	3.47	143,286	853,555	5. 96
1990.	381,792	1,365,026	3.58	125,772	733,477	5. 83
1901.	331,488	1,236,277	3.73	297,925	1,933,000	6. 49
1902.	2 66,953	956,710	3.58	358,720	1,940,060	5. 41
1903	301,623	1,036,934	3.44	176,961	1,067,860	6. 03
1904	238,094	815,289	3.42	301,313	1,954,604	6. 49
1905	186,942	704,721	3.77	268,365	1,687,321	6. 29
1906	240,747	1,020,359	4.24	142,690	804,090	5. 64
1907	224,798	1,120,425	4.98	135,344	750,242	5. 54
1908	224, 765	1,082,606	4, 82	101,000	589, 285	5. 83
1909	102, 663	502,640	4, 90	67,656	365, 155	5. 40
1910	126, 152	696,879	5, 52	44,517	209, 000	4. 69
1911	53, 455	377,625	7, 06	121,491	636, 272	5. 24
1912	23; 588	157,257	6, 67	157,263	626, 985	3. 99
1913	15, 428	90,021	5.83	187, 132	605, 725	3. 24
1914	223, 719	532,404	2.38	152, 600	534, 543	3. 50
1915	153, 317	533,967	3.48	47, 213	182, 278	3. 86
1916	235, 659	917,502	3.89	52, 278	231, 535	4. 43

Table 171.—Sheep: Wholesake price per 100 pounds, 1913-1916.

			1		1				1	
	Chic	ago.	Cinci	nnari.	St. L	ouis.	Kansa	s City.	Om	aha.
Date.	Nat	ive.	Good to	o extra.		o choice ves.	Nati	i.evi	Wes	teru.
	Low.	High.	Low.	Hìgh.	Low.	High.	Low.	Hìgh.	Low.	High,
JanJune. July-Dec.	\$2.50 2.00	37.50 5.65	\$3.00 2.85	\$5.50 4.00	84.00 3.75	\$7.00 5.00	\$3.30 3.35	\$8, 00 7, 35		
1913. JanJune July-Dec	2, 50 2, 00	7. 90 6. 00	3.60 3.25	7. 00 4. 50	4.75 4.00	7. 25 5. 00	2. 75 2. 00	7. 50 7. 00	\$3. 75 2. 75	\$8, 15 6, 75
1914. JanJune July-Dec	2.00 2.00	7. 00 6. 50	4.10 4.00	6. 13 5. 35	5. 00 4. 50	6. 50 5. 75	2, 50 2, 25	7. 25 7. 50	5.00 4.80	7, 50 8, 00
1915. January. February. March. April May. June	3. 09 3. 73 4. 09 4. 00 3. 50 2. 50	8. 00 8. 65 9. 25 8. 50 10. 65 9. 25	4. 10 4. 50 5. 50 6. 10 5. 00 4. 25	5. 60 5. 75 8. 75 7. 60 8. 75 5. 50	5, 50 6, 50 7, 40 7, 75 7, 00 5, 25	6. 00 6. 50 7. 90 3. 50 7. 50 5. 50	4.50 5.00 5.50 6.50 5.50 4.50	7. 80 8. 00 8. 75 10. 00 9. 75 9. 00	4. 75 4. 75 7. 00 7. 00 6. 75 4. 00	4. 75 4. 75 7. 00 7. 00 6. 75 4. 00
JanJune	2.50	10.65	4.10	8.73	5, 25	8.50	4.50	10.00	4.00	7.00
July August September October November December	2. 00 2. 50 2. 00 3. 00 2. 75 3. 00	8. 75 7. 75 7. 50 7. 65 7. 75 8. 50	4.50 4.75 4.60 4.75 4.75 4.75	5, 75 8, 75 5, 50 8, 15 6, 00 6, 25	5. 25 5. 50 5. 25 5. 50 5. 25 5. 75	5. 50 5. 75 5. 25 5. 85 5. 50 6. 00	4, 50 4, 00 4, 00 4, 00 5, 00 5, 00	8. 00 8. 00 8. 00 8. 00 7. 25 8. 25	4. 25 4. 50 4. 50 4. 50 4. 50 4. 00	4, 25 4, 50 4, 50 4, 50 4, 50 4, 00
July-Dec	2.00	8. 75	4.50	8. 75	5. 25	6.00	4.00	8, 25	4.00	4,50
1916. January. February March April May June	3.00 4.00 4.00 3.50 2.50 2.50	8. 25 8. 75 9. 00 9. 25 10. 00 9. 00	5.50 5.75 6.50 6.50 6.50 6.00	6. 85 7. 75 8. 00 8. 00 8. 50 7. 25	6. 50 7. 50 8. 00 8. 50 8. 35 7. 25	7. 50 8. 00 8. 50 8. 85 8. 75 7. 75	5. 00 6. 50 6. 50 7. 00 7. 00 6. 35	9.50 10.00 10.90 11.00 11.50 10.50	6. 25 7. 00 7. 50 8. 00 6. 50 6. 75	9. 15 9. 85 10. 50 10. 25 11. 00 8. 75
JanJune	2.50	10.00	3.75	8. 75	7, 25	8.85	5.00	11.50	6, 25	11.00
July August September October November December	2,50	8. 50 8. 25 8. 50 8. 50 9. 00 10. 25	5.50 5.00 5.00 5.50 5.50 6.00	7.00 7.00 6.75 6.75 7.00 8.50	7. 25 7. 25 7. 00 7. 00 5. 50 6. 75	7. 25 7. 25 7. 25 7. 25 7. 25 9. 00 9. 25	6. 75 6. 50 6. 00 6. 00 6. 00 7. 25	10. 00 10. 35 8. 75 8. 75 9. 75 11. 75	6. 50 6. 25 6. 25 6. 50 6. 25 6. 75	8. 25 8. 25 8. 50 8. 50 10. 00 11. 75
July-Dec	2.50	10.25	5.00	8.50	5.50	9.25	6.00	11. 75	6.25	11.75

¹ Not including lambs for 1912 and 1914.

Table 172.—Wool: Product, by States, 1915 and 1915.

[Estimate of U.S. Department of Agriculture]

States.	Fle (000 on		Weight 1	per fleece.	Wool pr (000 on	oduction nitted).	Price po (mor mes	thly
	1916	1915	1916	1915	1916	1915	1916	1915
Maine New Hampshire Vermont Massachusetts Rhode Island	Number. 130 28 78 18 5	Number, 135 29 83 18 5	Founds. 6.5 6.6 7.4 6.9 5.0	Pounds. 6.3 6.4 7.1 6.4 5.0	Pounds. 850 185 580 125 25	Pounds. 850 185 590 115 25	Cents. 35.0 31.5 33.9 20.0 32.3	Cents. 28. I 25. 5 27. 3 25. 0 25. 8
Connecticut New York New Jersey Pennsylvaana	14 530 16 650	15 535 17 650	5.4 6.7 5.0 6.5	5.3 6.5 5.6 6.2	75 3,550 80 4,225	80 3,480 95 4,030	31.0 33.1 31.7 32.0	24.3 27.3 25.4 25.4
Delaware Maryiand West Virginia Kentucky	5 129 530 625	5 127 550 650	6. 9 5. 8 5. 0 5. 0	6.0 5.9 5.0 4.9	30 750 2,750 3,125	30 750 2,750 3,185	31.5 33.2 32.9 32.3	21. 25. 27. 25.
Ohio Michigan Indiana, Illinois,	1, 950 1, 165 650 515	2,600 1,170 690 530	7.0 7.1 6.8 7.5	6. 8 6. 9 6. 8 7. 5	13,650 8,275 4,420 3,855	13,600 8,075 4,690 3,975	32.5 33.4 32.8 30.1	27. 27. 26. 25.
Wisconsin Minnesota Iowa Missouri	335 385 650 680	350 380 700 730	7.5 7.0 7.5 6.8	7. 2 7. 0 7. 6 6. 7	2,510 2,693 4.875 4,625	2,520 2,660 5,325 4,890	30.4 27.5 29.1 29.9	25. 21. 23. 24.
Total	9,108	9,369	6.73	6.61	61,255	61,900	31.7	25.
Virginia. Nondo (1164) South Carolina. Georgia. Florida.	378 135 24 165 111	390 140 25 175 107	5.0 4.2 4.0 3.0 3.1	4.7 3.9 4.0 2.6 3.1	1,900 570 95 495 345	1,835 545 100 460 330	32.6 27.9 24.5 26.5 28.2	25. 22. 0 19. 4 22. 0 23. 9
Alabama. Mississippi Louisiana Arkansas Tennessee	100 150 170 85 425	100 150 145 85 425	3.5 3.6 3.5 4.1 4.4	3.8 3.5 3.7 4.5 4.4	350 540 590 350 1,870	380 520 536 385 1,870	21.6 22.3 19.4 22.8 27.7	19.6 18.4 15.4 19.4 21.4
Total	1, 743	1,742	4.08	4.00	7, 105	6,961	25.4	20.
Kansas. Nebraska South Dakota North Dakota Montana	185 230 475 180 3, 150	175 225 450 175 3,500	7. 2 8. 0 7. 5 7. 5 7. 8	7.1 7.4 7.0 7.2 7.7	1,330 1,830 3,560 1,350 24,570	1,210 1,665 3,150 1,260 26,950	25. 0 27. 2 27. 0 25. 7 29. 4	20.0 22.5 21.4 19.4 25.5
Wyoming Idaho Washington Oregon	3, 675 1, 980 555 1, 760	3,650 1,935 525 1,850	3.4 7.6 8.6 7.5	8.0 7.9 8.7 8.0	31,000 15,000 4,750 13,200	29, 200 15, 285 4, 560 14, 820	26. 0 27. 7 25. 9 27. 2	22. 6 22. 8 19. 6 22. 8
California Nevada Utah Colorado	1, 850 1, 340 2, 080 1, 400	1,900 1,210 2,000 1,300	$\begin{array}{c} 6.3 \\ 7.5 \\ 7.2 \\ 6.0 \end{array}$	6. 1 7. 9 7. 5 6. 0	11,600 10,000 15,000 8,400	11, 590 9, 500 15, 000 7, 800	22. 0 21. 7 24. 8 25. 2	18.6 20.6 20.8 21.5
Arizona New Mexico Texas. Oklahoma	915 3, 200 1, 800 74	950 3,325 1,800 70	6.5 5.7 5.7 6.8	6.3 5.6 5.4 7.0	5, 950 18, 240 10, 250 500	5, 985 18, 620 9, 750 490	26. 2 22. 8 23. 0 23. 7	20. 0 18. 17. 4 19. 19.
Total	24, 849	25,040	7. 10	7.06	176, 530	176,865	25.3	20.
United States	35, 700	36, 151	6.86	6.80	244, 890	215, 726	27.6	22.8
Pulled wool. Total product.						40, 000 285, 726		

Table 173.—Wool: Wholesale price per pound in Boston, 1912-1916.

					1							
Date.	Ohio fine, unwashed.		Kentucky, quarter blood, unwashed.		Ohio XX, washed.		Ohio half blood combing, washed.		Ohio Delaine, washed.		Michigan fine, un- washed.1	
	Low.	IIIgh.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	Iligh.
January-June. July-December	Cts. 21 22	Cts. 23 25	Cts. 22½ 27½	Cts. 29 33	Cts. 28 30	Cts. 30 33	Cts. 26 28½	C/s. 30 31	Cts. 30 33	Cts. 35 35	Cts. 19 21	Cts. 22 23
1913. January-June July-December	20 20	24 21	24 23½	32 26	27 25	32 30	23 23	29 25	27 26	34 28	19 19	23 20
1914. January–June July–December	20 23	25 25	23½ 26	27 29	25½ 27	29 31½	23 27	28 30	26 28	32 32	19 22	23 23
January. February. March. April. May. June.	23 25 28 26 26 26 26	25 29 29 29 29 27 27	29 33 37 31 36 36	32 37 38 38 37 39	29 30 33 32 32 32 32	31 33 34 33 32 32	29 31 35 34 33 34	32 36 38 38 38 35	30 32 35½ 34 32 32	32 36 37 36 35 34	22 23 26 22 22 22	23 26 26 26 26 23 23
January-June	23	29	29	39	29	34	29	38	30	37	22	26
July August. September. October. November. December.	25 25 25 26	27 27 27 27	: 7 : 7 : 36 : 36 : 36 : 38	37 38 38	32 32 32 32 32 32 32 32 32	32 32 32 32 32 32 32 32 32 32	35 35 33 32 32 32 34	36 36 36 34 34 35	33\\ 34 34 34 34 34 35	35 35 35 35 35 35 36	23 23 23 23 23 23 23 25	23 24 27½ 24 24 24 25
July-December	25	271	36	39½	32	325	32}	36	33½	36	23	27½
1916. February. March April May. June	26 28 29 30 30 30	29 30 31 31 31 31 31	38 39 39 39 39 39	39 40 40 40 40 40 41	32½ 33 33 34 34 34 34	33 33 33 35 35 35	32 34 36 36 36 36 36	35 36 37 37 37 37 38	35½ 36 36 37 37 37	36 36 40 40 38 38	25 26 26 27 27 27	26½ 27 28 28 28 28
January-June	26	31	38	41	324	35	32	38	35}	40	25	28
July. August. Septembers. October. November. December	30 30 30 31 34 35	31 31 31 34 35 35	41 44 43 43 43 44 45	44 44 44 44 46 50	35 35 36 36 37 40	36 37 37 36 40 47	37 39 39 39 39 42 43	39 39 40 42 44 46	38 39 39 40 40 45	40 40 41 42 45 52	27 27 27 29 31 32	28 28 28 31 33 37
July-December	30	38	41	50	35	47	37	46	38	52	27	37

¹ Indiana quarter blood unwashed, 1912 and 1913.

Table 173.—Wool: Wholesale price per pound in Boston, 1912-1916—Continued.

Date.	tory,	tory, staple t		Fine medi- um Terri- tory, cloth- ing scoured.		Texas, 12 months, scoured.		fill, xas ired.	Pulled, A super, scoured.		Su	Pulled, B super, scoured.	
•	Low.	High.	Low.	Пigh.	Low.	High.	Low.	High.	Low.	Fligh.	Low.	High.	
JanJune	Cts. 60 63	Cts. 65 67	Cts. 48 53	Cts. 55 59	Cts. 52 54	Cts. 56 63	Cts. 42 43	Cts. 45 48	Cts. 45 52	Cts. 53 58	Cts. 41 48	Cts. 54 54	
JanJune	55 51	67 56	49 46	59 50	52 50	65 53	45 41	50 46	48 42	58 52	43 36	54 45	
JanJune July-Dec	51 60	63 65	46 55	55 57	50 55	62 62	41 42	50 50	43 50	53 55	36 40	43 56	
January. February March April May June.	62 67 72 70 68 68	60 75 75 73 70 70	55 60 65 65 63 63	59 68 68 68 68	56 64 71 70 65 65	60 73 75 73 70 68	42 53 58 58 54 54	52 58 60 60 60 55	56 57 60 61 60 63	59 62 68 65 63 65	57 58 65 58 57 60	63 72 74 65 63 65	
JanJune	62	75	55	68	56	75	42	60	56	. 68	57	74	
July August September October November December	70 71 72 70 70 73	73 74 74 73 73 75	63 65 65 65 62 65	65 65 65 65 65 68	66 68 68 66 65 65	70 70 70 68 67 70	54 55 55 55 55 54	57 57 57 57 57 57 56	63 63 60 60 60 62	65 65 65 65 66 66	60 60 58 55 55 55	65 65 65 63 64 64	
July-Dec	70	75	63	68	65	70	54	57	60	66	55	65	
1916. January. February March April May June	73 77 80 80 80 80 82	77 80 80 80 80 82 85	65 70 70 70 70 72 73	69 71 71 71 75 75	67 68 72 72 72 72	70 75 75 75 75 77	53 53 54 54 54 54	55 55 55 55 55 55	63 65 65 65 65 65	66 68 68 68 68	59 60 60 60 60	65 65 65 65 65 66	
JanJune	73	85	65	75	67	77	53	55	63	68	59	66	
July	82 82 85 85 88 95 100	88 88 92 95 105 112	75 75 75 75 77 77 85	77 77 78 80 87 87	77 80 80 80 80 85 87	83 83 85 85 85 90 100	55 57 57 57 63 63	58 58 58 58 58 65 78	65 66 66 66 66 66 72	72 72 72 72 72 73 85	63 63 63 63 60 70	68 68 68 71 73 80	
July-Dec	82	112	75	87	77	100	55	78	65	85	60	80	

54159°-YBK 1916---44A

Table 174.—Wool: Wholesale price per pound, 1912-1916.

	ı					
	Bos	ton.	Philad	lelphia.	St. I	ouis.
Date.		XX,	Ohio wasi	XX, ned.1	Best tub, washed.	
	Low.	High.	Low.	High.	Low.	High.
1912. January-June.	Cents.	Cents.	Cents.	Cents.	Cents. 27 35	Cents.
July-December 1913.	30	33	28	31	35	38
January-June. July-Decomber	27 25	32 30	24 22	31 25	28 28	37 35
1914. January-June. July-December	25 <u>}</u> 27	29 31}	22 25	28 29	28 31	33 33
January. 1915. February March April May. June.	29 30 33 32 32 32 32	31 33 34 33 32 32	29 30 33 31 31 31	31 33 34 33 32 32 323	31 33 40 37 38 40	34 49 40 40 40 41 41
January-June.	29	34	29	34	31	41
July	32 32 32 32 32 32 32 32§	32 32 32 32 32 32 32 32½	28 29 31 31 31 31 ¹ / ₃ 32	32½ 32 32 32 32 32½ 33½	40 40 40 40 40 40 40	42 42 42 42 42 42 42 42 44
July-December	32	321	28	33½	40	44
January. February. March April May Juno	32½ 33 33 34 34 34 34	33 33 33 35 35 35	32½ 32½ 32½ 32½ 34 34	33½ 33 33 35 37 35	42 42 43 43 43 43	44 44 44 44 47 48
January-June.	321	35	321	37	42	48
July August Soptember October November December	35 35 36 36 34 40	36 37 37 36 36 35 47	34 35 35 35 35 35 39	36 39 37 36 40 44	47 47 47 47 47 48 48	48 48 48 49 49
July-December	34	47	34	44	47	49

¹ One-fourth to three-eighths unwashed, 1912-1914.

Table 175.—Wool: International trade, calendar years 1913-1915.

[''Wool'' in this table includes: Washed, unwashed, scoured, and pulled wool; slipe, sheep's wool on skins (total weight of wool and skins taken); and all other animal fibers included in United States classification of wool. The following items have been considered as not within this at slitch conference and dyed wool; flocks, goatskins with hair on, mill waste, noils, and tops. See "General note," This items

EXPORTS.

			100001	mateu.j			
Country.	1913	1914 (prelim.)	1915 (prelim.)	Country.	1913	1914 (prelim.)	1915 (prelim.)
Algeria. Argentina. Australia Belaium British India. British South Africa Chile. China France. Corman. Netberin is.	218,193 51,031 194,343 28,418 43,327	Pounds. 15,092 258,533 414,286 44,705 152,851 27,043 45,072 68,077 10,807	Pounds. 24,828 259,415 59,694 186,331 55,888 11,755	New Zealand. Persia. Peru. Russia. Spain United Kingdom. Uruguay. Other countries. Total.	Pounds. 193,338 9,934 9,770 38,200 31,937 29,079 150,883 33,343 2,078,752	Pounds. 227,148 9,447 10,665 16,482 27,810 38,848 98,298 26,622 1,492,686	2,347 12,658 32,151
			IMPO	ORTS.	-		
Austria-Hungary Belgium British India Canada France Germany Japan Netherlands	58,650 329,074 29,116 8,587 593,781 481,571 11,741 38,419	22,749 9,518 457,112 12,736 17,323	39, 286 16, 611 144, 625 52, 771 15, 805	Russia. Sweden. Switzerland United Kingdom. United States Other countries. Total.	6,022 10,444 582,618 130,183 64,843	97,763 4,669 9,152 502,927 260,193 42,016 1,436,158	8, 631 17, 414 889, 183 412, 721

SWINE.

Table 176 .- Swine: Number and value on farms in the United States, 1867-1917.

Note.—Figures in italics are census returns; figures in roman are estimates of the department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whemever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

Jan. 1—	Number.	Price per head.	Farm value.	Jan. 1—	Number.	Price per head.	Farm value.
1867. 1868. 1869. 1870. 1870. 1871. 1871. 1872. 1873. 1874. 1875. 1876. 1877. 1878. 1879. 1880. 1880. 1880. 1881. 1881. 1882. 1883. 1884. 1885. 1886. 1887. 1886.	24, 694, 000 24, 317, 000 25, 316, 000 26, 751, 000 25, 134, 569 29, 458, 000 31, 796, 000 32, 632, 000 30, 801, 000 32, 802, 000 25, 727, 000 32, 262, 000 34, 766, 000 32, 262, 000 34, 766, 000 36, 248, 000 47, 681, 700 36, 248, 000 44, 122, 000 44, 131, 000 44, 131, 000 44, 313, 000 44, 313, 000	\$4. 03 3. 29 4. 65 5. 80 5. 61 4. 01 3. 67 3. 98 4. 80 6. 00 5. 66 4. 85 3. 18 4. 28 4. 70 5. 57 5. 57	\$99, 637, 000 79, 976, 696 108, 431, 000 165, 108, 000 165, 108, 000 165, 112, 000 127, 453, 000 119, 632, 000 122, 695, 030 134, 581, 000 158, 573, 000 145, 782, 000 145, 782, 000 263, 543, 000 264, 6301, 000 266, 670, 000 206, 670, 000 200, 043, 000 220, 811, 000 221, 307, 000 221, 307, 000 221, 307, 000 221, 307, 000 221, 307, 000 221, 307, 000 221, 307, 000 221, 307, 000 221, 307, 000 221, 307, 000 221, 307, 000 221, 315, 000	1801. 1802. 1803. 1804. 1895. 1896. 1897. 1899. 1800. 1900. 1900. 1901. 1901. 1901. 1902. 1903. 1904. 1905. 1907. 1908. 1909. 1910. 1910. 1910. 1910. 1910. 1911. 1911. 1911. 1911.	50. 625, 000 52, 303, 000 46, 905, 000 44, 106, 000 42, 843, 000 42, 843, 000 49, 600, 000 39, 760, 000 38, 652, 000 37, 079, 000 48, 692, 000 48, 692, 000 48, 692, 000 47, 221, 000 54, 794, 000 54, 794, 000 54, 794, 000 54, 782, 000 54, 17, 000 58, 185, 676 65, 410, 000 61, 178, 000 61, 178, 000 65, 194, 000 65, 110, 000 61, 178, 000 65, 194, 000	\$4. 15 4. 60 6. 41 5. 98 4. 97 4. 35 4. 10 5. 00 7. 03 7. 78 6. 15 5. 99 6. 18 7. 62 6. 05 6. 05 8. 05 9. 17 9. 37 8. 00 9. 88 9. 4. 40 9.	\$210, 194, 000 241, 031, 000 241, 031, 000 252, 426, 000 270, 385, 000 186, 530, 000 186, 530, 000 174, 351, 070 170, 110, 000 185, 472, 000 364, 974, 000 364, 974, 000 321, 803, 000 417, 791, 000 323, 803, 000 417, 791, 000 523, 328, 000 615, 170, 000 523, 328, 000 612, 931, 000 612, 931, 000 612, 931, 000 612, 931, 000 612, 931, 000 612, 931, 000
1890, census, June 1	57,409,583			1915 1916 1917	64,618,000 67,766,000 67,453,000	9.87 8.40 11.73	637, 479, 000 569, 573, 000 791, 242, 000

¹ Estimates of numbers revised, based on census data.

SWINE—Continued.

Table 177.—Swine: Number and value on farms Jan. 1, 1916 and 1917, by States.

State.	Number (ti Jan.		Average pri Jan.		Farm value of dollars	
	1917	1916	1917	1916	1917	1916
Maine. New Hampshire. Vermont. Massachusetts. Rhode Island	100	102	\$16.60	\$12.00	\$1,660	\$1,224
	53	55	15.60	12.50	827	688
	113	113	13.00	10.30	1,469	1,164
	112	112	15.00	13.20	1,680	1,478
	14	15	14.50	11.00	203	165
Connecticut.	58	59	17. 50	13.60	1,015	802
New York	759	799	14. 70	11.80	11,157	9,428
New Jersey	163	161	17. 00	12.80	2,771	2,061
Pennsylvania	1,174	1,210	13. 90	10.40	16,319	12,584
Delaware	60	61	11. 60	9.00	696	549
Maryland	359	359	11.50	8. 50	4,128	3,052
Virgmia.	1,023	1,023	9.20	7. 00	9,412	7,161
West Virginia.	380	378	10.00	9. 00	3,800	3,402
North Carolina.	1,550	1,550	9.70	7. 80	15,035	12,090
South Carolina.	920	870	9.50	8. 50	8,740	7,395
Georgia	2,585	2,348	9. 00	7.70	23, 265	18,080
Florida	1,100	996	6. 50	6.00	7, 150	5,976
Ohio	3,527	3,713	12. 20	9.00	43, 029	33,417
Indiana	3,970	4,010	11. 50	8.50	45, 655	34,085
Illinois	4,444	4,489	13. 70	9.00	60, 883	40,401
Michigan	1,345	1,462	12. 40	9.00	16,678	13,158
Wisconsin,	2,060	2,142	14. 30	9.00	29,458	19,278
Minnesota.	1,733	1,716	14. 50	9.50	25,128	16,302
Iowa.	9,370	9,069	14. 70	9.30	137,739	84,342
Lissouri	4,280	4,505	10. 00	7.10	42,800	31,986
North Dakota	650	706	13. 00	9.00	8,450	6,354
South Dakota	1,432	1,314	15. 50	10.10	22,196	13,271
Nebraska	4,309	4,266	14. 00	9.40	60,326	40,100
Kansas	2,535	2,815	12. 30	9.10	31,180	25,616
Kentucky	1,589	1,709	8. 90	6.50	14,142	11,108
Tennessee. Alabama. Mississippi Louisiana Texas	1,485	1,531	8. 40	6. 80	12,474	10,411
	1,850	1,715	8. 50	7. 60	15,725	13,034
	1,698	1,617	7. 50	6. 20	12,735	10,025
	1,584	1,553	9. 20	7. 30	14,573	11,337
	3,229	3,197	9. 50	7. 70	30,676	24,617
Oklahoma	1,372	1,491	10. 20	7. 20	13,994	10,735
Arkansas	1,575	1,589	8. 20	5. 40	12,915	8,581
Montana	269	298	12. 00	9. 00	3,228	2,682
Wyoming	69	70	11. 20	9. 40	773	658
Colorado	352	320	12. 00	8. 20	4,224	2,624
New Mexico	101	91	10.50	9.00	1,060	819
	80	40	13.00	11.00	1,040	440
	101	112	10.50	7.80	1,060	874
	37	40	11.00	9.00	407	360
Idaho.	292	344	10. 40	7.00	3,037	2,408
Washington.	283	314	11. 10	8.50	3,141	2,669
Oregon	315	370	10. 00	7.10	3,150	2,627
California	994	947	10. 10	8.40	10,039	7,955
United States	67,453	67,766	11.73	8.40	791, 242	569,573

SWINE-Continued.

Table 178.—Hogs (live): Wholesale price per 100 pounds, 1912-1916.

	Cincinnati.		St.	Louis.	Ch	icago.				
Date.		ng, fair ood.	Mixed	packers.		d and kers.	Kansa	s City.	Om	aha.
	Low.	High.	Low.	High,	Low.	High.	Low.	High.	Low.	High.
1912. JanJune July-Dec.	\$6.10 7.10	\$8.25 9.35	\$5.75 7.15	\$8.05 9.25	\$5.55 6.80	\$8.17½ 9.40	\$5, 65 6, 90	\$8.05 9.05		
1913. JanJune July-Dec.	7.35 7.40	10.00 9.60	7. 20 7. 25	9.50 9.50	6.85 7.00	9.70 9.65	6. 95 7. 20	9. 25 9. 25	\$7.02 7.34	\$9.05 9.15
1914. JanJune July-Dec	8.00 6.40	9.15 9.90	7.65 6.80	9.00 10.00	7.60 6.00	9.00 10.20	7.55 6.65	8. 80 9. 75	7.50 6.50	8, 72 9, 35
1915. January. February. March April May. June	6. 65 6. 70 6. 50 7. 25 7. 55 7. 45	7.35 7.15 7.50 8.00 7.95 7.95	6.65 6.55 6.65 6.90 7.40 7.40	7. 35 7. 15 7. 25 7. 80 7. 95 7. 97½	6. 15 6. 30 6. 35 6. 60 7. 10 7. 05	7. 40 7. 25 7. 05 7. 85 7. 95 7. 92}	6. 50 6. 35 6. 50 6. 60 7. 20 7. 20	7.40 7.02½ 7.05 7.65 7.90 7.85	6. 00 6. 25 6. 35 6. 40 7. 00 6. 75	7. 95 6. 95 6. 82 7. 50 7. 60 7. 60
JanJune	6. 50	8.00	6.55	7.97½	6.15	7.95	6.35	7.90	6.00	7. 95
July August September October November December	7. 35 7. 10 7. 35 7. 00 6. 35 6. 25	8.00 7.75 8.45 8.70 7.70 7.25	6.75 6.50 7.50 6.85 6.40 6.15	8. 10 7. 85 8. 30 8. 75 7. 10 6. 85	6. 15 5. 90 6. 15 6. 25 5. 80 5. 80	8. 10 8. 00 8. 45 8. 95 7. 75 7. 05	7.00 6.30 7.10 6.90 6.20 6.00	7. 80 7. 70 8. 25 8. 65 7. 50 6. 75	5. 90 5. 90 6. 00 6. 75 6. 00 4. 00	7. 65 7. 60 8. 95 8. 90 7. 35 8. 00
June-Dec	6. 25	8.40	6.15	8.75	5.80	8, 95	6.00	8.65	4.00	8. 95
1916. January. February M.t.e' April May June	6. 75 8. 00 8. 70 9. 45 9. 15 9. 00	8. 10 8. 95 10. 20 9. 95 10. 15 9. 80	6. 00 7. 50 7. 90 9. 15 9. 00 9. 00	8. 25 8. 92½ 10. 10 10. 00 10. 25 10. 10	6. 50 7. 50 8. 65 9. 10 9. 30 8. 70	8. 10 8. 90 10. 10 10. 10 10. 30 10. 15	6. 25 7. 40 8. 40 9. 05 9. 15 8. 90	8.00 8.50 9 80 9.90 10.05 10.00	6. 00 7. 20 8. 00 8. 90 9. 00 8. 80	7. 80 8. 55 9. 65 9. 85 9. 90 9. 80
JanJune	6. 75	10.20	6.00	10. 25	6.50	10.30	6.25	10.05	6.00	9.90
July	9. 55 9. 85 10. 15 9. 00 9. 25 9. 50	9. 95 11. 30 11. 50 10. 35 10. 05 10. 75	9. 35 9. 25 9. 50 8. 90 9. 35 9. 35	10. 25 11. 50 11. 50 10. 50 10. 95 10. 80	9. 00 8.85 9. 25 8. 50 8. 75 8. 90	10, 25 11, 55 11, 60 10, 55 10, 25 10, 80	9. 10 9. 30 7. 75 8. 75 9. 00 9. 35	10. 10 11. 00 10. 50 10. 40 10. 15 10. 60	9. 00 8. 50 9. 25 8. 50 9. 00 9. 00	10. 00 10. 85 11. 10 10. 15 10. 15 10. 35
June-Dec	9.00	11.50	8.90	11.50	8, 50	11.60	7.75	11 00	8. 50	11. 10

THE FEDERAL MEAT INSPECTION.

Some of the principal facts connected with the Federal meat inspection as administered by the Bureau of Animal Industry are shown in the following tables. The figures cover the annual totals for the fiscal years 1907 to 1914, inclusive, the former being the first year of operations under the meat-inspection law now in force. The data given comprise the number of establishments at which inspection is conducted; the number of animals of each species inspected at slaughter; the number of each species condemned, both wholly and in part, and the percentage condemned of each species and of all animals; the quantity of meat products prepared or processed under Federal supervision, and the quantity and percentage of the latter condemned.

Further details of the Federal meat inspection are published each year in the Annual Report of the Chief of the Bureau of Animal Industry.

FEDERAL MEAT INSPECTION—Continued.

Table 179.—Number of establishments and total number of animals inspected at staughter under Federal inspection annually, 1907 to 1916.

Fiscal year.	Estab- lish- ments	Cattle.	Calves.	Swine.	Sheep.	Goats.	All animals.
1907 1908 1909 1910 1911 1912 1913 1914 1915 1916	787 876 919 936 940 910 893	7, 621, 717 7, 116, 275 7, 325, 337 7, 962, 189 7, 781, 030 7, 532, 005 7, 155, 816 6, 724, 117 6, 964, 402 7, 346, 709	1, 763, 574 1, 995, 487 2, 046, 711 2, 295, 099 2, 219, 908 2, 242, 929 2, 098, 484 1, 814, 904 1, 735, 902 2, 041, 341	31, 815, 900 35, 113, 077 35, 427, 931 27, 656, 021 29, 916, 363 34, 966, 578 32, 287, 538 33, 289, 705 36, 247, 958 40, 287, 692	9, 681, 876 9, 702, 545 10, 802, 903 11, 149, 937 13, 005, 502 14, 208, 724 14, 724, 465 14, 958, 834 12, 909, 089 11, 970, 889	52, 149 45, 953 69, 193 115, 811 54, 145 63, 983 56, 556 121, 827 165, 533 179, 693	50, 935, 216 53, 973, 337 55, 672, 975 49, 179, 957 52, 976, 943 59, 014, 015 56, 322, 859 56, 909, 387 58, 022, 884 61, 826, 301

Table 180.—Condemnations of animals at slaughter, 1907-1916.

Management (Market of a Mark 1975), 2 Version of Management (Market of American Amer		Cattle.			Calves.			Swine.	
Fiscal year.	Whole.	Part.	Per cent.1	Whole.	Part.	Per cent.1	Whole.	Part.	Per cent.
1907 1908 1909 1910 1911 1911 1912 1913 1914 1915 1916	33, 216 35, 103 42, 426 39, 402 50, 363 50, 775 48, 356 52, 496	93, 174 67, 482 99, 739 122, 167 123, 969 134, 783 130, 139 138, 085 178, 409 188, 915	1. 58 1. 41 1. 84 2. 07 2. 10 2. 46 2. 53 2. 77 3. 32 3. 35	6, 414 5, 854 8, 213 7, 524 7, 654 7, 654 8, 927 9, 216 6, 696 5, 941 6, 681	245 396 409 500 781 1,212 1,377 1,234 1,750 1,988	0.38 .31 .42 .35 .38 .45 .50 .44 .44	105, 879 127, 933 86, 912 52, 439 59, 477 129, 002 173, 937 204, 942 213, 905 195, 107	438, 161 636, 589 799, 300 726, 829 877, 528 323, 992 373, 993 422, 275 464, 217 546, 290	1. 70 2. 18 2. 50 2. 82 3. 13 1. 30 1. 70 1. 83 1. 87 1. 84
The state of the control of the cont	Sheep.				Goats.		1	All animals.	The state of the s
Piscal year.	Whole.	Part.	Per cent.1	Whole.	Part.	Per cent.1	Whole.	Part.	Per cent.1
1907 1908 1909 1919 1911 1912 1913 1914 1915 1916	11, 127 10, 789 15, 402 16, 657 20, 563 17, 611	296 198 179 24,714 7,394 3,871 939 1,564 298 1,007	0. 10 .09 .10 .32 .14 .13 .12 .15 .14 .13	42 33 82 226 61 84 76 746 653 663	1 1 1 1 8 14 161	0. 08 . 07 . 12 . 19 . 11 . 13 . 14 . 62 . 40 . 46	149, 792 175, 126 141, 057 113, 742 117, 383 203, 778 250, 661 281, 303 290, 606 275, 087	529, \$76 704, 668 899, 628 874, 211 1, 009, 672 463, 859 506, 449 563, 166 644, 688 738, 361	1. 33 1. 63 1. 87 2. 01 2. 13 1. 13 1. 34 1. 48 1. 61 1. 64

¹ Includes both whole and parts. It should be understood that the parts here recorded are primal parts; a much larger number of less important parts, especially in swine, are condemned in addition.

Table 181.—Quantity of meat and meat food products prepared, and quantity and percentage condemned, under Federal supervision annually, 1907 to 1916.

Fiscal year.	Prepared or processed.	Con- demned.	Per- centage con- demned.	Fiscal year.	Prepared or processed.	Con- demued:	Per- centage con- demned.
1907 1908 1909 1910	Pounds, 4, 464, 213, 208 5, 958, 298, 364 6, 791, 437, 032 6, 223, 964, 593 6, 934, 233, 214	Pounds. 14,874,587 43,344,206 24,679,754 19,031,808 21,073,577	0.33 .73 .36 .31	1912 1913 1914 1915 1916	Pounds. 7, 279, 558, 956 7, 094, 809, 809 7, 033, 295, 975 7, 533, 070, 002 7, 474, 242, 192	Pounds. 18,096,587 18,851,930 19,135,469 18,780,122 17,897,367	0. 25 . 27 . 27 . 25 . 24

The principal items in the above table, in the order of magnitude, are: Cured pork, lard, lard substitute, sausage, and eleo products. The list includes a large number of less important items.

It should be understood that the above products are entirely separate and additional to the carcass inspection at time of slaughter. They are, in fact, reinspections of such portions of the carcass as have subsequently undergone some process of manufacture.

Table 182.—Quantity of meat and meut food products imported, and quantity and percentage condemned or refused entry, 1914 to 1916.

Fiscal year.	Total imported.	Con- demned.	Refused entry.	Percentage condemned or refused entry.
1914 (9 months)	Pounds. 197, 389, 348 245, 023, 437 110, 514, 476	Pounds. 551,859 2,020,291 298,276	Pounds. 70,454 113,907	Per cent. 0 28 . N5 . 57

MISCELLANEOUS DATA.

Table 183.—Estimated value of farm products, 1879-1916.

[Based on prices at the farm.]

		Crops.		Animals and animal products.		
Үеаг.	Total, gross.	Value.	Percent- age of total.	Value.	Percent- age of total.	
1879 (census). 1889 (census). 1897 (census). 1898 (1898 (census). 1990 (census). 1901 (1902 (1904 (1905 (1906 (190	\$2, 212, 540, 927 2, 760, 777, 254 3, 50, 5, 21, 6, 5 4, 338, 945, 829 4, 717, 669, 973 5, 609, 595, 600 5, 302, 120, 639 5, 594, 645, 672 6, 121, 778, 001 6, 121, 778, 001 6, 764, 210, 423 7, 487, 988, 622 7, 890, 625, 522 8, 558, 161, 223 9, 637, 390, 744 8, 819, 174, 959 9, 342, 790, 149 9, 849, 512, 511 9, 894, 960, 531 10, 776, 490, 412 13, 448, 810, 509	\$2,519,082,592 2,759,569,517 2,998,704,412 3,191,941,763 3,385,179,114 3,578,416,465 3,771,633,816 3,981,675,866 4,012,652,758 4,263,134,353 4,761,111,839 5,088,292,549 5,487,161,223 5,486,373,550 6,132,758,962 6,111,684,020 6,907,186,720	63. 6 63. 6 63. 7 63. 8 64. 0 65. 0 63. 6 64. 0 63. 6 64. 1 60. 7 63. 6 64. 1 65. 2 64. 1 65. 3 64. 1 65. 3 64. 1 65. 3 64. 1 65. 4 65. 6 64. 1 65. 1	\$1, 441, 739, 093 1, 579, 376, 282 1, 718, 865, 501 1, 817, 653, 243 1, 916, 940, 925 2, 016, 228, 607 2, 115, 516, 288 2, 140, 102, 135 2, 261, 344, 604 2, 501, 076, 670 2, 726, 876, 783 2, 792, 232, 973 3, 071, 000, 000 3, 551, 017, 194 3, 257, 116, 809 3, 500, 569, 700 3, 716, 783, 540 3, 783, 276, 511 3, 868, 303, 674, 338, 441, 859	36. 4 36. 3 36. 2 36. 3 36. 0 36. 0 36. 0 36. 0 37. 0 36. 4 55. 9 37. 7 37. 5 37. 5 37. 5 37. 5 38. 3 38. 3 3 38. 3 38. 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	

Table 184.—Tonnage carried on railways in the United States, 1913-1915.1

	Yea	Year ending June 30—					
Product.	1913	1914	1915				
FARM PRODUCTS. Animal matter: Animals, live.	Short tons. 15,042,000	Short tons. 14,811,000	Short tons. 15,021,432				
Packing-house products— Dressed meats. Hides (including leather). Other packing-house products.	2,407,000 1,121,000 2 345,000	2,283,000 1,081,000 2,375,000	2,503,317 1,149,930 2,540,376				
Total packing-house products	5,873,000	5,739,000	6,193,623				
Poultry (including game and fish)	847,000 398,000 4,286,000	915,000 409,000 5,264,000	861,670 370,426 4,212,584				
Total animal matter	26, 446, 000	27, 138, 000	26,659,735				
Vegetable matter: Cotton. Fruit and vegetables.	3,942,000 16,099,000	4,141,000 16,795,000	5,012,705 17,898,288				
Grain and grain products— Grain Grain products— Flour Other grain products	50,945,000 9,523,000 7,880,000	46,015,000 9,697,000 7,824,000	53, 446, 686 9, 596, 763 8, 036, 745				
Total grain and grain products	68,298,000	63,536,000	71,080,194				
Hay Sugar Tobacco Other vegetable matter	7,145,000 3,599,000 1,091,000 9,493,000	7,319,000 3,926,000 1,071,000 9,338,000	7,649,093 3,727,194 1,051,648 10,347,913				
Total vegetable matter	109,667,000	196, 126, 000	116,767,035				
Total farm products.	136, 113, 000	133,264,000	143, 426, 770				
OTHER FREIGHT.							
Products of mines Products of forests. Manufactures. All other (including all freight in less than carload lots)	650,940,000 112,079,000 161,933,000 83,775,000	626,076,000 110,878,000 145,257,000 78,649,000	556,581,950 93,971,282 132,410,447 76,013,494				
Total tonnage	1,144,840,000	1,094,124,000	1,002,403,943				

¹ Compiled from reports of the Interstate Commerce Commission. Original shipments only, excluding freight received by each railway from connecting railways and other carriers. Figures exclude the relatively small tonuage originating on railroads of Class III (roads having operating revenues of less than \$100,000 a year).

Table 185.—Rural and agricultural population in various countries.

	R	ural populat	ion.	Population dependent upon agriculture.		
Country. •	Year	Number.	Per cent of total population.	Year.	Number.	Per cent of total popula- tion.
United States	1910	49, 348, 883	53.7			
Austria-Hungary: Austria Hungary				1900 1900	13,447,362 13,061,118	51. 4 67. 8
Total Austria-Hungary				1900	26, 508, 480	58.4
Belgium British India	1910	1,654,277	22.3	1901	191,691,731	65.1
Bulgaria Denmark Finland	1911	1,647,350	59.7	1905 1911 1900	3,089,301 1,023,962 1,555,357	76.6 37.1 57.3
France. Germany	1906	22, 715, 011	57.9	1891 1907	17, 435, SSS 17, 089, 496	45.7 27.7
Norway Portugal Roumania	1890	3, 458, 996 4, 836, 904	68.5 81.2	1900 1900	854, 787 3, 367, 199	38.5 62.1
Russia: Cancasus. Central Asia Poland. Russia proper. Siberia.				1897 1897 1897 1897 1897	7, 266, 428 6, 361, 466 5, 302, 850 69, 470, 360 4, 448, 456	78.2 82.1 56.4 74.3 77.2
Total Russia				1897	92, 849, 560	73.9
Serbia. Sweden Switzerland				1900 1900 1900	2,097,988 2,344,612 1,067,905	84.2 45.6 32.2
United Kingdom: England and Wales	1911	7,907,556	21.9			

Table 186.—Number of persons engaged in agriculture in various countries.

		Males.		Fema	les.		csons en- n agricul-
Country.	Year.	Number.	Per cent of males in all occupa- tions.	Nuraber.	Per cent of females in all occupa- tions.	Number.	Per cent of persons in all occupa- tions.
United States. Algeria. Algeria. Argentima Australia. Australia. Australia. Australia. Australia. Belgium Bolivia Brijoh India Brijoh India Brijoh India Canada. Ceylon Chile Cuba. Cyprus Denmark Egyt. Foderated Malay States Finland Formosa France Germany Greeco. Germany Greeco. Germany Greeco. Mauritius Netherlands New Zealand Norway Philippine Islands Porto Rico. Portugal.	1910 1881 1893 1901 1900 1900 1901 1901 1907 1907 1907 1907 1907 1907 1907 1907 1907 1901 1908 1907 1901 1901 1901 1901 1901 1901 1901 1901 1901 1901 1901 1901 1901 1901 1901 1900	10, 582, 039 636, 078 313, 149 377, 626 8, 185, 250 533, 660 63, 020, 365 895, 206 6707, 997 745, 074 449, 546 364, 821 33, 611 2, 278, 005 117, 027 321, 533 762, 456 6, 370, 277 10, 235 72, 493 490, 694 103, 644 1, 163, 777 196, 893 1, 127, 268	35. 2 74. 8 28. 0 58. 5 58. 5 23. 6 67. 3 45. 0 50. 3 50. 2 62. 8 45. 2 67. 2 28. 2 51. 4 70. 6 41. 9 27. 7 47. 1 57. 9 13. 3 57. 8 78. 5 78. 8 78. 5	1, 806, 584 91, 602 67, 174 39, 029 5, 935, 805 163, 707 27, 867, 210 837, 406 8, 940 318, 551 21, 877 3, 110 2, 757 110, 169 157, 144 52, 324 661 4, 585, 749 6, 972 3, 196, 063 3, 613 5, 989 79, 584 7, 472	22. 4 53. 7 13. 4 11. 1 70. 3 17. 6 66. 5 94. 9 3. 7 65. 4 6. 2 20. 8 28. 5 33. 3 82. 7 30. 6 82. 4 43. 2 48. 3 12. 2 49. 7 60. 5	12, 388, 623 727, 680 385, 323 416, 655 14, 121, 055 64, 009 90, 983, 575 32, 892 1, 732, 612 716, 937 1, 063, 625 470, 423 367, 921 36, 368 496, 185 2, 315, 149 167, 351 423, 546 1, 027, 120 8, 777, 023 8, 772, 023 8, 773, 023 16, 538 9, 566, 340 271, 393 13, 848 78, 482 271, 393 111, 116 307, 528 1, 254, 063 1, 98, 761 1, 507, 561	32. 5 71. 3 23. 6 63. 0 21. 9 43. 5 67. 1 39. 9 65. 1 37. 7 47. 6 45. 5 48. 0 73. 3 42. 4 34. 6 44. 6 58. 8 34. 6 44. 6 58. 8 34. 6 44. 6 58. 8 34. 6 44. 6 36. 6
Russia: In Europe In Asia	1897 1897	13, 808, 505 2, 092, 965	59. 6 69. 2	1, 974, 164 105, 137	38. 0 30. 5	15, 782, 669 2, 198, 102	55. 6 65. 3
Total	1897	15, 901, 470	60.7	2,079,301	37. 5	17, 980, 771	► 56. 7
St. Lucia. Serbia Serbia Sierra Leone. Spain. Sweden. Ewitzerland Trinidad and Tobago. Union of South Africa. United Kingdom	1901 1900 1901 1900 1900 1900 1901 1904 1901	311, 700 8, 705 3, 741, 730 761, 036 392, 971 51, 744 863, 223 2, 109, 812	65.5 28.7 58.1 52.4 37.1 54.7 56.3 16.3	13, 524 4, 544 775, 270 333, 264 80, 326 25, 765 847, 057 152, 642	50. 5 21. 7 51. 8 53. 8 16. 1 39. 3 77. 5 2. 9	15, 796 325, 224 13, 249 4, 517, 000 1, 094, 280 473, 297 77, 509 1, 710, 280 2, 262, 454	54. 1 64. 7 25. 9 56. 9 52. 8 30. 4 48. 4 65. 1 12. 4

TABLE 187.—Total area and agricultural land in various countries. [As classified and reported by the International Institute of Agriculture.]

		-				
			Productive	e land.1	Cultivated	land.2
Country.	Year.	Total area.	Amount.	Per cent of total area.	Amount.	Per cent of total area.
NORTH AMERICA.						
United States	1910	Acres. 1,903,269,000	Acres. 878, 789, 000	Per cent. 46. 2	Acres. 293,794,000	Per cent. 15.4
Canada. Costa Rica. Cuba.	1901 1909-10 1899	2,397,082,000 13,343,000 28,299,000	63, 420,000 3,090,000 8,717,000	2. 6 23. 2 30. 8	19,880,000 442,000 778,000	. 8 3. 3 2. 7
SOUTH AMERICA.						
Argentina. Chile ³ . Uruguay.	1909-10 1910-11 1908	729, 575, 000 187, 145, 000 46, 189, 000	537, 805, 000 15, 144, 000 40, 875, 000	73.7 8.1 88.5	41,446,000 2,557,000 1,962,000	6,1 1,4 4,2
EUROPE.						
Austria-Hungary: Austria Hungary.	1911 1910	74, 132, 000 80, 272, 900	69, 939, 000 77, 225, 000	94.3 96.2	26, 272, 000 35, 178, 000	35. 4 43. 8
Total Austria-Hungary		154, 404, 000	147, 164, 000	95.3	61,450,000	39.8
Belgium Bulgaria Denmark Finland France Germany Italy Luxemburg Netherlands Norway Portugal Roumania Russia, European Serbia. Spain Sweden Switzerland*	1895 1910 1907 1901 1900 1911 1911 1911 1907 1912 1905 1911 1997 1908-11 1905	7, 278, 000 23, 807, 000 9, 629, 000 82, 113, 000 130, 854, 000 130, 854, 000 70, 839, 000 8, 057, 000 79, 810, 000 22, 018, 000 32, 167, 600 11, 936, 600 124, 666, 000 110, 667, 000 10, 211, 000	6,443,000 18,959,000 9,078,000 123,642,000 126,401,000 65,164,000 7,258,000 17,281,000 22,942,000 17,281,000 24,645,000 698,902,000 6,246,000 112,665,000 112,665,000 7,635,000	88. 5 79. 6 94. 3 94. 5 94. 5 92. 9 96. 4 90. 1 28. 7 78. 5 76. 6 54. 7 52. 3 90. 4 58. 9 74. 8	3,582,000 8,574,000 6,376,000 3,875,000 59,124,000 63,689,000 33,815,000 2,210,000 1,830,000 5,777,000 245,755,000 245,755,000 41,264,000 9,144,000 605,000	49. 2 36 66. 2 47. 7 47. 7 46. 2 26. 2 26. 2 21. 2 21. 3 8. 3 5. 9
United Kingdom: Great Britain Ireland	1911 1911	56, 802, 000 20, 350, 000	47,737,000 18,789,000	84 92. 3	14,587,000 3,275,000	25. 7 16. 1
Total United Kingdom		77, 152, 000	66,526,000	86. 2	17,862,000	23. 2
ASIA. British India	1910-11 1911 1911 1911	615,695,000 8,858,000 94,495,000 4,028,001,000	465, 706, 000 1, 972, 000 74, 180, 000 715, 838, 000	75. 6 22. 3 78. 5 17. 8	264, 858, 000 1, 884, 000 17, 639, 000 33, 860, 000	43.0 21.3 18.7 .8
Africa. Algeria. Egypt. Tunis. Union of South Africa.	1910 1912 1912 1909–10	124, 976, 000 222, 390, 000 30, 888, 000 302, 827, 000	50,846,000 5,486,000 22,239,000 3,569,000	40. 7 2. 5 72. 0 1. 2	11, 434,000 5, 457,000 6, 919,000 3, 385,000	9. 1 2. 5 22. 4 1. 1
OCEANIA. Australia New Zealand	1910–11 1910	1,903,664,000 66,469,000	119,942,000 57,310,000	6.3 86.2	14,987,000 6,955,000	.8 10.5
Total, 36 countries	••••••	15,071,209,000	4,591,691,000	30.5	1, 313, 832, 000	8.7

Includes besides cultivated land, also natural meadows and pastures, forests, woodlots, and lands devoted to cultivated trees and shrubs.
 Includes fallow lands; also artificial grass lands.
 The figure for "productive land" in Chile excludes marshes, heaths, and productive but uncared for lands. lands.
4 The figure for "cultivated land" in Switzerland excludes artificial meadows and pastures.

NATIONAL FORESTS.

Table 188.—National forests: Timber disposed of, quantity, price, and number of users, revenue under specified heads, and details of grazing privileges, years ended June 30, 1911 to 1916. [Reported by the Forest Service.]

	Year ended June 30—								
Item.	1911	1912	1913	1914	1915	1916			
Free timber given: Number of users. Timber cut. M ft. Value. dolls. Timber sales:	40,660 123,488 196,930	38,749 123,233 196,335	38,264 121,750 191,825	39, 466 120, 575 183, 223	40, 040 123, 259 206, 597	42,055 119,483 184,715			
Number	5, 653 830, 304 2, 56	5,772 799,417 2.00	6, 182 2, 137, 311 2, 01	8,303 1,540,084 2,30	10,905 1,093,589 2,44	10,840 906,906			
Grazing: Number of permits	25,604	26, 501	27,466	28,945	30,610	33,328			
Kinds of stock— No. Cattle. No. Goats. No. Hogs. No. Horses. No. Sheep. No.	1,351,922 77,668 4,500 91,516 7,371,747	1,403,025 83,849 4,330 95,343 7,467,890	1,455,922 76,898 3,277 97,919 7,790,953	1,508,639 58,616 3,381 108,241 7,560,186	1,627,321 51,409 2,792 96,933 7,232,276	1,758,764 43,268 2,968 98,903 7,843,205			
TotalNo	8,897,353	9, 054, 437	9, 424, 969	9, 239, 063	9,010,731	9,747,108			
Special use and water-power permitsNo	5, 145	4, 967	5, 245	5,089	5, 657	5, 251			
Revenue: From— Timber salesdolls Timber settlements,1 dollars	935, 128 22, 035	994, 314 33, 287	1,282,647 36,105	1,243,195 39,927	1,211,985 3,181	1,367,111			
Penalties for timber trespassdolls Turpentine sales, ²	43,236	40, 291	17,558	12,981	7,284	37,712			
dollarsfire trespassdolls Special uses 3dolls Grazing feesdolls Grazing trespass,	14,371 76,646 930,966	21,810 48,249 962,175	5,028 67,278 1,001,156	15,372 7,950 68,773 997,583	8,915 661 78,691 1,130,175	14,402 5,471 85,235 1,202,405			
dollars	4,524	6,667 50,563	6,583 51,235	4,765 47,164	5, S18 89, 104	7,810 101,096			
Total revenue, dolls	2,026,906	2, 157, 356	2,467,590	2,437,710	42,535,814	2,823,541			

¹ Includes timber taken in the exercise of permits for rights of way, development of power, etc.
² Prior to 1914 receipts from sale of turpentine were included with timber sales.
³ Included under "Special use" prior to 1912.
⁴ Retunds during year, \$54,575.

Table 189.—Area of national forest lands, June 30, 1916.

[Reported by Forest Service.]

State and forest.	Net area.	State and forest.	Net area.
	4	Tables	
Alaska:	A cres.	Idaho:	A crcs. 1,054,302
Chugach	5,430,018 15,454,110	Boise	514, 317
1 Ongass		Caribou ¹	686, 349
Total	20,884,128	Challis Clearwater	1,260,600
		Clearwater	686, 349 1, 260, 600 785, 179 650, 336
Arizona:	1 194 599	Coeur d'AleneIdaho	1 103 513
Apache. Chiricahua ¹ .	1,184,582 348,160 1,599,677 959,961 867,102	Kaniksu 1	1, 193, 513
Coconino	1,599,677	Lemhi.	199, 190 1, 067, 741 510, 003
Coconino	959, 961	Lemhi Minidoka ¹	510,003
Crook	867, 102	Nez Peree Palisade Payette Pend Oreille	1,703,168
Dixie 1	17,680	Palisade 1	297,020
Kaibab	27 708	Pend Oroille	678 054
Manzano ¹ Prescott	1, 434, 122	St. Joe	577, 135
Sitgreaves	17, 680 1, 72, 170 27, 708 1, 434, 122 607, 168 1, 996, 280 1, 605, 823	Salmon	1,621,477
Tonto	1,996,280	Sawtooth	1,203,554
Tusayan	1,605,823	Selway	1,091,171
Total	11,780,433	Selway. Targhee ¹ Weiser	510,003 1,703,168 297,020 832,109 678,054 577,135 1,621,477 1,203,554 1,694,171 694,372 562,743
	11,100,100		17, 785, 333
Arkansas:	625 003	Total	11,100,000
Arkansas Ozark	622,003 294,916	Michigan:	
O Edit K		Michigan	89,466
Total	916,919	251	
~ W		Minnesota: Minnesota	107 830
California:	995 916	Superior	197,832 857,330
AngelesCalifornia	885, 216 822, 364	Day of the state o	
Cleveland	591,750	Total	1,055,162
Crater 1. Eldorado 1.	46,980		
Eldorado 1	549,950	Montana:	848 443
Inyo¹. Klamath¹	1,268,004	Absaroka	662 855
Lassen	992 804	Beaverhead	1,338,197
Modoc	\$22,364 591,750 46,980 549,950 1,268,604 1,470,848 992,804 1,182,293 801,485 401,492	Beartooth. Beaverhead Bitterroot.	843, 443 662, 855 1, 338, 197 1, 047, 805 873, 414
Mono ¹ Monterey Plumas	801,485	Biackieet	873,414
Monterey	401,492	Cabinet	831,499
Plumas	1,146,645	Custer Custer Deerlodge Flathead	831, 494 430, 142 834, 709 1, 812, 019
Santa Barbara	2 106 100	Flathead	1,812,019
Shorto	828, 367		1565, 578
Shasta Sierra Siskiyou ¹	1,493,474	Helena. Jefferson Kootenai. Lewis and Clark.	688,346
Siskiyou 1	349,650	Jefferson	1,042,913
Stanislaus	809,679	Rootenal	811 72
Stanislaus. Tahoe¹ Trinity.	401, 492 1, 146, 642 1, 695, 175 2, 196, 199 828, 367 1, 493, 474 349, 650 809, 679 546, 326 1, 428, 168	Lolo	1,312,013 565,575 688,346 1,042,913 1,337,991 811,722 850,501
Trimey	1, 420, 100	Lolo. Madison.	960,120 1,028,12
Total	19,507,474	Missoula Sioux ¹	1,028,12
2000		Sioux 1	98,80
Colorado:	626 600	Total	16,058,18
Arapahoe Battlement	651 227		
	907, 532	Nebraska:	
Cocnetopa Colorado Durango Gunnison Haydon 1 Holy Cross	636, S99 651, 227 907, 532 494, 656 614, 275 908, 109	Nebraska	206,07
Durango	614, 275		
Gunnison	908, 109	Nevada:	282,54
Hayden 1	66,718	Dixie 1 Eldorado 1 Humboldt	40
Holy Cross	27 441	Humboldt	691,75
La Sal ¹ Lead ville Montezuma	908, 109 66, 718 576, 945 27, 444 935, 229 700, 571 1, 137, 659 1, 137, 067 847, 882 598, 912 618, 075		691,75 72,81 465,01: 1,237,94: 343,18 270,07: 14,68: 1,907,64:
Monteguma	700, 571	Mono l Nevada Ruby Santa Rosa	465,01
Montesuma Pike Rio Grande Routt. San Isabel. San Juan	1,137,659	Nevada	1,237,94
Rio Grande	1,137,067	Kuby	270,07
Routt	509 012	Tahoel	14.68
San Isabei	618 075	Tahoe 1. Toiyabe.	1,907,64
	596. 852	\$ I	
Uncompahere	790, 589	Total	5,286,06
White River	618, 075 596, 852 790, 589 848, 337	Non-Marrians	ļ
		New Mexico:	610,52
	10 //01 0=0		
Total	13,094,978	Carson	854.56
Total	13,094,978	Carson	854, 562 126, 478
	13,094,978	Carson Chiricahua ¹ . Datil. Gila.	854, 562 126, 478 2, 671, 928 1, 437, 147

¹ For total area, see "National Forests extending into two States."

Table 189.—Area of national forest lands, June 30, 1916—Continued.

State and forest.	Net area.	State and torest.	Net area.
New Mexico—Continued. Lincoln Manzano	Acres. 551, 760 755, 894	Utah—Continued Killmore Fishlake	Acres. 700,626 661,609
Santa Fe	1,355,034 8,363,329	La Sal ¹ Manti Minidoka ¹	519,614 781,806 69,402
North Dakota: Dakota	6, 05-1	Powell Sevier Unita Wasatch	689,685 729,614 1,005,252 607,732
Oklahema: Wichita	61,480	Wasaten	7,447,797
Oregon: Cascade Crafer! Desclutes Premont Klamath! Malheur Minam Ochoco Oregon Sentiam Siskiyou! Siuslaw Umatilla Umpqua Wallowa Wenaha! Whitman Total	1, 016, 569 787, 451 1, 287, 486 888, 887 3, 998 1, 057, 682 398, 086 716, 482 1, 031, 902 606, 776 997, 139 511, 220 486, 183 1, 011, 417 993, 181 425, 504 1877, 564	Washington: Cheian Columbia Colville Kaniksu¹ Okanogan Olympie Rainier Snoqualmie Washington Wenata¹ Wenatchee Total Wyoming: Ashley¹ Bighorn Black Hills¹	677, 389 776, 480 756, 395 756, 395 758, 777 1, 487, 136 1, 534, 685 1, 316, 657 695, 332 1, 454, 356 657, 644 9, 927, 678
Porto Rico: Luquillo		Bonneville Bridger Caribou ¹ Hayden ¹	607, 013 572, 083 6, 707 322, 223
South Dakota: Black Hills ¹ Harney Sioux ¹ Total	483, 782 556, 220 75, 844 1, 115, 846	Medicine Bow Palisade¹ Shoshone Targhee¹ Teton Washakie	469, 786 254, 964 1, 576, 349 84, 970 1, 908, 074 387, 447
Utah: Ashley! (ache! Dixio!	982, 493 267, 066 432, 784	Wyoming Total Grand total, National Forests	899, 980 8, 363, 771 155, 420, 280

¹ For total area, see "National Forests extending into two States"

Forest,	States.	Net area.
Chiricahua Dixie Dixie Manzano Crater Eklorado Biyo Kiamath Meno Siskiyon Tahoa Bayden La Sal Cache Caribou Kaniksu Mindoka Palisade Targhee Sioux Wenaha Bhak Hills Ashley	Arizona-Nevada-Utah Arizona-New Mexico California-Oregon California-Oregon California-Nevada California-Oregon California-Oregon California-Oregon California-Oregon California-Oregon California-Nevada Colorado-Utah Colorado-Wyoming Colorado-Utah Idaho-Utah Idaho-Wyoming Idaho-Wyoming Idaho-Wyoming Idaho-Wyoming Idaho-Wyoming Idaho-Wyoming Idaho-Wyoming Oregon-Washington Oregon-Washington Oregon-Washington Oregon-Washington	733, 0 783, 6 834, 4 550, 3 1, 341, 4 1, 474, 8 1, 366, 7 561, 0 388, 9 547, 0 388, 9 547, 0 751, 9 779, 4 773, 3 174, 6 738, 3 8 923, 5

Table 190.—Grazing allowances for national forests, 1916.

	Number	of stock at	ithorized.	Yearlong rates (cents).			
Forest.	Cattle and horses.	Swine.	Sheep and goats.	Catile.	Horses.	Swine.	Sheep and goats.
District 1:							
Absaroka	+ 6,835 + 4,500 - 24,500		102,000	54	67		13.5 13.5
Beartooth	+ 4,500	300	- 48,800	54	67	32	13.5
Distarroot	+ 3,800		- 114,000 $+$ 40,000	5 <u>4</u> 54	67		13.5
Blackfeet	2,000		+ 40,000 10,000	48	67 60	• • • • • • • • • • • • • • • • • • • •	13.5 12
Cabinot Clearwater Coeur d'Alene	+ 3,000		22, 250	54	67		13.5
Clearwater	- 2,350		- 52,900	48	60		12
Coeur d'Alene	500		25,000	54	67		13. 5
Custer	+ 19, 250		- 6,250	54	67		13 3
Dakota Deerlodge Flathead	- 380 - 15, 200			54	67		
Deerloage	- 15, 200 - 3, 150		- 60,000	54	67		13.5
Colletin	-3,130 $+8,500$		5,000 + 63,000	48 54	60 67		12 13.
Holena	+ 18,900		- 98,500	54	67		13.
Jefferson	+ 17,600		+ 129,000	54	67		13.
Kaniksu.	1,000		11,500	48	60		12
Kootenai	+ 2,100		- 43,500 40,000	48	60		12
Gallatin Holena Jefferson Kaniksu Kootenai Lewis and Clark	7,900		40,000	54	67		13.
	- 1,000		- 20,000	54	67		13.
Madison 1. Missoula.	+ 27,000		+ 135,000	60	75		1.0
Missoula	7,800		- 14,500	54	67		13.
Popul Orailla	10,000 + 1,100		50,000	54 48	67 60		13.3 12
Nezperce Pend Oreille Selway Sioux	+ 1,100 - 5,250		- 33,500 + 10,000	48	60		12
Sionx	- 6,500		3,000	54	67	f	13.3
St. Joe	1,000		78,000	48	60		12
	+201,115	300	-1,215,700				
District 2:							
ArapahoBattlement 1	+ 12,600 + 43,700 + 36,450		- 21,000	54	67		13.8
Battlement 1	+43,700			54	67		<u></u>
Bighorn	+36,450		- 106,500	60	75	32	15
Battlement 1 Bighorn Bighorn Black Hills 2 Bridger 1 2 Cochetopa Cochetopa Colorado Durango Gunnison Harney Hayden Holy Cross 4 Leadville Medicine Bow	+ 18,000 + 16,600 + 18,000	2,500	00 000	54 54	67 67		13.8
Cachaigns	1 18 000		- 62,800 - 62,000	54	67		13.
Colorado	- 9,000		- 02,000	54	67		2010
Durango	- 11,760		+93,850	54	67		13.5
Gunnison	+31,000		+ 10,000	54	67		10.5
Harney	- 9,765			54	67		
Hayden	+ 7,400 + 11,000		120,000	54	67	ļ	13.
Holy Cross 4	+ 11,000		- 31,500 + 30,000	54	67		13.
Leadville	12, 200		+ 30,000	54	67		13 13
Medicine Bow Michigan			62,000 + 900	54 54	67 67		13.
Minnesota	+ 900 $2,000$		500	51	67		10.
Montaguma	-28,850		+ 45,700	54	67		13.
Montezuma Nebraska ¹ Pike	13,000			54 72	90		
Pike	- 15,900		- 16,500	54	67		13.
Rio Grande	+23,400		+ 266,000	54	67		13.
Routt. San Isabel.	- 32,500		- 91,400	54	67		12.
San Isabel	13,700		15,500 + 97,250	54	67		12.
San Juan 1:	+ 12,585		+ 97,200	54 54	67 67		13. 13.
Shoshone ¹	+ 12,300		+ 71,300	54	67		13.
Uncompangre	- 15, 250 - 28, 440		61,000 + 57,741	54	67		13.
Washakia 15	± 12 350		+ 44,100	54	67		13.
Washakie 16 White River	+12,350 $-40,000$		+ 22,000	54	67		13.
	-498, 450	2,500	+1,439,044				
istrict 3:							
· Alamo	+14,250	75	11,000	48	60	29	12
A pache	$+\ \frac{14,250}{31,500}$	100	+ 62,000	48	60	29	12
Carson	+ 8,100	+ 50	+ 161,300	48	60	29	12 12
A pache. Carson. Chiricahua	12,000	300	2,000	48 48	60 60	29 29	12
(Jeconine)	44,000	+ 250	- 92,000	1 48	1 60	1 29	1 12
Coconino ¹	23, 200	, 200	17,000 - 1,350	48	60	1	12

¹ Term applications authorized.
2 Includes Sundance Forest.
2 Sheep increased by adding part of Washakie; total shows decrease in sheep for 1916.
4 Term applications previously approved effective till expiration of period.
5 Increased by adding Bonneville.

Table 190.—Grazing allowances for national forests, 1916—Continued.

	Number	of stock at	ithorized.	Yearlong rates (cents).			
Forest.	Cattle and horses.	Swine.	Sheep and goats.	Catile.	Herses.	Swine.	Sheep and goats.
District 3—Continued.	10 500		*0* 000				
DatilGila	+ 43,700 + 41,500	+ 800 350	- 125,300 - 17,800 13,000	48 48	60 60	29 29	12
GilaLincoln	9,400 9,300	500	13,000	48	60	29	12 12 12
Manzano		50	95,000 - 71,000	48 48	60 60	29	12
Prescott Santa Fe	17 100	+ 550	100,900	48	60	29	12 12
Santa Fe. Sitgreaves. Tonto. Tusayan.	10,800		77,000	48	60		12
Tonto	- 68,000 - 22,200	650 50	+ 72,400	48 48	60 60	29 29	12 12
I usayan				40		23	12
	+426,900	+3,825	+ 919, 150		=====		
District 4:	1 10 100		07 000	60	75		1.5
Ashley Boise ¹ Cache	+ 10,100 $4,000$	100	97,000 140,000	60 54	67	32	15 13.5
Cache	1 -1 31,700		- 143,400	54	67		13.5
Caribou Challis ¹ Dixie	+ 14,400 + 7,700		- 143,400 - 288,000 + 91,000	54 54	67 67		13.5
Dixie.) 9,650	400	- 1,000	48	60	29	13.5 12
	1 00 000	+ 500	- 47,500	60	75	36	15
Filinore. Fishlake. Humboldt. Idaho ¹ . Kaibab ² . La Sal. Lemhi. Manti.	+ 18,900 + 28,600		- 70,000 - 295,000	60 54	76 67		15
Idaho1	- 2,400 - 2,400		100,000	54	67		13.5 13.5
Kaibab 2	- 9,700 27,000		5,000 35,500 77,500 150,400	48	60		12
La Sal	+10,000	100	35,500	54 54	67 67	32	13.5
Manti	+ 10,000 + 27,300		150,400	60	75		13.5 15
Minidoka	+ 27,300 + 25,650		14- 73,750	54	67		13.5
MINIOORA. Nevada 2 Palisade. Payette 2 Powell Ruby Salmon Santa Rosa. Sawtooth 1	- 6,000 + 6,900		- 58,000 97,000	54 54	67 67		13.5 13.5
Pavette 2	+ 7,300		01 500	54	67		13.5
Powell	+ 13,500		72,000 + 35,500 + 110,000 - 50,000	54	67		13.5
Ruby	+ 16,400 14,700 14,500		110,000	54 54	67 67		13.5
Santa Rosa	14,500		50,000	54	67		13.5 13.5
Sawtooth 1	+ 7,000		- 310,000	54	67		13.5
Targhea!	+ 11,400 + 10,300	- 50	- 115,000 + 129,000	54 51	67 67	32	13.5 13.5
Sevier Targhee¹ Teton Toiyabe Ulmta 1 3 Wasatch Wasatch	+ 14,000			54	67		10.0
Toiyabe	+ 18,000 + 18,000 + 31,700 - 12,700 + 11,700		22,000	54	67		13, 5
Wasatch	$\frac{+31,700}{-12,700}$		- 199,300 - 61,100	60 60	75 75		15 15
1 V C15C1	11,700	+ 600	- 61,100 - 73,000	54	67	32	13.5
Wyoming	+ 11,000		216, 500	54	57		13. 5
	+454,200	+1,750	-3, 256, 950			· · · · · · · · · · · · · · · · · · ·	
District 5:							
Angeles 2 California	1 6 700	1,000	- 58,000	60	75 75	20	
Cleveland	$\begin{array}{c c} + 6,700 \\ - 2,000 \end{array}$	1,000	- 1,500	60 60	75	36	15 15
Cleveland Eldorado 1 Inyo 4 Klamath 2 Lassen Modoe	+ 10,100	50	+ 19,000	72	90	. 43	18
Klamath 2	5,700 + 8,350	600	30,500 - 5,600	72 56	90 70	34	18 14
Lassen	+ 12,750	+ 500	+ 36,250 + 63,000	64	80	38	16
Modoc	41,300		+ 36,250 + 63,000 67,700	60	80 75		15
1410110	. + 4,000	900	67, 700 2, 000	72 64	90 80	38	18 16
MontereyPlumas 2	- 13,100		.1+ 76,000	68	85		17
Santa Barbara ² Sequoia ² Shasta Sierra ⁴	- 7,650	300	+ 3,200	64 72	80	38	16
Shasta	+30,550 +9,900	-2,300 500	- 9,900 24,700	72 60	90 75	43 36	18 15
Sierra 4	15,000	500	21,000	72	90	43	18
Stanislaus 2 Tahoe	-1 + 18,500	300 100	24,700 21,000 + 15,350 59,500	72 72 72 72	90	43	18 18
Trinity	+ 12,900	+ 415	+ 20,000	56	90 70	43 34	18 14
	+213,300	+7,465	+ 513,200				

Term applications authorized.
 Term applications previously approved effective till expiration of period.
 Sheep increased by adding part of Washakie; total shows decrease in sheep for 1916.

Table 190.—Grazing allowances for national forests, 1916—Continued.

	Number	of stock ar	thorized.	Yearlong rates (cents).			
Forest.	Cattle and horses.	Swine.	Sheep and goats.	Cattle.	Horses.	Swine.	Sheep and goats.
District 6:							
Cascade 1	+ 1,000		- 27,600	64	- 80		16
Chelan	500		+ 31,600	60	75		15
Columbia Colville	+ 1,300 6,000		+ 29,000 60,000	64	S0 75	- -	16
Crater	7,800	500	8,700	60 60	75 75	36	15 15
Deschutes	+ 5,000		+ 52,000	60	75	50	15
Fremont	+ 15,000		- 100,000	60	75		15
Malheur	+30,000	50	128,000	60	75	36	15
Minam	+ 11,900		+ 64,500	60	75		18
Ochoco Okanogan	+13,700 +10,000		- 86,000 + 90,000	60	75 75		15
Olympic	2,500		7 90,000	60 60	75		13
Oregon	+ 3,500		- 29,800	61	80		16
Rainier	+ 6,400		- 47,000	64	80		16
Santiam	$ \begin{array}{r} + 3,500 \\ + 6,400 \\ + 320 \\ + 4.100 \end{array} $		- 19,700	64	80		16
Siskiyou		+1,000	+ 4,200	56	70	34	1:
SiuslawSnogualmie	1, 200		4,000 6,000	56	70		14
Umatilla	10,300		- 59, 400	60	75		13
Umpqua	1,200		12,000	64	80		16
Wallowa	- 19,000	100	105,000	60	75	36	1.
Washington	+ 250		5,000	64	80		16
Wenaha	$+\ 11,650$ 700		- 102,000 - 59,300	60 64	75 80		15 16
Wenatchee Whitman	+ 9,700	10	- 110,300	. 60	75	36	13
** 171011114111111111111111111111111111111							
	+173,020	+1,660	-1, 241, 100				
District 7:	** 000	02.000			20	-	
Arkansas Florida	15,000 6,000	22,000 3,000	2,000 7,000	48 48	60 60	29 29	12
Ozark	- 8,500	-12,800	- 1,400	48	60	29	Î
Wichita	4,630			1.00	1. 25		
	- 34, 130	-37, 800	- 10,400				
Purchase areas:							
Cherokee	1,500	400	200	1.50	2.00	90	45
Georgia	860	430	500	85	1.10	50	25
Massanutten Mount Vichell Nantahala	+ 300 600	100	100 50	1.50 1.50	2.00	90	45
Nantahala	+ 500	2, 100	150	1.50	2.00	90	4.
Natural Bridge	+ 500 + 400			1.50	2.00		
Potomac	- 240		- 490	1.50	2.00		4.
Savannah (N)	- 150	+ 200	200	1.50	2.00	90	4.
Savannah (S)	+ 160 2,000	+ 160	+ 80 150	1.50 1.50	2.00 2.00	90	4.
Shenandoah Unaka	500	150	75	1.50	2.00	90	4
White Mountain	100		1	1.50	2.00		
White Top	- 250	- 150	150	1.50	2.00	90	45
	+ 7,560	- 3,690	- 2,145				
Totals, 1913	1, 852, 999	59, 535	8, 521, 308				
Totals, 1914	1,891,119	65, 645	8, 867, 906				
	1, 983, 775	64, 040	8, 747, 025	1	1		
Totals, 1915	1,900,110						
Totals, 1915 Totals, 1916 Increase or decrease in	2, 008, 675	58, 990	8, 597, 689				

¹ Term applications previously approved effective till expiration of period.

Note.—The symbols(+) or (-) indicate respectively that there was an increase or decrease in 1916 compared with 1945. Then selves refer to actual numbers of stock authorized in 1916.

^{54159°-}чвк 1916-45А

IMPORTS AND EXPORTS OF AGRICULTURAL PRODUCTS.

Table 191.—Agricultural imports of the United States during the 3 years ending June 30, 1916.

(Compiled from reports of the foreign commerce and navigation of the United States, U. S. Department of Commercial i

	Year ending June 30—						
Article imported.	1914		1	915	1916 (preliminary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value,	
ANIMAL MATTER.							
Animals, live:							
For breeding purposes,	510.070	012 002 010	700 407				
Otherdo	718,352 150,016	\$16,328,819 2,367,899	533, 167	\$17,513,175	439, 185	815, 187, 593	
Total cattledo	368,368	18,696,718	508, 167	17,513,175	459, 185	15, 187, 593	
Horses— For breaking purposes Other do.							
FOLDING CONG.	4,406	1,476,905 1,128,124	1,849	473, 138 504, 242	1,536 14,020	659, 022 959, 223	
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		·	10, 803				
Total horsesdo	33,019	2,605,029	12,652	977,380	15, 556	1,618,245	
For breeding purposes,	001 000	F10 010	150 018	F00 007	037 070	017 500	
Otherdo	221,836 1,883	516, 912 15, 492	153, 317	533,967	235,659	917,502	
Total sheepdo	223,719	532, 404	153,317	533, 967	235,659	917, 502	
Swinedo	(2)	(2)	(2)	(2) 3,254,559	4,626	42,615	
Swinedede		2,877,960		3,254,559		883, 124	
Total live animals		24,712,111		22, 279, 081		18,649,079	
Beaswaxpounds	1,412,200	476,364	1,564,506	439, 541			
Dairy products: Butterdo	7,842,022	1,753,461	3,828,227	977, 262	712,998	212, 370	
Cheese do gallons	7,842,022 63,784,313 1,773,152	1,753,461 11,010,693 1,549,549 1,089,440	3,828,227 50,138,520 2,077,384	977, 262 9, 370, 048 1, 800, 180 2, 556, 787	712,998 30,087,999 1,193,745	7,058,420 1,042,775 1,515,354	
Milk		1,089,440		2, 556, 787		1,515,354	
Total dairy products		15, 403, 143		14,704,277		9,828,919	
Eggsdozens	6,014,955	1,089,164	3,046,631	438,760	732, 566	110,638	
egg yolks or frozen eggs, pounds.	3,420,412	504, 619	8,571,758	793, 129	•		
Feathers and downs, crude: Ostrich		3,944,928 926,735		2,183,171 319,452		2,195,497 525,654	
Other		926, 735		319, 452		525,654	
Fibers, animal: Ellk—					400 000	410 810	
Raw, or as reeled from the	1,413	1,113	51,495	35, 114	197,073	142,743	
cocconpounds Wastedo	23,594,672 5,949,744	97,828,243 3,100,664	26,030,925 4,970,254	80,531,785 2,563,658	33,070,902 8,657,322	119, 481, 223 4, 706, 689	
Total silk do	34,545,829	100, 930, 025	31,052,674	83, 130, 557	41,925,297	124, 333, 655	
Wool, and hair of the camel,							
goat, alpaca, and like animuls—							
Closs Lelothing, pounds	125,088,761	30,681,759 4,906,967	222,017,420 15,054,694	52,008,509 3,735,158	403,121,585 13,292,160	112, 145, 65 7 3, 916, 70 8	
Class 3, eachetdo Hair of the Angora goat,	1 12,000,313	17,029,611	65, 709, 752	10, 865, 475	109, 268, 999	23,955,236	
alpaca, etcpounds	1,717,097	572,430	5,301,563	1,633,426	9, 145, 278	2,403,133	
Total wooldo	247, 648, 869	53, 190, 767	308, 083, 429	68, 242, 568	534, 828, 022	142, 420, 734	
Total animal fibers, pounds.	282, 194, 698	154, 120, 792	339, 136, 103	151, 373, 125	576, 753, 319	266, 754, 389	
1 Forest products come with							

¹ Forest products come within the scope of the Department of Agriculture and are therefore included in alphabetical order in these tables.

²Included in "All other, including fowls."

Table 191.—Agricultural imports of the United States during the 3 years ending June 30, 1916—Continued.

	Year ending June 30—						
Article imported.	1914		19	915	1916 (preliminary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.	
ANIMAL MATTER—continued.							
Gelatin pounds Glue do Honey gallons	2,441,317 22,714,877 75,079	\$738, 731 1, 805, 543 38, 665	2,714,229 8,705,147 303,965	\$816,521 824,136 124,843	1,600,235 3,008,485	\$501,509 217,033	
Packing house products: Bladders, other than fish Blood, dried Bones, cleaned Bones, hoofs, and horns		52,336 391,816 5,023 1,061,466		227,198 69 911,473		867,242	
Bristles— Crude, unsortedpounds	28,359	25,495	45, 466	3,336	86, 374	14,990	
Sorted, bunched, or pre- paredpounds Total bristlesdo	3,408,796 3,437,155	3,170,974 3,196,469	4,016,594	3,609,748 3,613,084	3,850,087 3,936,461	3,612,052	
Grease	0,407,100	1,028,595	4,002.000	1,146,721	3, 550, 401	3,627,042 490,470	
Gut	3,738,836 10,507,680	122,733 1,663,448 1,051,698	3, 541, 903 8, 148, 570	1,500,666 744,187	6,198,938 9,692,037	2,071,429 988,342	
Hide cuttings and other glue stock		2, 158, 514		1,510,608		972, 106	
Hides and skins, other than furs— Buffalo hides, dry							
Calfskins— pounds Dry do	14, 492, 943 27, 767, 882	3,073,717 11,582,807	12,422,803	2,325,243 4,166,617	13,003,888 26,913,217	2,463,270 7,835,605	
Drydo Green or pickleddo Cattle hides— Drydo	54,635,708 71,485,650	11,799,146 18,083,314	30, 288, 655 93, 001, 127	6, 552, 157 21, 424, 552	37, 222, 276 153, 339, 079	9,071,349 37,453,897	
Green or pickled .do Goatskins— Drydo	208,477,838 63,374,054	34,098,628 19,037,307	241, 340, 290 50,713, 062	39, 753, 213 13, 925, 565	280, 838, 092 85, 505, 514	50, 596, 221 25, 198, 246	
Green or pickleddo Horse and ass skins—	21,385,374	3, 153, 956	15,834,101	2,263,984	15,151,507	2,207,658	
DrydoGreen or pickleddo KangaroodoSheepskins—1	7,619,625 4,645,213 1,328,668	1,619,178 514,833 898,087	5, 425, 173 3, 800, 451 769, 125	1,253,001 399,682 427,127	6,779,725 11,346,910 1,219,129	1,236,440 1,079,284 722,300	
Dry dodo Green or pickleddo Other do	29,338,146 40,738,679 15,780,906	6,165,947 6,427,270 3,835,591	20,886,018 37,833,520 10,225,362	3,963,438 6,021,432 1,701,095	54,599,884 46,859,397 10,890,642	11,330,341 7,509,009 2,157,756	
Total hides and skins, pounds.	561,070,686	120, 289, 781	538, 217, 733	104, 177, 106	743,669,860	158,861,376	
Meat— Cured— Bacon and hams, pounds. Meat prepared or	2,008,960	383,669	7, 542, 446	1,161,090	667,667	111,486	
preserved Sausage, bologna, pounds	730, 326	1,676,360 186,824	209, 484	1,193,268 53,660	47,287	325, 381 12, 322	
Fresh— Beef and vealpounds Mutton and lamb.do Porkdo Other, including meat	180, 137, 183 12, 710, 905	15, 423, 911 1, 114, 730 540, 801	184, 490, 759 15, 528, 855 16, 250, 514	16,942,661 1,474,422 2,011,065	71, 101, 756 20, 257, 999 2, 169, 084	7,107,949 1,784,310 234,873	
extracts		1,075,849 20,402,144		2,561,906 25,398,072		1,486,395 11,062,716	
Oleo stearinpounds Rennets Sausage casingspounds.		459, 989 129, 720 2, 955, 657	2,424,009	209, 545 101, 017 2,944,501	910, 478	81,280 3,865,877	
Total packing house products	-	154, 969, 389		142, 484, 247		182, 887, 880	
Total animal matter		358,730,184		336, 785, 283		481,670,598	

¹ Except sheepskins with the wool on.

Table 191.—Agricultural imports of the United States during the 3 years ending June 30, 1916—Continued.

	Year ending June 30-						
Article imported.	1914		19	15	1916 (preliminary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.	
VEGETABLE MATTER.							
Argols, or wine Loss promotes. Breadstuff . (Sie Grad and Gran module a) Broom cornlong tons	29, 793, 011	\$3, 228, 674 141, 730	28, 624, 554 129	\$3,094,380	34, 721, 043	\$5,306,246 24,643	
Cocoa and chocolate:							
Cocod— Crude, and leaves and!! // nounds Chocolate	176, 267, 646 3, 096, 445	20, 797, 790 706, 193	192,306,634 2,427,561	22, 893, 241 584, 915	243, 231, 939 2, 347, 162	35, 143, 865 660, 377	
Total cocoa and choco- latepounds.	179, 364, 091	21, 503, 983	194, 734, 195	23, 478, 156	245, 579, 101	35, 804, 242	
Coffeedo	1,001,528,317	110, 725, 392	1,118,690,524	106, 765, 644	1,201,104,485	115, 485, 970	
Coffee substitutes: Chicory 100t— Roasted, ground, or otherwise prepared, pounds Otherpounds	2, 292, 430 188, 446	47, 882 21, 498	735,680	17,389			
Total coffee substitutes, pounds	2, 480, 876	69, 380	755,680	17, 389			
Curry and curry powder		11,861					
Fibers, vegetable: Cotton	123, 346, 899 9, 885 8, 822 10, 660 106, 033 1, 827 49, 688 6, 171 215, 547 9, 799	19, 456, 588 2, 870, 274 1, 564, 483 1, 036, 431 11, 174, 028 441, 109 9,779, 539 716, 953 25, 860, 729 906, 449	185, 204, 579 4, 694 5, 310 12, 300 83, 140 3, 860 51, 081 2, 944 185, 764 6, 697	23, 208, 960 1, 875, 701 1, 156, 129 1, 216, 466 4, 677, 334 767, 509 9, 200, 793 319, 936 20, 572, 347 633, 802	232, 801, 062 6, 939 6, 506 30, 812 108, 322 5, 642 78, 892 7, 188 228, 610 9, 313	40, 150, 342 3, 508, 205 1, 642, 418 2, 905, 404 7, 914, 782 1, 139, 648 14, 066, 838 1, 130, 905 25, 803, 433 1, 348, 159	
Total vegetable fibers		73, 806, 583		63,628,977		99,610,404	
Flowers, natural		24, 540					
Forest products: Charcoal Cinchona bark pounds. Cork wood or cork bark	3,648,868	60,634 464,412 3,851,794	3,944,549	561, 106 2, 762, 895	3,947,320	777,637 3,134,884	
Dyewoods, and extracts of— Dyewoods— Logwoodlong tons Otherdo	30, 062 7, 663	378, 064 108, 928	55, 059 13, 361	742, 234 197, 122	134, 629 24, 592	3, 437, 698 468, 669	
Total dyewoods.do	37,725	486, 992	68, 420	939, 356	159, 221	3,906,367	
Extracts and decoctions of pounds.	8,810,040	306, 934	6, 191, 232	202, 675	5, 471, 251	382,880	
Total dyewoods, and extracts of		793,926		1,142,031		4, 289, 247	
Gums— Camphor— Crude	3, 476, 908 566, 106 8, 040, 891	929, 715 182, 790 3, 012, 458	1	2,459,810		1, 236, 172 619, 320 2, 828, 184	
gambier, or terra japonica,	32,000,412	1				3, 587, 020 928, 924	
pounds	14,936,129	571,067	14, 109, 490	, 042, 200	, 520,000		

Table 191.—Agricultural imports of the United States during the 3 years ending June 30, 1916—Continued.

	Year ending June 30—						
Article imported.	1914		19	15	1916 (preliminary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.	
VEGETABLE MATTER—contd. Forest products—Continued. Gums—Continued. India rubber, gutta percha, etc.—	d a vegagement of the section of the						
Balata pounds. Guayule gum do Gutta-icoletong or East	1,533,024 1,475,804	\$793, 126 607, 076	2, 472, 224 5, 111, 849	\$963,384 1,441,367	2,544,405 2,816,068	\$996, 102 880, 813	
In dian gum 1 to 1 de	24,926,571 1,846,109 151,995,742	1, 155, 402 323, 567 71, 219, 851	14,851,264 1,618,214 172,068,428	731, 995 230, 750 83, 030, 269	27, 858, 335 3, 188, 449 367, 775, 557	1,322,262 342,226 155,044,790	
Total India rubber, etcpounds	161, 777, 250	74,099,022	196, 121, 979	86, 397, 765	004, 182, 814	158, 586, 193	
Shellacdo	16,719,756	2,689,269 2,001,631	24, 153, 363	3,016,472 1,581,704	25,817,509	3,302,825 2,324,092	
Total gums		86, 840, 631		98, 240, 419		173,412,730	
Ivory, vegetablepounds	27, 135, 406	881,354	21, 059, 746	510,677	32, 942, 115	810, 464	
Naval stores: Tar and pitch (of wood), harels Turper me, pare of, g.!-	561	7,946					
lons	68,966	28,818	13,750	5, 102			
Total naval stores		36,764	13,750	5, 102			
Palm leaf, natural		14,044					
Tanning materials: Mangrove bark long tons. Quebracho, extract of,	7,689	193, 891	8,096	218, 952	21,186	582, 929	
pounds Quebracho woodl. tons Sumac, groundpounds Other	93,329,087 73,956 10,770,400	2,543,302 900,880 258,738 468,250	120, 450, 283 54, 955 13, 165, 182	3, 676, 749 753, 981 323, 448 370, 133	81,501,952 106,864 21,542,390	5, 432, 468 1, 598, 465 555, 276 668, 159	
Total tanning materials		4,368,041		5, 343, 263		8,837,297	
Wood, not elsewhere speci- fied— Brier root or brierwood and ivy or laurel root		241, 493		334, 552		457, 537	
Chair cane or reed		451,099		169,181		265,305	
sawed— Cedar. M feet. Mahogany do Other	17, 285 70, 470	982, 152 4, 925, 126 1, 217, 410	15, 875 42, 325	947,313 2,640,705 683,757	14,369 39,855	740,488 2,781,372 489,247	
Total cabinet woods		7, 124, 688		4,271,775		4,011,107	
Logs and round timber, M feet	148,938	1,657,605	131,544	1,263,641	150,401	1,417,859	
Lumber— Boards, deals, planks, and other sawed lumber Meet Laths M Shingles M Other	931, 408 564, 778 895, 038	17, 817, 550 1, 613, 586 2, 190, 170, 815, 279	940, 687 672, 023 1, 487, 116	17, 865, 582 1, 916, 214 3, 104, 698 621, 097	1,218,068 771,823 1,769,333	23,113,664 2,207,223 3,593,696 709,696	
Total lumber		22, 436, 585		23, 507, 591		29, 624, 279	
Pulp wood— Peeled cords Rossed do Rough do Rattan and reeds All other	255, 844	4,062,835 2,118,910 1,063,721 1,210,390 559,036	551, 239 187, 047 247, 400	3,516,460 1,597,750 1,458,629 771,628 511,682	627, 290 164, 714 187, 006	3, 959, 732 1, 282, 658 1, 131, 359 1, 720, 816 793, 692	
Total wood, n.e.s		40,926,362		37,402,889		44,664,344	

Table 191.—Agricultural imports of the United States during the 3 years ending June 30, 1916—Continued.

			Continue					
	Year ending June 30							
Article imported.	19	14	19)15	1916 (prel	iminary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.		
VEGETABLE MATTER—contd. Forest products - Continued. V.oct, 1.1 control or specific le-Continued. Wood pulp— Chemical—								
Bleachedpounds Uubleacheddo Mechanicaldo	605,926,470	\$4,153,036 10,136,707 2,733,595	1100,555 1300,114 1187,253	\$5, 256, 724 11, 483, 268 3, 141, 119	1 55,757 1 264,882 1 186,406	\$3,025,941 10,693,736 3,148,173		
Total wood pulpdo	1,138,727,195	17,023,338	1587,922	19,881,111	1 507, 015	16,867,850		
Totalforest products		155, 261, 300		165, 849, 493		252, 824, 453		
Fruits: Frosh or dried— Bananas. bunches. Currants. pounds. Dates. do. Fugs. do. Grapes. cubic feet. Lemons. pounds. Olives. gallons. Oranges. pounds. Pincapples Raisins. pounds. Other	22,033,177 34,073,608 19,284,868 1,334,163	16, 397, S84 1, 233, 228 679, 527 941, 207 1, 599, 069 5, 981, 635 2, 292, 837 93, 472 1, 287, 802 309, 511 1, 710, 009	41, 091, 535 30, 350, 527 24, 940, 374 20, 779, 730 1, 323, 928 3, 622, 275 2, 308, 806	13,512,960 1,209,273 420,203 1,024,495 1,523,547 3,730,075 1,607,903 50,022 1,309,750 238,958 1,431,242	36, 754, 704 25, 373, 029 31, 075, 424 7, 153, 250 623, 856 5, 938, 446 1, 024, 296	12, 106, 158 1, 352, S39 547, 433 315, S31 703, 274 2, 062, 038 2, 433, 304 89, 464 964, 623 143, 750 1, 582, 692		
Total fresh or dried		32, 527, 141		26,058,428		22,331,398		
Prepared or preserved		1, 111, 193		1,022,971		954, 418		
Total fruits		33,638,334		27,081,399		23, 285, 816		
Ginger, preserved or pickled, pounds	478,058	36,434						
Grain and grain products: Grain— Cornbushels Oatsdo Wheatdo	12,367,369 22,275,624 1,978,937	7,917,243 7,885,837 1,761,695	9, 897, 939 630, 722 426, 469	6, 083, 385 290, 180 469, 847	5, 208, 497 665, 314 5, 703, 078	2, \$65, 003 302, 547 5, 789, 321		
Total graindo	36,619,930	17,565,075	10, 955, 130	6,843,412	11,576 889	8,956,871		
Grain products— Bread and biscuit Macaroni, vermicelli, etc.,		415,318		266, 079		213,400		
poundsbushels Maltbushels Meal and flour—	126, 128, 621 13, 472	5,698,783 16, 3 67	56, 542, 480	3,061,337	21,789,602	1,525,695		
Wheat flour barrels Other	89, 911	363, 855 3, 382, 879	64, 200	309,742 2,037,786	329,905	1, 689, 418 3, 251, 976		
Total grain products		9,877,202		5,674,914		6,680,489		
Total grain and grain products		27, 412, 277		12, 518, 356		15,637,360		
Hay leng tons. Hops pounds indigo do Licorice root do	170, 786 5,382, 025 8, 125, 211 115, 636, 131	1,634,390 2,790,516 1,093,226 2,047,192	20, 187 11, 651, 332 7, 975, 709 65, 958, 501	228, 906 2, 778, 735 1, 596, 978 1, 252, 989	43,184 675,704 6,599,583 41,003,295	679,412 144,627 8,235,670 1,609,571		
Liquors, alcoholic: Distilled spirits— Brandy———proof galls— Cordials—liquours—etc.	602,563	1,617,483	400, 203	1,035,562	536,342	1,576,481		
proof galls. Ginproof galls. Whiskydo. Otherdo.	515,575 1,055,885 1,571,870 414,950	1,063,267 1,017,569 3,186,627 378,902	408, 090 742, 439 1,327, 759 411, 236	858, 599 717, 131 2, 641, 617 317, 413	330, 452 805, 749 1,742, 197 538, 759	794,559 749,775 3,677,662 433,098		
Total distilled spirits, proof galls	4, 160, 843	7,263,848	3,289,727	5, 570, 322	3,953,499	7,231,569		

¹ Long tons (2,240 pounds).

Table 191.—Agricultural imports of the United States during the 3 years ending June 30, 1916—Continued.

	Year ending June 30—								
Article imported.	193	14	19	15	1916 (prel	iminary).			
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.			
VEGETABLE MATTER—contd.									
Liquors, alcholic—Continued.									
Malt liquors— Bottledgallons Unbottleddo	1,213,320 5,963,913	\$1,152,598 1,814,431	799,946 2,551,158	\$768,893 818,505	872,402 1,740,333	\$850,913 605,980			
Total malt liquors.do	7, 177, 233	2,967,029	3,351,104	1,587,398	2,612,735	1,456,893			
Wines— Champagne and other sparklingdoz. quarts	270,002	4,418,958	114,630	2,004,680	206,210	3,532,022			
Still wines— Bottleddoz. quarts Unbottledgallons	728,303 5,220,380	2,940,277 2,757,434	626,865 3,860,273	2,273,916 1,968,587	547,119 3,455,756	2,197,311 2,267,561			
Total still wines	*********	5,697,711		4,242,503		4, 464, 872			
Total wines		16, 116, 669		6,247,183		7,996,894			
Total alcoholic liquors.		20, 347, 546		13,404,903		16, 685, 356			
Malt, barley. (See Grain and grain products.) Malt extract, fluid and solid		16,566							
Mait liquors. (See Liquors, alcoholic.) Nursery stock: Plants, trees, shrubs, and vines— Bulbs, bulbous roots or corns, cultivated for their flowers or foliage M. Other. Total nursery stock	216,138	2,092,139 1,514,669 3,606,808	255,700	2,375,316 1,376,234 3,751,550	231,733	2,180,687 1,505,661 3,686,348			
Nuts:									
Almonds— Shelled pounds. Unshelled do Coconuts, unshelled Coconut meat, broken, or copra—	13,307,631 5,730,774	4,040,785 638,504 2,133,416	12,208,551 4,902,713	3,100,428 499,151 1,593,517	13,667,766 2,929,155	3,700,298 272,815 1,876,966			
Not shredded, desiccated, or preparedpounds Shredded, desiccated, or	45,437,155	2,395,013	90, 548, 715	3,397,657	110,077,844	4,551,427			
Shredded, desiccated, or preparedpounds Cream and Brazilpounds Filberts—	10,297,554 20,423,497	807,198 1,075,907	5, 936, 212 16, 172, 581	432, 993 878, 272	8,490,069 14,798,912	693,765 917,613			
Filberts— Shelled pounds. Unshelled do Peanuts—	1,643,507 10,992,972	261,785 834,078	1,973,192 11,717,370	275,026 949,099	1,133,915 9,785,545	230, 854 819, 508			
Shelled do Unshelled do	27,077,158 17,472,631	1,239,227 660,010	9, 643, 691 14, 540, 982	333, 980 490, 779	19,392,832 9,020,848	722, 939 328, 099			
wainuts— Shelled do Unshelled do Other	8,928,029 28,267,699	2,042,680 2,296,801 1,463,197	11,107,490 22,338,348	2,322,754 1,661,473 895,803	14,228,714 22,630,220	3,157,933 1,899,012 1,989,262			
Total nuts		19,888,601		16,830,932		21,160,491			
Oil cakepounds	11,656,803	120,078	21, 188, 658	219,635					
Oils, vegetable: Fixed or expressed— Cocoa butter or butterine,									
Coconut oil pounds. Cottonseed do Flaxseed or linseed,	17,293,201	793, 451 6,703, 942 1,044, 834	150,378 63,135,428 15,162,361	42,185 5,430,581 728,961	400,371 66,007,560 17,180,542	129,654 6,047,183 915,972			
gallons.	192,282	91,555	535,291	248, 403	50,148	33,295			

Table 191.—Agricultural imports of the United States during the 3 years ending June 30, 1916—Continued.

			Year endin	g June 30—		
Article imported.	193	14	19	15	1916 (preli	minary).
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—contd.						
Oils, vegetable—Continued. Fixed or expressed—Contd. Nut_oil, or oil of nuts.						
n.e.s.— Chinese nutgallons. Peanutdo Olive for mechanical pur-	4,932,444 1,337,136	\$1,962,389 918,614	4,940,330 852,905	\$1,733,264 581,150	4,968,262 1,475,123	\$1,977,823 818,283
poses. gallons. Olive, salad. do. Palm oil pounds. Palm kernel do. Rapeseed gallons. Soya bean. pounds.	763, 924 6,217,560 58,040,202 34,327,600 1,464,265 16,360,452	477,210 7,916,980 3,858,001 3,087,343 704,655 830,790 439,009	653,064 6,710,967 31,485,661 4,905,852 1,498,642 19,206,521	450,001 8,225,485 2,025,060 446,763 786,485 899,819 212,116	884,944 7,224,431 40,496,731 6,760,928 2,561,244 98,119,695	684,896 9,746,672 2,885,595 512,666 1,426,659 5,128,200 502,613
Other Total fixed or expressed.		28,828,773		21,810,273		30,809,511
Volatile or essential— Birch and cajeput. Lemon pounds.	385,959	(1) 858, 220 2, 633, 789	577,595	(1) 600,642	543,857	22,175 441,910 2,645,571
Other				2,370,364		3,109,656
Total volatile or essential		$\frac{3,492,009}{32,320,782}$		2,971,006		33, 919, 167
Total vegetable oils	455,200	1,810,429	484,027	2,445,005	146,658	879,699
Opium, crudepounds Rice, rice meal, etc.:	400,200	1,010,120	101,021	2,110,000		
Rice— Clarredpounds Under neil, including p. d-	95,503,998	3,017,108	112,118,326	2,655,739	121,023,906	2,867,453
	54,784,051	1,917,658	90,241,834	2,340,968	87,671,332	2,215,273
Rice il air, ri e meal, cal broken rice, pounds	139,906,868	2,538,941	74,831,312	1,307,509	55,628,767	1,010,885
Total rice, etcdo	290, 194, 917	7, 473, 707	277, 191, 472	6,304,216	264,324,005	6,093,611
Sago, tapioca, etc		1,641,540		1,434,219		2,226,697
Seeds: Castor beans or seeds bushels	1,030,543	1,139,311	924,604	993,577	1,071,963	1,555,899
Red pounds Other do Flaxseed or linseed bushels. Grass seed, n. e. s. pounds. Sugar beet do Other	6,764,218 23,343,431 8,653,235 31,937,701 10,293,898	835,691 2,047,941 10,571,410 1,634,627 799,525 3,055,679	8,749,757 15,406,954 10,666,215 34,690,259 15,882,661	1,072,468 1,162,810 13,374,536 1,384,372 1,409,973 3,657,084	33, 476, 401 8, 363, 360 14, 679, 233 8, 790, 920 9, 042, 490	4,918,171 822,572 20,220,921 698,630 1,030,788 4,324,716
Total seeds		20,084,184		23,054,820		33,571,697
Spices: Unground— Cassia, or cassia vera, pounds	6,771,901	404,853	5,786,324	357,071	9,707,982	623,478
Ginger root, not preserved,	3,771,086	171,250	3,127,722	150,515	7,322,399	540,007
Pepper, black or white, poundspounds.	24, 173, 621 2, 806, 823	2,427,927 309,181	30,267,384 6.438	3,086,782 387	37,777,324	4,505,380
Total unground,	37,613,431	3,313,214	39,187,868	3,594,755	54,807,705	5, 668, 865
Groundpounds	18,961,068	2,282,295	20,902,214	2,332,604	28,072,632	3,277,757
Total spicesdo	56, 574, 499	5,595,509	60,090,082	5,927,359	82, 880, 337	8,946,622
Spirits, distilled. (See Liquors, alcoholic.) Starch	15, 518, 434	408,922 33,499	13,233,383	343,805	2,467.038	123, 838
Straw and grasslong tons.	0,000	1	-	.,		

Table 191.—Agricultural imports of the United States during the 3 years ending June 30, 1916—Continued.

2,095 983 ,066,028,312 793,561 ,066,821,873	Value. \$1.744,719 70,829 101,365,561 163,647	Quantity. 70,839,623 877,623 5,418,030,482 1,473,762 5,420,981,867	\$1,963,505 29,386 173,837,646 125,571 173,992,603	Quantity. 85,716,673 2,050 5,631,872,766 1,886,933	immary). Value. \$3,775,894 208,572,890 196,235
51, 410, 271 2, 367, 708 ,001,564,621 2, 095, 983 ,066,028,312 793, 561 ,066,821,873	\$1.744,719 70,829 101,365,501 163,047 101,599,487 49,938	70, 839, 623 877, 623 5,418,030,482 1, 473, 762 5,420,981,867	\$1,963,505 29,386 173,837,646 125,571	2,050 5,631,272,766 1,886,933	\$3,775,894 208,572,890
2,367,708 ,061,564,621 2,095 983 ,066,028,312 793,561 ,066,821,873	70,829 101,365,561 163,047 101,599,487 49,938	877, 623 5,418,030,482 1,473,762 5,420,081,867	29, 386 173, 837, 646 125, 571	2, 050 5,631,272,766 1,886,933	174 208, 572, 890
2,367,708 ,061,564,621 2,095 983 ,066,028,312 793,561 ,066,821,873	70,829 101,365,561 163,047 101,599,487 49,938	877, 623 5,418,030,482 1,473,762 5,420,081,867	29, 386 173, 837, 646 125, 571	2, 050 5,631,272,766 1,886,933	174 208, 572, 890
,001,564,621 2,035 983 ,066,028,312 793,561 ,066,821,873	101,365,561 163,047 101,599,437 49,038	5,418,030,482 1,473,762 5,420,981,867	173,837,646 125,571	5,631,272,766 1,886,933	208, 572, 890
,066,028,312 793,561 ,666,821,873	101,599,437	5,420,981,867	<u> </u>		
793, 561 ,066,821,873	49, 938		173, 992, 003		
,066,821,873		5 420 021 287		3,033,101,749	208, 769, 309
	101,649,375			T 000 401 T40	
		0,120,001,007	173,992,603	5,633,161,749	208, 769, 399
91 130 815	103, 394, 094		175, 956, 108		212, 545, 293
V., 100,010	16, 735, 302	96, 987, 942	17, 512, 619	109, 865, 935	20, 599, 857
5,874,308	194, 293 24, 310	4, 230, 456	137,155		
6.092,787 54,047,436 1,034,528	7, 785, 387 27, 247, 259 5, 874	7,241,178 38,568,035	9, 267, 044 17, 893, 526	5,070,308 42,943,027	7, 246, 942 17, 372, 126
61, 174, 751	35, 038, 520	45,809,213	27,160,570	48,013,335	24,619,068
898,100	2,277,675	888, 569	1,863,515	914,386	1,697,543
1,634.070 1,114,811 866,488 3,645,993	2, 955, 663 909, 204 1,849, 274 1, 763, 782 1,630, 113	905, 647 829, 177 546, 903 270, 942	1,461,917 657,374 1,305,633 274,915 1,350,101	659, 259 815, 872 943, 821 209, 542	1,288,034 749,150 2,868,653 331,814 1,907,879
	9,108,036		5,049,940		7,145,560
9, 188, 177	1,306,818 1,246,249 3,472,432	6, 195, 819	885, 653 839, 916 2, 554, 223	4,313,095	985, 408 515, 048 2, 165, 377
	6,025,499		4, 279, 792		3,665,833
	15, 133, 535		9, 329, 732		10,811,393
311,643 4,255,686	94, 597 32, 797 1, 049, 126	249, 645 5, 634, 809	73,361	9, 727, 312	1,580,530
	720, 778, 232 565, 516, 932		739, 850, 499 574, 001, 006		957,795,624 704,971,171
	1,079,508,416		1,076,635,782		1,439,466,222
	54,017,436 1,034,528 61,174,751 598,100 1,684,070 1,114,811 866,488 3,645,993 9,188,177	1,034,528 5,574 11,174,751 35,038,520 \$98,100 2,277,675 1,684,070 1,114,811 909,204 \$66,488 1,849,274	1,034,528 5,874 11,174,751 25,038,520 45,809,213 \$98,100 2,277,675 888,569 1,634,070 2,955,663 905,647 1,114,811 909,204 829,177 866,488 1,849,274 546,903 3,645,993 1,763,782 270,942 9,108,036 9,108,036 9,188,177 1,306,818 6,195,819 1,246,249 3,472,432 6,025,499 15,133,535 311,643 94,597 249,645 32,797 4,255,686 1,049,126 5,634,809 720,778,232 565,516,932	1, 034, 528 5, 874 27, 160, 570 81, 174, 751 25, 038, 520 45, 809, 213 27, 160, 570 898, 100 2, 277, 675 888, 569 1, 863, 615 1, 634, 070 2, 955, 663 905, 647 1, 461, 917 1, 114, 811 909, 204 829, 177 657, 374 866, 488 1, 849, 274 546, 903 1, 305, 333 3, 645, 993 1, 763, 782 270, 942 274, 915 1, 360, 101 9, 108, 036 5, 049, 940 9, 188, 177 1, 306, 818 6, 195, 819 885, 653 1, 246, 249 839, 916 839, 916 3, 472, 432 2, 554, 223 6, 025, 499 4, 279, 792 15, 133, 535 9, 329, 732 311, 643 94, 597 249, 645 73, 361 4, 255, 686 1, 049, 126 5, 634, 809 1, 012, 402 720, 778, 232 739, 850, 499 565, 516, 932 574, 001, 006 1,079,508,416 1,076,635,782	1,034,528 5,874 31,174,751 35,038,520 45,809,213 27,160,570 48,013,335 898,100 2,277,675 888,569 1,863,515 914,386 1,634,070 2,955,663 905,647 1,461,917 659,259 1,114,811 909,204 829,177 657,374 815,872 860,488 1,849,274 546,903 1,350,101 943,821 1,630,113 270,942 274,915 209,542 1,350,101 9,108,036 5,049,940 9,188,177 1,306,818 6,195,819 885,653 4,313,095 9,188,177 1,306,818 6,195,819 885,653 4,313,095 3,472,432 2,554,223 9,329,732 6,025,499 4,279,792 15,133,535 9,329,732 311,643 94,597 3249,645 73,361 4,255,686 1,049,126 5,634,809 1,012,402 9,727,312 720,778,232 739,850,499

Table 192.—Agricultural exports (domestic) of the United States during the 3 years anding June 3, 1916.

	Year ending June 30—								
Article exported.	191	4	19	15	1916 (preli	iminary).			
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value,			
ANIMAL MATTER.									
Animals, live: C 1	18,376 22,776 4,883 152,600 10,122	\$647, 288 3, 388, 819 690, 974 534, 543 133, 751 408, 284	5, 484 289, 340 65, 788 47, 213 7, 799	\$702, \$47 64, 046, 554 12, 726, 143 182, 278 93, 067 202, \$17	21, 666 357, 553 111, 915 52, 278 22, 048	\$2,383,765 73,531,146 22,946,312 231,535 238,718 331,337			
Total live animals		5, S03, 659		77, 953, 686		99, 662, 813			
Beggway nounds.	96, 215	27, 202	181,328	57,971					
By for 4 Cheesedo	3,693,597 2,427,577	877, 453 414, 124	9, 850, 704 55, 362, 917	2,393,480 8,463,174	13,503,279 44,394,251	3, 592, 415 7, 430, 089			
Milk— Condenseddo Other, including cream	16, 209, 082	1,341,140 333,217	37, 235, 627	3,066,642 343,583	155, 731, 322	12, 401, 384 835, 106			
Total dairy products, pounds		2, 965, 934		14, 265, 879		24, 261, 994			
Eggs dozens Egg volks Feathers		3, 734, 087 47, 968 640, 020	20, 784, 424	5,003,764 \$8,805 281,806	26,396,206	6, 134, 441			
Feathers		640, 020		281, 806		312,113			
Fibers, animal: **Rik wastepounds Wooldo	27,597 335,343	8, 178 124, 127	32, 285 8 , 158, 300	8, 403 2, 216, 137					
Total animal fibers	362,945	132, 305	8, 190, 585	2,224,590					
Glue pounds.	2,351,773	258, 611 135, 669	2,874,225	298, 136 114, 038	4,946,298	551,329			
Packing-house products: Beef— Canned pounds Cured or pickled do. Fresh do. Oils—oleo oil do. Oleomargarine do. Tallow do.	3, 464, 733 23, 205, 974 6, 394, 404 97, 017, 065 2, 532, 821	461,901 2,289,516 788,793 10,156,665 263,453 1,002,011	75, 213, 261 31, 874, 743 170, 440, 934 80, 481, 946 5, 752, 183 20, 239, 988	11, 973, 530 3, 382, 670 21, 731, 633 9, 341, 188 617, 035 1, 386, 445	50, 416, 690 28, 060, 682 231, 215, 075 102, 645, 914 5, 423, 221 16, 288, 743	9, 353, 450 4, 034, 195 28, 886, 115 12, 519, 115 640, 480 1, 326, 472			
Total beefdo	. 143, 487, 828	14,962,339	383, 533, 055	48, 472, 501	444,053,325	56, 759, 827			
Bones, and manufactures of Grease, grease scraps, and all soap stock— Lubricating Soap stock		47,651 2,394,918 5,046,959		4, 266, 097		3, 994, 436 3, 156, 568			
Hair. Hides and skins, other than furs— C. If kins. rounds. C. to have the Horse do Other do.	323, 417 12, 524, 901 5, 742, 855	69, 515 1, 933, 705 610, 456 193, 577	1, 074, 529 21, 135, 730 605, 054 2, 117, 867	248, 547 4, 013, 172 67, 798 356, 207	1, 574, 369 3, 284, 190 266, 743 1, 996, 717	2, 038, 838 469, 637 2, 938, 925 34, 481 432, 208			
Totaldo		2,807,253	24,933,180	4, 685, 724	7, 122, 019	3, 875, 251			
Hoofs, horns, and horn tips, strips, and waste	58, 303, 564	61, 180 5, 489, 139 1, 350, 218 523, 023 609, 294	69, 980, 614 3, 877, 413 559, 197	16, 182 6, 045, 752 2, 192, 464 448, 221 405, 635	52, 843, 311 5, 552, 918 655, 587	37, 558 5, 147, 434 2, 835, 005 696, 882 492, 964			
Pork— Cannedpounds.	. 3,074,303	492, 822	4,644,418	745, 928	9, 610, 732	1,815,586			

Table 192.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1916—Continued.

			Year endin	g June 30—		
Article exported.	19	14	19	015	1916 (pre	liminary).
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
ANIMAL MATTER—continued. Packing-house products—Con. Pork—Continued. Cured—						
Bacon pounds Hens tool relifies, pounds Salted or pickled, pounds	193, 964, 252	\$25,879,056	346, 718, 227	\$47,326,129	579, 808, 786	\$78,615,616
pounds	165, 881, 791	23,767,447	203,701,114	29, 049, 931	282, 208, 611	40, 803, 022
pounds	45,543,085	4,896,574	45,655,574	4,911,307	63,460,713	6,752,356
Total cured pounds.	405, 389. 128	54, 543, 077	596, 074, 915	81, 287, 367	925, 478, 110	126, 170, 994
Fresh. do Lard. do Lard, neutral. do Oils—lard oil. gallons.	2,668,020 481,457,792 29,323,786 111,199	359, 181 54, 402, 911 3, 270, 236 87, 364	3,908,193 475,531,908 26,021,054 184,019	473, 801 52, 440, 133 3, 022, 321 111, 637	63,005,524 427,011,338 34,426,590 419,969	7,523,408 47,634,376 4,050,397 308,642
Total pork		113,155,591		138, 081, 187		187, 503, 403
Sausage and sausage meats— Cutto! '1' Other do Sausage casings do Stearin do All other	1,446,582 4,562,983 30,092,206 2,724,181	202, 120 755, 794 4,077, 882 234, 121 1,685,351	1,821,958 5,183,525 30,818,551 11,457,907	307,726 845,661 4,859,815 1,083,665 2,412,842	6,823,085 8,590,236 14,708,893 13,062,247	1,269,866 1,732,231 2,867,681 1,461,661 5,268,862
Total packing-house products		154, 487, 871		217, 904, 852		279,138,467
Poultry and game		913,632		1,187,771		1,561,398
Total animal matter		169 147 048		310 381 358		411 602 555
VEGETABLE MATTER.		100,117,010		515,001,000		111,002,000
Breadstuffs. (See Grain and grain products.) Broom corn	2,959	327, 4 26 336, 940	3,764	368,051 1,934,166	3,698	454,749 1,668,657
Coffee: Green or rawpounds Roasted or prepareddo	52,649,233 1,815,835	8,550,642 427,009	49,177,146 2,421,664	6,841,575 461,030	35,421,530 1,851,100	5,369,753 378,268
Total coffeedo	54,465,068	8,977,651	51, 598, 810	7,302,605	37, 272, 630	5,748,021
Cotton: Sea island bales	7,420,455 9,146,114 4,753,520,083	} 1,619,847{ }608,855,454{ (1) {	6, 158 2, 437, 602 8, 201, 189 4, 288, 295, 926 218, 950 112, 844, 971	} 484,465{ }372,068,490{ } 3,665 017{	4, 247 1, 731, 796 5, 698, 960 2,956, 810,277 252, 627 125, 528, 032	} 483,184 }364,710,378 } 8,992,685
Total cottondo		610, 475, 301		376,217,972	i	374,186,247
Flavoring extracts and fruit juices. Flowers, cut. Forest products:		106, 892 121, 287		136, 742 56, 698		
Bark, and extract of, for tan- ning— Barklong tons. Bark, extracts of	1,212	26,939 639,941	825	21,424 2,226,457		5,902,799
Total bark, etc		666,880		2,247,881		5,902,799
Charcoal Moss		81,997 51,006		105,009 36,738		

¹ Included in "Upland."

Table 192.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1916—Continued.

Year ending June 30—								
19:	14	19:	15	1916 (preli	minary).			
Quantity.	Value.	Quantity.	Value.	Quantity.	Value.			
2,417,950	\$11,217,316	1,372,316	\$6,220,321	1,571,279	\$8,874,313			
351,353	568,891	239,661	430,612	67,616	291,939			
18,900,704	8,095,958	9, 464, 120	4,476,306	9, 309, 968	4,337,355			
	19,882,165		11, 127, 239		13,503,607			
8,425 1,872 6,951 120,819	297,613 63,850 382,059 2,512,501	2,020 226 1,000 41,175	73,786 10,563 78,338 720,836	2,302 2,019 1,114 38,921	75,888 53,668 88,965 755,527			
138,067	3.256,023	44,511	883,523	44,356	974,048			
14,098 680,380	420,982 8,709,140	10,078 368,886	319,065 4,251,620	10,521 208,455	366,510 2,964,948 969,338 4,665,527			
70,714 231,308	2,164,017 10,644,310	97,397	4,870,864	98,990	4,665,527			
43,878	1,606,864	18,398	662,786	34,206	1,139,537			
911,223	19,521,719	403,254	7,565,272	504,952	9,150,115			
22,453	634,103	5,261	160,219	2,185	79, 147			
127,289 30,860 67,155 18,105 187,833	3,001,399 1,448,622 1,917,315 557,838 6,948,239	49,716 19,891 36,419 15,610 79,707	1,123,212 962,248 1,102,532 462,087 2,925,984	47,236 23,356 38,739 37,332 78,638	1,156,090 1,044,883 1,169,975 1,611,892 3,594,338			
2,405,296	57,574,548	1,129,205	25, 121, 645	1,176,765	27,912,300			
12,143 5,123,004 46,964	206,919 2,564,543 112,463	6,007 3,874,298. 11,291	103,456 2,036,200 30,578	4,086,721 20,590	2,435,094 55,604			
11,149,532 867,805	1,270,477 1,542,272	11,682,495 620,043	1,303,127 1,024,093	583,724	1,908,643 1,024,348			
12,017,337	2,812,749	12,302,538	2,327,220		2,932,991			
77, 150, 535	332,662 5,852,230	39,297,268	258,670 2,481,592	57,820,610	288,587 3,533,181			
	6,184,892		2,740,262		3,821,768			
	3,028,642		1,650,760		3,497,217			
	72, 484, 756		34,010,121		40,654,974			
29,859	788,327	6,118	163,106	9,628	252,576			
390,149			2,785,379 229,491	175, 763 15, 814	3,473,686 340,345			
		173,789	3,177,976	201,205	4,066,607			
	201,089		156,234		164,532			
	. 85,114,279		38,227,854		45,860,161			
	Quantity. 2,417,950 351,353 18,900,704 8,425 1,872 6,951 120,819 138,067 14,098 680,380 70,714 231,308 43,878 911,223 22,453 127,289 30,800 67,155 18,105 187,833 2,405,296 11,149,532 867,805 12,017,337 77,150,535 12,017,337	2,417,950 \$11,217,316 351,353 568,891 18,900,704 8,095,958	1914 193 Quantity. Value. Quantity. 2,417,950 \$11,217,316 1,372,316 351,253 568,891 239,661 18,900,704 8,095,958 9,464,120 8,425 297,613 2,020 1,572 63,850 2,226 6,951 382,039 1,000 120,819 2,561,501 41,175 138,067 3.256,023 44,511 14,098 420,982 10,078 680,380 8,709,140 368,886 70,714 2,164,017 24,588 231,308 10,644,310 97,397 43,878 1,606,864 18,398 911,223 19,521,719 403,254 22,453 634,103 5,261 127,289 3,001,399 49,716 30,800 1,448,622 19,801 61,515 557,838 15,610 187,833 6,948,239 79,707 2,405,296 57,574,548 1,129,205	Quantity. Value. Quantity. Value. 2,417,950 \$11,217,316 1,372,316 \$6,220,321 351,253 \$568,891 239,661 430,612 18,900,704 \$,995,958 9,464,120 4,476,306	1914 1915 1916 (prelification) Quantity. Value. Quantity. Value. Quantity. 2, 417, 950 S11, 217, 316 1, 372, 316 \$6, 220, 321 1, 571, 279 351, 353 568, 891 239, 661 430, 612 67, 616 18, 900, 704 8, 995, 958 9, 464, 120 4, 476, 306 9, 309, 968 1, 572 63, 850 226 10, 513 2, 919 6, 951 382, 659 1, 900 78, 328 1, 11 120, 819 2, 512, 501 41, 175 720, 836 38, 921 138, 067 3, 256, 923 44, 511 883, 523 44, 356 14, 088 420, 982 10, 078 319, 905 10, 521 680, 380 8, 709, 140 368, 886 4, 251, 620 208, 455 70, 714 2, 164, 917 24, 588 715, 768 31, 152 43, 878 1, 608, 864 18, 398 662, 786 34, 206 911, 223 19, 521, 719 403, 254 7, 565, 272 504,			

Table 192.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1916—Continued.

			Year endir	ng June 30		
Article exported.	19	14	15	915	1916 (pre	iminary).
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—contd.						
Forest products—Continued. Wood alcoholgallons. Wood pulppounds.	1,598,776 26,961,254	\$652,486 529,741	944,374 18,838,400	\$438,846 369,969	1,472,258 135,994	\$857,161 1,703,374
Total forest products		106,978,554		52,553,536		67,827,102
Fruits: Fresh or dried— Apples, dried pounds Apples, dried pounds Apples, dried pounds Berries Lemons, boxes Cranges do Peaches, dried pounds Pears, tresh Prunes pounds Raisins do Other	70,075 1,558,921 6,712,206	2, C28, 445 6, 089, 701 1, 937, 771 717, 079 308, 707 3, 824, 889 4.99, 549 1, 402, 924 4, 662, 546 997, 575 2, 922, 740	42,539,169 2,351,501 23,764,342 122,914 1,759,405 14,464,655 43,478,802 24,845,414	3,270,658 8,087,469 2,241,061 535,479 372,781 3,851,018 834,813 992,497 3,274,197 1,718,547 2,717,449	16,219,174 1,466,321 23,989,790 175,070 1,575,042 13,739,342 57,422,827 75,014,753	1,304,924 5,518,772 2,168,808 639,501 491,019 3,600,080 893,587 691,732 3,975,396 5,407,219 3,261,109
Total fresh or dried		25,941,926		27,895,961		28,014,447
Preserved— Canned Other		4,863,946 224,811		6,064,765 269,130		7,050,036 978,568
Total preserved		5,088,787		6,333,945		8,028,604
Total fruits		31,030,713		34,229,906		36, 073, 051
Ginsengpounds	224,605	1,832,686	103, 184	919,931	256,082	1,597,508
Glucose and grape sugar: Glucosepounds Grape sugardo	162,680,378 36,850,496	3,766,284 799,635	125, 434, 878 33, 027, 630	3,103,561 781,672	148, 523, 098 37, 863, 084	3,772,860 962,101
Grain and grain products: Grain— Barley bushels Buckwheat do Corn do Oats do Rye do Wheat do		4,250,129 695 7,008,028 757,527 1,555,012 87,953,456	26,754,522 413,643 48,786,291 96,809,551 12,544,888 259,642,533	18, 184, 079 396, 987 39, 339, 064 57, 469, 964 14, 733, 409 333, 552, 226	27, 473, 160 515, 304 38, 217, 012 95, 921, 620 14, 532, 437 173, 274, 015	20,663,533 481,014 30,780,887 47,993,996 15,374,499 215,532,681
Total graindo		101,527,847	444,951,428	463,675,729	349,933,548	330, 825, 710
Grain products— Bran and middlings, long tons	2,570	71,043	11,426	329, 425	14,613	432,288
Breadstuff preparations— Bread and biscuit, pounds Other	12,645,551	728, 447 2, 323, 412	11,687,452	702,509 4,30 ₀ ,899	11, 433, 410	787, 567 5, 074, 983
Total breadstuff prep- arations.		3,051,859		5,009,408		5,862,550
Distillers' and brewers' grains and malt sprouts, fong tons. Malt. bushels	59, 788 330, 608	1,467,028 270,059	7,590 2,153,060	177, 987 2, 301, 535	1,633	47, 448
Meal and flour— Corn meal barrels. Oatmeal pounds Rye flour barrels Wheat flour do	336,241 15,998,286 8,293 11,821,461	1,185,891 569,204 31,119 54,454,175	470,503 63,394,979 80,315 16,182,765	1,923,214 2,416,068 416,182 94,869,343	419,979 54,748,747 119,619 15,520,669	1,601,258 1,885,622 646,941 87,347,805
Total meal and flour.		58,240,389		99,624,807		91, 481, 626

¹ Long tons (2,240 pounds).

Table 192.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1916—Continued.

			Year ending	g June 3)—		
Article exported.	193	14	19	15	1916 (prelii	minary).
	Quantity.	Value.	Quantity.	Value.	Quantity.	Valus.
VEGETABLE MATTER—contd.						
Grein and grain products-					Constitution	
Grain products—Continued. Mill feedlong tons All other	67,690	31,840,011 346,888	25, 459	\$787,048 1,045,396	25,652	\$801,054 1,293,091
Total grain products		63,287,277		109, 275, 606		99, 918, 057
Total grain and grain products		164,815,124		572,951,335		420,743,76 7
Hay long tons Hops pounds	50, 151 24, 262, 896	827,205 6,953,529	105, 508 16, 210, 443	1,980,297 3,948,020	178,236 22,409,818	3,267,028 4,383,929
Ind communds. (See Meat white it we have:) Line its heabable: Profiled spring— Alcohol, including cologue spritsproof gallons Rumdo	187, 845 1, 388, 738	67,728 1,815,121	200, 455 1, 240, 804	108,985 1,588,552	24, 433, 243 1, 586, 900	8,784,74 2 1,887, 307
Whisky— Bombon do Rye do	47,775 134,152	92,331 259,523	34, 823 86, 564	69,497 168,386	88,802 124,700	113,86 3 208,879
Total whiskydo	181,927	351,854	121,387	237, 883	213, 502	323,742
Otherdo	25,408	41, 129	30,152	46, 599	50, 259	67, 595
Total distilled spirits, proof gallons	1,783,918	2, 275, 832	1,592,798	1,982,019	26, 283, 904	11,062,386
Malt liquors— Bottleddozen quarts Unbottledgalions	962,627 326,946	1,405,581 79,595	696,690 245,494	1,010,222 71,890	638,228 340,064	961, 582 103, 045
Total mali liquors		1,485,176		1,082,112		1,064,627
Winesgallons	941,357	373,412	819,310	332,369	1,133,274	450, 598
Total alcoholic liquors		4, 134, 420		3,396,500		12,577,613
Malt. (See Grain and grain products.) Malt Hignors. (See Liquors, alcoholic.) Malt sprouts. (See Grain and grain products.)				170.010		203,67
Nursery stock		315,065		170,218		
Peanutspounds	8,054,817	421,367 398,312	5,875,076	325,725	8,669,430	450,76 441,51
Total nuts		819,679		703,211		892,27
Oil cake and oil-cake meal: Cornpounds Cottonseed:	1	909,407	45, 026, 125	798,206	18, 996, 490	297, 04 14, 749, 48
Cake do do Meal do Flaxseed or linseed do Other do	662,868,639	11,007,441- 9,650,379 100,445	1,222,699,889 256,365,126 524,794,434 9,900,878	3,474,244 9,048,061	040, 910, 204	1, 149, 47 11, 935, 13 410, 16
Totaldo		21,667,672	2,058,786,45	28,879,051	1,746,710,630	28,541,30
Oils, vegetable: Fixed or expressed— Cornpounds. Cottonseeddo. Linseedgallons. Other	239,188	1,307,204 13,843,179 134,540 333,956	318,366,525 1,212,133	1,302,159 21,872,948 660,089 1,198,852	8,967,826 266,529,960 714,120	770, 07 22, 659, 80 479, 23 2, 230, 00
Total fixed or expressed		15,623,879		. 25,034,048		26, 139, 11

Table 192.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1916—Continued.

Article exported.	191	4				Year ending June 30—								
Article exported.	1914		19	15	1916 (preliminary,									
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.								
VEGETABLE MATTER—contd.						_								
Oils, vegetable—Continued. Volatile, or essential— Peppermintpounds Other	117,809	\$397,050 230,557	184,981	\$384,593 413,104	154,096	\$323,070 705,037								
Total volatile, or essential		627,607		797,697		1,028,107								
Total vegetable oils		16, 251, 486		25,831,745		27, 167, 220								
Rice, rice meal, etc.: Ricepounds	18,223,264	721,046	75,418,635	3,158,335	120,695,213	4,942,373								
Rice bran, meal, and polish, pounds Rice hulls	4,191,062	36,274 $126,888$	2,031,430	15,541 5,122	1,273,921	10,489								
Total		884, 208		3,178,998		4,952,862								
Roots, herbs, and barks, n. e. s.		513,071		470,090		768,977								
Seeds: Cotton seedpounds Flaxseed, or linseed,	16,342,384	215, 115	6, 314, 439	94, 237	2,475,907	37,811								
bushels	305,546	436,874	4, 145	9,748	2,614	6,501								
Grass and clover seed— Cloverpounds Timothydo Otherdo	4,640,852 12,480,294 5,156,801	691,437 688,118 600,368	9,750,064 17,333,144 4,342,926	1,563,304 1,153,066 451,595	7,116,220 13,610,257 3,613,026	1,294,944 1,038,301 401,925								
Total grass and clover seedpounds	22,277,947	1,979,923	31, 426, 134	3,167,965	24,339,503	2,735,170								
All other seeds		558,833		589,114		759,026								
Total seeds		3, 190, 745		3,861,064		3,538,508								
Spices		84, 427		76, 297										
Starch pounds. Stearin, vegetable long tons.	76,713,779	1,825,230 4,714	107, 036, 638	2,939,453 144,850 4,911	210, 185, 192	5,576,914								
Sugar, molasses, and sirup: Molasses gallons. Sirup do	1,002,441	175,498	1,148,741	145, 274	4,387,369	524,861								
Sugar—		1,491,639	11,439,133	1,653,495	10,031,693	2,107,068								
Refinedpounds Total sugar, molasses, and sirup	50,895,726	1,839,983 3,507,120	549,007,411	25,615,016 27,413,785	1,630,150,863	79,390,147 82,022,076								
Tobacco:	446, 944, 435		347,997,276	44, 479, 890	434,742,937	52,813,252								
Leaf pounds. Stems and trimmings.(b)		60,334	348,815	13,939	6,826,644	350, 343								
Totaldo	449,749,982	53,963,670	348, 346, 091	44, 493, 829	441,569,581	53,163,595								
Fresh or dried— Beans and peas, bushels. Onionsdo Potatoesdo	314,655 386,322 1,794,073	875,493 435,953 1,463,514	1,214,281 727,983 3,135,474	3,638,526 602,585 2,345,731	1,760,383 563,739 4,017,760	5,914,198 578,792 3,485,740								
Total fresh or dried, bushels	2,495,050	2,774,960	5,077,738	6,586,842	6,341,882	9,978,730								
Prepared or preserved— Canned Pickles and sauces Other		1,520,879 928,611 1,711,950		1,898,840 959,016 1,368,453		2,529,694 1,166,811 2,277,177								
Total prepared or pre- served		4, 161, 440		4, 226, 309		5,973,682								
Total vegetables		6, 936, 400		10,813,151		15, 952, 412								

Table 192.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1916—Continued.

	Year ending June 30—							
Article exported.	1914		1915		1916 (preliminary).			
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.		
VEGETABLE MATTER—contd.								
Vinegar gallons Wines. (Sec Liquors, alcoholic.)	125,666	\$25,112	106,708	\$17,731				
Yeast		332,895		230,409				
Total vegetable matter, including forest products		1,051,805,141		1,200,109,785		\$1,166,042,447		
excluding prest prod- ucts		944,826,587		1,156,556,249		1,098,215,345		
Total agricultural exports, including forest products		1,220,952,189		1,528,491,143		1,577,645,002		
portrovelound forest products		1,113,973,635		1,475,937,607	 	1,509,817,900		

Table 193.—Foreign trade of the United States in agricultural products, 1852-1916.
[Compiled from reports of Foreign Commerce and Navigation of the United States. All values are gold]

	Agric	cultural ex	ports. 1	Agricultural imports. 1		
Year ending June 30—	Domestic.					Excess of agricultural exports (+)
roar ending state 50—	Total.	Percentage of all domestic exports.	Foreign. Total. a	Percent- age of all imports.	or of imports (-).	
verage: 1852–1856 1857–1861 1832–1866 1867–1871 1872–1876 1877–1881	215, 708, 845 148, 865, 540 250, 713, 058 396, 666, 397	80. 9 81. 1 75. 7 76 9 78. 5 80. 4	\$8,059,875 10,173,833 9,287,669 8,538,101 8,853,247 8,631,780	\$77, 847, 158 121, 018, 143 122, 221, 547 179, 774, 000 263, 155, 573 266, 383, 702	29. 1 38. 2 43. 0 42. 3 46. 5 50. 4	+\$95, 107, 86 +104, 864, 53 + 35, 931, 66 + 79, 477, 15 +142, 364, 07 +333, 598, 59
1882-1886 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	573, 286, 616 638, 748, 318 827, 566, 147 879, 541, 247	76 3 74. 7 73. 0 65. 9 59. 5 53. 9	9, 340, 463 6, 982, 328 8, 446, 491 10, 961, 539 11, 922, 292 12, 126, 228	311, 707, 564 366, 950, 109 398, 332, 043 376, 549, 697 487, 881, 038 634, 570, 734	46. 8 43. 3 51. 6 50. 2 46. 3 45. 2	+255, 105, 82 +213, 318, 83 +248, 862, 76 +461, 977, 98 +403, 582, 50 +352, 954, 04
901. 902. 903. 904.	857, 113, 533 878, 480, 557 859, 160, 264	65.2 63.2 63.1 59.9 55.4	11, 293, 045 10, 308, 306 13, 505, 343 12, 625, 026 12, 316, 525	391, 931, 051 413, 744, 557 456, 199, 325 461, 434, 851 553, 851, 214	47. 6 45. 8 41. 5 46. 6 49. 6	+570, 990, 32 +453, 677, 28 +435, 786, 57 +410, 350, 48 +285, 370, 08
906	1,054,405,416 1,017,396,404 903,238,122	56.8 56.9 55.5 55.1 50.9	10, 856, 259 11, 613, 519 10, 298, 514 9, 584, 934 14, 469, 627	554, 175, 242 626, 836, 808 539, 690, 121 638, 612, 692 687, 509, 115	45.2 43.7 45.2 48.7 44.2	+432,728,12 +439,182,12 +488,004,79 +274,210,36 +198,118,93
911 912 913 914 915 916	1, 123, 651, 985 1, 113, 973, 635	51.2 48.4 46.3 47.8 54.3 35.3	14,664,548 12,107,656 15,029,444 17,729,462 34,420,077 41,647,502	680, 204, 932 783, 457, 471 815, 300, 510 924, 247, 116 910, 786, 289 1, 186, 641, 769	44.5 47.4 45.0 48.8 54.4 54.0	+365,254,01 +279,277,31 +323,380,91 +207,456,48 +599,571,39 +364,823,68

¹ Not including forest products.

Table 194.—Value of principal groups of farm and forest products exported from and imported into the United States, 1914-1916.

[Compiled from reports on the Foreign Commerce of the United States.]

	Exports (d	lomestic merch	andise).		Imports.	
Article.			Year ending	June 30—		
	1914	1915	1916 (prel.).	1914	1915	1916 (prel.).
FARM PRODUCTS.						
ANIMAL MATTER.						
Animals, live	\$5,803,659 2,965,934 3,734,087	\$77,953,686 14,265,879 5,003,764	\$99,662,813 24,261,994 6,134,441	\$24,712,111 15,403,143 1,089,164	\$22,279,081 14,704,277 438,760	\$18,649,079 9,818,919 110,638
Feathers and downs, crude. Fibers, animal	640,020	281,806	312,113	4,871,663	2,502,623	2,721,151
Silk	8,178 124,127	2,216,187		$100,930,025 \\ 53,190,267$	83,130,557 68,242,568	124,883,655 142,420,784
ucts Other animal matter	154,487,871 1,383,172	217,904,852 1,746,781	$279, 138, 467 \\ 2, 002, 727$	154,969,389 3,563,922	142,484.247 3,003,170	182,887,880 718,542
Totalanimai matter.	169, 147, 048	319, 381, 358	411,692,555	358.720,684	336,785,283	481,670,598
VEGETABLE MATTER.						
Argols or wine lees Cocoa and chocolate Coffee Cotton Fikers, vegetable,	336,940 8,977,651 610,475,301	1,934,166 7,302,605 376,217,972	1,668,657 5,748,021 374,180,247	3,228,674 21,503,983 110,725,392 19,456,588	3,094,380 23,478,156 106,765,644 23,208,960	5,306,246 35,804,242 115,485,970 40,150,342
other. Fruits. Cir C: Gld o get '	31,030,713 1,832,686	34,229,906 919,931	36,073,051 1,597,508	54,349,995 33,638,334	40, 420, 017 27, 081, 399	59,460,062 23,285,816
gar. Grain and grain prod-	4,565,919	3,885,233	4,734,961			
Grain and grain prod- ucts. Hay. Hops. Indigo.	164,815,124 827,205 6,953,529	572,951,335 1,980,297 3,948,020	430,743,767 3,267,028 4,383,929	27, 442, 277 1, 634, 390 2, 790, 516 1, 093, 226 2, 047, 192 20, 347, 546	12,518,356 228,906 2,778,735	15,637,369 679,412 144,627
Licorice root. Liquors, alcoholie Nursery stock (plants,	4,134,420	3,396,500	12,577,611	1,093,226 2,047,192 20,347,546	228, 906 2,778, 735 1,596, 978 1,252, 989 13,404, 903	8,235,670 1,609,571 16,685,356
trees, etc.) Nuts Oil cake and oil cake	315, 065 819, 679	170,218 703,211	203,671 892,277	3,606,808 19,888,601	3,751,550 16,830,932	3,686, 348 21,160, 491
meel. Oil, vere tible. Opium, raile. Rice, rice flour, meal,	21,667,679 10,251, 80	28,879,051 25,831,7 5	28,541,204 2.,167,220	120,078 32,320,782 1,810,429	219,635 24,781,279 2,445,005	33,919,167 879,699
sand broken nice	884,208 3,190,745 84,427 1,825,230	3,178,998 3,861,064 76,297 2,989,453	4,952,862 3,538,508 5,576,914	7, 473, 707 1, 641, 540 20, 084, 184 5, 595, 509 408, 922	6,304,216 1,434,219 23,054,820 5,927,359 343,805	6,093,611 2,226,697 33,571,697 8,946,622 123,838
Starch. Sugar, molasses, and sirup. Tea	3,507,120	27,413,785	82,022,076			212,545,293 20,599,857
Tobacco Vanilla beans	53,963,670	44, 493, 829	53, 163, 595	35, 038, 520 2, 277, 675	175,956,108 17,512,619 27,160,570 1,863,515 9,329,732	24,619,068 1,697,543 10,811,393
Vegetables Wax, vegetable	6,936,400	10,813,151	15,952,412	103, 394, 094 16, 735, 302 35, 038, 520 2, 277, 675 15, 133, 535 1, 049, 126	9,329,732 1,012,402	10,811,393 1,580,530
Other vegetable mat- ter	1,431,397	1, 429, 482	1, 223, 726	680,007	243,817	24,643
Total vegetable mat- ter	944, 826, 587	1, 156, 556, 249	1,098.215,345	565, 516, 932	574,001,006	704, 971, 171
Total farm products.			1,409,817,900	924, 246, 616	910, 786, 289	1,186,641,769
FOREST PRODUCTS.						
Cork wood or cork bark Dyewoods, and ex- tracts of				3,851,794	2,762,895	3,134,884
India rubber. Gums, other than india rubber.				793,926 71,219,851	1,142,031 83,030,269	4,289,247 155,044,790
Naval stores	19,882,165	11, 127, 239	13,503,607	15,620,780 36,764	15,210,150 5,102	18,367,940

Table 194.—Value of principal groups of farm and forest products exported from and imported into the United States, 1914-1916—Continued.

	Exports	(domestic mer	chandise).		Imports.		
Article.			Year endin	g June 30—			
	1914	1915	1916 (prel.).	1914	1915	1916 (prei.).	
FARM PRODUCTS—Continued.							
FOREST PRODUCTS— continued.							
Tanning materials, n. e.s. Wood:	\$666,880	\$2,247,881	\$5,902,799	\$4,368,041	\$5,343,263	\$S,837,297	
Cabinet, unsawed Lumber Pulp wood	72, 484, 756	34, 010, 121	40,654,974	7,124,688 22,436,585 7,245,466	4,271,775 23,507.591 6,572.839	4,011,107 29,624,279 6,373,749	
Timber and logs Rattan and reeds	12,428,434	4,061,499	5,040,655	1,657,695	1,265,611 771,525	1,417,859 1,720,816	
Wood pulp Other forest products	529,741 986,578	369, 969 736, 827	1,703,374 1,021,695	1,210,390 17,023,388 2,672,072	16,881,111 2,037,198	10,867,850 3,134,685	
Total forest products	105, 978, 554	53, 533, 536	67, 827, 162	155.261 240	1.5.3-368	273,814,473	
Total farm and forest products	1,220,952,189	1,528,491,148	1,577,645,002	1,079.507,916	1.076,635,782	1,439,466,222	

Table 195.—Exports of selected domestic agricultural products, 1852-1916.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are Locking, either there were no exports or they were not separately classified or publication. "Beef salted or pickled," and "Park, salted or tickled," barrels, 1851-1865, were reduced to pounds at the rate of 200 pounds per barrel, and theree, 1951-1855, at the rate of 300 pounds per barrel, and theree, 1951-1855, at the rate of 300 pounds per barrel of thousand oil. 190, pounds reduced to gallons at the rate of 7.5 pounds reduced to gallons at the rate of 7.5 pounds reduced to 1 borrel of corn meal is the preduct of a bushels of corn, and 1 barrel or the, flour the product of 5 bushels of wheat prior to 1880-1851. Unless that the preduct of 1880-1865 and subsequently.]

			i	Pac	king-house pro	ducts.	
Year ending June 30—	Cattle.	Cheese.	Beef, cured— salted or pickled.	Beef, fresh.	Beef oils— oleo oil.	Deef tallow.	Beef and its products— total, as far as ascertain- able.1
Average: 1852-1856 - 1857-1861 - 1862-1856 - 1867-1871 - 1872-1876 - 1877-1831 - 1882-1886 - 1887-1891 - 1892-1896 - 1897-1901 - 1902-1906 - 1907-1911	Number. 1,431 20,204 6,531 45,472 127,015 131,605 244,304 310,032 415,488 508,108 253,867	Pounds. 6, 200, 385 13, 906, 430 42, 683, 073 52, 580, 978 87, 173, 752 159, 570, 470 108, 700, 479 108, 700, 108, 605, 793 46, 108, 704 19, 241, 482 9, 152, 083	Pounds, 23, 980, 520 24, 985, 880 27, 662, 720 24, 681, 654 35, 826, 643 47, 401, 470 65, 613, 851 61, 898, 780 52, 242, 288 59, 208, 292 46, 187, 175		Pounds. 30, 276, 133 50, 482, 249 102, 083, 519 139, 373, 402 156, 925, 317 170, 530, 482	Pounts. 7, 40°, 910 13, 21°, 611 43, 20°, 73°, 22°, 57°, 29°, 32°, 405 46, 745, 416 91, 60°, 126 56, 97°, 540 86, 082, 497 59, 892, 601 66, 336, 232	Pounds. 33,440,430 40 200,401, 70,865,444 64,531,925 114,821,095 225,625,631 411,797,859 507,177,430 637,268,235 622,843,235
1901 1902 1903 1904 1905 1906 1906 1908 1909 1910 1911 1912 1913 1914 1915 1916	459, 218 392, 884 402, 178 503, 409 567, 806 584, 239 423, 051 349, 210 207, 542 139, 430 150, 100 105, 506 24, 714 18, 376 5, 484 21, 666	30, \$13, 517 27, 203, 184 18, 987, 178 23, 335, 172 10, 134, 424 16, 562, 451 17, 255, 230 8, 439, 031 6, \$22, 842 2, 846, 709 10, 366, 605 6, 337, 559 2, 599, 058 2, 427, 577 44, 384, 251	55, 317, 632 43, 632, 727 52, 861, 220 57, 584, 710 55, 934, 705 81, 988, 998 62, 645, 281 46, 958, 367 41, 494, 210 38, 554, 266 40, 283, 749 38, 987, 907 22, 265, 974 38, 744, 743 38, 744, 743 38, 660, 682	351,748,333 301,824,473 254,795,903 299,579,671 236,486,568 268,054,227 281,651,502 201,154,105 122,952,671 75,729,666 42,510,731 15,264,320 7,362,388 6,39-,404 170,440,934 231,215,075	161, 651, 413 138, 546, 088 126, 010, 339 165, 183, 839 145, 228, 245 209, 658, 075 195, 337, 176 212, 541, 157 179, 985, 246 126, 691, 675 138, 696, 906 126, 467, 124 92, 849, 757 97, 017, 065 80, 481, 946 102, 645, 914	77, 166, S89 34, 065, 758 27, 368, 924 76, 924, 174 63, 536, 992 97, 567, 156 127, 857, 739 91, 397, 507 53, 332, 767 29, 313, 154 39, 451, 419 30, 556, 330 15, 812, 831 20, 289, 988 16, 288, 743	705, 104, 772 596, 254, 550 546, 055, 244 663, 147, 095 575, S74, 718 732, 884, 572 689, 752, 420 579, 303, 478 418, 844, 332 286, 295, S74 265, 923, 933, 233, 924, 628 166, 463, 344 148, 487, 528 383, 533, 655 444, 053, 325

¹ Includes canned, cured, and fresh beef, eleo oil, eleomargarine, and tallow.

Table 195.—Exports of selected domestic agricultural products, 1852-1916—Continued.

		Packi					
Year ending June 30—	Pork, cured— bacon.	Pork, eured— hams and shoulders.	Pork, cured— salted or pickled.	Pork— lard.	Pork and its products— total, as far as ascertain- able.1	Apples, fiesh.	Corn and corn meal (in terms of grain).
Average: 1852-1856 . 1857-1861 . 1862-1866 . 1867-1871 . 1872-1876 . 1877-1881 .	30,583,297 10,796,961 45,790,113 313,402,401	Pounds.	Pounds. 40, 542, 600 34, 854, 400 52, 550, 758 28, 879, 085 60, 429, 361 85, 968, 138	Pounds. 33,354,976 37,965,993 89,138,251 53,579,373 194,197,714 331,457,591	Pounds. 103,903,056 103,403,690 252,485,970 128,248,571 568,029,477 1,075,793,475	Barrels. 37,412 57,045 119,433 132,756 509,735	Bushels. 7, 123, 286 6, 557, 610 12, 059, 794 9, 924, 235 38, 560, 557 88, 190, 030
1882-1886 . 1887-1891 . 1892-1896 . 1897-1901 . 1902-1906 . 1907-1911 .	355, 905, 444 419, 935, 416 438, 847, 549 536, 287, 266 202, 721, 953 209, 005, 144	47,634,675 60,097,365 96,107,152 200,853,226 206,902,427 189,603,211	72,354,682 73,984,682 64,827,470 112,788,498 116,823,284 90,809,879	263, 425, 058 381, 388, 854 451, 547, 135 652, 418, 143 592, 130, 894 519, 746, 378	739, 455, 913 936, 247, 966 1, 052, 133, 760 1, 528, 138, 770 1, 242, 136, 649 1, 028, 996, 659	401,886 522,511 520,810 779,980 1,368,608 1,225,655	49, 992, 203 54, 606, 273 63, 979, 898 192, 531, 378 74, 615, 465 56, 568, 030
1901			138, 643, 611 115, 896, 275 95, 287, 374 112, 224, 861 118, 887, 189	611,357,514 556,840,222 490,755,821 561,302,643 610,238,899	1,462,369,849 1,337,315,909 1,042,119,570 1,146,255,441 1,220,031,970	883,673 459,719 1,656,129 2,018,262 1,499,942	181, 405, 473 28, 028, 688 76, 639, 261 58, 222, 061 90, 293, 483
1906. 1907. 1908. 1909.		209, 481, 496 221, 769, 634 212, 170, 224 146, 885, 385	141,820,720 166,427,409 149,505,937 52,354,980 40,031,599	741,516,886 627,559,660 603,413,770 528,722,933 362,927,671	1, 464, 960, 356 1, 268, 065, 412 1, 237, 210, 760 1, 053, 142, 056 707, 110, 062	1,208,989 1,539,267 1,049,545 896,279 922,078	119, 893, 833 86, 368, 228 55, 063, 860 37, 665, 040 38, 128, 498
1911 1912 1913 1914 1915 1916	156, 675, 310 208, 574, 208 200, 993, 584 193, 964, 252 346, 718, 227 579, 808, 786	157, 709, 316 204, 044, 491 159, 544, 687 165, 881, 791 203, 701, 114 282, 208, 611	45, 729, 471 56, 321, 469 53, 749, 023 45, 543, 085 45, 655, 574 63, 460, 713	476, 107, 857 532, 255, 865 519, 025, 384 481, 457, 792 475, 531, 908 427, 011, 338	879, 455, 006 1, 071, 951, 724 984, 696, 710 921, 913, 029 1, 106, 180, 488 1, 459, 532, 294	1,721,106 1,456,381 2,150,132 1,506,569 2,351,501 1,466,321	65,614,522 41,797,291 50,780,143 10,725,819 50,668,303 39,896,928
Year ending June 30—	Lard compounds.	Cotton.	Glucose and grape sugar.	Corn-oil cake and oil-cake meal.	Cottonsced- oil cake and oil-cake meal.	Prunes,	Tobacco.
Average: 1852-1856. 1857-1861. 1862-1866. 1867-1871. 1872-1876. 1877-1881.	Pounds.	Pounds. 1,110,498,083 1,125,715,497 137,582,133 902,410,338 1,248,805,497 1,738,892,268	Pounds.	Pounds.	Pounds.	Pounds.	Pounds. 140, 183, 800 167, 710, 800 140, 207, 850 194, 753, 537 241, 848, 410 266, 315, 190
1882-1886. 1887-1891. 1892-1896. 1897-1901. 1902-1906. 1907-1911.	21, 792, 477 52, 954, 358 75, 765, 254	1,968,178,266 2,439,650,456 2,736,655,351 3,447,909,578 3,632,267,952 4,004,770,051	4,473,550 27,686,298 125,574,007 209,279,772 154,866,980 145,064,783	21,888,135 61,732,807	1,005,009,895 1,066,790,196 989,738,130	48, 550, 774 47, 039, 287	237, 941, 913 259, 248, 361 281, 746, 279 304, 401, 701 325, 538, 515 334, 395, 923
1901		3, 359, 062, 360 3, 528, 974, 630 3, 569, 141, 969 3, 089, 855, 900 4, 339, 322, 077		12,703,209 14,740,498 8,093,222 14,014,885 24,171,127	1, 258, 687, 317 1, 050, 466, 246 1, 100, 302, 988 820, 349, 073 1, 251, 907, 996	10, 021, 564 23, 358, 849 66, 385, 215 73, 146, 214 54, 993, 849	315,787,782 301,007,365 368,184,084 311,971,831 334,302,091
1906 1907 1908 1909 1910			189,656,011 151,629,441 129,686,834 2 112,224,504 149,820,088	48,420,942 56,808,972 66,127,704 53,233,890 49,108,598	1,110,834,678 1,340,967,136 929,287,467 1,233,750,327 640,088,766	24, 869, 744 44, 400, 104 28, 148, 450 22, 602, 288 89, 014, 880	312, 227, 202 340, 742, 864
1911 1912 1913 1914 1915 1916	73,754,400 62,522,888 67,456,832 58,303,564 69,980,614 52,843,311	4,033,940,918 5,535,125,429 4,562,295,678 4,760,940,538 4,403,578,499 3,084,070,125	181,963,046 171,156,259 100,149,246 109,530,874 158,462,508 186,386,182		804,596,955 1,293,690,138 1,128,092,367 799,974,252	51, 030, 711 74, 328, 074 117, 950, 875 69, 813, 711 43, 478, 892 57, 422, 827	355, 327, 072 379, 845, 320 418, 796, 906

 $^{^{\}scriptscriptstyle 1}$ Includes canned, fresh, salted or pickled pork, lard, neutral lard, bacon, and hams.

Table 195.—Exports of selected domestic agricultural products, 1852-1916—Continued.

Year ending June 30—	Hops.	Oils, veg- etable— cotton- seed oil.	Rice and rice bran, meal, and polish.	Sugar, raw and refined.	Wheat.	Wheat flour.	Wheat and wheat flour (in terms of grain).
Average: 1852-1856 1857-1861 1862-1866 1807-1871 1872-1876	2, 216, 095	547, 450 4, 498, 436	Pounds. 56,514,840 65,732,080 2,257,860 1,856,948 391,344 602,442	Pounds. 7,730,322 6,015,058 3,007,777 4,356,900 20,142,169 41,718,443	Bushels. 4,715,021 12,378,351 22,529,735 22,106,833 48,957,518 107,780,556	Barrels. 2, 891, 562 3, 318, 280 3, 530, 757 2, 585, 115 3, 415, 871 5, 375, 583	Bushels. 19, 172, 830 28, 969, 749 40, 183, 518 35, 032, 409 66, 036, 873 133, 262, 753
1882–1886	9,584,437	3,467,905	561, 406	107,129,770	82, 883, 913	8,620,199	121, 674, 809
1887–1891	7,184,147	7,120,796	3, 209, 653	75,073,838	64, 739, 011	11,286,568	115, 528, 568
1892–1896	15,146,667	15,782,647	10, 277, 947	13,999,349	99, 913, 895	15,713,279	170, 623, 652
1897–1901	15,467,314	42,863,203	18, 407, 139	11,213,664	120, 247, 430	17,151,070	197, 427, 246
1902–1906	11,476,272	38,605,737	45, 977, 670	14,807,014	70, 527, 077	15,444,100	140, 025, 529
1907–1911	14,774,185	38,783,550	27, 194, 549	61,429,802	62, 854, 580	11,840,699	116, 137, 728
1901	10, 715, 151	49, 356, 741	25, 527, 846	8,874,860	132,060,667	18,650,979	215, 990, 073
1902		33, 042, 848	29, 591, 274	7,572,452	154,856,102	17,759,203	234, 772, 516
1903		35, 642, 994	19, 750, 448	10,520,156	114,181,420	19,716,484	202, 905, 598
1904		29, 013, 743	29, 121, 763	15,418,537	44,230,169	16,999,432	120, 727, 613
1905		51, 535, 580	113, 282, 760	18,348,077	4,394,402	8,820,335	44, 112, 910
1906		43,793,519	38, 142, 103	22, 175, 846	34,973,291	13, 919, 048	97,609,007
1907		41,880,304	30, 174, 371	21, 237, 603	76,569,423	15, 584, 667	146,700,425
1908		41,019,991	28, 444, 415	25, 510, 643	100,371,057	13, 927, 247	163,043,669
1909		51,087,329	20, 511, 439	79, 946, 297	66,923,244	10, 521, 161	114,268,468
1910		29,860,667	26, 779, 188	125, 507, 022	46,679,876	9, 040, 987	87,364,318
1911 1912 1913 1914 1915	17, 591, 195 24, 262, 896	30,069,459 53,262,796 42,031,052 25,728,411 42,448,870 35,537,328	30,063,341 39,446,571 38,908,057 22,414,326 77,480,065 121,969,134	54, 947, 444 79, 594, 034 43, 994, 761 50, 895, 726 549, 007, 411 1,630,150,863	23,729,302 30,160,212 91,602,974 92,393,775 259,642,533 173,274,015	10, 129, 435 11, 006, 487 11, 394, 805 11, 821, 461 16, 182, 765 15, 520, 669	69, 311, 760 79, 689, 404 141, 132, 166 145, 590, 349 332, 464, 975 243, 117, 025

Table 196.—Imports of selected agricultural products, 1852-1916.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no imports or they were not separately classified for publication. "Silk" includes, prior to 1881, only "Silk, raw or as recled from the occoon," in 1881 and 1882 are included tis item and "Silk waster," after 1882, both these items and "Silk cocoons." From "Cocoo and chocolate is are omitted in 1860, 1861, and in 1872 to 1881, small quantities of chocolate, the official returns for which were given only in value. "Jute and jute butis" includes in 1883 and 1859 an unknown quantity of "Sisal grass, coir, etc.," and in 1865-1868 an unknown quantity of "Hemp." Cattle hides are included in "Hides and skins other than cattle and goat" in 1895-1897. Olive oil for table use includes in 1862-1864 and 1885-1095-110 clive oil. Sical grass includes in 1884-1890 "Other vegetable substances." Hemp includes "1855-1852.1 oil situation in the property of the property o

Year ending June 30—	Cheese.	Silk.	Wool.	Almonds.	Aigols or wine lees.	Cocoa and chocolate, total.	Coffee.
Average: 15:2-1556 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	1,378,147	681,669 1,094,948	62, 744, 282	Pounds. 3, 460, 807 3, 251, 091 2, 482, 063	4,951,473 12,403,256	Pounds. 2, 486, 572 3, 063, 893 2, 453, 141 3, 502, 614 4, 857, 364 6, 315, 488	Pounds. 196, 582, 863 216, 235, 090 124, 551, 992 248, 726, 019 307, 006, 928 384, 282, 199
1882-1886	8,335,323 9,649,752 12,588,515 22,165,754		83, 293, 800 117, 763, 889 162, 640, 491 163, 979, 079 193, 656, 402 199, 562, 649	5, 860, 728 7, 487, 676 7, 361, 198 10, 920, 881 15, 297, 414	17,551,967 21,433,570 26,469,990 24,379,847 27,647,440 29,350,692	11,568,173 18,322,049 25,475,234 38,209,423 70,901,254 113,673,368	529, 578, 782 509, 367, 994 597, 484, 217 816, 570, 082 980, 119, 167 934, 533, 322
1901 1902 1903 1904 1905	17, 067, 714 20, 671, 384 22, 707, 103	14, 234, 826 15, 270, 859	103, 583, 505 166, 576, 966 177, 137, 796 173, 742, 834 249, 135, 746	5, 140, 232 9, 868, 982 8, 142, 164 9, 838, 852 11, 745, 081	28,598,781 29,276,148 29,966,557 24,571,730 26,281,931	47, 620, 204 52, 878, 587 65, 046, 884 75, 070, 746 77, 383, 024	854, 871, 310 1, 091, 004, 252 915, 086, 380 995, 043, 284 1, 047, 792, 984
1906 1907 1908 1909 1910	32,530,830 35,548,143		201, 688, 668 203, 847, 545 125, 980, 524 266, 409, 304 263, 928, 232	15,009,326 14,233,613 17,144,968 11,029,421 18,556,356	28, 140, 835 30, 540, 893 26, 738, 834 32, 115, 646 28, 182, 956	97, 059, 513	851,668,933 985,321,473 890,640,057 1,049,868,768 871,469,516
1911 1912 1913 1914 1915 1916	46,542,007 49,387,944 63,784,313 50,138,520	26, 584, 962 32, 101, 555 34, 545, 829 31, 052, 674	137, 647, 641 193, 400, 713 195, 293, 255 247, 648, 869 308, 083, 429 534, 828, 022	15, 522, 712 17, 231, 458 15, 670, 558 19, 038, 405 17, 111, 264 16, 596, 921	29, 793, 011 28, 624, 554	140, 970, 877 148, 785, 846 143, 509, 852 179, 364, 091 194, 734, 195 245, 579, 101	875, 366, 797 885, 201, 247 863, 130, 757 1, 001, 528, 317 1, 118, 690, 524 1, 201, 104, 485

Table 196.—Imports of selected agricultural products, 1852-1916.—Continued.

Year ending June 30—	Flax.	Hemp.	Hops.	Jute and jute butts	Licorice root.	Manila.	Molasses.
Average: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	4, 170 4, 260	Long tons 1, 57 2, 65 22, 71 22, 458	1	3, 24 17, 239 3, 213 14, 909 49, 183 62, 496	Pounăs. 4 1,372,573 1,887,892 8 6	Long tons. 12,084	Gallons. 28, 488, 88 30, 190, 87 34, 262, 93 53, 322, 68 44, 815, 32 32, 638, 96
1882-1886 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	5, 678 7, 021 6, 785 7, 008 8, 574 9, 721	30, 557 36, 919 5, 409 4, 107 5, 230 6, 368	11 2 386 97	91, 058 104, 887 0 84, 111 93, 970 7 101, 512 100, 420		17,354 47,217 60,813 67,280	35, 019, 68 30, 543, 29 15, 474, 61 6, 321, 16 17, 191, 82 24, 147, 34
1901 1902 1903 1904 1905	1	4,057 6,054 4,919 5,871 3,987	2, 606, 708 2, 805, 293 6, 012, 510 2, 758, 163 4, 339, 379	103,140 128,963 79,703 96,735 98,215	100, 105, 654 109, 077, 323 38, 580, 611 89, 463, 182 108, 443, 892	43,735 56,453 61,648 65,666 61,562	11, 453, 15 14, 391, 21 17, 240, 39 18, 828, 53 19, 477, 88
1996	8,729 8,656 9,528 9,870 12,761	5,317 8,718 6,213 5,203 6,423		1	1 1	58, 738 54, 513 52, 467 61, 962 93, 253	16, 021, 070 24, 630, 980 18, 882, 750 22, 002, 690 31, 202, 160
1911 1912 1913 1913 1914 1915 1916	7,792 10,200 12,421 9,885 6,664 6,939	5,278 5,007 7,603 8,822 5,310 6,506	8,557,531 2,901,125 8,491,114 5,382,025 11,651,332 675,704	65, 238 161, 661 125, 389 106, 633 83, 140 108, 322	1115,636,131 [74, 308 68, 536 73, 823 49, 688 51, 081 78, 892	23, 838, 190 23, 828, 213 83, 926, 521 51, 410, 271 70, 839, 623 85, 716, 673
Tear ending June 30	uro.	Opium, crude.	Potatoes.	Rice, and rice flour, rice meal, and broken rice.	Sisal grass.	Sugar, raw and refined	Tea.
Verage: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	177, 947 152, 827 174, 555 218, 507	Pounds. 110,143 113,594 128,590 209,096 365,071 407,656	Busheis. 406, 611 251, 637 216, 077 254, 615 1, 850, 106	Pounds. 70.893,331 52,953,577 72.536,435 62,614,706	615	Pounds, 479, 373, 643 691, 323, 833 672, 637, 141 , 138, 464, 815 , 614, 655, 119 , 760, 508, 290	Pounds. 21,950,922 28,149,643 30,869,450 41,052,805 62,436,359 67,583,083
1892-1886 1887-1891 1892-1896 1897-1991 1902-1906 1907-1911	758, 352 773, 692 900, 219 1, 753, 425 3, 897, 224	391,946 475,299 528,785 567,681 537,576 489,513	2,834,736 3,878,580 1,804,649 495,150 2,662,121 1,907,405	99, 870, 675 156, 868, 635 160, 807, 652 165, 231, 660 150, 913, 684 215, 892, 467	40, 271 3 50, 129 3 70, 297 3 96, 832 3 102, 440 3,	, 458, 490, 409 , 003, 283, 854 , 827, 799, 481 , 916, 433, 945 , 721, 782, 404 , 997, 156, 461	74, 781, 418 84, 275, 049 92, 782, 175 86, 809, 270 98, 677, 584 96, 712, 977
901 J02 J03 J04 J05	983,059 1,339,097 1,494,132 1,713,500 1,923,174	583, 208 534, 189 516, 570 573, 055 594, 680	371,911 7,656,162 358,505 3,166,581 181,199	117, 199, 710 157, 658, 894 169, 656, 284 154, 221, 772 106, 483, 515	70 078 2	.975,005,840 031,915,875 216,108,106 700,623,613 680,932,998	89, 806, 453 75, 579, 125 108, 574, 905 112, 905, 541 102, 706, 599
206 	2, 447, 131 3, 449, 517 3, 799, 112 4, 129, 454 3, 702, 210	469, 387 565, 252 285, 845 517, 388 449, 239	1,948,160 176,917 403,952 8,383,966 353,208	66, 547, 957 209, 603, 180 212, 783, 392 22, 900, 422 25, 400, 545	98,037 3, 99,061 4, 103,994 3.	979, 331, 430 391, 839, 975 371, 997, 112 189, 421, 018 094, 515, 936	93, 621, 750 86, 368, 490 94, 149, 564 114, 916, 520 85, 626, 370
911 112 113 114 115	4, 405, 827 4, 836, 515 5, 221, 001 6, 217, 560 6, 710, 967 7, 224, 431	629, 842 399, 837 508, 433 455, 200 484, 027 146, 658	218, 984 13, 734, 695 327, 230 3, 645, 993 270, 942 209, 542	08. 774, 795 90, 063, 331 22, 103, 547 00. 194, 917 77, 191, 472 64, 324, 005	117, 727 3,	937, 978, 265 104, 618, 393 740, 041, 488 061, 521, 573	102, 563, 942 101, 406, 816 94, 812, 800 91, 130, 815 96, 987, 942 109, 865, 935

Table 196.—Imports of selected agricultural products, 1853-1916—Continued.

Year ending June	Beeswax.	Onions.	Plums and prunes.	Raisins.	Currants.	Dates.	Figs.
Average: 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	Pounds. 128,790 279,839 265,143 456,727 645,720	628,358 924,418 1,163,034	Pounds. 60, 237, 642 12, 405, 549 560, 762 563, 900	Pounds. 38,545,635 17,745,925 7,669,593 7,344,676 5,283,145	Pounds. 34, 397, 754 27, 520, 440 35, 457, 213 35, 258, 628	Pounds. 14, 914, 349 15, 653, 642 25, 649, 432 26, 059, 353	Pounds. 9,783,650 10,117,049 8,919,921 14,334,760 19,848,937
1901 1902 1903 1904 1905	213, 773 408, 706 488, 576 425, 168 273, 569	774, 042 796, 316 925, 599 1, 171, 242 856, 366	745, 974 522, 478 633, 819 494, 105 671, 604	3,860,836 6,683,545 6,715,675 6,867,617 4,041,689	16,049,193 30,288,076 33,878,209 58,347,649 31,742,919	20, 013, 681 21, 681, 150 43, 814, 917 21, 058, 164 19, 257, 250	9, 533, 871 11, 057, 131 16, 482, 142 13, 178, 061 13, 364, 107
1906. 1907. 1903. 1909.	587, 617 917, 608 674, 508 664, 607 972, 145	872,566 1,126,114 1,275,333 574,520 1,024,226	497, 494 828, 377 855, 089 296, 123	12,414,855 5,667,151 9,132,353 5,794,320 5,042,683	87, 078, 311 88, 392, 779 38, 652, 656 32, 482, 111 33, 320, 380	22, 485, 672 81, 270, 899 24, 958, 348 21, 809, 218 22, 693, 718	17,562,058 21,346,173 15,856,574 15,235,513 17,860,197
1911	1,076,741 828,793 1,112,200 1,564,506	1,514,967 1,406,087 709,458 1,11-,311 809,177 815,872		4,004,039	\$3,459,565 \$33,152,555 \$32,655,755 \$2,655,757 \$0,350,527 25,373,629	24, 504, 592 20, 203 31, 504, 931 54, 975, 608 24, 949, 371 31, 975, 424	22. 450, 723 15 765, 408 10. 837, 819 19, 234, 868 20, 779, 730 7, 173, 250
Year ending June	Dides and	skins, other	Other than cattle and goat.	Macaroni, vermicelli, and all similar prepera- tions.	Lemons.	Oranges.	Walnuts.
Average: 1807-1901 1902-1906 1907-1911	Pounds. 126, 925, 011 173, 681, 537	Pourds. 6s, 052, 973 93, 674, 819 94, 329, 840	Pounds. 91,173,311 115,952,418 143,351,521	Pounds.	Pounds. 153,150,863 153,343,434	Pounds. 41,104,514 12,089,730	Pounds.
1901 1992 1902 1904 1905	129, 174, 624 146, 627, 607 131, 611, 825 85, 370, 168 113, 177, 357	73, 745, 596 \$8, 038, 516 \$5, 114, 070 \$6, 338, 547 97, 803, 571	77, 989, 617 89, 457, 680 102, 340, 303 103, 024, 752 126, 893, 934	28,787,821 40,224,202 53,441,080	148,514.614 161,075,309 157,004,213 171,923,221 189,084,321	50,832,914 52,742,476 56,372,970 25,893,260 28,880,575	12,362,567 23,670,761 21,684,104
1906 1907 1909 1909 1910	136, 135, 300 134, 671, 020 93, 353, 249	111, 079, 391 101, 201, 596 63, 610, 758 104, 048, 244 115, 844, 758	158,045,419 135,111,109 120,770,918 148,253,908 174,770,732	77, 926, 029 87, 720, 730 97, 233, 708 85, 114, 003 113, 772, 801	135,183,550	21, 134, 341 21, 267, 340 18, 397, 429 8, 435, 873 4, 676 118	24, 017, 028 32, 597, 592 28, 887, 110 20, 157, 703 38, 641, 466
1911 1912 1913 1914 1915 1916	150, 127, 796 251, 012, 513 268, 042, 390 279, 983, 488 334, 341, 417 434, 177, 771	95,340,703 96,250,305 84,759,428 66,547,163	137, 849, 757 191, 414, 882 207, 903, 995 196, 347, 770 137, 430, 153 208, 835, 068	106, 500, 752 126, 128, 621 56, 542, 480	145, 639, 596 151, 116, 412	7, 672, 156 7, 628, 662 12, 252, 960	37, 195, 728 30, 445, 838

Table 197.—Foreign trade of the United States in forest products, 1852-1916. {Compiled from reports of Foreign Commerce and Navigation of the United States. All values are gold.]

X7	Expo	rts.	Imports,	Excess of exports (+)	
Year ending June 30—	Domestic.	Foreign.	imports.	or of imports (-).	
Average: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876	9,994,808 7,366,103 11,775,297 17,906,771	\$694,037 962,142 798,076 690,748 959,862 552,514	\$3, 256, 302 6, 942, 211 8, 511, 370 14, \$12, 576 19, 728, 458 22, 006, 227	+ \$4,256,814 + 4,014,739 - 347,191 - 2,346,531 - 861,825 - 3,874,400	
18\$2-1886 18\$7-1891 1892-1896 1897-1901 1902-1906	24,704,992 26,060,729 29,276,428 45,960,863 63,584,670 88,764,471	1, 417, 226 1, 442, 760 1, 707, 307 3, 283, 274 3, 850, 221 6, 488, 455	34, 252, 753 39, 647, 287 45, 091, 081 52, 326, 879 79, 885, 457 137, 051, 471	$\begin{array}{r} -8,130,535 \\ -12,143,798 \\ -14,107,346 \\ -3,082,742 \\ -12,450,566 \\ -41,798,545 \end{array}$	
1901 1902 1903 1904 1905	55,369,161 48,928,764 58,734,016 70,085,789 63,199,348	3, 599, 192 3, 609, 071 2, 865, 325 4, 177, 352 3, 790, 097	57, 143, 650 59, 187, 049 71, 478, 022 79, 619, 296 92, 680, 555	+ 1,824,703 - 6,649,214 - 9,878,681 - 5,356,155 - 25,691,110	
1906. 1907. 1908. 1900.	76, 975, 431 92, 948, 705 90, 362, 073 72, 442, 454 85, 030, 230	4, 809, 261 5, 500, 331 4, 570, 397 4, 982, 810 9, 801, 881	96, 462, 364 122, 420, 776 97, 733, 092 123, 920, 126 178, 871, 797	- 14,677,672 - 23,971,740 - 2,800,622 - 46,494,862 - 84,030,686	
1911 1912 1913 1914 1915 1916	103, 038, 892 108, 122, 254 124, 835, 784 106, 978, 554 52, 553, 536 67, 827, 102	7,586,854 6,413,343 7,431,851 4,517,766 5,089,299 4,334,335	162,311,565 172,523,465 189,502,444 155,261,300 165,849,493 252,824,453	- 51, 685, 819 - 57, 987, 868 - 48, 234, 809 - 43, 764, 980 - 108, 206, 658 - 180, 663, 016	

Table 198.—Exports of selected domestic forest products, 1852-1916.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no exports or they were not separately classified for publication.]

		Lumber.				Timl	oer.
Year ending June	Boards, deals, and planks.1	Shooks, other than box.	Staves.	Rosin.	Spirits of turpentine.	Hewn.	Sawed.
Average: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	138, 720 221, 658		Number.	654, 206 69, 314 491, 774 845, 803	Gallons. 1,369,250 2,735,104 107,162 2,693,412 7,138,556	Cubic feet. 17, 459, 632 18, 316, 876	
1882-1886 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	531, 755 616, 090 957, 218 212, 476	593, 054 435, 581 668, 797 765, 215 925, 828	51, 234, 056 56, 181, 900	1,289,869 1,533,834 2,006,427 2,477,696 2,453,280 2,355,560	9, 301, 894 10, 794, 025 14, 258, 928 18, 349, 386 16, 927, 090 16, 658, 955	13, 701, 663 6, 401, 543 6, 062, 418 5, 146, 927 3, 968, 469 3, 406, 245	218, 796 263, 641 428, 755 508, 212 479, 776
1901	942, 814 1,065,771 1,426,784 1,283,406	714, 651 788, 241 566, 205 533, 182 872, 192	47, 363, 262 46, 998, 512 55, 879, 010 47, 420, 095 48, 286, 285	2,820,815 2,535,962 2,396,498 2,585,108 2,310,275	20, 240, 851 19, 177, 788 16, 378, 787 17, 202, 808 15, 894, 813	4,624,698 5,388,439 3,291,498 3,788,740 3,856,623	533, 920 412, 750 530, 659 558, 690 486, 411
1906 1907 1908 1909 1910	1,623,964	1,066,253 803,346 900,812 977,376 928,197 1,019,411	57, 586, 378 51, 120, 171 61, 696, 949 52, 583, 016 49, 783, 771 65, 725, 595	2,438,556 2,560,966 2,712,732 2,170,177 2,144,318 2,189,607	15, 981, 253 15, 854, 676 19, 532, 583 17, 502, 028 15, 587, 737 14, 817, 751	3,517,046 3,278,110 4,883,506 2,950,528 3,245,196 2,673,887	552, 548 600, 865 463, 440 383, 309 451, 721• 499, 547
1912	2,550,308 2,405,296 1,129,205	1, 161, 591 1, 710, 095 867, 805 620, 043 583, 724	64, 162, 599 89, 005, 624 77, 150, 535 39, 297, 268 57, 820, 610	2,474,460 2,806,046 2,417,950 1,372,316 1,571,279	19, 599, 241 21, 039, 597 18, 900, 704 9, 464, 120 9, 309, 968	M feet. 31,067 34,502 29,859 6,118 9,628	406, 954 477, 135 411, 307 167, 671 191, 577

¹ Including "Joists and scantling" prior to 1884.

Table 199.—Imports of selected forest products, 1852-1916.

				Lun	ıber.		
Year ending June 30—	Camphor, crude.	India rubber.	Rubber gums, total.	Boards, deals, planks, and other sawed.	Shingles.	Shellac.	Wood pulp.
Average: 1852-1856	Pounds. 213,720	Pounds.	Pounds.	M feet.	M.	Pounds.	Long tons.
1852-1850 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	360, 522 386, 731		1 7,389,890 12,631,388		•••••	634, 276	
1882–1886 1887–1891 1892–1896 1897–1901 1902–1906 1907–1911	1,958,608 2,273,883 1,491,902 1,858,018 2,139,183	1		577, 728 646, 745 661, 495 566, 394 727, 205 899, 659	87,760 184,050 772,340 866,565	5, 086, 421 5, 848, 339 8, S39, 232 11, 613, 967 19, 046, 030	37, 251 42, 771 46, 827 130, 764 319, 007
1901	1,831,058 2,472,440 2,819,673	55, 275, 529 50, 413, 481 55, 010, 571 59, 015, 551 67, 234, 256	64, 927, 176 67, 790, 069 69, 311, 678 74, 327, 584 87, 004, 384	490, 820 665, 603 720, 937 589, 232 710, 538	555, 853 707, 614 724, 131 770, 373 758, 725	9,608,745 9,064,789 11,590,725 10,933,413 10,700,817	46,757 67,416 116,881 144,796 167,504
1906	3,138,070 2,814,299 1,990,499	1 57, 844, 345 1 76, 963, 838 1 62, 233, 160 1 88, 359, 895 1101,044,681	81, 109, 451 106, 747, 589 85, 809, 625 114, 598, 768 154, 620, 629	949,717 934,195 791,288 846,024 1,054,416	900, 856 881, 003 988, 081 1, 058, 363 762, 798	15, 780, 090 17, 785, 960 13, 361, 932 19, 185, 137 29, 402, 182	157, 224 213, 110 237, 514 274, 217 378, 322
1911	2,154,646 3,709,264 3,476,908 3,729,207	72, 046, 260 110, 210, 173 113, 384, 359 131, 995, 742 172, 068, 428 267, 775, 557	145, 743, 880 175, 965, 538 170, 747, 339 161, 777, 250 196, 121, 979 304, 182, 814	872, 374 905, 275 1, 090, 628 928, 873 939, 322 1, 218, 068	642, 582 514, 657 560, 297 895, 038 1, 487, 116 1, 769, 333	15, 494, 940 18, 745, 771 21, 912, 015 16, 719, 756 24, 153, 363 25, 817, 509	491, 873 477, 508 502, 913 508, 360 587, 922 507, 045

1 Includes "Gutta-percha" only for 1867.

Table 200.—Principal farm products imported from specified countries into the United States, 1914–1916.

		States, 19	14-1916.			
			Year ending	g June 30—		
Country from which con- signed, and article.	19	14	193	15	1916	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
Brazil: Cocoa (crude)pounds Coffeedo British West Indies:	25, 870, 186	\$2,764,766	19,708,616	\$2,017,224	45, 657, 401	\$6,086,847
	743, 113, 500	76,016,463	773,400,315	65,492,280	849, 405, 925	73,541,315
Bananas bunches. Cocoa pounds. Canada: Tea do China: Tea do Colombia: Coffee do	15,677,191	4,849,037	11,957,935	3, 483, 373	4,691,518	1,365,705
	44,062,426	5,372,327	40,728,851	5, 407, 262	39,933,405	6,038,665
	3,112,383	864,814	3,446,615	981, 933	2,600,705	861,236
	20,139,342	2,755,512	23,100,548	3, 149, 308	20,422,700	2,990,751
	91,830,513	11,556,038	111,077,449	13, 710, 164	109,363,456	13,519,545
Cuba: Bananasbunches Sugar (raw)pounds	2,354.395	853,536	2,708,624	929, 761	2, 859, 021	1, 072, 035
	4,926,606,243	98,394,782	4,784,888,157	156, 181, 349	5,150,852,007	192, 558, 595
Dominican Republic: Cocoapounds. Ecuador: Cocoado	26, 782, 966 26, 319, 735	3,187,006 2,693,674	46, 620, 464 33, 418, 752	5,499,510 3,351,797	48,990,707 31,878,350	6, 946, 412 4, 198, 249
France: Cheesedo Olive oil (salad) gallons	5, 418, 904	1,032,817	3,554,297	737, 212	2,321,543	783,323
	949, 858	1,512,324	802,092	1, 215, 632	895,369	1,402,972
Italy: Cheesepounds. Macaronido Olive oil (salad) gallons Japan: Teapounds Mexico: Coffeedo	26, 453, 626	5,024,270	25, 662, 362	5,108,850	16, 084, 059	3, 855, 856
	121, 924, 372	5,481,187	54, 591, 991	2,944,398	20, 221, 908	1, 426, 730
	4, 319, 567	5,552,098	4, 864, 388	6,089,646	4, 696, 812	6, 725, 524
	41, 913, 273	7,171,202	43, 869, 012	7,683,356	52, 359, 526	8, 975, 993
	49, 385, 504	8,028,186	52, 706, 120	6,898,161	49, 832, 801	6, 222, 326
Netherlands: Cheesedo Coffeedo	3, 656, 763	455, 159	2, 210, 861	287, 620	578, 201	121,588
	5, 905, 654	636, 763	1, 583, 672	253, 731	50, 896	10,884
Philippine Islands: Sugar,	116,749,211	2, 553, 601	326, 842, 296	7,511,126	217, 190, 825	6,389,017
pounds	17,738,638	2, 292, 959	3, 516, 655	512,270	7, 531, 924	1,368,032
pounds United Kingdom: Cocoapounds Teado	22, 489, 706	3,617,651	14,766,682	2,677,249	9,514,008	2,031,590
	12, 903, 640	1,633,424	21,062,767	2,578,996	13,408,058	2,186,624
	14, 077, 601	3,858,970	12,869,968	3,386,476	19,066,241	4,670,251

Table 201.—Principal farm products exported to specified countries from the United States, 1914–1916.

			Year endin	g June 30—		
Country to which consigned, and article.	19	14	19	15	19	916
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
Belgium: Corn bushels Wheat do Bushels High a lighters do Lard do Brazil: Wheat flour barrels Canada:	60, 227	\$38, 198	103, 927	\$82,324	4,550	\$4, 191
	12, 873, 872	12, 479, 315	5, 326, 685	6,392,000	2,682,920	3,342,519
	5, 110, 170	7 13, 371	5, 737, 181	603,344	60,160,749	6,251,526
	4, 080, 669	503, 140	6, 596, 068	801,537	2,792,605	367,070
	15, 915, 380	1, 833, 325	5, 128, 630	528,764	70,132,156	7,327,075
	748, 612	3, 752, 105	707, 705	3,072,690	734,726	1,216,205
Corn. bushels. Wheat do. Wheat flour barrels. Floor. Lard. do. Fork, pickled. do. China: Wheat flour barrels. Cub?	4,641,737	3,328,785	8,283,156	6,154,991	6,562,323	4,964,555
	4,113,701	3,821,159	19,664,674	19,941,388	6,241,732	7,430,824
	122,752	589,942	110,938	592,011	50,424	254,717
	11,082,930	1,644,388	10,025,242	1,363,621	30,590,591	5,342,490
	4,000,649	672,855	1,514,602	211,257	2,673,658	370,783
	15,995,669	1,847,515	7,721,616	887,910	6,330,140	635,024
	12,825,741	1,373,501	8,500,049	870,137	17,835,273	1,701,324
	180,374	540,154	13,273	57,066	10,762	54,631
Coin bushels Wheat flow borrels I Herns and shoulders 36 Lar I. de Poik, pickled for benuark (forc. bushels Finland Vice (1997.)) i.e.	2, 410, 156	1, 878, 664 4, 657, 896 1, 684, 755 940, 720 5, 582, 074 447, 374 95 2, 085, 441	2,267,305 924,989 10,300,139 6,342,415 45,349,283 3,874,892 11,169,550 35,588	1,896,997 5,370,260 1,616,045 1,127,283 5,011,557 425,350 9,652,614 165,657	3, 231, 323 1, 124, 562 13, 543, 082 11, 493, 464 53, \$11, 784 7, 846, 918 9, 826, 239	2 587,501 6,468,442 1,685,946 1,875,091 5,030,069 388,699 7,997,250
Wheat bushels	5,536,731	5,384,663	49,878,655	66,352,832	21,802,818	27, 898, 645
	197,353	25,416	44,712,253	5,766,832	52,501,418	6, 442, 595
	5,307,986	573,493	32,172,876	3,505,946	42,282,883	5, 075, 237
Germany: Corn. bushels Wheat do. Whert flour barreis Lard. pounds Loud, neutral do. Olco oil. do. Hongkong: Wheat flour, barreis	303,303 10,983,960 170,485 146,208,598 6,309,792 16,180,268	225, 209 10, 604, 692 891, 171 16, 593, 043 709, 101 1, 631, 254	15,785 2,652,128 8,240 3,878,433 312,933 1,001,252	16,500 2,487,115 42,811 412,751 44,176 98,081		
rels Italy:	1,141,095	4,501,672	626,978	2,840,779	356, 263	1,020,227
Wheat bushels Lard pounds Japan: Wheat flour barrels Mexico:	1,539,830	1,789,400	47,122,740	66,538,785	31, 441, 667	38, 191, 428
	5,958,983	616,948	4,123,209	451,326	3, 157, 719	290, 806
	793,269	3,045,532	68,542	279,315	54, 475	269, 609
Corn. bushels. Wheat do. Lard pounds.	467, 424	379,675	1,587,420	1,388,902	\$,678,934	3, 683, 408
	306, 376	313,910	296,581	380,697	17,624	22, 982
	3,294, 437	392,580	3,191,515	365,024	\$,736,712	966, 395
Nethertunds: Con	373,770	287, 417	15.875,674	12,969,747	5,705,625	4,690,487
	19,949,519	19, 380, 347	31,551,992	42,070,210	21,070,335	26,224,787
	958,063	4, 669, 565	1,725,807	10,553,446	219,644	1,318,349
	1,718,481	204, 260	8,284,647	1,199,393	12,846,176	1,632,440
	43,469,536	4, 859, 367	22,245,433	2,589,995	13,281,671	1,467,341
	13,174,294	1, 438, 696	9,847,645	1,142,321	9,059,503	1,152,883
	47,414,121	4, 944, 474	32,767,906	3,637,839	29,762,451	3,558,189
	7,285,043	764, 333	9,954,544	1,160,460	14,062,716	1,796,590
flourbarrels	236,902	944,747	303,792	1,647,098	385, 371	1,989,941
Wheat do bushels. Wheat do Wheat four barrels. Bicair pounds. Hage gul shoulders do Lard. do Oleo oil do Pork, pickled do	540,515	388, 620	2,850,252	2, 297, 878	5,627,128	4, 438, 126
	27,961,348	26, 015, 351	65,911,501	80, 039, 502	53,550,376	67, 388, 601
	2,900,900	13, 805, 674	4,156,097	23, 668, 245	3,115,030	17, 532, 505
	132,519,600	18, 103, 518	201,042,923	28, 388, 432	339,341,069	48, 740, 987
	170,907,191	20, 558, 228	179,376,833	25, 440, 034	251,025,795	35, 899, 072
	164,632,676	18, 412, 791	189,349,874	20, 650, 513	192,075,591	21, 640, 498
	9,248,952	1, 010, 834	14,361,603	1, 734, 445	30,657,569	3, 684, 779
	5,571,720	624, 462	6,534,240	700, 078	13,124,077	1, 644, 441

Table 202.—Shipments of principal domestic farm and forest products from the United States to Hawaii and Porto Rico, 1914–1916.

[These shipments are not included in the domestic exports from or imports into the United States.]

			Year ending	June 30-		
Possession and article.	191	14	1915		191	6
i :	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
нажап.						
Dairy products pounds. Meat products Grain and grain products. Rice pounds. Lumber	5,031,515	\$562, 516 528, 960 2, 221, 197 216, 252 876, 544	'	542, 924	4,819,844 191,840	\$629, 825 \$83,174 2,322,166 7,307 1,602,976
PORTO RICO.	1					
Dairy products pounds Meat products Beans	139, 836, 581 16, 855, 067 1, 627, 405	3,678,741 40,9601 2,248,045 5,304,364 727,966 327,790	2,496,076 190,793 127,310,116 12,329,041 1,106,120	4,851,535 648,414 178,924	210,747 210,747 143,171,261 10,205,579 1,764,344	\$96,177 2,551,170 785,276 2,994,388 5,596,068 612,041 285,041 756,434

Table 203.—Shipments of principal domestic farm products from Hawaii and Porto Rico to the United States, 1914-1916.

	Year ending June 30—								
Possession and article.	19	14	193	15	1916				
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.			
TAWAII. Coffee	' -	4,536,919	3, 191, 274 1,280,803,812		2, 252, 364 1,137,159,828	\$343, 829 6, 547, 055 54, 418, 005			
Grapefruit boxes Oranges do Pincupples Molasses and sirup gallons Sugar pounds Tobacco, leaf do	348, 870 15, 577, 832 641, 252, 527	751, 769 752, 088 1, 245, 215 927, 227 20, 239, 831 2, 961, 614	200, 268 18, 004, 811 588, 922, 493	834, 356 378, 092 1, 723, 694 658, 661 27, 277, 839 2, 954, 804	404, 367	836, 932 790, 667 1, 176, 319 1, 073, 786 45, 799, 299 2, 857, 036			

Table 204.—Destination of principal farm products exported from the United States, 1913-1916.

		Quai	atity.			Per cen	t of tota	1.
Article, and country to which consigned.			Year en	ding June 30–	-			
2-51-0 d.	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 (prel.).
ANIMAL MATTER.								
Cattle: CanadaUnited Kingdom Other countries	Number. 11,691 1,773 11,250	Number. 8,957 9,419	Number. 751 4,733	Number. 4,511 815 16,340	Per ct. 47.3 7.2 45.5	Per ct. 48. 7	Per ct. 13. 7	Per ct. 20.8 3.8 75.4
Total	24,714	18,376	5,484	21,666	100.0	100.0	100.0	100.0
Horses: Canada United Kingdom Other countries	26,560 430 1,717	17,700 609 4,467	42,036 92,737 154,567	82,311 49,412 225,830	92. 5 1. 5 6. 0	77. 7 2. 7 19. 6	14. 5 32. 1 53. 4	23.0 13.8 63.2
Total	28,707	22,776	289,340	357,553	100.0	100.0	100 0	100.0
Butter: Central American States and British Henduras Verst Paties and	Pounds. 775,246	Pounds. 810,254	Pounds. 726, 552	Pounds. 931,774	21.6	21.9	7.4	6.9
BermudaOther countries	1,392,508 1,417,846	1, 158, 111 1, 725, 232	1,143,822 7,980,330	1,517,306 11,054,199	38 8 39.6	$31.4 \\ 46.7$	11.6 81.0	11. 2 81. 9
Total	3, 585, 600	3,693,597	9,850,704	13,503,279	100.0	100.0	100.0	100.0
Meat products: Beef products— Beef, canned— United Kingdom Other countries	3,117,149 3,723,199	1, 157, 104 2, 307, 629	64, 700, 738 10, 542, 523	37, 819, 212 12, 597, 478	45. 6 54. 4	33 4 66.6	86. 0 14. 0	75. 0 25. 0
Total	6,840,348	3,464,733	75, 243, 261	50, 416, 690	100.0	100.0	100.0	100.0
Beef, fresh— Panama United Karp-	5, 935, 198	5,534,391	3,706,596	1,504,403	80.6	86.6	2.2	.7
domOther countries	126,885 1,300,305	860,013	54, 497, 192 112, 237, 146	117,305,639 112,405,033	1.7 17.7	13.4	32. 0 65. 8	50.7 48.6
Total	7,362,388	6,394,404	170, 440, 934	231, 215, 075	100.0	100.0	100.0	100.0
Beef, pickled, and other cured— CanadaGermany. Newfoundland and Labrador	712,086 3,080,823 3,807,237	1,331,150 1,757,786 4,935,657	1,659,165 378,548 4,331,261	5,047,349 400 5,027,163	2.8 11.9 14.7	5.7 7.6 21.2	5. 2 1. 2 13. 6	13.3 0.0 13.2
West Indiesent Termidy	4,274,549	3,900,281	2,697,974	3,089,623	16.5	16.8	8.5	8.1
Un'ted King- dom Other countries	5,929,949 8,052,275	4,113,347 7,227,753	10, 9 94,101 11,813,694	12,003,390 12,892,757	22.9 31.2	17.7 31.0	34.5 37.0	31.5 33.9
Total	25, 856, 919	23, 265, 974	31,874,743	38,060,682	100.0	100.0	100.0	100.0
Oleo oil— Germany Netherlands Norway United King-	17,480,760 46,337,137 6,607,526	16,180,268 47,414,421 7,285,043	1,001,252 32,767,906 9,954,544	29, 762, 451 14, 062, 716	18.8 49.9 7.1	16.7 48.9 7.5	1.2 40.7 12.4	29. 0 13. 7
dom Other countries	8,008,915 14,415,419	9,243,952 16,893,381	14,361,603 22,396,641	30,657,569 28,163,178	8.6 15.6	9.5 17.4	17.8 27.9	29. 9 27. 4
Total	92,849,757	97,017,065	80,481,946	102, 645, 914	100.0	100.0	100.0	100.0

Table 204.—Destination of principal farm products exported from the United States, 1913-1916—Continued.

		Qua	mtity.			Per cen	t of tota	nl.
Article, and country to which consigned.			Year er	iding June 30-				
	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 (prel.).
ANIMAL MATTER—con								!
Meat products—Con. Lard compounds— Cuba. Mexico. United Kingdom. Other countries.	Pounds. 17,525,703 4,127,593 21,115,679 24,687,857	Pounds. 14, 673, 201 3, 119, 285 19, 929, 949 20, 581, 129	Pounds. 19,046,472 3,772,943 26,357,467 20,803,732	Pounds, 11,895,200 4,597,585 18,486,477 17,864,049	Per ct. 26. 0 6. 1 31. 3 36. 6	Per ct. 25. 2 5. 4 34. 2 35. 2	Per ct. 27.2 5.4 37.7 29.7	Per ct. 22.5 8.7 35.0 33.8
Total*	67, 456, 832	58, 303, 564	69,980,614	52,843,311	100.0	100.0	100.0	100.0
Pork products— Bacon— Belgium. Canada. Cuba. France. Netherlands. United King-	9,140,688 6,868,480 6,658,202 2,096,868 7,639,281	5,110,170 11,082,930 13,733,773 197,353 1,718,481	5,737,181 10,025,242 13,360,139 44,712,253 8,284,647	60, 160, 749 39, 590, 591 13, 543, 082 52, 501, 448 12, 846, 176	4.5 3.4 3.3 1.0 3.8	2.6 5.7 7.1 .1	1.7 2.9 3.9 12.9 2.4	10. 4 6. 8 2. 3 9. 1 2. 2
dom Other countries	138, 133, 416 30, 456, 649	132,819,680 29,301,865	201,042,923 63,555,842	339,341,069 61,825,671	68.7 15.3	68. 5 15. 1	58. 0 18. 2	58.5 10.7
Total	200,993,584	193,964,252	346,718,227	579, 808, 786	100.0	100.0	100.0	100.0
Hams and shoulders, cured— Belgium Canada Cuba United King-	5,821,638 6,785,477 6,002,471	4,080,669 4,006,649 5,637,829	6,596,068 1,514,602 6,842,425	2,792,605 2,673,658 11,493,464	3. 6 4. 3 3. 8	2.5 2.4 3.4	3. 2 . 7 3. 4	1.0
domOther countries	134,016,686 6,918,415	146,007,141 6,149,503	179,376,833 9,371,186	251,025,795 14,223,089	84. 0 4. 3	88. 0 3. 7	88.1 4.6	89.0 5.0
Total	159,544,687	165,881,791	203,701,114	282, 208, 611	100.0	100.0	100.0	100.0
Lard— Relgium (.mad. Cuba. France Germany. Italy Mexico Netherlands. United King.	18,761,624 11,079,696 46,526,427 17,428,157 160,862,204 6,106,153 8,468,353 43,383,774	15, 915, 380 15, 995, 669 49, 609, 751 5, 307, 986 146, 208, 598 5, 958, 983 3, 294, 437 43, 469, 536	5,128,630 7,721,616 45,349,283 32,172,876 3,878,433 4,123,209 3,191,515 22,245,433	70, 132, 156 6, 330, 140 53, 811, 784 42, 282, 883 3, 487, 719 8, 736, 712 13, 281, 671	3. 6 2. 1 9. 0 3. 4 31. 0 1. 2 1. 6 8. 4	3.3 3.3 10.3 1.1 30.4 1.2 .7 9.0	1.1 1.6 9.5 6.8 .8 .9 .7 4.7	16.4 1.5 12.6 9.9 .8 2.0 3.1
dom Other countries	168, 379, 790 38, 029, 206	164,632,676 31,064,776	189,349,874 162,371,039	192,075,591 36,872,682	32. 4 7. 3	34. 2 6. 5	39.8 34.1	45. 0 8. 7
Total	519,025,384	481, 457, 792	475,531,908	427,011,338	100.0	100.0	100.0	100.0
Lard, neutral— Germany Netherlands Other countries	9,368,924 27,123,927 8,284,841	6,309,792 13,174,294 9,839,700	312,933 9,847,645 15,860,476	9,059,503 25,367,087	20. 9 60. 6 18. 5	21 5 44. 9 33. 6	1. 2 37. 8 61. 0	26. 3 73. 7
Total	44,777,692	29, 323, 786	26,021,054	34, 426, 590	100.0	100.0	100.0	100. 0
Pork, pickled— Canada Cuba Newfoundland and Labrador.	9, 436, 506 9, 141, 098 5, 672, 961	12,825,741 4,090,780 7,911,743	8,500,049 3,874,892 5,244,462	17, 835, 273 7, 846, 918 7, 070, 090	17. 6 17. 0 10. 6	28.2 9.0 17.4	18.6 8.5 11.5	28. 1 12. 4 11. 1
United King- dom Other countries	14,619,714 14,878,744	5,571,720 15,143,101	6,354,240 21,501,931	13, 124, 077 17, 584, 355	27. 2 27. 6	12.2 33.2	14.3 47.1	20. 7 27 . 7
Total	53, 749, 023	45,543,085	45,655,574	63, 460, 713	100.0	100.0	100.0	100.0
]=								

 $\begin{tabular}{ll} Γ_{ABLE} 204.$$--Destination of principal farm products exported from the $United States$,} \\ 1913-1916---Continued. \\ \end{tabular}$

		Quan	tity.		I	Per cent	of total	
Article, and country to which consigned.			Year end	ling June 30—	-			
nighter.	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 (prel.).
VEGETABLE MATTER.								
Japan Mexico Russia, European Spain	Pounds. 56, 591, 125 113, 483, 414 76, 007, 216 737, 93, 608 107, 103, 608 107, 103, 608 108, 389, 341 10, 488, 465 37, 450, 772 158, 976, 935 1, 588, 449, 937 1, 588, 449, 937	Pounds. 53, 255, 497 110, 778, 761 175, 496, 309 589, 699, 520 1,442, 181, 777 208, 678, 515 176, 729, 027 17, 335, 397 49, 538, 075 148, 669, 641 1,700, 750, 498 54, 808, 581	Pounds. 227, 373 2, 528, 388 91, 395, 082 346, 349, 629 147, 096, 823 563, 700, 142 214, 403, 083, 621 41, 062, 654 232, 251, 950 1,959,874,664 784, 825, 141	98, 816, 838 415, 187, 759 418, 457, 552 251, 538, 465 11, 847, 741 85, 724, 722 170, 122, 980 1,380.444,961 220, 929, 107	Per ct. 1. 2 2. 5 1. 7 11. 8 26. 8 5. 5 4. 3 .8 3. 5 40. 7 1. 0	Perct. 1.1 2.4 1.6 12.0 30.3 5.6 3.7 .4 1.0 3.1 37.6 1.2	Perct. 0.0 .1 2.1 7.9 3.3 12.8 4.9 .5 .9 5.3 44.5 17.7	3.2 14.4 13.6 8.2 2.8 5.5 44.8 7.1
Total	4.562,295,075	4,700,910,518	1.403,578,499	3,084,070,125	100.0	100.0	100.0	100.0
Fruits: Apples, dried— Germany Netherlands Other countries	17, 970, 592 12, 848, 054 10, 757, 916	17, 645, 697 9, 147, 104 6, 773, 359	108, 434 5, 200, 178 37, 280, 557	1, 878, 251 14, 840, 923	43.2 30 9 25.9	52.6 27.3 20.1	.3 12.2 87.5	11.6 88.4
Total	41,571,562	33, 503, 160	42, 589, 169	16, 219, 174	100.0	100.0	100.0	100.0
Apples, fresh— Germany United Kingdom. Other countries.	Barrols. 2.2,382 1,318,426 559,524	Barrels. 108, 792 827, 028 510, 749	Barrels. 1,747,396 604,105	Barrels. 874, 587 591, 734	12.7 61.3 26.0	11.2 54.9 33.9	74.3 25.7	59.6 40.4
Total	2, 150, 132	1, 506, 569	2, 351, 501	1, 466, 321	100.0	100.0	100.0	100.0
Apricots, dried— France	Pounds. 4, 214, 153 7, 806, 944 3, 625, 314 13, 171, 672 6, 195, 647	Pounds. 3,074,146 3,841,032 2,064,471 4,473,534 3,948,509	Pounds. 1, 911, 296 289, 850 1, 285, 632 9, 017, 358 11, 260, 206	Pounds. 2, 570, 491 2, 526, 953 5, 783, 717 13, 058, 629	12.0 22.3 10.4 37.6 17.7	17.7 22.1 11.9 25.7 22.6	8.0 1.2 5.4 37.9 47.5	10.6 10.6 24.2 54.6
Total	35,016,730	17,401,692	23, 764, 342	23, 939, 790	100.0	100.0	100.0	100.0
Oranges— C.,	Boxes. 1,017,545 45,688	Boxes. 1,491,539 67,382	Bexes. 1,682,824 76,581	Boxes. 1, 489, 746 85, 296	95.7 4.3	95.7 4.3	95.6 4.4	94.6 5.4
Total	1,063,233	1, 558, 921	1,759,405	1, 575, 042	100.0	100.0	100.0	100.0
Prines— Can. 1. Fr. no. Germany United Kingdom. Other countries.	Pounds. 10, 956, 827 11, 962, 280 49, 084, 901 8, 492, 618 37, 454, 249	Pounds. 12, 757, 585 13, 514, 086 17, 417, 865 11, 175, 968 14, 948, 207	Pounds. 9,321,355 1,129,323 1,100 10,368,576 22,658,538	Pounds. 11, 857, 965 4, 869, 201 14, 967, 084 25, 728, 577	9.3 10.1 41.6 7.2 31.8	18.3 19.4 24.9 16.0 21.4	21.4 2.6 0.0 23.8 52.2	20.7 8.5 26.1 44.7
Total	117, 950, 875	69, 813, 711	43, 478, 892	57, 422, 827	100.0	100.0	100.0	100.0
Fruits, canned— United Kingdom Other countries.	Dollars. 3,892,646 1,706,727	Dollars. 3,182,051 1,681,895	Dollars. 4,924,824 1,139,941	Dollars. 5,284,344 1,765,692	69.5 30.5	65. 4 34. 6	81.2 18.8	75.0 25.0
Total	5, 599, 373	4,863,946	6,064,765	7,050,036	100.0	100.0	100.0	100.0
Glucose and grape sugar: United Kingdom Other countries	Pounds. 155, 597, 018 44, 552, 228	Pounds. 162,715,262 36,815,612	Pounds. 131, 751, 252 26, 711, 256	Pounds. 134,636,730 51,749,452	77.7 22.3	81.5 18.5	83.1 16.9	72.2 27.8
Total	200, 149, 246	199,530,874	158, 462, 508	186, 386, 182	100.0	100.0	100.0	100.0

Table 204.—Destination of principal farm products exported from the United States, 1913-1916—Continued.

		Quan	tity.		P	er cent	of total	
Article, and country to which consigned.			Year end	ing June 30—				
5.52-01	1913	1914	1915	1916 (prel.).	1913	1914	1915	1216 (pr.l.).
VEGUA DUT NATTER-								
Grain and grain products: Corn— Belgium Canada. Cuba. Denmark Germany Mexico. Netherlands. United Kinasiom. Other countries.	Bushels. 1,648,089 8,097,882 2,372,678 5,389,897 6,545,521 543,340 7,192,420 14,982,604 2,292,536	Bushcls. 60,227 4,641,737 2,410,156 118 303,303 467,424 373,770 540,515 583,605	Bushels. 103, 927 8, 283, 156 2, 267, 305 11, 169, 550 15, 785 1, 587, 420 15, 875, 674 2, 850, 252 6, 633, 222	Bushels. 4,550 6,562,323 3,231,323 9,826,259 3,678,934 5,705,625 5,627,128 3,580,870	Per et. 3 4 16.5 4.8 11.0 13.3 1.1 14.7 20.5 4.7	Per et. 0 6 49 5 25.7 3 2 5 0 4 0 5 8 6.2	Per ct. 0 2 17 0 4 0 22 9 6 0 3.3 5 5 8 13.7	Perct 0 0 17. 2 8. 5 25. 7 9 6 14. 9 14. 7 9. 4
Total	49,064,967	9,380,855	48,786,291	38,217,012	100.0	100 0	100.0	100.0
Wheat— Belgium Camada France Germany Italy Mexico Natherlands 1 * 'tel Kinzbon Ottor coantic	10, 601, 248 851, 139 4, 931, 708 12, 112, 223 7, 217, 479 614, 377 14, 832, 900 31, 548, 507 8, 804, 293	12, 873, 372 4, 113, 701 5, 536, 731 10, 983, 060 1, 839, 830 306, 376 19, 949, 519 27, 961, 348 8, 829, 838	5, 320, 685 19, 664, 674 49, 873, 655 2, 652, 128 47, 122, 740 296, 581 31, 551, 992 55, 911, 501 37, 243, 577	2,682,920 6,244,732 21,802,818 31,441,667 17,624 21,070,335 53,550,376 36,463,543	11.6 .9 5 4 13.2 7.9 16.2 31.4 9.7	13.9 4.5 6.0 11.9 2.0 .3 21.6 30.3 9.5	2.0 7.6 19.2 1.0 18.1 12.2 25.4 14.4	1.5 3.6 12.6 18.1 0.0 12.2 30.9 21.1
Total	91,602,974	92, 393, 775	259, 642, 533	173, 274, 015	100.0	100.0	100.0	100.0
Wheat flour— Brazil Canada China Cuha Finland Gormany Haiti Hongkong Japan Notherlands	Barrels. 538, 418 98, 605 127, 814 907, 786 405, 832 170, 345 288, 495 1, 301, 306 878, 623 859, 987	Barrels. 748, 612 122, 752 136, 374 892, 705 429, 354 176, 485 208, 266 1, 141, 095 793, 269 958, 063	Barrels. 707, 705 110, 938 13, 273 924, 989 35, 588 8, 240 112, 620 626, 978 68, 542 1, 725, 807	Barrels. 734, 726 50, 424 10, 762 1, 124, 562 221, 455 356, 233 54, 475 219, 644	5. 1 .9 1.1 8.0 3.6 1 5 2.5 11.4 7.7 7.5	6.3 1.0 1.2 7.6 3.6 1.5 1.8 9.7 6.7 8.1	4.3 .7 .1 5.7 .2 .1 .7 3.9 .4 10.7	4.7 .3 .1 7.2 1.4 2.3 .4 1.4
Philippine Islands United Kingdom. Other countries	370, 939 2, 428, 167 2, 973, 428	236, 902 2, 809, 800 3, 167, 784	303,792 4,156,097 7,388,196	385,371 3,145,030 9,217,957	3 3 21.3 26.1	2. 0 23. 8 26. 7	1.9 25 7 45.6	2.5 20.3 59.4
Total	11,394,805	11,821,461	16, 182, 765	15, 520, 669	100.0	100.0	100.0	100.0
Hops: Canada United Kingdom Other countries	Pounds. 1,035,729 15,409,093 1,146,373	Pounds. 1,214,028 22,219,620 829,248	Pounds. 1,071,601 13,823,889 1,314,953	Pounds. 626, 126 19, 703, 283 2, 080, 409	5. 9 87. 6 6. 5	5.0 91.6 3.4	6.6 85.3 8.1	2.8 87.9 9.3
Total	17, 591, 195	24, 262, 896	16, 210, 443	22,409,818	100.0	100.0	100.0	100.0
Oil cake and oil-cake meal: Cottonseed— Belgium. Denmark Germany Notherlands. United Kingdom. Other countries.	38, 953, 330 429, 490, 872 364, 266, 905 62, 479, 858 163, 960, 512 68, 940, 890	19, 685, 564 347, 584, 172 240, 348, 664 22, 310, 420 131, 292, 496 38, 752, 936	223, 100 1,067,161,664 6,819,250 15,469,040 173,948,786 215,443,175	812,720,685 4,818,400 105,360,887 135,021,597	3, 5 38, 1 32, 3 5, 5 14, 5 6, 1	2.5 43.4 30.0 2.8 16.4 4.9	0.0 72.2 .5 1.0 11.8 14.5	76.8 .5 10.0 12.7
Total	1,128,092,367	799, 974, 252	1,479,065,015	1,057,921,569	100.0	100.0	100.0	100.0

Table 204.—Destination of principal farm products exported from the United States, 1913-1916—Continued.

		2010 102						
		Quai	ntity.			Per cen	t of tota	ıl.
Article, and country to which consigned.			Year en	ling June 30-	-			
	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 (prel.).
VEGETABLE MATTER— continued.								
Oil cake and oil-cake meal—Continued. Linseed or flax- seed— Belgium France. Netherlands. United Kingdom. Other countries.	Pounds. 330, 952, 259 49, 700, 150 391, 513, 427 53, 796, 998 12, 156, 820	Pounds. 332, 697, 680 20, 671, 619 266, 792, 954 29, 084, 892 13, 621, 494	Pounds. 26,931,718 1,375,773 431,248,843 22,829,656 42,408,444	Pounds. 13,100 445,707,867 25,532,292 169,662,945	Per ct. 39.5 5.9 46.7 6.4 1.5	Perct. 50. 2 3. 1 40. 2 4. 4 2. 1	Perct. 5.1 .3 82.2 4.4 8.0	0.0 69.5 4.0 26.5
Total	838, 119, 654	662,868,639	524, 794, 434	640,916,204	100.0	100.0	100.0	100.0
Oils, vegetable: Cottonseed— Argantina Ar : ::-lt.: ; u'. Belgium Canada France. Germany Italy Mexico Netherlands Norway Turkey, European United Kingdom, Other countries	1,970,255 25,227,397 17,924,337 13,440,312 39,516,645 23,743,576	14, 989, 927 4, 211, 198 3, 452, 229 25, 493, 039 8, 208, 808 7, 682, 622 44, 015, 326 6, 219, 064 4, 947, 792 4, 947, 994 31, 071, 865 38, 630, 745	17, 311, 259 70, 394 11, 646 20, 578, 973 8, 425, 210 62, 871 15, 782, 234 4, 821, 390 90, 979, 466 26, 442, 259 364, 910 84, 378, 878 49, 144, 035	9, 275, 577 35, 438, 474 33, 500, 328 9, 424, 790 2, 674, 740 56, 981, 676 31, 055, 628 32, 112, 143 56, 006, 604	4.7 2.7 6 8.0 5.7 4.3 12.5 7.5 23.9 2.9 4.0 10.1 13.1	7. 8 2. 2 1. 8 13. 2 4. 3 4. 0 7. 3 3. 2 14. 0 2. 6 16. 1 19. 9	5. 4 0. 0 0. 0 6. 5 2. 6 0. 0 5. 0 1. 5 28. 6 8. 3 1 26. 5 15. 5	3.5 12.6 3.5 1.0 21.4 11.7
Total	315, 232, 892	192, 963, 079	318,366,525	266,529,960	100.0	100.0	100.0	100.0
Tobacco, leaf, stems, and trimmings: Belgium British Africa British Occania Canada. China. France Germany. Italy Japan Netherlands. Spain. United Kingdom. Other countries.		11, 677, 604 6, 600, 312 13, 186, 680 17, 688, 562 11, 445, 697 54, 915, 178 32, 057, 051 45, 190, 995 60, 273 28, 233, 746 16, 822, 696 174, 779, 328 33, 455, 862	1, 121, 439 4, 655, 691 9, 042, 967 16, 156, 268 3, 478, 641 37, 710, 975 10, 018, 503 24, 279, 246 3, 110, 555 21, 223, 143 7, 030 189, 345, 349 28, 186, 284	7, 820, 355 19, 784, 653 18, 021, 186 8, 908, 844 82, 977, 894 39, 276, 103 1, 158, 683 56, 928, 306 8, 647, 232 150, 639, 654 56, 807, 811	2. 4 2. 0 4. 2 3. 0 1. 0 11. 7 7. 2 10. 7 1. 3 6. 4 5. 5 35. 8 7. 3	2. 6 1. 5 2. 9 3. 9 2. 5 12. 2 7. 1 10. 0 .8 3. 7 3. 8 9 7. 6	.3 1.3 2.6 4.6 1.0 10.8 2.9 7.0 .9 6.1 0.0 54.4	1 8 2.2 4.2 2.0 18.7 8.9 2.0 34.1 12.9
Total	418,796,906	449, 749, 982	348, 346, 091	441, 509, 581	100.0	100.0	100.0	100.0
FOREST PRODUCTS. Naval stores: Rosin— Argentina. Austria-Hungary. Belgium Brazil. Canada. Germany. Italy. Netherlands. Russia, Europear United Kingdom. Other countries.	141, 013 180, 701 86, 702 809, 745 116, 019 228, 360 143, 336 632, 515	Barrels. 102, 028 102, 028 66, 257 111, 735 99, 632 77, 064 796, 757 109, 380 247, 339 144, 653 504, 400 1358, 705	Barrels. 143,407 80,207 105,529 74,113 53,331 94,217 48,883 5,447 500,545 200,577	Barrels. 97,306 132,545; 120,140; 117,740 18,175 70,537 557,611 457,219	4. 7 3. 0 3. 4 3. 1 28. 9 4. 1 8. 1 5. 1 22. 5 9. 1	4. 2 2. 7 3. 2 33. 0 4. 5 10. 2 6. 0 20. 9 6. 6	10. 4 3. 9 6. 9 3. 6. 9 3. 6. 5 19. 4	6.2 8.4 7.5 1.2 4.5 35.5 29.1
Total		2,417,950	1,372,316	1,571,279	100 0	100.0	100.0	100.0
		J	-,,			l		

¹ Australia only, for the six months, Jan. 1 to June 30, 1916.

Table 204.—Destination of principal farm products exported from the United States, 1913-1916—Continued.

		Quan	lity.		P	er cent	of total	
Article, and coun-			Year end	ing June 30—	•			
signed.	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 (prel.).
FOREST PRODUCTS—								
Naval stores—Contd. Turpentine, spirits of— Belgium British Oceania. Canada. Germany. Netherlands. United Kingdom Other countries.	Gallons. 1,872,893 686,989 1,039,768 3,819,191 4,242,340 7,432,271 1,916,145	Gallons. 1,027,355 499,248 1,114,863 3,275,929 4,393,902 7,109,851 1,479,556	Gallons. 113,672 708,843 917,912 196,622 625,736 5,338,724 1,562,611	Gallons. 1 586,780 1,026,511 442,682 5,561,957 1,692,038	Per ct. 8.9 3.3 4.9 18.3 20.2 35.3 9.1	Perct. 5.4 2.7 5.9 17.3 23.2 37.6 7.9	Per ct. 1.2 7.5 9.7 2.1 6.6 50.4 10.5	Perct. 6.3 11.0 4.8 59.7 18.2
Total	21,039,597	18,900,704	9,464,120	9,309,968	100.0	100.0	100.0	100.0
Wood: Lumber— Boards, deals, planks,joists, a n d scant- ling— Argentina. Belgium. Brezil. British Oceania Canada. Central Americen States and British Honduras. China	M ft. 248, 363 78, 662 69, 8.3 260, 473 545, 257	M /t. 208,177 62,772 38,125 293,009 434,399 81,251 107,115 122,938	M ft. 66,754 8,703 10,370 187,439 182,734 45,777 56,238 88,000	M ft. 86,884 8,107 148,558 140,650 49,351 30,746 174,676	9.6 3.1 2.7 10.1 21.2	8.6 2.6 1.6 12.1 18.0 3.4 4.4 5.1	5.9 .8 .9 16.5 16.1	7.4 7.12.6 12.0 4.2 2.6 14.8
Cuba. France. Germany. Italy. Mexico. Netherlands. Philippine Is-	137, 982 30, 202 83, 752 44, 319 121, 657 125, 201	39,563 69,852 53,623 69,111 120,661	6,145 7,983 20,662 31,296 17,218	40,831 45,616 2,789	1.2 3.3 1.7 4.7 4.9	1.6 2.9 2.2 2.9 5.0	.5 .7 1.8 2.8 1.5	3,5 3,9 .2
lands United King-	15,747	22,485	6,623	4,833	.6	.9	22.9	23.4
dom Other countries	333,390 336,147	332,457 361,901	260,098 139,082	275,726 154,976	12.9 13.0	13.8 14.9	12.2	13. 2
Total	2,576,233	2,417,439	1,135,212	1,176,705	100.0	100. 0	100.0	100.0
Timber, hewn and sawed— Canada	39,705 39,950 32,023 44,726 60,692 213,016 81,525	37, 846 32, 047 17, 506 65, 314 57, 776 186, 906 43, 771	15,382 6,192 2,337 25,763 6,733 99,318 18,064	12,812 2,859 29,946 9,008 117,221 29,269	7.8 7.8 6.3 8.7 11.9 41.6 15.9	8.6 7.3 4.0 14.8 13.1 42.4 9.8	8, 9 3, 6 1, 3 14, 8 3, 9 57, 1 10, 4	6. 4 1. 4 14. 9 4. 5 58. 3 14. 5
Total	511,637	441,166	173, 789	201,205	100.0	100.0	100.0	100.0

¹ Australia only for the six months, Jan. 1 to June 30, 1916.

54159°-- ҮВК 1916----47

Table 205.—Origin of principal farm products imported into the United States, 1913-1916.

		Quan	tity.		1	er cent	of total	1.
Article, and country to which consigned.			Year end	ling June 30–	_			
algara.	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 (prel.).
ANIMAL MATTER.								
Cattle: Mexico Other countries	Number. 391, 477 30, 172	Number. 625, 253 243, 115	Number. 343,809 194,358	Number. 197, 788 241, 397	Per ct. 92.8 7.2	Per ct. 72.0 28.0	Per ct. 64.2 35.8	Per ct. 45.0 55.0
Total	421,649	868,368	538, 167	439, 185	100.0	100.0	100.0	100.0
Horses: Canada France Other countries	2,063 1,925 6,020	4, 435 1, 171 27, 413	3, 515 - 235 8, 902	6,244 113 9,199	20.6 19.2 60.2	13.4 3.5 83.1	27.8 1.8 70.4	40.1 .7 59.2
Total	10,008	33,019	12,652	15,556	100.0	100.0	100.0	100.0
Dairy products: Cheese, including substitutes— France. Italy Switzerland. Other countries.	Pounds. 3, 982, 513 21, 326, 445 17, 371, 616 6, 707, 370	Pounds. 5, 418, 904 20, 453, 826 22, 490, 006 9, 421, 577	Pounds. 3, 554, 297 25, 662, 362 14, 766, 682 6, 155, 179	Pounds. 2,321,543 16,084,059 9,514,008 2,168,389	8.1 43.2 35.2 13.5	8.5 41.5 35.3 14.7	7.1 51.2 29.5 12.2	7.7 53.5 31.6 7.2
Total	49, 387, 944	63, 784, 313	50, 138, 520	30,087,999	100.0	100.0	100.0	100.0
Fibers, animal: Silk, raw— • China Italy Japan Other countries.	5, 510, 607 2, 811, 606 17, 425, 353 301, 906	5, 926, 745 1, 997, 428 20, 196, 212 474, 287	5, 097, 169 2, 610, 570 18, 217, 083 106, 103	7, 419, 616 2, 545, 845 22, 914, 898 190, 543	21.2 10.8 66.9 1.1	20.7 7.0 70.6 1.7	19.6 10.0 70.0 .4	22.4 7.7 69.3 .6
Total	26, 049, 472	28, 594, 672	26, 030, 925	33,070,902	100.0	100.0	100.0	100.0
Wool, class 1—	22, 603, 402	30, 959, 660	65, 373, 017	110,085,992	33.6	24.8	29.4	27.3
monwealth of Belgiun	5, 619, 342 266, 930 6, 306, 874 29, 368, 707 2, 657, 620 415, 840	23, 757, 714 4, 581, 419 4, 710, 748 45, 223, 714 7, 972, 159 7, 883, 347	66, 063, 841 3, 002, 967 413, 679 38, 897, 503 14, 612, 703 33, 653, 710	157, 433, 859 16, 697, 578 30, 188, 711 8, 941, 506 79, 773, 939	8.4 9.4 9.4 43.7 4.0	19.0 3.7 3.8 36.2 6.4 6.1	29.8 1.4 .2 17.5 6.6 15.1	39.1 4.1 7.4 2.2 19.9
Total	67, 238, 715	125, 088, 761	222, 017, 420	403, 121, 585	100.0	100.0	100.0	100.0
Wool, class 2— Canada United Kingdom. Other countries	243, 908 13, 505, 151 3, 137, 387	4, 542, 139 12, 301, 661 1, 995, 898	5, 094, 660 8, 607, 638 1, 352, 396	4, 930, 170 4, 135, 963 4, 226, 027	1.4 80.0 18.6	24.1 65.3 10.6	33.8 57.2 9.0	37.1 31.1 31.8
Total	16, 886, 446	18, 839, 698	15, 054, 694	13, 292, 160	100.0	100.0	100.0	100.0
Wool, class 3— Argentina British East In-	2, 337, 196	5, 452, 526	10, 509, 249	14, 670, 272	2.1	5.3	16.0	13.4
dies China Russia (Asiatic	3, 962, 811 35, 926, 815	2, 788, 130 29, 884, 054	859, 121 35, 455, 392	3,025,191 44,192,310	32.3	2.7 29.3	1.3 54.0	2.8 40.4
and European). Turkey (Asiatio). Unit of Kundom. Other countries	25, 645, 077 7, 394, 257 20, 900, 746 15, 001, 192	22, 627, 514 5, 350, 091 22, 105, 267 13, 795, 731	2, 273, 360 2, 486, 957 10, 233, 744 3, 891, 929	2,562,854 42,560 25,969,190 18,806,622	23.1 6.7 18.8 13.4	22.2 5.2 21.7 13.6	3.5 3.8 15.6 5.8	2.3 0.0 23.8 17.3
Total	111, 168, 094	102,003,313	65, 709, 752	109, 268, 999	100.0	100.0	100.0	100.0

Table 205.—Origin of principal farm products imported into the United States, 1913-1916—Continued.

		Quai	ıtity.]	Per cent	of total	l.
Article, and country to which consigned.			Year en	ding June 30-	_ ′			
	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 (prel.).
ANIMAL MATTER—continued.								
Packing-house prod- ucts:								
Hides and skins, other than furs— Calf skins— Belgium Canada France Germany Netherlands	Pounds. 4, 724, 643 5, 930, 010 4, 991, 299 16, 916, 203 8, 142, 510	Pounds. 5, 157, 640 5, 734, 207 5, 800, 673 16, 560, 316 12, 006, 926	Pounds. 978, 751 4, 441, 310 7, 408, 904 2, 613, 289 4, 152, 980	Pounds. 4,612,406 7,994,908 8,750,387	Per ct. 5.0 6.3 5.3 17.9 8.6	Per ct. 6.3 7.0 7.0 20.1 14.6	Per et. 2.1 9.7 16.1 5.7 9.0	Per ct. 7.2 12.5
pean) Other countries	30, 247, 647 23, 606, 823	19,747,462 17,396,366	1, 471, 713 24, 901, 754	42,777,792	32.0 24.9	24.0 21.0	3.2 54.2	66.7
Total	94, 559, 135	82, 403, 590	45, 966, 701	64, 135, 493	100.0	100.0	100.0	100.0
Cattle hides— Argentina. Belgium. Brazil Canada. Colombia. Cuba. East Indies. France. Germany. Italy. Marica.	67, 041, 938 7, 106, 337 1, 743, 956 41, 608, 176 5, 461, 505 2, 840, 141 6, 929, 176 20, 102, 370 9, 787, 312 2, 411, 973 20, 500, 427 7, 270, 864	79, 787, 332 7, 313, 906 3, 259, 873 46, 558, 513 5, 098, 244 5, 528, 502 4, 474, 708 19, 036, 552 4, 989, 795 1, 967, 552 33, 194, 289 4, 099, 899	113, 366, 344 3, 416, 605 23, 223, 310 33, 394, 505 8, 394, 503 16, 260, 111 5, 705, 638 7, 951, 693 811, 463 3, 125, 932 43, 384, 173 2, 870, 004	149, 537, 519 59, 362, 639 27, 217, 476 10, 736, 678 16, 068, 265 19, 388, 264 2, 885, 199 654 42, 873, 741 4, 214, 621	25.0 2.7 .7 15.5 2.0 1.1 2.6 7.5 3.7 9 11.0 2.7	28.5 2.6 1.2 16.6 1.8 2.0 1.6 6.8 1.8 1.9	33.9 1.0 6.9 10.0 2.5 4.6 1.7 2.4 2 1.3 13.0	34.4 13.7 6.3 2.5 3.7 4.5 .7 0.0
Restr (Euro- pean) United King-	22, 906, 231	9,043,103	693, 102		8.5	3.2	.2	
United King- dom Uruguay Venezuela Other countries	8,588,600 7,244,803 4,470,501 23,028,077	11, 204, 957 13, 403, 443 5, 149, 398 25, 823, 332	6,514,409 21,809,611 7,033,582 37,386,432	6, 578, 567 43, 497, 431 7, 530, 524 44, 286, 193	3.2 2.7 1.7 8.5	4.0 4.8 1.8 9.2	1.9 6.5 2.1 10.9	1.5 10.0 1.7 10.1
Total	268, 042, 390	279, 963, 488	334, 341, 417	434, 177, 771	100.0	100.0	100.0	100.0
Goatskins— Aden Aden Africa Argentina Brazil Chine Fret Indies Itali Mexico Bussia (Euro-		3,595,909 2,817,948 3,470,013 4,191,124 7,304,761 35,831,857 2,171,224 4,010,150	2, 291, 012 1, 410, 984 3, 738, 020 4, 260, 495 7, 897, 387 28, 651, 497 1, 891, 445 3, 507, 940	4, 151, 509 6, 901, 232 6, 337, 138 6, 919, 497 15, 084, 600 40, 877, 117 971, 848 3, 833, 616	3.3 2.7 4.4 3.5 10.2 43.2 2.5 5.0	4.2 3.3 4.1 4.9 8.6 42.3 2.6 4.7	3.4 2.2 5.6 6.4 11.9 43.1 2.8 5.3	4.1 6.9 6.3 6.9 15.0 40.6 1.0 3.8
pean) United King-	7, 183, 542	5, 131, 075	1,556,154		7.5	6.1	2.3	
domOther countries	5, 436, 922 11, 596, 096	5, 281, 468 10, 953, 899	4,089,212 7,223,017	5,936,107 9,644,357	5.6 12.1	6.2 13.0	6.1 10.9	5.9 9.5
Total	96, 250, 305	84, 759, 428	66, 547, 163	100, 657, 021	100.0	100.0	100.0	100.0
Sheepskins— A governo Brazil British Oceania Canada France Parsio (Furo	6,848,065 993,321 8,179,576 1,860,948 2,999,829	3,874,944 1,582,333 9,848,498 3,678,117 2,221,769	8, 689, 826 1, 384, 888 11, 007, 719 4, 102, 461 823, 209	13, 308, 025 3, 257, 445 8, 838, 626 3, 105, 651 2, 089, 161	9.5 1.4 11.4 2.6 4.2	5.5 2.3 14.1 5.2 3.2	14.8 2.4 18.7 7.0 1.4	13.1 3.2 8.7 3.2 2.1
Russia (Euro- pean) United King-	8, 484, 377	9, 158, 287	826, 898	22, 840	11.8	13.1	1.4	0.0
domOther countries	28, 885, 579 13, 533, 024	26, 384, 892 13, 327, 985	22,616,881 9,267,656	33,287,127 37,550,406	40.2 18.9	37.7 18.9	38.5 15.8	32.8 36.9
Total	71, 784, 719	70,076,825	58, 719, 538	101, 459, 281	100.0	100.0	100.0	100.0

		Quar	ntity.]	er cent	of tota	1.
Article, and country to which consigned.	•		Year en	ling June 30—	-			
aigheu.	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 (prel.).
VEGETABLE MATTER.								
Cocoa, crude: Brazil British West Indies	Pounds. 14,354,460 29,588,055	Pounds. 25,870,186 44,062,426	Pounds. 19,708,616 40,728,851	Pounds. 45,657,401 39,933,405	Per ct. 10.3 21.1	Per ct. 14.7 25.0	Per ct. 10. 2 21. 2	Per ct. 18.8 16.4
Dominican Republic	27, 241, 763 15, 229, 159 23, 040, 617 11, 660, 464 18, 924, 654	26, 782, 966 26, 319, 735 17, 738, 638 12, 903, 640 22, 590, 055	46,620,464 33,418,752 3,516,655 21,062,767 27,250,529	48,990,707 31,878,350 7,531,924 13,408,058 55,832,094	19. 5 10. 9 16. 5 8. 3 13. 4	15. 2 14. 9 10. 1 7. 3 12. 8	24 2 17.4 1.8 11.0 14.2	20.1 13.1 3.1 5.5 23.0
Total	140,039,172	176, 267, 646	192, 306, 634	243, 231, 939	100.0	100.0	100.0	100.0
Coffee: Brazil Central American	639, 262, 011	743,113,500	773, 400, 315	849, 405, 925	74.1	74. 2	69.1	70.7
States and British Honduras Colombia Ens Inc. S Mexico Netherlands Venezuela West Indies and	32,172,524 89,684,514 7,559,765 26,121,439 1,956,676 49,671,060	40, 202, 480 91, 830, 513 8, 673, 941 49, 385, 504 5, 811, 934 49, 953, 478	75,350,258 111,077,449 11,354,631 52,706,120 1,583,672 72,463,140	95,573,010 109,363,456 6,274,413 49,832,801 50,896 73,405,301	3.7 10.4 .9 3.0 .2 5.8	4. 0 9. 2 .7 4. 9 .6 5. 0	6.7 9.9 1.0 4.7 .1 6.5	8.0 9.1 .5 4.1 0.0 6.1
Bermuda Other countries	4,110,032 12,592,736	4,711,269 7,845,698	16, 230, 552 4, 524, 387	10,072,668 7,126,015	.5 1.4	.5	1.4 .6	.8
Total	863, 130, 757	1,001,528,317	1,118,690,524	1,201,104,485	100.0	100.0	100.0	100.0
Fibers, vegetable: Cotton— Egypt. Peru. United Kiredem. Other countries.	94, 333, 483 4, 871, 835 8, 354, 253 14, 292, 445	63,668,055 6,455,946 2,557,041 50,665,857	117, 596, 646 5, 262, 394 3, 417, 851 58, 927, 688	171, 528, 669 4, 934, 448 14, 227, 785 42, 110, 160	77.4 40 69 11.7	51. 6 5 2 2. 1 41. 1	63. 5 2. 8 1. 8 31. 9	73. 7 2. 1 6. 1 18. 1
Total	121,852,016	123,346,899	185, 204, 579	232,801,062	100.0	100.0	100.0	100.0
Flax— Belgium Russia,European United Kingdom Other countries	Long tons. 1,919 4,450 4,464 1,588	Long tons. 1,266 2,735 5,076 808	Long tons. 122 336 3,767 469	Long tons. 20 2,521 3,209 1,189	15 4 35 8 35 9 12.9	12 8 27 7 51 4 8.1	2 6 7. 2 80. 3 9. 9	36.3 46.2 17.2
Total	12,421	9,885	4,694	6,939	100.0	100.0	100.0	100.0
Jute and jute butts— British East In- dies Other countries	120,511 4,878	100, 755 5, 278	%0,444 2,696	99,780 8,542	96 1 3.9	95 0 5.0	96. S 3. 2	92.1 7.9
Total	125, 389	106,033	83,140	108,322	100.0	100.0	100.0	100.0
Manila fiber— Philippine Is- lands Other countries	69, 629 4, 194	49,285 403	50, 587 494	78,809 83	94.3 5.7	99.2	99. 0 1. 0	99.9
Total	73,823	49,688	51,081	78,892	100.0	100.0	100.0	100.0
Sisal grass— Mexico Other countries		195,086 20,461	175, 884 9, 880	220, 994 7, 616	88.8 11.2	90. 5 9. 5	94.7 5.3	96.7 3.3
Total	153,869	215, 547	185,764	228,610	100.0	100.0	100.0	100.0

	Quantity. Per cent of total.							
Article, and country to which consigned.	Year ending June 30							
Sighter.	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 prel.).
VEGETABLE MATTER— continued.								
Fruits: Bananas— British West Indies Central American	Bunches. 11,164,894	Bunches. 15,677,191	Bunches. 11,957,935	Bunches. 4,691,518	Per ct. 26. 4	Per ct. 32. 2	Per ct. 29.1	Per ct. 12.8
Statesand British Honduras. Cuba South America Other countries	25,108,590 2,213,733 2,869,247 1,000,645	25, 432, 760 2, 354, 395 2, 271, 866 2, 947, 380	22,470,600 2,708,624 1,567,461 2,386,965	24,694,566 2,859,021 2,710,047 1,799,552	59.3 5.2 6.8 2.3	52.1 4.8 4.7 6.2	54.7 6.6 3.8 5.8	7. 8 7. 4 4. 8
Total	42,357,109	48,083,592	41,091,585	36,754,704	100.0	100.0	100.0	100.0
Nuts: Walnuts— Austria-Hungary France. Italy. Turkey (Asiatic). Other countries.	Pounds. 4,409 20,379,294 3,315,483 424,418 2,538,837	Pounds. 514,455 19,020,143 6,275,717 1,712,209 9,673,204	Pounds. 18,716,938 6,440,034 16,135 8,271,831	Pounds. 22,413,477 8,480,385 5,926,672	.0 76.4 12.4 1.6 9.6	1.4 51.1 16.9 4.6 26.0	56.0 19.3 .0 24.7	60.9 23.0
Total	26,662,441	37,195,728	33, 445, 838	36, 858, 934	100.0	100.0	100.0	100.0
Oil, vegetable: Olive, salad— France Italy Other countries	Gallons. 932,536 2,584,945 703,520	Gallons. 949,858 4,319,567 948,135	Gallons. 802,092 4,804,388 1,044,487	Gallons. 895,369 4,696,812 1,632,250	17. 9 68. 7 13. 4	15.3 69.5 15.2	12.0 72.5 15.5	12.4 65.0 22.6
Total	5,221,001	6,217,560	6,710,967	7, 224, 431	100.0	100.0	100.0	100.0
Soya-bean oil— Janah United kinedem Other countries	Pounds. 7,979,144 2,523,321 1,837,720	Pounds. 6,425,306 1,433,032 8,481,214	Pounds. 5,471,911 906,134 12,828,476	Pounds. 70,384,049 187,722 27,547,924	64.7 20.4 14.9	39.3 8.9 51.8	28. 5 4. 7 66 8	71.7 .2 28.1
Total	12,340,185	16,360,452	19, 206, 521	98,119,695	100.0	100.0	100.0	100.0
Opium: Turkey (Asiatic and European) United Kingdom Other courties	420,406 61,782 26,245	383,489 39,372 32,339	440,529 38,258 5,240	27,883 62,605 56,110	82 7 12. 2 5. 1	83. 2 8 0 8. 2	91.0 7 9 1.1	42.7
Total	508,433	455,200	484,027	146,658	100.0	100.0	100.0	100.0
Seeds: Flaxseed or linseed— Argentina. Belgium British India. Canada United Kingdom Other countries.	Bushels. 429,254 157 128,981 4,732,316 2,453 1,135	Bushels, 3 50 8,647,168 6,010	Bushels. 3,927,542 39,990 6,629,860 68,823	Bushels. 11,468,039 3,094,735	8.1 .0 2.4 89.4 .0	.0 .0 .0 99.9 .1	62. 2	21.1
Total	5,294,296	8,653,235	10,666,215	14,679,233	100.0	100.0	100.0	100.0
Grass seed— Clover— Canada France Germany Italy Other countries	Pounds. 2,887,143 6,857,096 5,655,558 2,816,795	Pounds. 5,741,516 15,402,710 4,200,141 44,000 4,719,282	Pounds. 1,525,080 18,879,326 336,575 343,546 3,072,184		13.3	14.0	78.2 1.4 1.4	24.6
Total	21, 224, 557	30,107,649	24, 156, 711	41,839,761	100.0	100.0	100.0	100.0

	Quantity.				Per cent of total.			
Article, and country to which consigned.	Year ending June 30—							
signed.	1913	1914	1915	1916 (prel.).	1913	1914	1915	1916 (prel.).
VEGETABLE MATTER—continued.								
Sugar, raw cane: Cuba. Dutch East Indies. Philippine Islands Santo Domingo South America. Other countries.	Pounds. 4,311,744,043 12,759,756 203,160,972 2,670,630 20,047,828 3,666,643	Pounds. 4,926,606,243 116,749,211 4,316,282 9,386,732 4,506,153	Pounds. 4,784,888,157 22,235 326,842,296 86,188,211 120,869,986 99,819,597	Pounds. 5,150,852,007 32,941 217,190,825 107,503,110 118,709,613 36,984,270	Perct. 94.7 .3 4.5 .1 .4 .0	Perct. 97.3 2.3 .1 .2 .1	Per ct. 88. 3 .0 6. 0 1. 6 2. 2 1. 9	Perct. 91.5 0.0 3.9 1.9 2.1
Total	4,554,049,872	5,061,564,621	5,418,630,482	5,631,272,766	100.0	100.0	100.0	100.0
Tea: Canada. China East Indies Japan. United Kingdom. Other countries.	3,024,508 23,728,418 10,411,288 44,381,278 12,238,114 1,020,194	3,112,383 20,139,342 10,551,735 41,913,273 14,077,601 1,336,481	3, 446, 615 23, 100, 548 12, 645, 303 43, 869, 612 12, 869, 968 1, 056, 496	2,600,705 20,422,700 14,855,825 52,359,526 19,066,241 560,938	3.2 25.0 11.0 46.8 12.9	3. 4 22. 1 11. 6 46. 0 15. 4 1. 5	3. 6 23. 8 13. 0 45. 2 13. 3 1. 1	2. 4 18. 6 13. 5 47. 7 17. 3
Total	94,812,800	91,130,815	96, 987, 942	109,865,935	100.0	100.0	100.0	100.0
Tobacco, leaf: Wrapper— Netherlands Other countries	6, 193, 042 205, 740	5,846,504 246,283	7,061,943 179,235	4,963,761 106,547	96. 8 3. 2	96. 0 4. 0	97.5 2.5	97. 9 2. 1
Total	6,398,782	6,092,787	7,241,178	5,070,308	100.0	100.0	100.0	100.0
Other leaf— Cuba	27,553,759 1,659,390 18,955,295 10,816,048	26,617,545 456,445 15,616,543 8 502 742	21,987,848 91,578 6,714,654 5,950,915	23,920,259	45. 1 2. 7 31. 0 17. 7	49.3 .8 28.9 15.7	57. 1 .2 17. 4	55.7
Other countries	2,071,471	8,502,742 2,821,450	3,778,555	19,890 19,002,878	3.5	5.3	9.9	44.3
Total	61,055,963	54,014,725	38,523,550	42,943,027	100.0	100.0	100.0	100.0
FOREST PRODUCTS.								
India rubber, crude: Belgium Brazil Central American States and Brit-	5,917,440 43,518,861	11,005,246 40,641,305	1,902,370 48,753,670	54,968,227	5. 2 38. 4	8.3 30.8	1.1 28.3	20. 5
ish Honduras East Indies France Germany Mexico Portugal United Kingdom Other countries	12,255,500 2,968,232 7,790,742	565, 487 16, 597, 105 2, 629, 287 7, 079, 260 641, 029 556, 560 48, 279, 674 4, 000, 789	790,368 27,898,683 685,699 739,105 1,827,912 4,130,624 75,168,236 10,171,761	1,313,454 125,532,067 509,675 3,261,507 2,773,656 72,459,408 6,957,563	10.8 2.6 6.9 1.8 30.1 2.5	12.6 2.0 5.4 .5 .4 36.6 3.0	16. 2 . 4 . 4 1. 1 2. 4 43. 7 5. 9	1.2 1.0 27.1 2.6
Total	113,384,359	131,995,742	172,068,428	267,775,557	100.0	100.0	100.0	100.0
Wood: Cabinet woods, ma- hogany— British Africa central (merior States and Brit	M feet. 7,655	M feet. 12,888	Mfect. 6,941	M feet. 6,888	11.5	18.3	16. 4	17.3
ish Hendur's. Mexico. United Kingdom Other countries.	13,526 10,866 20,866	10,381 18,289	17,955 8,119 5,918 3,392	10, 450 8, 453 7, 248 6, 816	20. 4 16. 4 31. 5 20. 2	33.1 14.7 26.0 7.9	42. 4 19. 2 14. 0 8. 0	26. 2 21. 2 18. 2 17. 1
Total	66,318	70,470	42,325	39,855	100.0	100.0	100.0	100.0

 $_{\rm TABLE}$ 205.—Origin of principal farm products imported into the United States, 1913-1916—Continued.

	Quantity.				Per cent of total.				
Article, and country to which con-	Year ending June 30								
signed.	1913	1914	1915	1916 (prel).	1913	1914	1915	1916 (prel.).	
FOREST PRODUCTS—continued.					To observe the state of				
Wood—Continued. Boards, planks, deals, and other sawed lumber— Canada Other countries	M fcet. 1,021,810 68,818	M feet. 892, 833 36, 040	M fect. 908, 663 30, 659	M feet. 1,180,018 38,050	Per ct. 93.7 6 3	Per ct. 96.1	96.7	Per ct. 66.9 2.1	
Total	1,090,628	928, 873	• 939, 322	1,218,068	100.0	100.0	100.0	190.0	
Wood pulp: Canada	Pounds. 463,877,981 151,481,033 189,951,459 283,916,347 37,298,387	Pounds. 524,251,441 149,171,214 181,255,021 265,457,874 18,591,642	Pounds. 660, 656, 640 83, 119, 680 200, 934, 720 350, 183, 680 22, 050, 560	Pounds 790,997,760 237,440 115,978,240 225,955,520 2,611,840	41.2 13.4 16.9 25.2 3.3	46 0 13.1 15.9 23.3 1.7	50.2 6.3 15.3 26.6 1.6	69.6 .0 10.2 19.9	
Total	1,126,525,207	1,138,727,195	1,316,945,280	1,135,780,800	100.0	100.0	100.0	100.0	

INDEX.

Abortion, contagious, eradication work		Page. 23
cannery, keeping methods, system by Markets Office available. systems, issue by Markets Office. Acetone, production from kelp. Acoms, value as turkey feed.	 	$^{-246}_{12}$ $^{310}_{414}$
work in club organization practical aid. instance duties, qualifications, and value of work	69	472 9-70 8-70
Agricultural— institutions, information, including lists by States land, areas by countries nations, in order of importance products—	- - 	$699 \\ 531$
exports and imports. selected, exports and imports, 1852–1916. standards establishment. 10, trade, international, 1852–1916.	$14. \ 16$	-743 -727 6-17 721
Department— cost, liquidation by value of work	209.	64 -216
dairying development at Algona, Iowa. establishment and development, powers aiding. meeting the farmer halfway, article by Carl Vrooman plant-introduction gardens, article by P. H. Dorsett teachings, adaptation to local conditions.	63 135-	3-75
work of various bureaus, results. directory, 1917, names of State teaching officials. distribution problems, assistance by Department. Extension Act—	. 64 -555	1–67 -559
passage and results purpose and value laws, enactment, and scope live stock function, article by George M. Rommel	471- 10 467-	-473)11 -475
numbers engaged in, by countries. populations dependent upon operations, by countries. reclamation project, article by C. S. Scofield and F. D. Farrell. Secretary—	177-	69 8 697 -198
annual report	6, 61,	212
statistics. Western, relation of irrigation farming. world, graphic summary, article by V. C. Finch, O. E. Baker and R. C. Hainsworth. Air lift, type of pump used in irrigation, description.	197- }. 531-	-198 -553
Alabama—agricultural officers, post office addresses	557,	558
citrus-canker control work home demonstration work in Etowah County, scope and success. truck growing, conditions, crops, and acreage	254-	269 -255 -465 701
exports, statistics. wood, exports, statistics. A leurites fordii introduction and experimental plantings.		719 718 139

746 Yearbook of the Department of Agriculture.	
Alfalfa—	Page.
irrigation, New Mexico	510
seed production on irrigated lands.	183
usefulness on irrigated lands	178
experiment, success	-212
score on inspection for State rank	212
Almonds, imports, 1852–1916. Alunite deposit, Utan, source of potash and alumina	$\frac{725}{307}$
Amusements, relation to farm community development	-212
Amygdalus davidiana, hardiness and value in hybridization.	142
Anderson, Ruth, building a home with club work	-255
carcasses, inspection for disease, and labeling	5-86
diseases, endication work, 1916	2-27
aid in dairying experiment, Algona, Iowa	. 216
aid in dairying experiment, Algona, Iowa	236
matter— exports, statistics	500
imports, statistics	$\frac{722}{722}$
products, condemned, disposition, and uses	6-87
Animals— carnivorous, relation to rodents on farm	200
farm, and products of, statistics	-695
killing for foot-and-mouth disease, compensation of owners.	24
predatory, destruction of live stock, National Forests. 2 transportation, tonnage on railways, 1913–1915	9-30 696
wild—	000
treatment for wounds and disease, handling, etc. 501	-503
usefulness in destroying rodents on farms	-398
Appalachian	
Mountains, land purchases for protection of watersheds	4-55
National Forest, preparations for	522
Apples—	
color, relation to maturity	-104
exports, statistics	635
statistics, production and prices	-636
storage, period and success, conditions determining	-104
varieties, production relative, to normal crops of all apples	$\frac{636}{271}$
Apricot, exports, statistics.	718
Arachis oil. See Peanut oil.	1.40
Aralia cordata, introduction, description, and value	$\frac{140}{725}$
Arizona—	
agricultural officers, post office addresses 555, 557 forest areas, National	, 558
truck, crops, acreage, notes. 455, 456, 458	701 -465
Arkansas—	
agricultural officers, post office addresses. 555, 557 forest areas, National.	558 - 701
truck growing, conditions, crops, and acreage 445-446, 448, 455, 456, 459	-465
Aroids, root crops, investigations and variety, collection.	202
Ashes, use as fertilizer. Asparagus production, States and acreages. 441, 449	306 455
Asses and nules—	, 100
number, world, map	549
Atlantic States—659	-662
mutual insurance, property value and cost 423, 425	-427
truck growing, development and conditions 435-436 438	-442
Australia, source of fluted scale and its parasite 273, 274 Auto trucks use as substitute for horsepower 273, 274	470
Automobiles, substitutes for horses, effect on demand	470
Avocado growing, Florida and California, and testing hardy varieties 143	-144

Pacilly couring city and a to	I	Page
Bacillus causing citrus canker, Pseudomonas citri.		269
Bacteria, legume, inoculation of soil, value of discovery. Balley, H. S., article on "Some American vegetable food oils, their sources a methods of production."	60	6-6
methods of production?	nd	
methods of production". Bait—	159-	-176
mice value of oatmos!		
mice, value of oatmeal	396.	. 397
poisoned for rodents. 384, 385 Baker, O. E., V. C. Finch, and R. G. Hainsworth, article on "A graph summary of world agriculture".	, 391,	, 392
cumpany of mild, and R. G. Hainsworth, article on "A graph	iic	
		-55
		143
Bananas, imports, statistics.		713
Danks, 18:111 108115, att[HOTIZATION	- 16	0-10
Darges, simplified of stable manure, capacity		370
Darley—.		
acreage—		
production, value, prices, etc., 1849–1916.		590
world, map		540
area and production in principal countries. condition of crops by months, United States, 1895–1916.	. 587-	-589
condition of crops by months, United States, 1895–1916		59:
exports, statistics. prices on farm, by United States geographical divisions, 1915 and 1916.		718
prices on farm, by United States geographical divisions, 1915 and 1916.		599
prices, wholesale, 1912–1916	592	-59
prices, wholesale, 1912-1916 production, principal countries, 1911-1913.		53
State acreages, production and farm value, 1916.		593
statistics, acreage, yield, values, exports, prices, etc	587	-59.
trade, international exports and imports, 1913–1915	593	~59.
Barns, use as means of profit increase in dairying.	. 000	21
Barrett. O. W., investigations and collection of aroid root crops		20:
Beans—		-01
acreage and production, principal countries, 1913–1915	640	04
exports, statistics.		720
green, production, and acreages, by States	112	
imports statistics	440,	
imports, statistics		$\frac{714}{641}$
prices, wholesale, 1912–1916.		
statistics, acreage production and price, etc	040-	-041
Beaver-		407
nature, domestication and value of pelt		494
skinning and stretching the pelt, directions	503-	-004
yard, requirements for fur farming		497
Beavers, mountain, control		396
Beechey ground squirrel, carrier of bubonic plague, control work		390
Beef-		
exports, statistics. production on irrigated lands, discussion.		713
production on irrigated lands, discussion	193-	-194
Reel.—		
roots, selection and siloing	406-	-408
\$1109.r		
growing and use on irrigated lands	180-	-181
industry, undesirable featuressecd industry in the United States, present status, article by C.	:-	180
seed industry in the United States, present status, article by C.	O.	
Townsend	399-	-410
See also Sugar.		
Posts		
seed, selection, siloing, and planting, directions	406-	-408
CII (CO Y		
acreage and production, principal countries, 1913–1915acreage, yield and sugar production, principal countries	650-	-651
acreage yield and sugar production, principal countries	648-	-649
aron on irrigated lands		110
industry progress	00	5–39
rotation		181
State production 1911-1916		644
404	-4t M	410
Dollingham field station location and work	136.	143
Bellingham field station, location and work. Belts, pumping machinery, adjustment and materials. 514	-515.	517
Belts, pumping machinery, adjustment and materials Bichlorid, mercury, use in citrus groves	,	270
Bichloria, mercury, use in citrus groves		
Biological Survey—		29
rodent control on public ranges	390.	391
Mark to filligh to testing the property of the contract of the	9	

_
BLAIR, FRED J., article on "Development and localization of truck crops in the United States"
Blast furnaces, potash recovery from gas
Blue fox, domestication, value of pelt, etc. 493-494 Boll worm, pink, control in cotton imports by fumigation 48 Boys' clubs, work, purpose, and results 471-473
Boys' clubs, work, purpose, and results
dairy cattle, community work
hog, relation to success in swine industry
Brooksville, Plant-introduction Garden, location and work 135-136. 143 Brown, Frederick W., article on "Importance of developing our natural re-
sourses of potash"
and gipsy moth, suppression, and its value in States not infested, article by A. F. Burgess
control, appropriations and expenditures for Massachusetts. 224–226 occurrence, spicad, and control
parasites, introduction results. 285 poisonous nature, effect on man. 218
Brown-tail rash, cause and nature, injury to health 218 Bubonic plague, spread by ground squirrels, control measures 390 Buckwheat—
acreage, production and value, United States, 1849–1916
prices on farm, by United States geographical divisions, 1915 and 1916 602 State acreages, production and farm values, 1916 601
State yields, prices and values, 1915 and 1916
Buffaloes, numbers in world, by countries
associations— cooperative, article by Joel G. Winkjer
educational work in herd improvement
cooperative associations 32, 33 Bulls—
better, economy and profits. 312-315 importance in dairying on irrigated lands. 191
Burgess, A. F., article on "Suppression of the gipsy and brown-tail moths, and its value to States not infested"
exports, 1913–1915, destination 732 exports, statistics 715
imports, statistics
prices on farm, by States, 1916. 676 prices, wholesale at market centers, 1912–1916. 674
receipts at principal markets, United States, 1891–1916. 677 statistics 674–677
trade, international, 1913–1915.
trade-mark in Iowa, notes
Cabbages, production, States, and acreages
agricultural officers, post office addresses 555, 557, 558 Chico station, plant-introduction work 136, 139, 140, 141 citrus industry 38
escape from citrus canker disease
forest areas, National 701 ground squirrel, injurious habits, and control 390

California—Continued.	P	age.
orange industry, benefits from introduction of Australian ladybird	6.1	-65
rice growing, increase in acreage		9.0
truck growing, conditions, crops, and acreage 444-445, 449, 450,	- 155-	-165
Camphor—		
imports 1852–1916		729
Imports, statistics		709
Camps, use in farming development, remarks		211
Cane, sugar—		
insect pests, control by parasites, Hawaii.	278-	-280
production, principal countries.	649-	65€
See also Sugar. Canker, citrus—		
eradication, cooperative work, article by Karl F. Kellerman	00=	070
eradication, remarks by Secretary	207-	$\frac{-272}{40}$
See also Citrus canker.	-	÷t
Canned—		
foods, investigations by Chemistry Bureau.		48
goods, advertising and marketing. 245.	248-	
goods, market demands, meeting.	247-	-248
goods, market demands, meeting	105.	100
vegetables, value, 1909 and 1914	-	453
Canneries—		
accounts keeping, system by Markets Office available	245-	-246
cooperative, failures and successes	-	237
fruit and vegetable, cooperative, business essentials for, article by W. H	ĺ	
Kerr	237-	
number and acreage supplying truck crops.	-	45
side lines. suggestions.	-	246
Cannery—	011	0.41
estimates of cost, and price quotationslocation, importance of products, labor, roads, etc	238	-2-16
operations, financing, requisites for success.	240-	-24
plant and equipment, purchasing.	941-	-249
		- 11
Canning—		
Canning— costs and profits, estimates, need of liberal budget		-248
costs and profits, estimates, need of liberal budget	244-	-248 260
	244-	-248 260
costs and profits, estimates, need of liberal budget	244- - 261-	260 -264
costs and profits, estimates, need of liberal budget	244- - 261- 264-	260 -264 -266
costs and profits, estimates, need of liberal budget	244- - 261- 264- 256-	260 -264 -266 -263
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers.	244- - 261- 264- 256- 451-	260 -264 -266 -263
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers Cantaloupes, production, and acreage by States	244- - 261- 264- 256- 451- 446,	260 -264 -265 -265 -453 449
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. 445. Car. demonstration, wool growing and handling.	244- - 261- 264- 256- 451- 446,	260 -264 -266 -261 -453 449 230
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling Carbon bisulphide, use in fumigation of woodchuck burrows.	244- - 261- 264- 256- 451- 446,	260 -264 -265 -453 449 230 394
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits.	244- - 261- 264- 256- 451- 446, -	260 -264 -265 -265 -453 449 236 394
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses.	244- - 261- 264- 256- 451- 446, - 306- - 86	260 -264 -265 -453 449 -307 3-87
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars capacity for stable manure shipment.	244- - 261- 264- 256- 451- 446, - 306- . 86	260 -264 -265 -453 449 -307 3-87 370
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance.	244- - 261- 264- 256- 451- 446, - 306- 86	260 -264 -266 -265 -453 449 230 394 -307 3-87 -141
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat. usefulness in fur raising establishments.	244- - 261- 264- 256- 451- 446, - 306- 140-	260 -264 -266 -266 -453 -448 -307 -3-87 -141 -713 -501
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat. usefulness in fur raising establishments.	244- - 261- 264- 256- 451- 446, - 306- 140-	260 -264 -266 -266 -453 -448 -307 -3-87 -141 -713 -501
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics.	244- - 261- 264- 256- 451- 446, - 306- 140-	260 -264 -266 -266 -453 -448 -307 -3-87 -141 -713 -501
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn. clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castonea mollissima, introduction, value in disease resistance. Cat, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports—	244- - 261- 264- 256- 451- 446, - 306- 140-	266 -264 -266 -261 -453 -449 -307 -33-87 -141 -713 -501 -106
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916.	244- - 261- 264- 256- 451- 446, - 306- 140-	266 -264 -266 -261 -453 -449 -307 3-87 3-87 713 501 723
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat, usefulness in fur raising establishments Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination.	244- - 261- 264- 256- 4451- 446, - 306- 86	266 -264 -266 -261 -453 -449 -307 3-87 3-87 713 501 106 723 732
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Cast, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination. statistics.	244- - 261- 264- 256- 4451- 446, - 306- 86	266 -264 -266 -261 -453 -449 -307 3-87 3-87 713 501 723
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castonea mollissima, introduction, value in disease resistance. Cat, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination. statistics.	244- - 261- 256- 451- 446, - 306- - 1105,	260 -264 -266 -266 -453 448 236 376 -141 718 501 728 718
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination. statistics. grazing— on National Forests, allowances and rates.	244- - 261- 256- 451- 446, - 306- - 1105,	260 -264 -266 -265 -453 448 236 394 -307 -141 -713 501 106 -723 -718
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Cast, usefulness in fur raising establishments. Cat, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination. statistics. grazing— on National Forests, allowances and rates. on National Forests, numbers, 1911 to 1916.	244- - 261- 256- 451- 446, - - 306- - 86- - 140- - - - 703-	266 -264 -266 -261 -453 449 236 376 -141 713 501 106 723 715 -705
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Cast, usefulness in fur raising establishments. Cat, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination. statistics. grazing— on National Forests, allowances and rates. on National Forests, numbers, 1911 to 1916. heads, inspection for tuberculosis, method.	244- - 261- 256- 451- 446, - - 306- - 86- - 140- - - - 703-	260 -264 -266 -265 -453 448 236 394 -307 -141 -713 501 106 -723 -718
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castonea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat, usefulness in fur raising establishments Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination. statistics. grazing— on National Forests, allowances and rates. on National Forests, numbers, 1911 to 1916. heads, inspection for tuberculosis, method imports—	244- - 261- 264- 256- 446, - 306- - 140- - - - - - - - - - - - - -	266 -264 -266 -266 -453 -449 -307 -141 -713 -501 -723 -715 -705 -706 -84
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn. clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination. statistics grazing— on National Forests, allowances and rates. on National Forests, numbers, 1911 to 1916. heads, inspection for tuberculosis, method imports— exports and prices, 1893-1916.	244 261- 264- 256- 451- 446, 140	266 -264 -266 -261 -453 449 236 376 -141 713 501 106 723 715 -705
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination. statistics. grazing— on National Forests, allowances and rates. on National Forests, numbers, 1911 to 1916. heads, inspection for tuberculosis, method imports— exports and prices, 1893-1916. 1913-1916, origin. statistics.	244 261 264- 256- 451- 446, 306- 105,	266 -264 -266 -266 -453 449 236 -376 -141 -713 -713 -715 -705 -706 -706
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat, usefulness in fur raising establishments. Catsup, color, relation to maturity of tomatoes. 104, Cattle— exports— 1852-1916. 1913-1916, destination. statistics. grazing— on National Forests, allowances and rates. on National Forests, numbers, 1911 to 1916. heads, inspection for tuberculosis, method imports— exports and prices, 1893-1916. 1913-1916, origin. statistics.	244 261 264- 256- 451- 446, 306- 105,	266 -264 -266 -266 -453 449 236 376 -141 713 501 106 725 732 715 -705 84
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Dariington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castonea mollissima, introduction, value in disease resistance. Castor beans, imports, statistics. Cat, usefulness in fur raising establishments Catsup, color, relation to maturity of tomatoes. Cattle— exports— 1852-1916. 1913-1916, destination. statistics. grazing— on National Forests, allowances and rates. on National Forests, numbers, 1911 to 1916 heads, inspection for tuberculosis, method imports— exports and prices, 1893-1916. 1913-1916, origin. statistics. inspection statistics, numbers, condemnations, etc. number—	244- - 261- 256- 451- 446, - 306- 1105,	266 -264 -266 -261 -453 448 236 -3-87 -3-87 -141 -713 -715 -705 -
costs and profits, estimates, need of liberal budget. club, marketing products, management in Hamilton County, Tenn clubs— Anson County, N. C., work and influence. Darlington, County, S. C., work and success. Hamilton County, Tenn., work, etc. industry supplied by truck growers. Cantaloupes, production, and acreage by States. Car, demonstration, wool growing and handling. Carbon bisulphide, use in fumigation of woodchuck burrows. Carbonate lakes, Nebraska, potash deposits. Carcasses, condemned, disposition and uses. Carcasses, condemned, disposition and uses. Cars, capacity for stable manure shipment. Castanea mollissima, introduction, value in disease resistance. Cast, usefulness in fur raising establishments. Cat, usefulness in fur raising establishments. Catule— exports— 1852-1916. 1913-1916, destination. statistics. grazing— on National Forests, allowances and rates. on National Forests, numbers, 1911 to 1916. heads, inspection for tuberculosis, method imports— exports and prices, 1893-1916. 1913-1916, origin. statistics. inspection statistics, numbers, condemnations, etc.	244- - 261- 264- 256- 451- 446, - 86- - 1105,	266 -264 -266 -266 -456 449 236 394 -307 3-87 106 726 716 706 84 670 738 776

Cattle—Continued.	
numbers—	Page.
grazing on forest ranges	659_669
in world, by countries	673
pure-bred, tuberculesis control	25
scables eradication, progress	22
State numbers and value, 1916–17statistics.	762
tick, quarantine.	
Cauliflower production States and acreages	449-450, 457
Cedar, imports, statistics	710
Celery— fertilizing with sewage danger of spreading disease	947 949
production States and acreages	449 450 458
production, States and acreages. Cement manufacture, by-products, source of potash.	303
Centrifugal numps, tarms used for irrigation, description	511, 512-513, 514
Cesspools, description and use on farms. Chayota edulis, introduction, description and value.	360-361, 363-370
Chayota edulis, introduction, description and value	749 149
Cheese—	
exports—	
1852-1916. by countries to which consigned 1913-1915.	
by countries to which consigned 1913–1915	
statisticsimports—	/13
1852-1916	725
by countries from which consigned 1913–1915	681
statistics. makers, cooperation in standardizing quality of goods	707
makers, cooperation in standardizing quarter of goods	150 157
manufacturing—	, 100, 107
and marketing association, cooperative, article by Hector A	Iacpherson
and W. H. Kerr	145–157
cooperation, plan of operation, etc	148–151, 154–157
marketing, control, and business practiceproduction—	101-105, 104-107
exports and imports, possibilities in United States	32, 34
in irrigation farming	
quality standardization, inspection work and stamping by associ	iation 153–154
trade, international, by countries, 1913–1915yield per hundredweight of milk, cost, and value	154 155 157
Chemical constituents of stable manure, value	375.379
Chemistry Bureau—	
food work, results on food products	46-51
research work on food products	141 149
Chestnut—	141-144
bark disease, discovery, note	
Chinese, introduction, value in disease resistance.	140-141
Chinkapin hybrid, disease resistance and value Chickens, price on farm, by States, 1916	141
Chicle, imports, statistics	700
Chico Plant-introduction Garden, location and work	136 139 140 141
"China potatoes," name of taros from China	202
China—	0.47
source of citrus-canker disease, probability.	
Chinkapin-chestnut hybrid, disease resistance and value	
Chocolate—	
exports, statistics	716
imports— 1852–1916.	705
statistics.	
Cholera, hog—	
control, remarks.	188
eradication by use of protective serum.	22~23

	7	Pare.
Chosen, source of citrus-canker disease, probability.		267
CHICHOHA DAIK, HILDORIS, SPACISHUS		709
Citellus, spp. See Squirrels, ground.		100
Cities—		
having tributary trucking territory		157
having tributary trucking territory. stable-manure business, article by C. C. Fletcher.		-101
Citrus—	3,0	-3.9
canker—		
disease characteristics cause and code and a	2	
disease characteristics, cause, and early control work	267	-269
eradication, appropriations, Federal and State cradication, cooperative work, article by Karl F. Kellerman	268	.271
cradication, cooperative work, article by Karl F. Kellerman	267	-272
eradication work		40
eradication work fruit industry, benefit from Australian ladybird	6	4-65
fruits, immature, artificial coloring, studies industry, California. trees, destruction in eradication of citrus canker. 2		17
industry, California.		9.5
trees, destruction in evaduation of citrus capter	ee a-n	. 971
Climate—	00, 410	i L
		101
irrigated districts, favorableness, note.		184
irrigated lands, favorableness to dairying.		191
Climax baskets, establishment as standard measures for grapes, etc		14
Closet—		
chemical, description, cost, and details	350	3-357
liquefying, description	358	3-359
Clubs—		
boys' and girls', work purpose and results	471	_17.3
canning. See Canning clubs.	1/1	47.0
pig and poultry, value in development of stock raising		0.0
pig and pourly, value in development of stock raising.	• • • •	28
poultry. See Poultry clubs.		
Clover seed—		
exports, statistics		720
imports, statistics		713
prices, wholesale, 1912–1916		624
Cochetopa Pass, road through		525
Cocoa—	• • • •	020
exports, statistics		716
imports		110
imports—		-0-
1852–1916.	• • • •	725
1913–1916, origin		-740
statistics		709
Coconut meat, imports, statistics		-712
Coconuts, imports, statistics		712
Coffee-		
exports, statistics		716
imports—	• • • •	, 10
1852–1916		725
1092-1910		740
1913–1916, origin		
statistics	••••	709
prices wholesale, 1912–1916		653
production, world, map		547
statistics, exports, imports, and prices	652	2-653
trade international, exports and imports, 1913-1915	652	2653
statistics, exports, imports, and prices. trade international, exports and imports, 1913–1915. Cold storage, reports on holdings.		12
Colleges, agricultural, United States, origin, work, and list	555	5–557
Color indication of the nicking maturity of fruits and vergetables article	a hv	
L. C. Corbett	້ັ້ດເ	106
	00	, 100
Colorado—	EE EE	7 550
agricultural officers, post-office addresses	100, 001	(, bot)
forest areas, national		701
truck growing, conditions, crops, and acreage	47,450)-465
Columbian ground squirrel, injurious habits and control	390), 391
Community clubs girls' work in South, success	251	L-266
Community development dairying at Algona, lowa	208	-216
Compost, manure mixed with peat or muck, value		379
Concrete— for pumping plant foundations		514
for pumping plant loundations		364
oil-mixed, use in construction of septic tank	• - • •	907

Connecticut— Pag	ge.
agricultural officers, post-office addresses	158
	311
truck crops, acreage, notes	
Contagions diseases, control, need of cooperation.	.88
Containers, fruit, etc., standard sizes	14
Cooking, dasheen, directions and recipes	205
Cooperation—	
agricultural extension work, 1916	44
among formers, long a recognized need	63
dairving on irrigated lands	191
in controlling rodents, importance to farmers	398
	13
marketing—	
	186
	189
on irrigated lands	179
	194
use in sheep raising on irrigated lands	
usefulness in hog raising	L88
Cooperative—	
associations—	
fruit handling	12
in dairy work	-33
bull associations, article by Joel G. Winkjer	819
cheese manufacturing and marketing association, article by Hector Mac-	,,,
phones and W. H. Kom	57
pherson and W. H. Kerr	100
enterprises among farmers, insurance and other.	190
fruit and vegetable canneries, business essentials for, article by W. H.	
Kerr	249
work for eradicating citrus canker, article by Karl F. Kellerman 267-2	272
Corbett, L. C., while on "Color as an indication of the picking maturity of	
fruits and vegetables"	106
	200
Corn—	
a(reage—	
9	663
world, map	538
area and production in principal countries	100
area and production in principal countries	104
Condition of crops by months, United States, 1890–1910.	000
degerminating processes	170
displacement by grain sorghums in Southwest	36
exports, 1913–1916, destination.	735
	718
germ, oil content, effect on corn foods, degermination practices	174
	718
oil	
exports, statistics	719
production processes 173-1	176
production, processes	567
prices, wholesale, 1912–1916.	566
production—	000
	- 05
and distribution, United States, 1897–1916.	
principal countries, 1911-1913.	533
seed protection by tarring.	
	387
soft, value as feed.	169
State acreages, production and farm value, 1915 and 1916	169
State acreages, production and farm value, 1915 and 1916. 563-5 State yields, prices, and values. 5	169
State acreages, production and farm value, 1915 and 1916. 563-5 State yields, prices, and values. 5 States, tenant farmers, percentage by ages, groups. 3	169 564 565 325
State acreages, production and farm value, 1915 and 1916. 563-5 State vields, prices, and values. States, tenant farmers, percentage by ages, groups. 3 statistics, acreage, vield, values, exports, prices, etc. 561-5	169 564 565 325
State acreages, production and farm value, 1915 and 1916. 563-5 State yields, prices, and values. 5 States, tenant farmers, percentage by ages, groups. 3 statistics, acreage, yield, values, exports, prices, etc. 561-5 sweet, acreage grown for canneries, 1913, 1914, and 1915. 4	169 564 565 325 567
State acreages, production and farm value, 1915 and 1916. 563-5 State yields, prices, and values. 5 States, tenant farmers, percentage by ages, groups. 3 statistics, acreage, yield, values, exports, prices, etc. 561-5 sweet, acreage grown for canneries, 1913, 1914, and 1915. 4	169 564 565 325 567 152
State acreages, production and farm value, 1915 and 1916. 563-5 State yields, prices, and values. 5 States, tenant farmers, percentage by ages, groups. 3 statistics, acreage, yield, values. exports, prices, etc. 561-5 sweet, acreage grown for canneries, 1913, 1914, and 1915. 4 trade, international exports and imports, 1913-1915. 5	169 564 565 325 567 152 567
State acreages, production and farm value, 1915 and 1916. 563-5 State vields, prices, and values. 5 States, tenant farmers, percentage by ages, groups. 3 statistics, acreage, yield, values. exports, prices, etc. 561-5 sweet, acreage grown for canneries, 1913, 1914, and 1915. 4 trade, international exports and imports, 1913-1915. 5	169 564 565 325 567 152
State acreages, production and farm value, 1915 and 1916. 563-5 State yields, prices, and values. 5 States, tenant farmers, percentage by ages, groups. 3 statistics, acreage, yield, values. exports, prices, etc. 561-5 sweet, acreage grown for canneries, 1913, 1914, and 1915. 4 trade, international exports and imports, 1913-1915. 5 Cornfields, use as pasture, note. 2 Cotton—	169 564 565 325 567 152 567

Cotton—Continued.	
exports—	Page.
1852–1916. 1913–1916, destination.	724
statistics	734 716
futures act—	
effect on farmers enactment, scope and administration.	74
enactment, scope and administration	10, 16
imports— fumigation for control of pink bollworm	10
1913-1916 origin	43 740
statistics	709
marketing, remarks	185
prices—	
closing, of middling upland, 1912–1916 on farm, by United States geographical divisions, 1915 and 1916	628
production—	628
on irrigated lands, discussion	4-186
total, 1900–1910	626
world map	542
rotation with other crops. 18 standard—	50-186
adoption, beneficial effects	74
demonstrations	$i\epsilon$
State acreage harvested, 1907–1916	626
State production, yield price and value, 1907-1916.	627
States— need of live stock on farms	468
tenant farm acreage, factors influencing	
tenant farmers percentage by ages groups	325
statistics, acreage, yield, value, prices, etc. 6: trade, international, exports and imports, 1913–1915. transportation, tonnage on railways, 1913–1915.	25-629
trade, international, exports and imports, 1913–1915	629
transportation, tonnage on railways, 1913–1915	100
weeds, eradication	186
delinting process	164
meal, exports, statistics	719
oil	7.00
content	163 163
countries producing	
exports, statistics	719
imports, statistics	712
mills, use for peanut-oil production	172
production, exports and imports	163 170
refining process.	67–17 <i>(</i>
trade, international, 1913–1915	629
oil-cake, exports, statistics.	719
pressing processes	55–167
Cows—dairy—	
improvement and variation 1	90-193
improvement due to careful breeding	317
milch, State number and value, 1916–1917	672
Cow-testing— associations, North and West	20 20
use in dairying improvement, note	214
Creameries, organization and increase in number.	33-34
('reamery-	
Association, Tillamook County, Oreg., work and results	15-157
buttermaker, usefulness in dairying experiment.	$\frac{212}{214}$
patrons, profit increase sources, Algona, Iowa	78
Credit, rural, benefit of Farm-loan Act	
demonstration work on the community and the county in the South". 2	51-266

Crops—	7	Page.
acreages per capita in principal countries, discussion	531	-533
disposal, problems on irrigated lands		179
extension areas.	3	5-38
food, production, increased acreage, changes, etc	3	4-44
other than grain, statistics, 1916. principal, production statistics, averages, 1911–1913.	611	-657
seed, variations in supply and prices.		$\frac{533}{183}$
truck. See Truck.		100
yield per acre, 1866–1875 and 1907–1916, comparison		67
Cross fox, description. Cucumbers, production, and acreages, by States. 443, 449,	. .	491
Cucumbers, production, and acreages, by States	452	,459
Currants—		
imports 1887-1916		727
statistics		$7\overline{1}$
		,
Dairy—		
cattle breeding, community work	• •	316
cows, improvement due to careful breeding.	317	-318
farm, small typical, in Tillamook County, Öreg	146	-1-17 210
industry, importance and extension	۰- ۶	- 91 9 1–34
products	0	T9.Z
exports, statistics		715
form of disposing of farm crops.		468
imports, 1913–1916, origin		738
imports, statistics		707
Dairying—		
community— an experiment in, article by R. R. Welch	200	_216
development and creamery extension.	. 3	3-31
development by personal work of field man.		210
experiment—		
Algona, Iowa, profitableness	213	-214
beneficial influence of success		213
Oregon, Tillamook County, origin and development		148
profit increase sources, Algona experimentrelation to—	۱۰۱ ئـ	-219
irrigation on agriculture.	189	_191
other industries		190
other industries. Dana, Samuel T., article on "Farms, forests, and erosion".	107	-134
Dasheen—		
description, names, and economic importance.	200	-202
introduction, collection of varieties, and testing work	-	202
use— food, and preparation for the table	202	-206
stock feed		20ti
stock feed uses and culture, article by Robert A. Young uses and culture, article by Robert A. Young uses	199	-208
Dasheens		
culture, soil adaptation, planting, and growing season	206	-207
diseases, prevention and control	207.	$\frac{208}{200}$
harvesting, storage, and shipping, directions.	207	-201 7 9 7
Dates, imports, statistics	480	-50G
Delaware—		
agricultural officers, post office, addresses. 555.	557.	558
truck growing, conditions, crops and acreage		437-
438, 449, 455, 456, 458–461,	464	, 465
Demonstration work, home, effect on the community and the county in the	977	000
South, article by Bradford Knapp and Mary E. Creswell	251	-266
Desert basins, potash deposits	306	-308
Diet improvement, value of live stock	474	-475
1/1222 SOUTTAIS DAME for ground sourrels		300
Diospyros laki, experimental plantings. Directory, agricultural, College, Experiment Station and Extension lists "Disease," application of word in meat inspection.	<u>.</u>	140
"Disease," application of more in many	555	-559
Emosio, application of word in meat inspection.	- 8	z–83

Diseases—	P	age.
animal, eradication work, 1916.	. 22	-27
contagious, spread from live stock, methods	473-	171
plant—		111
control work		39
THEODICHOR OF DISHERMORES prevention	7.07	100
spread in sewage, danger of spread. Disinfection, citrus canker, suggestions for inspectors and others.	101~ 91~	010 T90
Disinfection, citrus canker, suggestions for inspectors and others	041-	o±0
		210
District of Columbia, cattle, tuberculosis eradication. DITEWIG, GEORGE, article on "The meat-inspection service of the United	-	719
District of Countries, Cattle, tupercursis eradication.	:	26
State Parameter of the line meat-inspection service of the United	1	
States Department of Agriculture".	- 77	-97
Dorsett, Dr, discovery of serum treatment for hog cholera. Dorsett, P. H., article on "The plant-introduction gardens of the Depart		65
Dorsett, P. H., article on "The plant-introduction gardens of the Depart	, -	
ment of Agriculture	125	144
Drain. Tile, use for subsurface drainage of sewage	250	200
Drainage, subsurface, for sewage disposal	365-	367
Dried persimmons, value and use as food in China and Japan	000	Lin
Drugs-	•	3.10
adulteration and misbranding, cases, 1916.		-48
standards, importance and necessity, recommendation.	. 10	110
Dry outh may outdoor and indoor types description	. 48	-0U
Dry-earth privy, outdoor and indoor types, description.	303-	
Dry farming, value in semiarid regions.	-	66
Durum wheat—		
acreage, increase, and production	-	37
introduction, cost, and value of annual yield		- 66
Dyewoods, extracts, imports, statistics.		709
Education, agricultural colleges, list	555	557
methods in dairying development on farms.	910	007
	±10-	12
Eggs—		
exports, statistics		715
imports, statistics	•	707
marketing and transportation studies, Chemistry Bureau	. 47	, 49
prices—		
by States, 1916		678
wholesale, at principal markets, 1912–1916		680
receipts at principal markets, United States, 1891-1916		679
statistics	678-	-680
Elm, dry-land, Chinese, introduction and experimental plantings		141
Engine cooling system in pumping plants, importance	515 <u>-</u>	-516
Engineering. Forest Service, cooperation with highway departments of States.	010	526
Englished with rest height courter note.	•	477
England, railway freight service, note	•	
Entomology Bureau, saving to farmers	0.11	64
Equipment, cannery, purchasing. Eroded lands, reclamation.	Z+1-	-242
Eroded lands, reclamation	131-	-133
Erosion—		
causes	109-	-114
cumulative character, discussion	116-	-117
effects on land, irrigation, water power, etc	117-	-123
farms, and forests, article by Samuel T. Dana	107 -	-134
loss from	122-	-123
preventive measures	123-	-131
suggestions for legislation.	130-	-131
types	114_	117
European countries, outbreaks of meadow mice invasions		383
		246
Evaporators, side line in connection with canneries, suggestion	557	550
Experiment Stations, United States, locations and directors	001-	-000
Exports—	=00	
agricultural, statistics	752-	-737
butter 1913–1915		675
cheese by countries to which consigned, 1913–1915		681
forest products selected 1852-1916		728
hides and skins by countries, 1913-1915	663-	-664
horses and mules 1893-1916	-	670
sheep, 1893-1916		685
mod interpolational 1019, 1015	_	691

150 I earwook of the Department of Agriculture.	
Extension work—	Page.
Extension work— agricultural, progress, 1916. State officers	44
See also County exent	-559
Dee also country agent.	
Farm—	
animals and products of, statistics	-695
conveniences for sewage disposal, details and plans	-474
dairy small typical in Tillamook County Oreg 146	-370 -148
dairy, small typical in Tillamook County, Oreg	216
income, owners and tenants, with equal capital, comparison	-341
irrigation, pumping for, article by P. E. Fuller 507	-520
land, value, percentage of increase, by States	332
life interest and attractiveness, increased by live stock	-125 -479
mortgages, bank loans, authorization.	11
products—	
exports and imports, 1914–1916, valuation, by groups	722
principal, exported to specified countries, 1914–1916	730
principal, exports, 1913–1916, destination	736
principal, imported from specified countries, 1914–1916	749 -742
value per acre, relation to percentage of tenantry	335
values estimated, 1879–1916	695
See also Agricultural products.	
property insured in mutual companies, and total values	425
sowage disposal article by George M. Warren 347	-373 -373
sewage disposal, article by George M. Warren 347 tenantry in the United States, article by W. J. Spillman and E. A. Golden-	0.0
Weiser	-346
turkey raising, directions	-416 - 270
Farmer—	-310
aid by Department, article by Carl Vrooman	3-75
fur farming as side line	-506
meeting halfway, article by Carl Vrooman	3-75
Farmers'— Alliance movements, aid to agriculture	2 71
Alliance movements, aid to agriculture. 6 herinners, advantage of tenantry, discussion. 337	-343
benefit- of Federal Farm Loan Act	0-11
convention, Centralia, III., advocacy of cooperation	63
financial problems, benefit of recent legislation. 7	2-74
irrigation, need of better cows	2-74
location in National Forests.	523
location in National Forests mutual fire insurance, article by V. N. Valgren 421	-433
need of—	0 71
financial legislation. 63–64, 7 market trains, discussion. 482	2-7 4 -483
picnics, as means of business development	211
profits from cooperative cheese factories	157
support of cooperative cannery essential to success	-244
tenant, percentage by age groups and by States	-329
improvement continuance from experiment	215
irrigation	
grouping of industries, discussion. 194	-196
place in Western Agriculture. 197 stability of industries, remarks.	-198 - 196
use of National Forests	523
See also Agriculture	
Farm-loan Act, benefit to farmers. 63, 70, 7	2-73
forests, and erosion, article by Samuel T. Dana	
live-stock, leaders in hay and grain production.	-134 468
mortgages, per cent, and average mortgage by States 393	-324
number, acreage, and value of products	107
operated by owners, increase and decrease, by States.	330

Farms—Continued.		
reconit ligation discussion processes to	P	age.
recapitalization, discussion, processes, etcsize and value, influence on tenantry practice, discussion	321-	-323
tenant, size and value, comparison with farms operated by owners, discussion	333-	-337
sion, etc.	S- 9.41	0.40
sion, etc. Farrell, F. D., and C. S. Scoffeld, article on "Agriculture on Government reclamation projects"	041- n+	-5±5
	17.	100
		1.00
appropriation of \$1,000,000 annually for 10 years.		521
approval. Federal Farm Loan Act, enactment, benefits to farmers.		521
Federal Farm Loan Act, enactment, benefits to farmers	10	-11
reed, stock, value of dasheens		000
Feeding, sheep, on irrigated lands. Feeds, source of increased dairy profits.	191-	-193
maintenance by legumes, value to farmers.	ec	67
maintenance, value of live stock.	467-	07
10cr11112er		
chemical constituents in stable manure	375,	379
use of condemned animal parts, and law requirements.		- 87
value of kelp.	308-	-310
Fertilizers, importance to farmers	301-	-302
Fever. See Texas; Typhoid. Fibers—		
exports, statistics		57.5
imports, statistics.	707	729
vegetable, imports, statistics,	709.	740
Figs—		
imports, statistics	711,	727
imports, statistics. preserved, work of canning club, Walton County, Florida		254
Filters, use in septic tanks	: •	368
FINCH, V. C., O. E. BAKER, and R. G. HAINSWORTH, article on "A graph	ie	
summary of world agriculture"	531	-553
control, importance in protection of farm property		433
insurance, farmers' mutual, article by V. N. Valgren.	491.	400 122
losses, saving in mutual companies, by inspection, etc.	432	$\frac{130}{433}$
Fires, forest—		
cause of erosion, instances	110-	-111
control		522
relation to erosion.	128-	-129
Fisher—		
occurrence, description and value of pelt.		493
pens, requirements for fur farming. Fishers, fur farming, suggestions and cost per pair.	• •	$\frac{498}{496}$
Flathead Valley, Montana, connection by road with Inland Empire territory		525
Flax—	• •	020
acreage and production in principal countries, 1913–1915	€02-	-603
acreage, world map	- -	543
imports, statistics	,726,	
* production, seed and fiber, in principal countries, 1896-1915		603
statistics, acreage, production, prices, value, etc	C03-	-606
Flaxseed-		ma n
imports, statistics. oil-cake and meal, exports, statistics.		$713 \\ 719$
prices, by U. S. geographical divisions, 1915 and 1916.		605
prices wholesale, principal U. S. markets, 1912–1916.		606
production, value and condition, U.S., 1849-1916		604
State acreages, production and farm values, 1916		604
State production and value on farm, 1916		604
State yields, values and prices. FLETCHER, C. C., article on "The stable-manure business of big cities"		605
FLETCHER, C. C., article on "The stable-manure business of big cities"	375-	-37.9
Florida—		
agricultural officers, post office addresses	, 557,	143
bamboo growing experiments		202
citrus-canker control work.	268-	
forest areas, National		701
		054

Florida—Continued. Miami and Brooksville station, plant-introduction work	135~136,	Page 143, 14-
truck growing, conditions, crops, and acreage 441–442, 4	149, 450,	455-46
Flour— trade, international exports and imports. 1913–1915	·	. 579
wheat, exports, statistics. wheat, imports, statistics.		718
		713
See also Wheat.		
Food— adulteration and misbranding, cases, 1916		. 4
and Drug Control, Cooperative State, Office, creation and work		. 4
and Drugs Act enforcement, research and inspection		46-5
crops, production, increased acreage, changes, etc		34-4
oils, some American vegetable, their sources and methods of production, principal countries, estimate and per capita	cnon	159 – 176 53
products, market-train service, possibilities.	 	477-48
some American vegetable oils, their sources and methods of pro-	oduction	1,
article by H. S. Baileystandards, importance and necessity, recommendation		159-17
standards, importance and necessity, recommendation.	on	. 49-5
supply, United States, sources, statistics, production, and protecti	.011	23-4
Foot-and-mouth disease, eradication, statistics. Forage, range, destruction by rodents.		$\frac{28-2}{2}$
Forest—		
communities, roads for, effect on relationships		. 12
legislation, warning of Secretary against unwise measures problems, relationship to against on various bureaus	· -	56-5 6
products—		0
exports and imports 1914–1916, valuation		722 - 72
exports, statistics	716-718.	736 - 73
foreign trade U. S., 1852-1916.		72
imports, 1913–1916, countries of origin imports, statistics	709-	742-74 -711-79
Service-		
road building policy		52
	·	52
Forests— development and use of agricultural resources		52
eastern, land purchases under Weeks law	.	. 54-5
erosion, preventive measures farms, and erosion, article by Samuel T. Dana		125-13
farms, and erosion, article by Samuel T. Dana		107-13
lands, National, areas by States		701-70
acreage and receipts, 1916.		52-5
administration work, 1916.	· · · · · · · · ·	. 52-6
Atlantic watershed		52
camping ground for tourists. development under the Forest Service since 1905		52
extent, note		52 52
grazing allowances, 1916		704 - 70
lack of roads and trails, 1905		52
lands purchase under Weeks law		. 54-5
management and uses.	. .	52-6
mining campsopening to freighting and tourists travel		52 52
opening up by road building, article by O. C. Merrill		521-52
receipts, 1916, increase over other years, and expected increa	se	52-5
recreation grounds, use		521, 52
revenues 1911 to 1916. roads appropriation available 1917–1927.		70 52
roads appropriations to 1925		52
statistics. timber use, grazing privileges, etc., 1911–1916.		700-70
timber use, grazing privileges, etc., 1911-1916.		70
vacation trip suggestions. Formalin, use as disinfectant in diseased citrus groves.		52
Fox—		
domestication and value of pelt.	491-492.	493-49
ranch, cost of plant		40
red, variation in color of progeny, note yard, requirements for fur farming		49
Janes - od an omorrou for far farming		- 49

Fruit-	Pag	
canneries, cooperative, business essentials for, article by W. H. Kerr 23 containers, standard sizes, establishment	37-2	$\frac{49}{14}$
industry, Markets Office work		12
marketing, remarks production on irrigated lands, discussion	. 1	86
production on irrigated lands, discussion 18	36-1 30-1	87 09
scald in storage, cause, studies	6	96
Fruits—		
color, relation to maturity	39-3	04
crops on irrigated lands	18 7 18 7	.79 '34
immature harvesting disadvantages	05-1	.06
imports, statistics. 7 maturity, color as indication, article by L. C. Corbett	11, 7	41
maturity, color as indication, article by L. C. Corbett	99-1 03-1	106 164
Fuel for use in pumping-plant engines.	19, 8	520
Fuel for use in pumping-plant engines 5 Fuller, P. E., article on "Pumping for irrigation on the farm" 5	07 - 5	520
Fumigation, woodchucks burrows	ì	394
Fur— animals—		
breeding management and suggestions	000-	501
discourse course and treatment	ハルー	いいい
domesicable, nature, value of pelts, etc.	198-	499
Irilling for pel; methods.		503
killing for pelt, methods. wounds, treatment.	502-	503 400
commercial importance	•	489
farming— as a side line, article by Ned Dearborn	189-	506
7 · · · · · · · · · · · · · · · · · · ·	_	100
cooperation of breeders, suggestions inclosures for animals, requirements and suggestions	200- 406-	-900 -900
inclosures for animals, requirements and suggestions skinning animals and care of pelts.	503-	-505
1 - 1 - manus on less	$\mathbf{x} \cup \sigma^-$	100
Furnaces, blast, potash recovery from gas.	•	304
		489
Furs— imports production in United States		489
tanning, recipe	•	505
		965
Gardening, girls' community club work in South	201,	200
Gardens— 387, injury by rodents	388,	393
plant-introduction— Department of Agriculture, article by P. H. Dorsett location and details	135	-136
location and details. Gas, blast-furnace, potash recovery.		304
		550
Georgia— 556, agricultural officers, post office addresses 556, truck growing, conditions, crops, and acreage 449, 455, 456,	459.	-465
truck growing, conditions, crops, and acreage. Germany, potash trade, sources, prices, and effects of war.	301	302
Germany, potash trade, sources, prices, and effects of war. Ginseng, exports, statistics. Gipsy and brown-tail moths, suppression, and its value to States not infested		718
Gipsy and brown-tail moths, suppression, and its value to States not intested	$\frac{1}{217}$	-226
article by A. F. Burgess		
Gipsy moth— control work	222	-226
food plants	217	-218
introduction into United States, spread and influence of property 217-219.	220	-222
occurrence and spread. parasite introduction, results	284	–285
Girls' monogoment	960	_261
Canning Club Exchange, Chattanooga, Tenn., management	471	-473
clubs, work, purpose, and results.	19	
Glenn, Charles C., article on "Station legislation and the long station industry"	289	-299 719
industry''. Glucose, exports, statistics.	· -	727
Glucose, exports, statistics. Goat skins, imports 1897–1916.		

Goats		Page.
grazing, allowances and rates on National forests grazing on National Forests, numbers, 1911 to 1916. number, world countries, map	. 703	705 700
number, world countries, map. numbers in world, by countries. Goldenweiser, E. A., and W. J. Spillman, article on "Farm tenantry in	659	553 - 662
Goldenweiser, E. A., and W. J. Spillman, article on "Farm tenantry in United States"	the	0.40
Gopher—		
pocket, habits and control.	. 387	
tunnels, probing Grades, maximum for National Forests.		$\frac{389}{526}$
wool, American and Australian		231
Grain— acreage, increase in various sections		36
exports, statistics	. 718	, 735
exports, statistics. growing, injury by rodents	7, 388	$\frac{390}{711}$
poisoned, for rodent pests, formulas	5.391	392
production, increase on live-stock farmsproducts—		468
exports, statistics		718
imports, statisticssorghums, grain, note		$\frac{711}{36}$
Standards Act—		
benefit to farmers enactment, scope, and administration	10.1	73
standards, establishment	1	0. 17
statistics, including acreage, yields, prices, etc	. 561	-610
transportation, tonnage on railways, 1913–1915Grains, small, use on irrigated lands.		$\frac{696}{179}$
Grains, small. use on irrigated lands	63, 7	1,72
Grape— fruit, susceptibility to citrus canker	. 269	. 271
sugar, exports, statistics		718
Grapes, imports, statistics. Graphic summary, world agriculture, article by V. C. Finch, O. E. Baker, a	and	711
R. G. Hainsworth	. 531	-553
Grass— growing, over subsurface sewage drainage		365
seed, imports, statistics.		713
Grasshoppers, destruction by turkeys	. 413.	. 414
allowances for National Forests, 1916.	. 703-	-705
associations, beef raising, on irrigated lands		194 700
forest. on National Forests, 1911 to 1916regulation, importance in erosion control		129
relation— beef production on irrigated lands		202
sheep raising on irrigated lands.		$\frac{193}{192}$
Grease—		87
use of condemned animal parts, law requirements	· · ·	305
Great Salt Lake, potash salts		308
Ground squirrels. ** See Squirrels, ground. Grout, cement, for pumping plant foundations		514
Gulf States, citrus-canker, spread and control	. 267-	-269
Gulf States, truck-growing development and conditions	o, 442- 131-	-444 -133
"Gully clubs," purpose, note		130
Gully erosion, characteristics and development		115 -710
		110
HAINSWORTH, R. G., O. E. BAKER, and V. C. FINCH, article on "A graphic su	m-	550
mary of world agriculture'''	. 931-	-553 715
Harvesting—		200
immature fruits and vegetables, disadvantagessugar-beet seed	. тоэ-	-106 409,

Hawaii—			T	age.
agricultural officers, post-office addresses			~~~	
				007
5mpments to and from (7, 5., 1914–1916				
5ugar production, 1650-1917 and 1915-1916	642	615	017	731
taro growing and room use			ana	000
Hawks, usefulness in destroying rodents		• • • •	200-	
Hay—		• • • •	• •	398
acreage, production, value, exports, etc., U.S., 1849-1916				000
exports, statistics				620
imports, statistics.			• •	719
Drices				711
on farms, by U. S. geographical divisions, 1915–16.				000
wholesale, 1912-1916.			• •	622
production, increase on live-stock farms.	• • • •			623
Diate acresces production and tarm reduce 1016				468
State yields, value, and prices on farms, 1907–1916. States, tenant farmers, percentage by ages, groups.		• • • •	007	621
States tenant formers nercontage by ages ground		• • • •	021-	-622
statistics, acreage, yield value, prices, etc.			0.20	323
transportation, tonnage on railways, 1913-1915.		• • • •	620-	
Health—		• • • •	• •	696
dangers from want of sanitation on farm				
Samples from want of sampletion on farm.		• • • •		47-
Service work in cooperation with Biological Survey				390
Hemp-				
imports—				
1852–1916				720
statistics	·			709
Herding turkeys, ranch methods, etc.		·	414.	41'
Heredity, power, illustrated in work of bull associations			316	-31
Hides—				
exports, statistics				713
imports—				
1897–1916				72'
1913–1916, origin	· •			739
statistics				708
trade, international by countries, 1913–1915			663-	-66
Hor cholora				
control, remarks. eradication progress, losses, and results of treatment	. .			188
eradication progress, losses, and results of treatment			68	5-66
spread by visits to diseased herds				473
Hogs-				
exports, statistics	. 			718
grazing-				
allowances and rates on National forests	. .		703-	-70
on National Forests, numbers, 1911 to 1916				700
imports, statistics				70
marketing, remarks.			188	
number, world map			-50,	55.
numbers in world, by countries			659	
prices—			000	00.
wholesale on leading markets, 1912–1916				693
wholesale, principal markets		••••	• •	693
raising on irrigated lands, discussion		••••	187	_120
State numbers and value on forms 1916 and 1917		• • • •	101	692
State numbers and value on farms, 1916 and 1917statistics, numbers, and values, on farms, 1867–1917			• •	69.
tuberculosis, control and eradication			• •	2
			••	40
Home demonstration work— effect on the community and the county in the South, article b	T R	ndfo	rd	
Knapp and Mary E. Creswell	y 101	auro	257	266
Khapp and Mary 12. Oreswell			201.	25
nature and object. scope, organization, and success in various counties in South		• • • •	251	20.
scope, organization, and success in various counties in South.			201	-209
social features, Hamilton County, Tenn			201	7200
Honey, imports, statistics				708
Hops-			go H	en
acreage and production, principal countries, 1913–1915			037	-038
exports—				mo
1852–1916	- -	·		728
1913–1916, destination				738
statistics	. .			719

Hops—Continued.	
imports—	Page.
1882-1916	726
statistics	711
prices, wholesate, 1912–1916	-639 638
statistics acreage vield value prices etc.	000 1839–
statistics, acreage, vield value prices, etc. 637 trade, international, exports and imports, 1913–1915.	639
Horse	
heavy drait, decrease of demand for	470
manure, amount per year per animal	378
type in demand for farm use	470
Horsebreeding industry and stanion registation, article by Charles C. Glenn. 288 Horses—	-299
exports—	
1913–1916, destination	732
statistics	715
grazing—	
allowances and rates on national forests	
on National Forests, 1911 to 1916	700
imports— 1913–1916, origin	738
statistics	-707
number, world map	548
numbers	
and value on farms, 1867–1917	666
in world, by countries	-662
values and prices, 1867–1917	-669
prices— at St. Louis, 1900–1916.	668
by classes, Chicago market, 1901–1916.	668
statistics, imports, exports and prices, 1893–1916.	670
Horticultural Board, Federal, supervision of plant inspection	-138
Housing pumping plants	516
Houston, D. F., report as Secretary of Agriculture, 1916 Howard, L. O., article on "The practical use of the insect enemies of injurious	9-61
Howard, L. O., article on "The practical use of the insect enemies of injurious	റെറ
insects"	-200 417
Humus sources, and value of barnyard manure	468
Icerya. See Scale, fluted.	
Idaho	
agricultural officers, post-office addresses	, 558
truck crops, acreage, notes	, 400
agricultural officers, post-office addresses	558
cooperative bull associations, number, 1916	311
truck crops, acreage, notes	-465
Imperial Valley, camping ground for residents.	525
Imports—	
agricultural— products, statistics	771
statistics. 722–723, 725, 738	
butter, 1913–1915	675
cattle, 1893–1916	670
cattle, 1893–1916cheese, by countries from which consigned, 1913–1915.	681
forest products, 1852–1916	729
hides and skins, by countries, 1913–1915. 664 horses and mules, 1893–1916	
mules, 1893–1916.	$\frac{670}{670}$
sheep, 1893–1916.	685
sheep, 1893–1916. wool, international, 1913–1916.	691
Incineration, disposition methods for condemned carcasses.	87
Indiana—	
agricultural officers, post-office addresses. 556, 557	,558
truck growing, conditions, crops, and acreage. 446, 447, 455	-465
Indigo, imports, statistics. Insect enemies of injurious insects, practical use of entirely by I. O. Harrard 277	711

Insects—			
beneficial—		12	22P.
difficulties of work in certain conditions		007	5.55
reasons for success under certain conditions.	:	270 370	200 901
COLUCI			
biological method, outlook.		oo-	000
cultural methods, work of Entomology Bureau.		-162	288
injurious—		- 40	-42
control work			
control work		- 40	-42
insect enemies. practical use of, article by L. O. Howard	:	273-	288
introduction on plant imports, prevention		137-	138
leaf-feeding, control by spraying.			41
Inspection—			
cheese, work in cooperative manufacturing.		153-	154
100ds and drigs, recommendation of Secretary			50
nve stock, statistics, 1907–1916			694
meat, remarks. plant importations. precautions and records		_	693
plant importations, precautions and records		137-	138
See also Meat inspection.			
Inspectors—			
meat, requirements		9.5	-96
plant, duties and record cards.		197	190
Insurance-		101,	100
companies, farmers' mutual, numbers, and cost, statistics		101	100
cost, saving in farmers' mutual companies.	100	400	420
fire, farmers' mutual, article by V. N. Valgren	420,	4.00-	40L
ing, farmers initial, article by V. N. valgren		421-	433
Interstate Commerce Commission, sentiment leading to estal lishment of		. 63	, i2
Intestinal diseases, precautions in sterilizing excreta.	· · · ·		
Iodine, recovery from kelp		•	310
Iowa—			
agricultural officers, post-office addresses. cooperative bull associations, number and work, 1916 311.312,	556,	557,	558
cooperative bull associations, number and work, 1916 311, 312,	313,	314,	318
dairying experiment			209
dairying experiment. farms, population. and property value. comparison to Newton. Mass.		371,	373
truck growing, condition, crops, and acreage	447,	455-	465
Irrigated lands—	,		
cotton growing		184-	-186
relation to sugar-beet industry		180-	181
Irrigation-			
agriculture under basic conditions			177
conditions favorable to sheep raising		191_	193
effect of erosion, discussion.		110	191
extent of lands and principal crops.		110-	172
farm, pumping for, article by P. E. Fuiler.		507	590
	· - •	001-	-04U
farming—		104	100
grouping of industries, discussion		194-	-100
place in western agriculture.	• • •	T91-	100
stability of industries	· - · ·	-	190
pump, costs, comparison with gravity system		507,	920
relation of dairying to farming		189,	190
taro, Hawaii effect on crop			200
Istle, imports. statistics			709
Italy, mulberry scale, control by parasite, Prospattella berlesci		286-	-287
Ivory, vegetable, imports, statistics	- -	-	710
Jacks			
number, by classes, in 18 States			261
See also Stallions.			
Jacksons Hole, Wyoming, road from, to Victor, Idaho, over Teton Pass			525
		-	J
Japan— source of beneficial parasites of several injurious insects	283	284	287
source of citrus-canker disease	₽ 00,	267	271
source of charge-canker disease		٠٠٠,	$\frac{271}{201}$
taro, use as food		•	$\frac{201}{246}$
Jelly making from canned juices, side line for canneries.		•	139
Jujube, description and testing.		-	
Tute imports statistics			709

104 I Earovon of the Department of Lightentiale.	
	Do 20
Kasir corn introduction, and value of annual yield	Page. 66
Kansas—	00
agricultural officers, post office addresses	556, 557, 558
truck growing, conditions, crops, and acreage	446, 455-465
Kellerman, Karl F., article on "Cooperative work for eradicating	citrus
canker"	267-272
Kelp— deposits, Pacific Coast, potash source	308-310
harvesting establishments, cost and capacity	45
source of potash, surveys and experiments	44-46
Kentucky, agricultural officers, post office addresses 556,	557, 558, 559
Kerr, W. H	1
and Hecror Macrherson, article on "A federated cooperative of	heese
manufacturing and marketing association"article on "Business essentials for cooperative fruit and vegetable	L40~10/
neries"	237-249
KNAPP, BRADFORD, and MARY E. CRESWELL, article on "The effect of	home
demonstration work on the community and the county i	n the
South"	251-266
Kochele, Albert, work in importation of Australian ladybird	274, 275–276
Korea, source of citrus-canker disease	267
Labels, meat-inspection, honesty requirements	1002
Labor—	01
canneries, importance of source and supply	239
sugar-beet industry, remarks	180
Laboratories, entomological work in insect control in field	42
Ladybird, Australian—	0== 0==
description.	219-217
enemy of fluted scale, benefit to citrus-fruit growersenemy of fluted scale, importation and work	64 273_278
Lakes—	270 270
National Forest, sites for summer communities, remarks	524
western, potash sources	306–308
Land-	
fertility, losses from erosion	118
ground-water level, effect of erosionimproved, acreage per capita, world countries, discussion	118-119
Lands—	001-000
exchange. National Forests, school lands, etc	55
i re-t, parchase under Weeks Act, acreage and cost	51–55
washed, reclamation	131–133
waste, utilization under dry farming	66
Landslides, characteristics and causes. Lantz, David E., article on "Destroying rodent pests on the farm"	115
Lard—	581-595
exports, statistics	716
substitutes, use of corn oil, note	176
Laws—	
agriculture, enactment and scope.	10-11
beneficial to farmers, causes and results. 63,	68, 72, 73, 74
farmers' mutual insurance, States enacting Leafhopper, sugar-cane, control by parasites.	278_280
Lease, tenant, problem.	345-346
Legislation	
beneficial to farmers, causes and results	68, 72, 73, 74
farmers' mutual fire insurance.	422–424
stallion, and the horsebreeding industry, article by ('harles ('. Glenn.	289-299
Legumes, use in maintenance of soil fertility, use of bacteria. Lemon, susceptibility to citrus canker.	66-67
Lemons—	
imports, 1897-1916.	727
imports, statistics	711
Lettuce production, States and acreages, by States	449, 450, 463
Licorice root—	
imports, 1857–1916	726
imports, statistics.	711

Linseed—	Page.
imports, statistics	713
	719
Liquors— alcoholic, exports, statistics.	710
alcoholic, imports, statistics	719
Live stock—	1-114
and products of, statistics, numbers, values, prices, etc	9-695
exports, statistics	715 .
farm, sanitation, importance	'3 -1 74
feeding, economy in use of roughage. function in agriculture, article by George M. Rommel	469
function in agriculture, article by George M. Rommel	37-475
grazing on National Forests, 1911–1916.	700
imports, statistics	708
industry, development. marketing, surveys and plans.	12_14
numbers, world, map	18-553
numbers, world, map	59-662
protection against predatory animals on ranges	29-30
relation to motive power on farm	39-470
source of improvement of diet and reduction of living costs 4	7 4-4 75
source of income, special branch of farming	4/1
source of interest and attractiveness of farm life. 4 value in converting crops into meat and dairy products. 4	71-473
value in converting crops into meat and darry products	468
Living cost, reduction by keeping live stock. 4	79 74
Loans, farmers', effects of farm-loan and warehouse laws. Logs, imports, statistics.	710
	710
Louisiana— agricultural officers, post office addresses	58, 559
bamboo growing experiments, Avery Island	143
citrus control work	269
643. 6	44,650
truel- growing conditions crops and acreage	:00-460
wool marketing, work of Markets Office and extension service of confege	236
Lumber—	
exports— 1852–1916	728
by species, statistics.	717
by species, statistics. 1913–1916, destination.	737
immorta	
statistics	710
1852-1916	729
Tumboring	
congenitative importance in erosion control.	29-130
destructive, cause of erosion, instance.	73-119
Lumpy jaw, cattle disease, injury to only part of carcass	. 02-00
Macaroni, imports, 1897–1916.	727
Macaroni, imports, 1897-1910.	165–167
Macaroni, imports, 1897-1910. Machinery, cottonseed-oil presses, types and operation. MACPHERSON, HECTOR, and W. H. KERR, article on "A federated cooperative types are consisting."	Э
cheese manufacturing and marketing association"	145–157
Maine— agricultural officers, post office addresses	558, 559
cooperative bull associations, number, 1915–1916	311
truck crops acreage, notes	±00 -1 00
Maize. See Corn.	
Maize oil. See Corn oil. Malanga, name for dasheen in Cuba	201
3.6.14	
Malt— exports, statistics	. 718
exports, statistics liquors, exports, statistics Mangifera indica, experimental planting and testing, Florida.	. 719
Manaifera indica, experimental planting and testing, Florida	. 144
Manguera inaica, experimental planting and testing, Florida	. 144
Manila—	
•	726
mports— 1852–1916	709
gtot101100	

to the solid system of the system and system	
Manure— Pag	·e•
barnyard, value as source of humus in soil	
mixing with peat or muck, valuable compost	
stable	
business of big cities, article by C. C. Fletcher	79
grading, storing, and handling	7
shipment methods	76
Value as fertilizer, and prices. 5/5, 3/8-3/	:9 :0
Market—)3
booth, canning-club products, Chattanooga market house, management. 260-26	37
demands in canned goods, meeting	18
news service, demonstration.	15
news service, demonstration	
ance, history	36
trains—	
advantages, obstacles, and requirements. 482-48	57 20
Philadelphia, service, rates, and requirements	54 78
Marketing-	0
canned goods importance to canneries 248-24	19
canning-club products, management in Hamilton County, Tenn	31
cheese, control, and business practice	57
cotton, remarks	35
crop, problems on irrigated lands. 17 farm produce, market-train service, possibilities. 477–48	79
fruit, remarks 18	57
fruit, remarks. 18 hogs, remarks. 188, 18	20 20
live stock and meat, surveys and plans	14
potatoes	32 -
sheep industry, remarks 19 turkeys, methods 416-41	}3
turkeys, methods	17
wool, methods	36
Market-train service—history. 478–47	~0
need. 476-47	
possibilities of a, article by G. C. White and T. F. Powell. 477-48	37
Markets—	
Bureau, work and results, review by Secretary	18
foreign, investigations.	15
hog, wholesale prices, 1912–1916	
horse, numbers received 66 horse, receipts at principal United States live-stock markets 66	
horse, United States, prices.	
Office—	,,,
creation, and change of name. 9, 1	11
creation and scope.	70
relation to irrigation farming 19)6
Mormota spp. See Prairie dogs; Woodchucks.	
Marmots. See Prairie dogs; Woodchucks. Marshall, F. R., article on "Progress in handling the wool clip: development	
in the West"	36
Marten—	, ,
occurrence, domestication, and value of pelt	$^{)2}$
pens, requirements for fur farming	
Martens, fur farming, suggestions, and cost per pair) 6
Maryland—	: ^
agricultural officers, post-office addresses 556, 557, 558, 55 cooperative bull associations, number and work 311, 314, 31	7
early types of sewage disposal	33
truck growing, conditions, crops, and acreage	55
Yarrow garden, plant-introduction work	10
Massachusetts	
agricultural officers, post-office addresses	9
cooperative bull associations, number and work. 311, 31	14: 39
early types of sewage disposal	26 26
gipsy and brown-tail moths, prevalence, damage, and control work 217-21	9
22.	-

Massachusetts—Continued.	D.	
Newton, sewer data, population, and property value	Pa;	·~,
Meadow mice, habits and control. 440, 450 Meal—	383-3	8
corn, exports, statistics	-	1
on-cake, international trade, exports and imports, 1913-1915	6	5.
Meat-		
importations and condemnations	6	;¥,
ante mertem, methods and official marks	80-	8
application requirements Federal, need of State and municipal inspection to supplement		7
Federal, need of State and municipal inspection to supplement	94-	9.
Federal, remarks. granting, efficial number, etc.	6	19; -
post-mortem, methods and law requirements post-mortem, various stages, methods, and meanings	83-	8
post-mortem, various stages, methods, and meanings	81-	8
quantities with condemnations. sanitation requirements		~
inspectors, and thench sand numbers	95-	9:
production, form of disposing of farm crops	4	6
products		
exports, 1913–1916, destination	732-7	3
inspection and reinspection, methodssound and unsound, presence in same carcass, studies by inspectors	87-	-81
supply, increase methods	91	-2
Meat food products, inspection, regulations, and marking.		9
Meat-inspection—		
force—		
Federal, work, expenditures, and inspection cost per animal personnel, classes, and number	96-	9
labels, honesty requirements	95 90	91
labels, honesty requirements laboratories, regulations and scope of work	93-	g.
marks, inscriptions, etc	88-	9(
regulations, distribution of copies by Animal Industry Bureau		78
service—— Agriculture Department, United States, article by George Ditewig	77 /	o:
purpose, and bureau administration.	. 17-	77
Meats—		
condemned, denaturization		87
condemned, disposition and usesexports—	. 86–	Sī
1852–1916	7	24
1913–1916. destination	732, 7	33
1913–1916. destination. imported, inspection regulations and marking.		9]
imports, statistics		98
marketing, surveys and plans. Medicinal preparations, labeling, improvement under Sherley amendment	. 13-	14 48
Mercury bichlorid, use as disinfectant in diseased citrus groves.	. 2	70
Mercury bichlorid, use as disinfectant in diseased citrus groves. Merrill, O. C., article on "Opening up the national forests by road building"	521-53	20
Meyer, Frank W., discovery of chestnut-bark disease, note	. 1.	40
Miami Plant-introduction Garden, location and work	135, 1-	44
field, short-tailed. habits and control.	383-38	85
house, control, directions for trapping	396 - 39	97
white-footed, habits and control	385-38	86
Michigan—		- ^
agricultural officers, post-office addresses. 556, 557.	558, 56	59 19
cooperative bull associations, origin, membership, etc	455-46	10 65
Milk—	-00 11	,,,
handling at cooperative cheese factory, cheese yields, cost, etc		
market improvement, result of food-inspection work		47
production, increase measures. trains, service as market trains.	. 2.	10 70
Mills, beet-sugar, number and capacity.	399. 40	, a 00
Mining camps, location in National Forests	. 52	23

Mink—			r	age.
domestication, and value of pelt				491
pens, construction and requirements			497-	498
ranch, cost of plant				496
Minnesota—		~~		
agricultural officers, post-office addresses	. 556,	557,	558,	559
truck growing, conditions, crops and acreage	4.16	147	511.	314
Mississippi—	. 440.	447,	400-	-460
agricultural officers, post-office addresses	556	557.	558	559
citrus-canker control work				269
home-demonstration work in Harrison County, scope and succe	88		251-	-252
truck growing, conditions, crops, and acreage	9, 455–	-457.	459-	-465
Missouri—				
agricultural officers, post-office addresses.	. 556.	557,	558,	559
truck growing, conditions, crops, and acreage		448,	400-	-465
Molasses— inports—				
1852–1916				726
statistics.				714
Montana-				
agricultural officers, post-office addresses	. 556,	557,	558,	559
regions, relation to national forests				522
Mortgages, injury to larmers' interests			7	1-72
Moths—	,	,	222	
gipsy and brown-tail, natural enemies, use in control, studies a	nd wo	rk.	222-	-223
gipsy and brown-tail, parasites importation	t infor	to.l	282-	~Z86
article by A. F. Burgess.	6 Intes	stert.	, 977-	-226
Motor car, relation to vacation trips.				524
Mountain—			• •	021
lands, purchase under Weeks Act, acreage and cost			5-	1-55
roads, grades and travel.				526
Mulberry-scale parasite, introduction into Italy.	· · · · · ·		286-	-287
Mules—				
exports— 1893–1916				cmo.
statistics.			•	$670 \\ 715$
imports, exports, and prices, 1893–1916.			•	670
number—			-	070
and value on farms 1916 and 1917, by States.				667
and values on farms, United States, 1867-1917				666
in world, by countries	. <i></i>		659 -	
worl I (and asses) map. prices at St. Louis, 1900–1916.			-	549
Muskrats, value as fur animal.		· - • •	007	668
Mutton, exports, statistics.			381,	$\frac{395}{715}$
mutoton, on portos, standardo			•	119
Nebraska—				
agricultural officers. post-office addresses	556,	557,	558,	559
carbonate lakes, potash deposits			306-	-307
truck-crops, acreage notes	455-	161,	463-	-465
Nevada—				
agricultural officers, post-office addresses.				
New England, mutual insurance, property value and cost	, 400-	101, 199	463~	465
New Hampshire—				
agricultural officers, post-office addresses.	556.	557	558	559
truck crops, acreage, notes	455-	461.	463-	465
New Jersev—				
agricultural officers, post-office addresses	556,	557,	558,	559
truck-growing conditions, crops, and acreage 437	'-438, '	449,	455-	-465
	220			
agricultural officers, post-office addresses. Deming, alfalfa irrigation, typical.	. 556,	ob7 ,	558,	559
forest areas, National			-	$\frac{510}{702}$
forest areas, National Portales, irrigation project, development of wells			-	518
truck crops, acreage, notes	3, 458-	461	463-	$\frac{310}{465}$

New York—			TP	age.
agricultural officers, post-office addresses	556.	557.	558	559
City, stable manure annual tonnage and value				375
farmers' mutual fire insurance law enactment, etc.			422	
Otsego and Essex counties, wool marketing truck-growing conditions, crops, and acreage 446, 447,	450		;	235
"Nigger canyon," erosion, cause and results.	400,	491,	1 99–	465 111
Nitrogen, recovery from kelp.			:	309
North Carolina—				
agricultural officers, post-office addresses.	556,	557,	558,	559
cooperative bull associations, number, 1916 home-demonstration work, scope and success.	252	959	261	311
truck growing, conditions, crops, and acreage. 440–441, 449, 450,	455	456.	459-	465
North Dakota—	,			
agricultural officers, post-office addresses.	556,	557,	558,	559
cooperative bull associations, number and work.		• • •	311,	318
Mandan field station, dry-land elm testing	• • • •		•	102
forest areas, National. Mandan field station, dry-land elm testing. truck crops, acreage, notes	458-	461.	464.	465
Northern States east of Rocky Mountains, truck-growing conditions.			446	447
Nurseries, plan	· · · · -			
Nursery stock— imports, statistics.				712
injury by rodents			386.	388
injūry by rodents				713
Nuts				
exports, statistics		·	710	719
imports, statistics	• • • •		712,	741 -140
instactio, description, usos, and commercial various		· · · ·	100	1.10
Oatmeal—				
exports, statistics	. 			718
value as bait for mouse and rat traps	· · · ·	• • •	396,	397
Oats—				
acreage— production, value, prices, etc., 1849–1916	 .			582
production, value, prices, etc., 1849–1916world map.	<i>.</i>	. .		539
production, value, prices, etc., 1849–1916world map.	<i>.</i>	. .		539
production, value, prices, etc., 1849–1916	 		580-	539 581 586
production, value, prices, etc., 1849–1916	 		580-	539
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices—			580-	539 -581 586 718 37
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1	916.		580-	539 -581 586 718 37 585
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916.	916.		580-	539 -581 586 718 37
production, value, prices, etc., 1849–1916. world map area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production—	916.		580-	539 -581 586 718 37 585
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916.	916.		580-	539 -581 586 718 37 585 586
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913.	916.		580-	539 -581 586 718 37 585 586 584 533
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913.	916.		580-	539 -581 586 718 37 585 586 584 533
production, value, prices, etc., 1849–1916. world map area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'vields, prices, and values.	916		585-	539 -581 586 718 37 585 586 584 533 -586
production, value, prices, etc., 1849–1916. world map area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc.	916		585- 580-	539 -581 586 718 37 585 586 584 533 -586
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915.	916		585-580-	539 581 586 718 37 585 586 584 533 583 -586 -587
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses.	916	557.	580	5399-581 586 718 37 585 586 584 533 -586 -587 587
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses truck growing, conditions, crops, and acreage. 446,	916	557.	580	5399-581 586 718 37 585 586 584 533 -586 -587 587
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses. truck growing, conditions, crops, and acreage. 446, Oil— corn. See Corn oil	916 556, 447,	557,	580- - - - 585- 580- - 558, 455-	5399-581 586 718 37 585 586 584 533 -586 -587 587
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses. truck growing, conditions, crops, and acreage. 446, Oil— corn. See Corn oil. cottonseed, trade international, 1913–1915.	916 556, 447,	557,	580- - - - 585- 580- - 558, 455-	5399-581 586 718 37 585 586 584 533 -586 -587 587
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses. truck growing, conditions, crops, and acreage. Oil— corn. See Corn oil. cottonseed, trade international, 1913–1915.	916. 556, 447,	557,	585- 585- 580- 585- 455-	539 -581 586 718 37 585 586 -587 587 -587 -465
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses. truck growing, conditions, crops, and acreage. 446, Oil— corn. See Corn oil. cottonseed, trade international, 1913–1915. See also Cottonseed oil. fuel use in nump engines, costs	916. 556, 447,	557,	580	539 -581 586 718 37 585 586 -584 583 583 -586 -587 -465 629 , 520
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses. truck growing, conditions, crops, and acreage. 446, Oil— corn. See Corn oil. cottonseed, trade international, 1913–1915. See also Cottonseed oil. fuel, use in pump engines, costs. lubricating, factor in cost of pump engines.	916. 556, 447,	557,	580	539 -581 586 718 37 585 586 -587 587 -587 -465
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses truck growing, conditions, crops, and acreage. Oil— corn. See Corn oil. cottonseed, trade international, 1913–1915. See also Cottonseed oil. fuel, use in pump engines, costs. lubricating, factor in cost of pump engines. olive. See Olive oil. peanut See Peanut oil.	556, 447,	557,	585- 585- 580- 558, 455-	539 -581 586 718 37 585 586 584 533 -586 -587 587 629 , 520
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses truck growing, conditions, crops, and acreage. Oil— corn. Sec Corn oil. cottonseed, trade international, 1913–1915. See also Cottonseed oil. fuel, use in pump engines, costs. lubricating, factor in cost of pump engines. olive. Sec Olive oil. peanut. Sec Peanut oil. storage tank for pumping plants.	556, 447,	557,	585- 585- 580- 558, 455-	539 -581 586 718 37 585 586 -587 -587 -465 629 -520 516
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses. truck growing, conditions, crops, and acreage. 446, Oil— corn. See Corn oil. cottonseed, trade international, 1913–1915. See also Cottonseed oil. fuel, use in pump engines, costs. lubricating, factor in cost of pump engines. olive. See Olive oil. peanut. See Peanut oil. storage tank for pumping plants. yeegtable imports, 1913–1916, origin.	916 556, 447,	557,	580	539 -581 586 718 37 585 586 583 -586 -587 -465 629 -465 741
production, value, prices, etc., 1849–1916. world map. area and production in principal countries. condition of crops by months, United States, 1896–1916. exports, statistics. Kherson, increased acreage and yield. prices— on farm by United States geographical divisions, 1915 and 1 wholesale, 1912–1916. production— and distribution, United States, 1897–1916. principal countries, 1911–1913. State— acreages, production, and farm value, 1915 and 1916. 'yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. trade, international exports and imports, 1913–1915. Ohio— agricultural officers, post-office addresses truck growing, conditions, crops, and acreage. Oil— corn. Sec Corn oil. cottonseed, trade international, 1913–1915. See also Cottonseed oil. fuel, use in pump engines, costs. lubricating, factor in cost of pump engines. olive. Sec Olive oil. peanut. Sec Peanut oil. storage tank for pumping plants.	916 556, 447,	557,	580	539 -581 586 718 37 585 586 -587 -586 -587 -465 629 -520 516

110 I earovok of the Department of Agriculture.	
Oil cake— Page	Δ
exports, statistics. 719,735,73	36
trade, international, exports and imports, 1913–1915	4
Oils	
edible, nature, food uses and value, discussion	
essential, imports, statistics	.3
exports, statistics	86
food, sources and methods of production of some American, article by	
H. S. Bailey	'G
imports, statistics	
volatile or essential, imports, statistics	.8
Oklahoma—— agricultural officers, post-office addresses	10
cooperative bull associations, number, 1916	
forest areas, National. 70)2
home demonstration work in Bryan County, scope and success	54
truck growing, conditions, crops, and acreage. 446, 448, 455-457, 459-461, 463-46	
Oleo oil, exports, statistics	
Oleomargarine, exports, statistics	.b
Olive oil— adulteration and misbranding practices, note	19
American, quality, and method of extraction	33 31
imports, statistics	36
preparation for market, practices	33
sources, extraction processes, grades, etc	33
Olives	
American—	
comparison with Italian varieties, note	
oil content, and demand for pickling 160–16 imports, statistics 71	
Onion crop, destruction by floods, 1915.	
Onions—	
imports, statistics	27
imports, statistics	j4
Opium—	
crude, imports, statistics	
imports, statistics	εL
Orange— navel, introduction, and value of annual yield	36
Satsuma, resistance to citrus canker	
susceptibility to citrus canker	ñ
trees, California, threatened destruction by fluted scale	4
Oranges—	
exports, statistics	4
imports, statistics	
Orchard trees, protection from rodents	ΙĐ
Oregon—	-1
agricultural officers, post-office addresses	69
cooperative bull associations, number, 1916.	
dairving conditions and development. Tillamook ('ounty	
forest areas, national	12
Tillamook County—	
climate, and historical notes	:8 -
truck growing, conditions, crops, and acreage	17
Otter— 445, 455–46	Ð
nature and value of pelt49	3
vard, requirements for fur farming.	
Otters, für farming, suggestions and cost per pair	
Overgrazing, cause of erosion, losses, instances	
Owis, usefulness in destroying rodents on farms 39	
Oysters, pollution, studies. 4	7
Pacific coast—	
kelps deposits, potash source	0
kelps deposits, potash source	5
2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	-

The Line have and Justin	F	age.
Packing-house products—		
exports, 1852-1916. exports, statistics.	. 265-	
1mports, 1913-1916, origin		715 739
Packing houses, cooperative farmers investigation		13
Paranageus optabults, parasite of sugar-cane leathonner		2-0
Farasite, mulderry scale introduction into Italy	286-	-287
Parasites—		
gipsy moth and brown-tail moth, importation	282-	-286
sugar-cane insects. Parexorista cheloniae	278-	-281
European and American forms, discussion		285
introduction, results	•	985
introduction, results. Parks, National, administration, relation to National Forests, etc.	. 58	-59
Pastures—		
cornstalk fields, note		210
irrigated, use for sheep. summer, need for beef production under irrigation.	-	192
summer, need for beet production under irrigation		193
Peach— Davidiana hardiness and value in hybridiantian		7.40
Davidiana, hardiness and value in hybridization	•	142 142
Peaches—	•	142
exports, statistics	_	718
statistics, production and prices		637
State production and prices, 1910–1916.	-	637
Peanut oil—		
grades, description and uses	171-	
production at Marseille	1 - 1	171
production, processes	171-	173
Peanuts— value for oil production.	170	171
varieties used for oil, recommendation.	110-	172
Pear thrips, control		41
Peas-	-	
acreage grown for canneries, 1913, 1914, 1915		452
exports, statisticsgreen, production and acreages, by States	•	720
green, production and acreages, by States	449,	461
imports, statistics. statistics, acreage and production, principal countries, 1913–1915.	-	642
Pellagra, cause and preventive methods	•	475
Pelts, stretching boards, requirements.	•	504
See also Skins		
Pepper, imports, statistics. Peppers, green, production and acreages, by States.		713
Peppers, green, production and acreages, by States	450,	462
Pennsylvania—		
agricultural officers, post-office addresses	558,	999
truck growing conditions, crops, and acreage	978.	-38U
Perkinsiella saccharicida, control by parasites. Persea americana, growing in Florida and California and testing hardy varieties	143-	-144
Persimmon, Chinese varieties, experimental plantings		140
Pests rodent, on the farm, destroying, article by David E. Lantz	381-	-398
Philadelphia, market trains, service, rates, and requirements	480-	-482
Philippine Islands, sugar production, 1856–1917	-	643
Phosphate, acid, addition to manure to increase value	377,	379
Picking fruits and vegetables color as indication of maturity	459-	-453 -100
Pickling, cucumbers, acreage supplying. Picnics, use in dairy development experiment.	911.	- 1 55
Pig clubs, organization, number, value to young people	472 -	-473
Pikes Peak Highway, construction		527
Pine-		
mice habits and control	383-	-385
goods noisoned use in control of rodents	-	386
Pineapples, imports, statistics	-	711
Pistache— Chinese, value, and beauty as shade tree		140
Chinese, value, and beauty as shade tree, introduction, experimental plantings, and value	139-	-140
tree, introduction, experimental plantings, and value		-10

Pistacia— Page chinensis, value, and beauty as shade tree. 14 vera, introduction, description, and testing. 139–14 Pit privy, principle, site, and management. 350–35 Pittsburgh, market trains, service, popularity, and discontinuance, history. 483–484 Plague, bubonic, spread by rodents. 39	0 0 2 1,
Plant—	U
disease specialists, Gulf States, directory 26 diseases, control work 3	9
inspection, records of plant introduction, cards, etc	7
cost and value	6
recent, work at gardens	4
Plant-introduction gardens of the Department of Agriculture, article by P. H. Dorsett	4
Plunger pumps, description and use in irrigation 510–511, 512, 51-70i, making and value as food 200 Poison—	4
baits for rodent pests	5
wash for protection of orchard trees. 399 Populations, density in various countries, and per capita of crop acreage and production. 531–53:	5
Pork—	2
cooking as safeguard against trichingsis	3
exports, statistics	3
production on irrigated lands, discussion	j
agricultural officers, post-office addresses	
shipments to and from United States, 1914–1916. 731 sugar production, 1856–1917 and 1913–1916. 643, 647 Potash—	
American sources 301–316	n
by-products of cement and blast furnaces	4
deposits, natural, in United States	3
natural resources, importance of developing, article by Frederick W. Brown	0
recovery from kelp, methods and by-products. 308-310 salts recovery from wood wastes. 305-306	0 6
source, kelp, surveys and experiments. 44-46	
Potassium chloride from Searles Lake, estimate	
acreage—	
production, principal countries, 1913–1915	4
world map	ŏ
condition of crop by months, United States, 1895–1916. 615 exports, statistics. 726 imports, statistics. 714)
growing as truck, increase from 1890-1915, discussion and notes. 436-438, 439-447	
prices— farm, by United States geographical divisions, 1915 and 1916	
production— irrigated lands, discussion	3
total, and yield, principal countries, 1900-1915	

Potatoes—Continued.		
State—	P	age.
acreages, production, and farm values, 1916.		614
vields, value, and prices on farms, 1907-1916		613
statistics, acreage, vield, value, prices, etc.	611-	-617
sweet. See Sweet potatoes.		
trade, international, exports and imports, 1913-1915		617
varieties. limitation on irrigated lands.	-	182
Fourtry—		
clubs—		
organization, number, and value to young people	472-	-473
Hamilton County, Tennessee.	•	255
exports, statistics	•	716
products, exports, statistics	-	715
National Forest, Utah, road opening communication with upper Colorad-	0	
ValleyT. F., and G. C. White, article on "Possibilities of a market-train service".	·	920
Prairie dogs, extermination—	4,1-	-457
methods and cost	200	202
work of Biological Survey	59Z-	-595 29
habits and control	209	
Precipitator, electrical, use in saving potash by-products.	303 997-	-3 <i>8</i> 0
Predatory animals, destruction of live stock.	ა∪ა, 90	1 <u>.30</u> 5
Preserves—		<i>)</i> —0(
fruits, exports, statistics		718
vecetable exports statistics	•	720
vegetable, exports, statistics. President Wilson, citation on unwise forest legislation.	•	$\frac{757}{57}$
Prices—	•	.,,
butter on farm, by States, 1916.		676
chickens, on farms by States, 1916.	•	682
eggs on farm, by States, 1916	-	678
seed, variation	_	183
wholesale—		
butter at market centers, 1912–1916	. `	674
cattle at principal markets, 1912–1916		673
eggs, at principal markets, 1912–1916.	-	680
Privies, types, details, and general objections	350-	-360
Processor, cannery, qualifications and importance of work		243
Propagators, plant, duties, and work at plant-introduction gardens		137
Prunes—		
exports, statistics		734
imports, 1887–1916	<u>.</u>	727
Prunus pseudocerasus, description and value, testing in California	141-	-142
Pseudomonas citri, bacillus causing citrus canker	٠	$\frac{269}{7}$
Publications, Department, technical character, etc	. 67	7-68
Publicity, usefulness in farming improvement, remarks	•	213
Pulp, wood—		-10
imports, 1913–1916, origin	-	743
trade, international, 1913–1915	•	657
Pumping— efficiency, estimation		513
irrigation on the farm, article by P. E. Fuller	507.	
	001-	-020
plant— cost, and cost of operation	519.	-526
foundations, suggestions, concrete formulas, etc	OLU	51-
installation features, foundations, beltings, etc	514	-511
repairs, provision for	-	516
size for individual farms	508	-510
Pumps, types used for irrigation, description	510	-51-
werehal of has seen an see Seen and seen the seen of seen of the s		
"Qolqas," Egyptian name for taro	_	203
Quarantine—		
cattle-tick, area covered and released	-	6
citrus-canker disease		268
plant value in control of foreign pests	. 45	2-44

	Page.
Rabbit Ears Pass, road through	. 5 ⁹ 5
Rabbits, injurious habits and control	394-395 99
Raccoon—	
occurrence, domestication, and value of pelt	494
yard, requirements for fur farming	497 496
Railroad ties, exports, statistics.	717
Railroad ties, exports, statistics	696
Rainfall—	77 (715
relation to erosion	711 -
surface run-off, control measures	123-129
Ranch grading of wool, advantages to growers.	
Ranching, turkey, sections and methods	414 $$ 193
Range, need in beef raising on irrigated land	28
See also Forests, National.	
Raisins—	* ****
exports, statistics	718 711 727
Rats—	
control by trapping cotton, description, habits, and control kangaroo, habits and control cont	397
cotton, description, habits, and control.	386
Rangaroo, nants and control	-380-387 -909905
Reclamation projects, Government, agriculture on, article by C. S. Scofield ar	nd
Recipes, dasheen, preparation for table use Reclamation projects, Government, agriculture on, article by C. S. Scofield ar F. D. Farrell. Red fox, variation in color of progeny, descriptions and designation of species.	177-198
Red fox, variation in color of progeny, descriptions and designation of species.	491-492
Rice— acreage—	
and production, principal countries, 1913-1915	607
production, and value, U.S., 1904-191	608
condition of crop by months, U. S., 1904–1916.	$\frac{608}{200}$
exports, statistics	$\frac{720,725}{713}$
growing, California, increase in acreage.	36
imports, statistics prices, wholesale, 1912–1916.	713, 726
prices, wholesale, 1912–1916. production, principal countries, 1900–1913.	-609-610 808
production, principal countries, 1911–1913.	533
production, world, map.	541
State acreages, production, and farm values, 1916.	608
statistics, acreage, yield, value, prices, etctrade, international, exports and imports, 1913–19156	010-100 013
vield and value, per acre, by States	609
Rhabdocnemis obscurus, control by parasite fly, Hawaii	280
Rhode Island—agricultural officers, post-office addresses. 556, 557.	550 550
truck crops acreage, notes.	, əəə, əəə 455–465
truck crops acreage, notes. Richardson ground squirrel, injurious habits, and control.	390, 391
Riley, Prof. C. V., work in importation of Australian ladybird	274
Ripeness, fruit and vegetables, color indications. River banks, protection by trees, value, instance.	. 99-106 197 <u>-</u> 198
River-bottom erosion, characteristics and causes.	116
Road Act, Federal Aid—	
appropriation of \$1,000,000 annually for 10 years.	521
approval enactment, administration, and apportionment 10,	521 51-52 54
enactment, benefit to farmers	74
Road, usefulness in fire protection	522
Roads— and Rural Engineering Office, cooperation in supervision	528
appropriation of 10 per cent of forest receipts.	524
building for opening up the National Forests, article by O. C. Merrill	521-529
development, aid of Department.	51-52, 54
development in National Forests. expensive, National Forests, conditions unfavorable	529 526

Roads—Continued.	Page.
expenditures, annualextent of building, Forest Service, 1905–1915	$\frac{74}{522}$
forest, development, and increased mileage. 51– Forest Service policy for building.	52. 54
Forest Service policy for building mountain, grades and travel	$\frac{526}{526}$
National Forests, cost of maintenance.	527
needs in National Forests in 1905.	522
single track, comparison with double trackuse in opening National Forests to farmers for recreation	$\frac{526}{521}$
Rodent pests on the farm, destroying, article by David E. Lantz 38	1 - 398
Rodents— American electrication as harmful or handfairly difficulty:	1 000
American, classification as harmful or beneficial, difficulty	398
destruction of forage on forest ranges	28-29
introduced, spread and injurious habits, and control	6-397 2-396
ROMMEL, GEORGE M., article on "The function of live stock in agriculture" 46	7-475
Root-knot disease, dasheen, control	207
Roots, sugar-beet— after seeding, value as stock feed.	9-410
selection and siloing	6-408
Rosin—	8 736
exports, statistics	654
Rois storage of dasheens prevention	207
Roughage, unsalable, value as live-stock feed	469
imports, statistics	9, 742
trade, international, exports and imports, 1913–1915	$\frac{655}{719}$
Rum, exports, statistics	110
Organization and Markets Office, creation and change of name	9, 11
organization, needed by farmers for many yearspopulations, by countries	$\frac{63}{697}$
Bye	
acreage, production, value, prices, etc., 1849–1916)6-597 M-596
area and production in principal countries	598
exports, statistics. prices on farm by United States geographical divisions, 1915 and 1916	118
prices on farm by United States geographical divisions, 1915 and 1916	599 599
production, principal countries, 1911–1913	533
State agreers production and farm value 1916	597
State yields, prices, and values. statistics, acreage, yield, values, exports, prices, etc. 5	94-599
♦	
Sago, imports, statistics. Salt, table, poison-elimination process, introduction.	$713 \\ 49$
Sanitary privy, types, description, construction, and care	52-359
Comitation	
importance in connection with care of live stock	79
Scaling	
cattle, elimination.	$\frac{22}{22}$
Scald in stored fruit, cause, studies	00-102
Scale—	
fluted— appearance in California, spread, and control by ladybird 2	73-278
control by Australian ladybird.	73-278
mulberry, parasite introduction into Italy2	86-287
white. See Scale, fluted. Schedius kuvanae, introduction, results. Schools, receipts from National Forests.	
reclamation projects"	11-190

		ige.
Sea foods, utilization and transportation, studies		49
Searles Lake, California, brine deposit, source of potash)7-	308
Seed—	٠.	.
and Plant Introduction, Foreign, Office, work	5 0	
clover and timothy, prices wholesale, 1912–1916.	!	624
cotton, importance of purityimprovement, work by Department specialists, results		185
improvement, work by Department specialists, results.	o~ .	35
injury by rodents	50. i	387
	99,	400
sugar-beet— growing in America, experiments and results	იი	104
growing, States and areas.	(,,)	$404 \\ 402$
harvesting.		$\frac{402}{409}$
industry in the United States, present status, article by ('. O. Town-		409
send	oα	110
production, necessity		
production, progress in America. 4		
Seeds—	00-	40T
crop on irrigated lands		179
exports, statistics		720
imports, statistics	13	737
production—	10.	171
need of cooperation		183
on irrigated lands, discussion.	g.)_	
Septic tank. See Tank, septic.		104
Serum—		
antihog-cholera, yalue and results of use	65	-66
hog-cholera, use in eradication of disease.	29	- 93
Seware—		20
decomposition process	19~	350
definition, nature	•	349
disposal—		
by subsurface drainage. 358-359.3	65-	367
by subsurface drainage	47-	373
Sewer pipe, farm-house plumbing, requisites	61.	367
Shearing, sheep, advantages of new shearing sheds	27-	230
Sheds, sheep-shearing, description, floor plan, and directions for use 2	_; 27_	230
Sheep-		
exports, statistics		715
grazing—		
allowances and rates on National Forests	03	705
on National Forests, numbers, 1911 to 1916		700
imports, statistics		707
industry—		
conditions, decline, importance, and extension	30	-31
relation to irrigation farming	91-	
number, world, map		552
numbers—		
and value on United States farms, 1867–1917		683
grazing on forest ranges	- ^	28
in world, by countries	59-	662
prices wholesale, 1912–1916, principal United States markets		
scabies eradication, progress.	O#	22
shearing sheds, description, floor plan, and directions for use	27-	
State, numbers, and value on farm, 1916 and 1917.	00	684
statistics, with wool statistics, United States 6	85~	ONT
Sheet erosion, characteristics	1.4-	
Sherley amendment, Food and Drugs Act, enforcement.		729 48
Shipment, stable manure, methods	サに	270
Shipping turkeys alive, methods.	10	$\frac{370}{419}$
Silk—		TLU
imports, statistics	07	79K
production—	υ,	140
principal countries, 1911–1915		656
total, 1900–1915		656
raw, imports, 1913–1916, origin		738
		. 55

	P	age.
Siloing sugar-beet roots.	407	100
Silos, lise as means of profit increase in deigning	074	075
Shiver lox, description and value of per-	101	492
onver-black lox, describtion, note		492
Sirup, exports, statistics. Sirups, soda-iountain, side line for canneries, suggestion.		720
Siral— Signature of the for canneries, suggestion	-	246
grass, imports, statistics		~0 0
imports, 1887–1916.	•	709
Skins—	•	726
exports, statistics		715
fur animals, treatment	504-	505
imports, statistics	727,	739
imports, statistics. 708, trade, international, by countries, 1913–1915.	663-	-665
Skunk—		
occurrence, domestication and value of pelt.	490-	
ranch, cost of plant		496
Smith, Middleton, maps of truck crops, States and acreages	309,	363
Snakes, usefulness in destroying rodents on farms.	400-	200
Soil—	•	999
erosion. See Erosion.		
fertility—		
maintenance, value of legumes and of live stock66-67,	467-	-468
want of maintenance under tenant system, discussion	-	343
relation to yield of cotton, note.	•	185
Soils Bureau, investigations of potash sources	305,	
Sorghum plant introduction, cost, and value of yield	•	66
Sorghums, grain, acreage increase in Southwest. Sour-scab disease, citrus trees, similarity to citrus canker.	•	36
South Carolina—	-	267
agricultural officers, post-office addresses 556, 557	558	550
cooperative bull associations, number, 1916.	-	311
dasheen, field tests		202
home demonstration work in Darlington County, scope and success	264-	-266
truck growing, conditions, crops, and acreage 441, 449, 450, 455, 456,		
South Dakota—		
agricultural officers, post-office addresses	558,	
forest areas, National	101	702
truck crops, acreage, notes	404,	400
article by Bradford Knapp and Mary E. Creswell	251	266
Southern States—		
adaptability to dasheen culture	207.	208
interior, truck growing, development and conditions	445-	-446
mutual insurance, property value and cost	425	-427
need of increase in live stock.	•	474
Soy beans, food value, investigations.	. 37	
Specialists, plant diseases, Gulf States, directory	200	269
Spermophiles, description, habits, and control	589-	713
Spices, imports, statistics . Spillman, W. J., and E. A. Goldenweiser, article on "Farm tenantry i	n n	113
the United States".	 321-	-346
Spirits distilled exports statistics		719
Spraying, machinery, development for control of leaf-feeding insects		41
Squirrels-		
ground—		
description, habits, and control	389-	-392
destruction of forage, control methods, cost	. 28	5-29
extermination work, California.	-	390
Stable manure. See Manure, stable. Stable-manure business of big cities, article by C. C. Fletcher	275	270
	010-	อเฮ
Stallion— legislation—		
and the horse-breeding industry, article by Charles C. Glenn	289-	-299
effect	294-	-298
requirements	289-	-293
registration boards, State and National, list of officials	298-	-299

Stallions— inferior, elimination, discussion	:	P: 293–	age. 294
inferior, climination, discussion number by breeds and classes in 18 States Standards—		261-	293
agricultural products, establishment cotton, adoption, beneficial effects	10, 1-	4, 16	-17 74
cotton, demonstrations. foods and drugs, importance, recommendation.		_	16
grain— benefit to farmers.			78
establishment	· - • •	. 10	, 17
exports, statistics	. 	-	720713
statistics State Cooperative Food and Drug Control Office, creation and work Statistics—			46
agricultural crop acreage and food production, world countries farmers' mutual insurance, property values, losses, and cost food supply of United States.		532, 124-	$\frac{538}{428}$
Stock— feed—			
seed beet stubble and roots, value and yieldsvalue of dasheens	4	109-	410
raising, development and protection	· · · · ·	. 27	-30 -30
apples, conditions determining success		102-	$\frac{104}{377}$
stable manure, and handling Strawberries, production and acreages, by States		37.7	378
Sugar—		1(/./~	-11(
beet—			
industry, seed requirements. production, principal countries. production, United States, 1911–1916. See also Beet sugar.	€	i48	400 649 644
cane			
Hawaii production, 1913–1916			645
imports, statistics		. '	714
Louisiana production, 1911–1916			644
Louisiana production, 1911–1916. production, United States and possessions, 1856–1917.			643
exports, statistics			720
imports, statistics	114 7	96	
prices, wholesale, 1912–1916	6	145.	646
production—		,	
principal countries, 1911–1913	. .		533
principal countries, 1915–1916		. (647
fotal, 1895–1915		. (648
world, map			546
statistics, acreage, production, value prices, etc.	6	14:3-	65 L
trade, international, exports and imports, 1913–1915		. '	646
imports, statistics.			713
industry in the United States, present status, article by C. O. Townsend	3	399	110
Suint, wool waste, value as potash source. Summer homes, National Forest, cost of permits.	3	104-	
Sweepings, street, value as fertilizer, and disadvantages	3	77,	524 378
acreage, production, and value, United States, 1849-1916		. (617
condition of crop by months, United States, 1896-1916		- 1	618
grades, establishment			14
prices, wholesale, 1912–1916. State—		. (619
acreages, production, and farm values, 1916.		. (618
yields, value and prices on farms, 1907–1916. statistics, acreage, yield, prices, etc.		127 (518
morougo, ytoru, pricos, ecc	0	114-1	υīβ

Swine— numbers in world, by countries. statistics, numbers, and value on United States farms, 1867–1917 See also Hogs.	F 659-	Page. -661 691
Tampico fibre, imports, statistics Tanier, taro variety inferior to the dasheen Tank, septic—	• •	709 202
description. use, construction, and care. for small family, plan and cost	363.	-370 369
liquor, for furs, recipe and use materials, imports, statistics. Tapioca, imports, statistics. Taro—		505 710 713
importance as food plant, various names, etc	200- 	-202 200
imports, statitstics		650
trade, international, exports and imports, 1913–1915. Tenant— farmers, percentage by age groups and by States.		651
farming— defects of American system	343-	-346
factors influencing length of term lease contract, problem, discussion. Tenantry—		
advantage to beginners in farming, discussion		
factors reducing and increasing percentage. in United States, article by W. J. Spillman and E. A. Goldenweiser Tennessee—		
agricultural officers, post-office addresses	255-	$-261 \\ 122$
truck growing, conditions, crops, and acreage	458- 	$\frac{-465}{419}$
Tests, plant introductions in nurseries and orchards. Teton Pass, road from Jacksons Hole, Wyo., to Victor, Idaho Texas—	 	138 528
agricultural officers, post-office addresses	, 269, • •	$\frac{271}{65}$
truck growing, conditions, crops, and acreage. 444, 449, 450, turkey raising and marketing. 413. Thanksgiving turkey, article by Andrew S. Weiant.	417, 411-	-400 418 -419
Tick, cattle— eradication method similar to tuberculosis campaign eradication work, importance and value		26 65
Tile, drain, use for subsurface drainage of sewage. Tillamook County Creamery Association, work and results. Timber—	145-	~197
exports, statistics		700
hay, prices, Chicago, 1876–1916seed— exports, statistics		620 720
Tobacco— acreage and production, principal countries, 1913–1915	• •	624
acreage, production, value, etc., 1849–1916	 	631 631
exports, statistics	720.	724

Tobacco—Continued.	F	age
prices, wholesale, 1912–1916. production total, 1900–1911.	633-	-63
production, world, map	•	
State acreage, production, and farm value, 1916.	•	$\frac{54}{63}$
State yield, value, and price on farms, 1907–1916		63
statistics, acreage, yield, value, prices, etc	630-	-63
trade, international, exports and imports, 1913-1915		63
types, State acreage, production, and value, 1915 and 1916	-	63
Toll—road, Pikes Peak Highway, exception to rule		52
roads, National Forests, unfavorable view.	-	$\frac{52}{52}$
Tomatoes—		
acreage grown for canneries, 1913, 1914, 1915.		45
color, relation to maturity	104-	-10
production and acreages, by States	$\frac{104}{445}$	44
Townsend, C. O., article on "The present status of the sugar-beet seed indus	3~	
TOWNSEND, C. O., article on "The present status of the sugar-beet seed industry in the United States"	399-	41
Tractors, use as substitute for horsepower on farms	-	47
Trails— extent of construction on National Forest, 1905-1913		52:
lack in National Forests in 1905.		52:
pack use by settlers in National Forests		52
usefulness in protection from fire	-	52
Transportation		
agricultural products, tonnage, 1913–1915	-	69 24
facilities, importance in locating canneryfruit, note	-	18
relation to hog marketing, notes	188,	
truck crops, improvement		45
Trapping rodent pests	396,	39
Trees, orchard, protection against rodents by poison wash. Trinity River, agricultural land opening by road building		$\frac{39}{52}$
Trouvelot, Leopold, introduction of gipsy moth	-	21
Truck crops—		
in the United States, development and localization, article by Fred J	•	
Blair	435~ 459	467
increased demand caused by increased urban population and wealth on irrigated lands.	100-	170
regions and early development		
risks, frosts, droughts, floods, etc	_	45;
Truckers, stable manure, supply from big cities	376,	378
Trucking—		45
centers, 1900 and 1910, cities, and tributary territory	- 136-	439
Tuberculosis, animal, eradication.	. 24	-27
Tuberculosis, animal, eradication. Tung-oil tree, Chinese, experimental plantings and value		139
"Turkey day" celebration and "picking bees"	-	41.
Turkey— evolution from wild estate to domestic	111	41.
prices 1915		41:
raising source of income for farm wife		41
ranching, sections and methods Thanksgiving, article by Andrew S. Weiant		41.
Thanksgiving, article by Andrew S. Weiant.	111-	419
driving methods Texas		417
driving, methods, Texas	118	419
marketing, methods,	116-	417
raising on the farm, directions.	115	
shipping alive, methods. supply, source, and decrease of production	110	419
Turpentine		
exports, statistics	28.	737
exports, statistics. 717, 7 trade, international, exports and imports, 1913–1915.		65
Typhoid fever, spread by improper disposal of sewage	47-	348
Udo, introduction, description, and use		140
Ulmus vumila introduction and experimental plantings	•	140

Utah—		ъ	age.
agricultural officers, post-office addresses. forest areas, National	557,	558	559
fruck-crops acreage notes 455	160	101	$\frac{702}{465}$
Utility, public, commissions, sentiment aiding establishment.		. 63	3,72
VALGREN, V. N., article on "Farmers' mutual fire insurance"		421-	-433
Van Fleet, Dr. W., originator of chinkapin-chestnut hybrid. Vanilla beans, imports, statistics.			141
Vedalia. See Ladybird, Australia.		•	714
Vegetable—			
canneries, cooperative, business essentials for, article by W. H. Ker food oils, some American, their sources and methods of production, by H. S. Bailey	ırticl	le •	
matter, exports and imports, 1914–1916, valuation			722
oils, exports, statistics. starchy, value of dasheen.		719-	-720
Vegetables—			-200
acreage and production, increase		-	20
exports, statistics		347.	$720 \\ 348$
imports, statistics		•	714
maturity, color as indication, article by L. C. Corbett miscellaneous, production and acreages by States. 439, 441, 442, 444,	415	. 99-	-106
raw, danger of contamination with sewage.		347.	348
transportation, tonnage on railways, 1913-1915		· •	696
Vermin, misuse of word as applied to animals			382
agricultural officers, post-office addresses.	557,	558,	559
cooperative bull associations, number, 1914–1916			311
truck crops, acreage, notes	-401,	404,	, 400 5–96
Victor, Idaho, road to, from Jacksons Hole, Wyo., over Teton Pass			525
Vinegar making as side line for cannery, suggestion		-	246
agricultural officers, post-office addresses. truck growing, conditions, crops, and acreage. 438–440, 449, 450, 455,	557.	558,	559
truck growing, conditions, crops, and acreage. 438-440, 449, 450, 455,	456,	458-	-165
Viscera, discused, inspection for determination	·	. 6	±–00 3–75
Walnuts, imports, 1897–1916			727
Act, enactment, scope, and administration		. 10), 18
bonded, act, enactment, and benefit to farmers		247.	3-74 273
Washed lands, reclamation		131	-370 -133
Washington—			
agricultural officers, post-office addresses. Bellingham field station, bulb-garden, and other work.	- 557,	136	, 559 . 143
truck growing, conditions, crops, and acreage. Waste land, utilization as sheep pasture.	445.	455	465
Waste land, utilization as sheep pasture		3	0-31
wood, value as potash:		305	-306
wood, value as potash: wool, potash recovery from.		304	-305
Water— courses, contamination by sewage, danger to health		348	. 367
flow per capital estimate for farmhouse plumbing			360
pollution with sewage cause of disease		347	, 348
power— effect of erosion		121	-122
National Forests, permits, 1911–1916			-70t
supply, individual, for irrigation, advantages. Watermelons, production and acreages by States.	443	، 307 446 .	-əua . 449
Watersheds, protection by eastern forests		Э	$_{4-50}$
Waterways inland effect of erosion			122 453
Weather, effect on truck crops. Weeds, eradication in cotton, note.			186
Weeks Act, land purchases, acreage and cost. Weekl horer sugar cane control by fly parasite. Hawaii.	· · · ·	5	4-58
Weavil horar sugar cane control by fly parasite. Hawaii			∠∀ા

Weiant, Andrew S., article on "The Thanksgiving turkey". 411–419 Weich, R. R., article on "An experiment in community dairying". 209–216 Well-casing, kinds, description. 517–518 Wells—
irrigation water supply, boring and developing
West Virginia— agricultural officers, post office addresses
Western States— tenant farmers, percentage by ages, groups
Wheat-
acreage— production, value, prices, etc., 1849–1916
world map
flour—
exports, statistics
on farm by U. S. geographical divisions, 1915–1916. 576 wholesale, 1912–1916. 577
production— and distribution, United States, 1897–1916
State— acreages, production and farm value, 1890–1916. yields, prices, and values. 573–574, 575 statistics, acreage, yield, values, exports, prices, etc. 568–579 trade, international exports and imports, 1913–1915. 579
White— G. C., and T. F. Powell, article on "Possibilities of a market-train service"
mountains— land purchases for protection of watersheds
National Forest, preparation for 522 Windstorm, risks in mutual fire insurance 424, 428
Wines, imports, statistics. 712 WINKIER, JOEL G., article on "Cooperative bull associations" 311-319 Winter feeding, sheep, note 192 Wisconsin—
agricultural officers, post-office addresses
Wood— exports, 1918–1916, destination
imports, 1913–1916, origin
exports, statistics. 718 imports, statistics. 729, 743 trade, international, exports and imports, 1913–1915. 657 wastes, value as potash source. 305–306
Woodchucks, habits and control. 393–394 Woodlot, erosion, preventive measures. 127 Woods, imports, statistics. 710–711 Wool—
clip, progress in handling, development in the West, article by F. R. Marshall
710

Wool—Continued.	P	age.
grading and classification		231
growing and handling, educational work of Animal Industry Bureau		236
imports, statistics	25.	738
marketing-		
in irrigation farming, note		193
methods	235.	236
preparation for market	230-	-232
prices wholesale—		
in Boston, by grades, 1912–1916	SSS.	689
principal U.S. markets, 1912–1916	,	690
production—		
and imports, value of waste for potash		305
by States, 1915 and 1916	,	687
ranch grading, advantages to growers	232.	233
ranch-graded, selling.	233.	234
statistics, with sheep statistics, U. S	i83-	-691
trade international 1913–1915		691
wastes, potash recovery from	304,	
World agriculture, graphic summary, article by V. C. Finch, O. E. Baker, and	1	
R. G. Hainsworth	531-	-553
Wyoming—		
agricultural officers, post office addresses	558.	559
truck crops acreage 456, 458–460, 456, 458–460, 456, 458–460, 456, 458–460, 456, 458–460, 456, 458–460, 456, 458–460, 456, 458–460, 456, 458–460, 456, 458–460, 456, 458–460, 456, 458–460, 458–	1 64,	465
wool clip, handling methods	227-	-235
Yarrow Plant-introduction Garden, location and work	136-	-140
Yautia, source of food in tropical countries		201
Young, Robert A., article on "The dasheen; its uses and culture"	199-	-208
. , . , . , . ,		
Zizinhus jujuha description and testing		139